Print-on-Demand Facsimile of Online Articles

PALAIOS

Emphasizing the Impact of Life on Earth's History

May 2014 Volume 29, No. 5

An International Journal of SEPM
(Society for Sedimentary Geology)

PALAIOS
Emphasizing the impact of life on Earth's history

PALAIOS, 2014, v. 29, 185–191
Research Article
DOI: http://dx.doi.org/10.2110/palo.2013.089

THE RED QUEEN AND COURT JESTER IN GREEN LACEWING EVOLUTION: BAT PREDATION AND GLOBAL CLIMATE CHANGE

S. BRUCE ARCHIBALD,[1] VLADIMIR N. MAKARKIN,[2] DAVID R. GREENWOOD,[3] AND GREGG F. GUNNELL[4]

[1]*Department of Biological Sciences, Simon Fraser University, 8888 University Drive, Burnaby, British Columbia V5A 1S6, Canada and Royal British Columbia Museum, Victoria, British Columbia V8W 1A1, Canada and Museum of Comparative Zoology, Cambridge, Massachusetts 02138, U.S.A.*

[2]*Institute of Biology and Soil Sciences, Far Eastern Branch of the Russian Academy of Sciences, Vladivostok 690022, Russia*

[3]*Department of Biology, Brandon University, J.R. Brodie Science Centre, 270 18th Street, Brandon, Manitoba, Canada R7A 6A9 and Department of Geological Sciences, University of Saskatchewan, Saskatoon, Saskatchewan, Canada and Barbara Hardy Institute, University of South Australia, Mawson Lakes Campus, Adelaide, South Australia 5000, Australia*

[4]*Division of Fossil Primates, Duke Lemur Center, 1013 Broad Street, Durham, North Carolina 27705, U.S.A. and The Graduate Center, City University of New York and New York Consortium in Evolutionary Primatology, New York City, New York 10016, U.S.A.*

e-mail: sba48@sfu.ca

ABSTRACT: **Mechanisms governing taxon replacement and subsequent radiation remain little understood. We examine possible forcing factors in a turnover of subfamily dominance seen within the fossil record of green lacewings (Neuroptera: Chrysopidae), a common, cosmopolitan, nocturnally active insect family. Analyses indicate that Nothochrysinae dominated the family in the Eocene, while today they are relictual and the cosmopolitan Chrysopinae dominates with > 97% of its > 1200 species. Our findings suggest that this turnover is consistent with two key adaptations in the Chrysopinae: a tympanum that detects echolocation sounds of bats, which appeared in the fossil record and rapidly radiated during this time (a Red Queen interaction), and increased climatic tolerance coincident with the onset of post-Eocene global icehouse world climate (a Court Jester effect).**

INTRODUCTION

Understanding how one group of organisms replaces another and why it may then radiate to reach much greater diversity remain vexing problems in evolutionary biology. Documenting faunal turnover is relatively simple, but grasping the underlying mechanisms is often confounding. Proposed modes of turnover include those based on competitive interaction between succeeding taxa or on opportunistic replacement when constraints of incumbent advantage are independently removed or relaxed (Benton 1987; Rosenzweig and McCord 1991). The radiation of a succeeding taxon significantly beyond its predecessor's diversity, range, or ecological role is usually associated with possession of a trait acting as a key adaptation, allowing novel exploitation of opportunities present in a new community or environmental context. The evolution of such traits (not only those acting as key adaptations) has been attributed to biotic interactions (e.g., predation, competition: Red Queen hypothesis, Van Valen 1973) and abiotic forcing factors (e.g., climate change, tectonic change: Court Jester hypothesis, Barnosky 2001). These two models are not mutually exclusive (Benton 2009). Here, we examine their possible respective roles in a subfamily-level turnover documented in the fossil record of a common, cosmopolitan insect group, the green lacewings (Neuroptera: Chrysopidae) (Fig. 1A).

MATERIALS AND METHODS

We reviewed the fossil record of green lacewings in light of newly reported taxa (Makarkin and Archibald 2013), and compared this with the history of bats to evaluate the potential impact of their appearance and diversification. To test the role of climate in green lacewing evolution, we generated climatic profiles for each subfamily using 9,278 Chrysopinae and 366 Nothochrysinae modern occurrence data (Supplemental Tables S1–S5). These data were gathered from a literature search and personal records. Only precise locality data were used, in elevation as well as latitude and longitude. We believe that the Nothochrysinae dataset is representative of their limited, disjunct range, but recognize that the cosmopolitan Chrysopinae dataset appears somewhat skewed by differential collecting effort, under-representing the hottest and coldest parts of its range, and so provides a conservative view of its climatic tolerance. We used DIVA-GIS software with the WorldClim dataset (Hijmans et al. 2009) (Supplemental Tables S1–S3) to estimate locality mean annual temperature (MAT), winter temperature (coldest quarter mean temperature: CQMT), and mean annual precipitation (MAP) to a kilometer square resolution. We compared these profiles with those of fossil occurrences (Fig. 2; Table 1) and patterns of Cenozoic global climate change. We use Wolfe's (1975) MAT categories and terminology: microthermal, ≤ 13 °C; mesothermal, > 13°C, < 20 °C; megathermal, ≥ 20 °C.

RESULTS

Our review of the fossil record of green lacewings appears in the Appendix, and its relationship to that of bats is discussed below. In our climatic analyses, we recovered similar median MAT for modern Chrysopinae (10.5°C) and Nothochrysinae (9.8°C) habitats. Chrysopinae, however, has a wider climatic range in MAT and MAP, and notably shows a much lowered winter temperature tolerance (CQMT) (Fig. 2;

Published Online: July 2014
Copyright © 2014, SEPM (Society for Sedimentary Geology) 0883-1351/14/029-185/$03.00



FIG. 1.—Green lacewings and bats. **A)** Early Eocene Nothochrysinae (*Adamsochrysa aspera*) from McAbee, BC, Canada (composite image). **B)** Modern Chrysopinae (*Chrysoperla carnea*) forewing, tympanum at wing base (arrow) (wing brown, not light green from preservation in ethanol). **C)** Close-up of B, showing detail of tympanum (arrow, expanded portion of the radial vein). **D)** Early Eocene bat *Icaronycteris index* from the Green River Formation, Wyoming, U.S.A. Scale bars: A, 5 mm; B, 2 mm; C, 2 μm; D, 1 cm.

Table 1). Comparison of these profiles with climate estimates of fossil localities indicates that Nothochrysinae persists in habitats close to its Eocene climatic envelope, while Chrysopinae's expanded tolerances are more broadly suited to later Cenozoic climates.

DISCUSSION

Green lacewings (Neuroptera: Chrysopidae) are familiar to gardeners across much of the world for their consumption of plant pests (Brooks and Barnard 1990; Brooks 1997). They are divided into four subfamilies: three living (Chrysopinae, Nothochrysinae, and Apochrysinae) and one extinct (Limaiinae). Here, we divide their history into three phases (see Appendix).

The History of Green Lacewings

The Limaiinae Phase: Mid-Jurassic to Late Cretaceous.—The rich suite of Mesozoic green lacewings are all limaiines or of undetermined Mesozoic subfamily affinity. In Jurassic localities at Daohugou in China and Karatau in Kazakhstan, limaiines (mostly undescribed) were very abundant (nearly 10% of all neuropteran specimens in each: Khramov 2013; Vladimir Makarkin, personal observation 2009), suggesting an important role in ecosystems. They were broadly distributed in the Cretaceous, from equatorial Brazil to northwestern Siberia (Appendix), with a rather large morphological and size diversity (see e.g., Makarkin 1997) that suggests that they might have occupied a variety of niches.

The Nothochrysinae Phase: Eocene and Possibly Oligocene.—Paleocene green lacewings are not known. Mesozoic groups are extinct or almost so by the early Eocene (Limaiinae, 2–3 spp.), and Nothochrysinae dominates (22 spp.) from the earliest to the latest Eocene (Appendix). Chrysopinae appears in the late Eocene (2–4 spp.). Nothochrysine success in the Eocene may have resulted from fortuitous occupation of vacated eco-space (Benton 1987; Rosenzweig and McCord 1991) following the decline and extinctions of Mesozoic taxa during the interval that includes the major environmental upheavals of the K–Pg extinction event and the Paleocene–Eocene Thermal Maximum (Wilf and Labandeira 1999; Wilf et al. 2006; Zachos et al. 2008). Oligocene green lacewings are little known, represented by two species of Nothochrysinae.

The Chrysopinae Phase: Oligo-Miocene to Present.—Nothochrysinae declines in the Neogene (Miocene, 3 spp.; Pliocene, 1 sp.) and Chrysopinae increases to overwhelming dominance. All Miocene Chrysopinae (7 spp.) are assigned to modern genera. Today, chrysopines represent $>$ 97% of the $>$ 1200 described species, distributed worldwide except in Polar Regions and Greenland. The remaining $<$ 3% is divided between the Nothochrysinae and the pan-tropical Apochrysinae, which has no known fossil record.

We propose that the post-Eocene domination and expansion of Chrysopinae was the result of their adaptive innovations in response to two major challenges. By the late Eocene, modern bat groups (rhinolophids and hipposiderids in the Old World, vespertilionids in the New World) adept at aerial hawking had appeared and diversified (Gunnell and Simmons 2005). These bats utilize sophisticated echolocating abilities and maneuverable flight capacities to detect and hunt prey on the wing (Gunnell et al. 2003). The presence of intensified bat predation along with a fundamental shift in global climatic regime to colder, more seasonal "icehouse world" extra-tropical climates immediately after the Eocene–Oligocene boundary provided sufficient selective pressure to alter the diversity patterns and evolutionary trajectory of green lacewings. These large-scale stresses brought about dramatic declines in nothochrysine populations, while two key adaptations of chrysopines (absent in nothochrysines) allowed them to effectively avoid bat predation and exploit the new opportunities provided in an icehouse world, leading to their later Cenozoic dominance. These were: 1) the evolution of a tympanum capable of detecting high frequency sounds such as those produced by echolocating bats, thereby diminishing the impact of a formidable predator (a Red Queen interaction), and 2) increased climatic tolerance coincident with the shift from a greenhouse to icehouse global



FIG. 2.—Green lacewings and climate. **A)** Winter temperatures (coldest quarter mean temperature, CQMT) of Chrysopinae and Nothochrysinae habitats. **B)** Mean annual temperatures (MAT) of Chrysopinae and Nothochrysinae and Nothochrysinae genera. **C)** MAT of Cenozoic fossil sites bearing Chrysopidae. **D)** Modern Nothochrysinae distribution. **E)** Modern Chrysopinae distribution. Red: Nothochrysinae climates and occurrences. Blue, Chrysopinae climates and occurrences. Black, neither (major Eocene fossil insect-bearing localities with well-defined climates and no Chrysopidae fossils). McAbee, Republic, Green River, and Messel show multiple climatic estimates, see Table 1. Data for A, B, D, E from online Tables S4, S5; data for C from Table 1.

climatic regime (a Court Jester effect). We propose that these two factors created the conditions for the decline of Nothochrysinae and the dramatic range expansion and diversification of Chrysopinae in the Neogene, shaping the modern global pattern of green lacewing diversity.

The Red Queen: Bats

After moths, green lacewings are among the most preferred prey of bats (e.g., Salsamendi et al. 2008). Chrysopinae and Apochrysinae bear chondrotonal organs at the bases of their forewings that are receptive to ultrasonic frequency, allowing them to detect bat echolocating sounds, which trigger defensive flight maneuvers by the insects (Miller and Olesen 1979) (Fig. 1B, C). Nothochrysines, however, lack this organ. In controlled experiments on living lacewings, 30% of flying *Chrysoperla carnea* (Chrysopinae) were captured by bats, rising to 90% for deafened individuals (Miller and Olesen 1979). The bat echolocation-detecting organ as a key adaptation is supported by its origination seven times in Lepidoptera, spread widely across the order (Yack 2004; Connor and Corcoran 2012). Other insect tympana that function in intra-specific communication, e.g., in Orthoptera (with very low bat prey preference), may have been present since the early Mesozoic (Plotnick and Smith 2012).

Molecular evidence indicates an origin of crown group bats ~ 64 Ma in the early Paleocene (Meredith et al. 2011), and of major modern echolocating lineages in the early to middle Eocene 46–52 Ma (Teeling et al. 2005). Archaic bats appear in the fossil record by the late-early to early-middle Eocene in Africa, Europe, Australia, India, and late-early Eocene in North America (Simmons and Geisler 1998; Gunnell and Simmons 2005; Smith et al. 2007, 2012; Tabuce et al. 2009; Ravel et al. 2011). Multiple lines of evidence indicate that Eocene bats were insectivorous, capable of echolocating, and nocturnal (Habersetzer et al. 1994; Rydell and Speakman 1995; Simmons and Geisler 1998; Veselka et al. 2010). However, it remains unclear exactly when, during the evolutionary history of bats, they began to use their developing echolocating abilities for prey detection and capture. It is likely that echolocation was initially selected for as an adaptation for improved evening flight navigation. This would then present an opportunity to turn a navigation device into a hunting device with changes in the acuity of echolocation coupled with enhancements in flight speed and maneuverability.

TABLE 1.—*Fossil locality climates. Climatic estimates for fossil sites mentioned in the text. Mean annual temperature (MAT) and coldest month mean temperature (CMMT) in °C; mean annual precipitation (MAP) in mm/yr. MAT values are estimated by leaf physiognomy (LP) methods, nearest living relative methods (NLR), biome indicator (B), or paleosol analysis (PS) as indicated; all CMMT and MAP estimates are by NLR unless otherwise indicated. Coldest quarter mean temperature (CQMT) values generated for extant occurrences (Table S2) by DIVA software are about 1–2°C above CMMT values.*

Locality	Age	MAT	CMMT	MAP
McAbee, Canada	Eocene (Ypresian)	9.5[a]–13.5 ±2.5[b] (LP, NLR)	≥ 5[a]	1080 ±35[a]
Republic, U.S.A.	Eocene (Ypresian)	8.0[c]–13.5 ±2.2[b] (LP, NLR)	≥ 5[a]	1150 ±39[a]
Driftwood Canyon, Canada	Eocene (Ypresian)	6.2±4.7[b]–12.3 ±1.9[b] (LP, NLR)	≥ 5[a]	1020 ±63[a]
Florissant, U.S.A.	Eocene (Priabonian)	10.8[d]–17.5[d] (LP, NLR)	≥ 5[d]	> 500[d]
Bembridge Marls, U.K.	Eocene (Priabonian)	13.3[e] (PS)	≥ 5[e]	1316[e] (PS)
Canyon Ferry, U.S.A.	Oligocene (Rupelian)	> 10[f] (B)	> –5[f]	> 700[f]
Creede, CO, U.S.A.	Oligocene (Chattian)	4.2 ±2[g] (LP)	< 0[h] (LP)	> 635[g]
Ribesalbes, Spain	Miocene (Burdigalian?)	13.6–15.8[i] (NLR)	2.2–4.8[i]	1000[i]
Dominican amber, D.R.	Miocene (Burdigalian)	> 20 (?25)[j] (B)	> 10[j]	> 2000[j]
Rott, Germany	Miocene (Aquitanian)	16.5–20.8[k] (NLR)	5–13.3[k]	843–1281[k]
Willershausen, Germany	Pliocene (Piacenzian)	13.6–15.6[l] (NLR)	0.6–1.7[l]	897–1151[l]

[a] Dillhoff et al. (2005); [b] Greenwood et al. (2005); [c] Wing and Greenwood (1993); [d] Smith (2008), Leopold et al. (2008), Leopold and Clay-Poole (2001); [e] Grimes et al. (2005), Sheldon et al. (2009); [f] CoBabe et al. (2002); [g] Poinar (2002); [g] Wolfe et al. (1998); [h] Wolfe and Schorn (1989); [i] Barrón et al. (2010); [j] Henwood (1993); [k] Utescher et al. (2000); [l] Thiel et al. (2012).

The presence of chrysopine lacewings by the late Eocene suggests that by that time bats were adept aerial hawkers and were focusing on insects as an abundant food resource. Aerial predation by bats would have provided strong selection pressure in favor of chrysopines able to detect them and perform avoidance behaviors.

The dominance of Nothochrysinae through the Eocene (see Appendix) implies either that the onset of bat aerial hawking was a relatively late phenomenon in the evolutionary history of radiating bats or that nothochrysine lacewings inhabited areas not frequented by bats until after the Eocene, separated by either physical or climatic barrier(s). The subsequent diversification of Chrysopinae may have involved replacing Nothochrysinae already in decline from predation pressure and, independently, taking advantage of opportunities afforded by global climate change following the Eocene–Oligocene boundary.

The Court Jester: Climate Change

Nothochrysinae has primarily maintained its conservative climatic tolerances since the Eocene. Of the 23 Eocene nothochrysine species (Appendix), 19 are from localities where climates have been characterized as having MAT of about 9.5–13.5°C (upper microthermal to lower mesothermal), with winters above freezing (Okanagan Highlands, Florissant, Bembridge Marls) (Fig. 2; Table 1). The remaining four are from localities where climates have not been estimated: the Tadushi Formation (1 sp.), which appears to have had an elevation (Zherikhin 1978) latitude, and flora similar to those of the Okanagan Highlands, and the marine Fur Formation (3 spp.) of Denmark, whose insects appear to have been at least in part transported by sea currents from unknown source habitats to the north (Archibald and Makarkin 2006). No Nothochrysinae (no green lacewings) have been reported from rich Eocene insect-bearing megathermal lowland sites, e.g., the Green River Formation (where bat fossils are relatively common), U.S.A.; Bournemouth, U.K.; or Eckfeld Maar and Messel (where bat fossils are abundant), Germany (Fig. 2).

There was a large-scale middle-late Eocene MAT decline in middle to high latitudes, followed by a rapid, extreme drop at the Eocene–Oligocene boundary that ended the greenhouse world climatic regime and commenced the current later Cenozoic icehouse world climate (Zachos et al. 2008). This was coincident with an increase in the thermal latitudinal gradient and a sharp increase in extra-tropical seasonality (Eldrett et al. 2009; Liu et al. 2009). Neogene Nothochrysinae are found in the upper microthermal to mid-mesothermal Miocene of Spain and Pliocene of Germany, and at Miocene Rott, Germany, which appears to have been warmer, perhaps mid-mesothermal to lower megathermal (about 16–2°C). Estimates of winter temperatures for these localities are all above to well above freezing.

Today, Nothochrysinae predominantly inhabits regions of warm- to cool-temperate MAT and mild winters, in Mediterranean or coastal maritime climates in mid-latitudes of both the Northern and Southern Hemispheres, in southern Africa, southeastern Australia, Mediterranean Europe, and Pacific-coastal U.S.A. (Fig. 2D). They are rarely found outside of this climate range: three occurrences of two little known, rare species in megathermal (or almost so) regions of South America, and a few species extending into continental regions of Eurasia. Their greatest species diversity is in the southern California–Arizona–northwest Mexico region (Supplemental Fig. 1).

Chrysopinae has expanded significantly from this climatic envelope. Their fossils first appear in the late Eocene of northern Europe. They are not known in the Oligocene, but appear to have reached their modern abundance, diversity, and distribution by the Miocene, expanding their tolerances to inhabit hotter regions of the Dominican Republic (Dominican amber: lower- to mid-megathermal) and the Black Sea region (upper mesothermal–lower megathermal). Modern Chrysopinae is cosmopolitan (Fig. 2E), and flourishes not only in the hot tropics, but also well into very cold regions above the tree-line in northern North America to > 69°N with coldest month average temperatures in the minus mid-twenties centigrade, and lows to the minus mid-fifties (Garland and Kevan 2007; Environment Canada 2013), in northernmost continental Europe (Vadsø, Norway, 70°N: Greve 1984), and in Siberia, e.g., on the Indigirka River, (Vladimir Makarkin, personal observation 1991), a region with winters reaching –68°C, the lowest recorded temperature outside of Antarctica (National Oceanic and Atmospheric Administration 2013).

CONCLUSIONS

The initial transition from the Nothochrysinae to Chrysopinae Phase is consistent with incumbent replacement. Bat predation (Red Queen interactions) may have forced relinquishment of Nothochrysinae incumbency, opening opportunity for bat-resistant Chrysopinae to establish dominance within its existing climatic envelope. Independent of this, response to climate change (Court Jester effect) explains the subsequent massive radiation of Chrysopinae into new eco-space across

broad environments, today inhabiting nearly every region that insects live on Earth.

ACKNOWLEDGMENTS

We thank R. Cannings, P. Duelli, C. Henry, J. Johnson, G. Lamas, M. Mostovski, J. Oswald, A. Kaverzina, V. Krivokhatsky, and X. Liu for discussion and information on chrysopid distributions, S. Halford for modern insect specimens, M. Pellatt for use of Parks Canada microphotography equipment, J. Baldwin for software assistance, and R. Mathewes for financial and facilities support (SBA). We thank Thierry Smith and an anonymous reviewer for many helpful comments. Funding for SBA and DRG provided by the Natural Sciences and Engineering Research Council of Canada (NSERC).

SUPPLEMENTAL MATERIAL

Supplemental Tables S1–S5 and Figure S1 are available from the PALAIOS Data Archive: http://www.sepm.org/pages.aspx?pageid=332.

REFERENCES

Adams, P.A., 1967, A review of the Mesochrysinae and Nothochrysinae (Neuroptera: Chrysopidae): Museum of Comparative Zoology, Bulletin, v. 135, p. 215–238.

Archibald, S.B., and Makarkin, V.N., 2006, Tertiary giant lacewings (Neuroptera: Polystoechotidae): revision and description of new taxa from western North America and Denmark: Journal of Systematic Palaeontology, v. 4, p. 119–155, p. 307.

Barrón, E., Rivas-Carballo, R., Postigo-Mijarra, J.M., Alcalde-Olivares, C., Vieira, M., Castro, L., Pais, J., and Valle-Hernández, M., 2010, The Cenozoic vegetation of the Iberian Peninsula: a synthesis: Review of Palaeobotany and Palynology, v. 162, p. 382–402.

Barnosky, A.D., 2001, Distinguishing the effects of the Red Queen and the Court Jester on Miocene mammal evolution in the northern Rocky Mountains: Journal of Vertebrate Paleontology, v. 21, p. 172–185.

Benton, M.J., 1987, Progress and competition in macroevolution: Cambridge Philosophical Society, Biological Reviews, v. 62, p. 305–338.

Benton, M.J., 2009, The Red Queen and the Court Jester: species diversity and the role of biotic and abiotic factors through time: Science, v. 323, p. 728–732.

Brooks, S.J., 1997, An overview of the current status of Chrysopidae (Neuroptera) systematics: Entomologische Zeitschrift, v. 44, p. 267–275.

Brooks, S.J., and Barnard, P.C., 1990, The green lacewings of the world: a generic review (Neuroptera: Chrysopidae): British Museum of Natural History, Bulletin, Entomology, v. 59, p. 117–286.

Carpenter, F.M., 1935, Tertiary insects of the family Chrysopidae: Journal of Paleontology, v. 9, p. 259–271.

CoBabe, E.A., Chamberlain, K.R., Ivie, M.A., and Giersch, J.J., 2002, A new insect and plant Lagerstätte from a Tertiary lake deposits along the Canyon Ferry Reservoir, southwestern Montana: Rocky Mountain Geology, v. 37, p. 13–30.

Cockerell, T.D.A., 1909, Two fossil Chrysopidae: The Canadian Entomologist, v. 41, p. 218–219.

Cockerell, T.D.A., 1914, New and little-known insects from the Miocene of Florissant, Colorado: The Journal of Geology, v. 22, p. 714–724.

Conner, W.E., and Corcoran, A.J., 2012, Sound strategies: the 65-million-year-old battle between bats and insects: Annual Review of Entomology, v. 57, p. 21–39.

Dilhoff, R.M., Leopold, E.B., and Manchester, S.R., 2005, The McAbee flora of British Columbia and its relation to the early–middle Eocene Okanagan Highlands flora of the Pacific Northwest: Canadian Journal of Earth Sciences, v. 42, p. 155–166.

Eldrett, J.S., Greenwood D.R., Harding, I.C., and Huber, M., 2009, Increased seasonality through the Eocene to Oligocene transition in northern high latitudes: Nature, v. 459, p. 969–974.

Engel, M.S., and Grimaldi, D., 2007, The Neuropterid fauna of Dominican and Mexican amber (Neuropterida: Megaloptera, Neuroptera): American Museum Novitates, v. 3587, p. 1–58.

Environment Canada, 2013, Canadian Climate Normals 1971–2000, <http://climate.weatheroffice.gc.ca/climate_normals/index_e.html>, checked August, 2013.

Garland, J.A., and Kevan, D.K.M., 2007, Chrysopidae of Canada and Alaska (Insecta, Neuroptera): revised checklist, new and noteworthy records, and geo-referenced localities: Zootaxa, v. 1486, p. 1–84.

Greenwood, D.R., Archibald, S.B., Mathewes, R.W., and Moss, P.T., 2005, Fossil biotas from the Okanagan Highlands, southern British Columbia and northeastern Washington State: climates and ecosystems across an Eocene landscape: Canadian Journal of Earth Sciences, v. 42, p. 167–185.

Greve, L., 1984, Chrysopid distribution in northern latitudes, *in* Canard, M., Séméria, Y., and New, T.R., eds., Biology of the Chrysopidae: The Hague, Dr. W. Junk Publishers, p. 180–186.

Grimes, S.T., Hooker, J.J., Collinson, M.E., and Mattey, D.P., 2005, Summer temperatures of late Eocene to early Oligocene freshwaters: Geology, v. 33, p. 189–192.

Gunnell, G.F., and Simmons, N.B., 2005, Fossil evidence and the origin of bats: Journal of Mammalian Evolution, v. 12, p. 209–246.

Gunnell, G.F., Jacobs, B.F., Herendeen, P.S., Head, J.J., Kowalski, E., Msuya, C.P, Mizambwa, F.A., Harrison, T., Habersetzer, J., and Storch, G., 2003, Oldest placental mammal from Sub-Saharan Africa: Eocene microbat from Tanzania: evidence for early evolution of sophisticated echolocation: Paleontologia Electronica, v. 5, no. 3, 10 p.

Habersetzer, J., Richter, G., and Storch, G., 1994, Paleoecology of early middle Eocene bats from Messel, FRG: aspects of flight, feeding and echolocation: Historical Biology, v. 8, p. 235–260.

Hagen, H.A., 1866, Hemerobidarum Synopsis synonymica: Stettiner Entomologische Zeitung, v. 27, p. 369–462.

Handschin, E., 1937, Fossile Insekten aus Siebenbürgen: Mitteilungen der Schweizerischen entomologischen Gesellschaft, v. 17, p. 25–29.

Henwood, A.A., 1993, Ecology and taphonomy of Dominican Republic amber and its inclusions: Lethaia, v. 26, p. 237–245.

Hijmans, R.J., Cameron, S.E., Parra, J.L., Jones, P.G., and Jarvis, A., 2005, Very high resolution interpolated climate surfaces for global land areas: International Journal of Climatology, v. 25, p. 1965–1978.

Jarzembowski, E.A., 1980, Fossil insects from the Bembridge Marls, Palaeogene of the Isle of Wight, southern England: British Museum of Natural History, Bulletin, Geology, v. 33, p. 237–293.

Jepson, J.E., Makarkin, V.N., and Coram, R.A., 2012, Lacewings (Insecta: Neuroptera) from the Lower Cretaceous Purbeck Limestone Group of southern England: Cretaceous Research, v. 34, p. 31–47.

Khramov, A.V., 2013, The lacewing fauna from the Karatau locality (Upper Jurassic, Kazakhstan), *in* The 6th International Congress on Fossil Insects, Arthropods and Amber [abstract]: Lebanon, Byblos, 14–18 April 2013, p. 30.

Leach, W.E., 1815, Artikel Entomology, *in* Brewster, D., ed., Edinburgh Encyclopaedia, Volume 9: Edinburgh, John Murray Baldwin and Cradocle, p. 57–172.

Leopold, E.B., and Clay-Poole, S.T., 2001, Fossil leaf and pollen floras of Colorado compared: climatic implications, *in* Evanoff, E., Gregory-Wodzicki, K., and Johnson, K., eds., Fossil Flora and Stratigraphy of the Florissant Formation, Colorado: Denver Museum of Nature and Science, Proceedings, Series 4, p. 17–70.

Leopold, E.B., Manchester, S.R., and Meyer, H.W., 2008, Phytogeography of the late Eocene Florissant flora reconsidered, *in* Meyer, H.W., and Smith, D.W., eds., Paleontology of the upper Eocene Florissant Formation, Colorado: Geological Society of America, Special Paper 435, p. 53–70.

Liu, Z., Pagani, M., Zinniker, D., DeConto, R., Huber, M., Brinkhuis, H., Shah, S.R., Leckie, R.M., and Pearson, A., 2009, Global Cooling during the Eocene–Oligocene Climate Transition: Science, v. 323, p. 1187–1190.

McLachlan, R., 1868, New genera and species, &c., of neuropterous insects; and a revision of Mr. F. Walker's British Museum Catalogue of Neuroptera, Part ii. (1853), as far as the end of the genus *Myrmeleon*: Journal of the Linnean Society of London, Zoology, v. 9, p. 230–281.

Makarkin, V.N., 1991, Miocene Neuroptera from North Caucasus and Sikhote–Alin: Paleontologicheskii Zhurnal, v. 1991, p. 57–68.

Makarkin, V.N., 1994, Upper Cretaceous Neuroptera from Russia and Kazakhstan: Annales de la Société Entomologique de France, v. 30, p. 283–292.

Makarkin, V.N., 1997, Fossil Neuroptera of the Lower Cretaceous of Baisa, East Siberia, Part 3, Chrysopidae: Spixiana, v. 20, p. 107–118.

Makarkin, V.N., 1998, New Tertiary Neuroptera from the Russian Far East: Tertiary Research, v. 18, p. 77–83.

Makarkin, V.N., 2014, A new fossil green lacewing (Neuroptera: Chrysopidae) from the Eocene Tadushi Formation, eastern Sikhote–Alin: Far Eastern Entomologist, no. 272, p. 1–7.

Makarkin, V.N., and Archibald, S.B., 2013, A diverse new assemblage of green lacewings (Insecta, Neuroptera, Chrysopidae) from the early Eocene Okanagan Highlands, western North America: Journal of Paleontology, v. 87, p. 123–146.

Martins-Neto, R.G., 1997, Neurópteros (Insecta, Planipennia) da Formação Santana (Cretáceo Inferior), Bacia do Araripe, nordeste do Brasil, X, Descrição de novos táxons (Chrysopidae, Babinskaiidae, Myrmeleontidae, Ascalaphidae e Psychopsidae): Uniersidade de Guarulhos, Revista, Série Ciências Exatas e Technológicas, v. 2, p. 68–83.

Martins-Neto, R.G., 2003, The Santana Formation Paleoentomofauna reviewed, Part I: Neuropteroida (Neuroptera and Raphidioptera): systematic and phylogeny, with description of new taxa: Acta Geologica Leopoldensia, v. 25, p. 35–66.

Martins-Neto, R.G., and Vulcano, M.A., 1989, Neurópteros (Insecta: Planipennia) da Formação Santana (Cretáceo Inferior), Bacia do Araripe, Nordeste do Brasil, I: Família Chrysopidae: Anais de Academia Brasileira de Ciencias, v. 60, p. 189–201.

Martynov, A.V., 1927, Jurassic fossil insects from Turkestan, 7. Some Odonata, Neuroptera, Thysanoptera: Izvestiya Akademii Nauk SSSR, v. 21, p. 757–768.

Meredith, R.W., Janečka, J.E., Gatesy, J., Ryder, O.A., Fisher, C.A., Teeling, E.C., Goodbla, A., Eizirik, E., Simão, T.L.L., Stadler, T., Rabosky, D.L., Honeycutt, R.L., Flynn, J.J., Ingram, C.M., Steiner, C., Williams, T.L., Robinson, T.J., Burk-Herrick, A., Westerman, M., Ayoub, N.A., Springer, M.S., and Murphy, W.J., 2011, Impacts of the Cretaceous terrestrial revolution and KPg extinction on mammal diversification: Science, v. 334, p. 521–524.

Miller, L.A., and Olesen, J., 1979, Avoidance behavior in green lacewings, I. Behavior of free flying green lacewings to hunting bats and ultrasound: Journal of Comparative Physiology A, v. 131, p. 113–120.

National Oceanic and Atmospheric Administration, 2008, Global measured extremes of temperature and precipitation http://www.ncdc.noaa.gov/oa/climate/globalextremes.html#lowtemp, NOAA Satellite and Information Service, National Climatic Data Center, U.S. Department of Commerce, webpage past updated 2008, checked August 2013.

Navás, L., 1910, Crisópidos (Ins. Neur.) nuevos: Brotéria, Zoológica, v. 9, p. 38–59.

Nel, A., and Séméria, Y., 1986, Une nouvelle espèce de Chrysopide fossile du Stampien supérieur (Oligocène) d'Aix-en-Provence *Notochrysa stampieni* n. sp. (Neuroptera, Chrysopidae, Notochrysinae): Neuroptera International, v. 4, p. 23–30.

Nel, A., Delclòs, X., and Hutin, A., 2005, Mesozoic chrysopid-like Planippennia: a phylogenetic approach (Insecta: Neuroptera): Annales de la Société Entomologique de France, v. 41, p. 29–68.

Panfilov, D.V., 1980, New representatives of lacewings (Neuroptera) from the Jurassic of Karatau, *in* Dolin, V.G., Panfilov, D.V., Ponomarenko, A.G., and Pritykina, L.N., Fossil insects of the Mesozoic: Naukova Dumka, Kiev, p. 82–111, in Russian.

Peñalver, E., Nel, A., and Martínex-Delclòs, X., 1995, New Nothochrysinae from the Spanish Miocene (Neuroptera, Chrysopidae): Société Entomologique de France, Bulletin, v. 100, p. 481–487.

Plotnick, R.E., and Smith, D.M., 2012, Exceptionally preserved fossil insect ears from the Eocene Green River Formation of Colorado: Journal of Paleontology, v. 86, p. 19–24.

Poinar, G., Jr., 2002, Fossil palm flowers in Dominican and Baltic amber: Botanical Journal of the Linnean Society, v. 139, p. 361–367.

Ponomarenko, A.G., 1992, New lacewings (Insecta, Neuroptera) from the Mesozoic of Mongolia, *in* Grunt, T.A., ed., New taxa of fossil invertebrates of Mongolia: Nauka Press, Moscow, p. 101–111, in Russian.

Popov, V.K., and Grebennikov, A.V., 2001, New data on the age of effusives from the Bogopol Formation in Primorye: Tikhookeanskaya Geologiya, v. 20, p. 47–54, in Russian.

Rasnitsyn, A.P., and Zherikhin, V.V., 2002, Impression fossils, *in* Rasnitsyn, A.P., and Quicke, D.L.J., eds., History of Insects: Dordrecht, Kluwer Academic Publishers, p. 437–444.

Ravel, A., Marivaux, L., Tabuce, R., Adaci, M., Mahboubi, M., Mebrouk, F., and Bensalah, M., 2011, The oldest African bat from the early Eocene of El Kohol (Algeria): Naturwissenschaften, v. 98, p. 397–405.

Ren, D., and Guo, Z.G., 1996, On the new fossil genera and species of Neuroptera (Insecta) from the Late Jurassic of northeast China: Acta Zootaxonomica Sinica, v. 21, p. 461–479.

Rosenzweig, M.L., and McCord, R.D., 1991, Incumbent replacement: evidence for long-term evolutionary progress: Paleobiology, v. 17, p. 202–213.

Rust, J., 1999, Biologie der Insekten aus dem ältesten Tertiär Nordeuropas: Habilitationsschrift, Biologische Fakultat der Georg-August-Universitat Gottingen, 482 p.

Rydell, J., and Speakman, J.R., 1995, Evolution of nocturnality in bats: potential competitors and predators during their early history: Biological Journal of the Linnean Society, v. 54, p. 183–191.

Salsamendi, E., Garin, I., Almenar, D., Goiti, U., Napal, M., and Aihartza, J., 2008, Diet and prey selection in Mehelyi's horseshoe bat *Rhinolophus mehelyi* (Chiroptera, Rhinolophidae) in the south-western Iberian Peninsula: Acta Chiropterologica, v. 10, p. 279–286.

Scheven, J., 2004, Bernstein-Einschlüsse: Eine untergegangene Welt bezeugt die Schöpfung. Erinnerungen an die Welt vor der Sintflut: Kuratorium Lebendige Vorwelt, Hofheim a.T., 160 p.

Schlüter, T., 1982, *Cimbrochrysa moleriensis* n. g. n. sp. und *Hypochrysa hercyniensis* n. sp., zwei fossile Chrysopidae-Arten (Insecta: Planipennia) aus dem europäischen Tertiär: Neues Jahrbuch für Geologie und Paläontologie Monatshefte, v. 1982, p. 257–264.

Schneider, W.G., 1851, Symbolae ad monographiam generis Chrysopae, Leach: Hirt, Vratislaviae, 178 p.

Scudder, S.H., 1885, Systematische Übersicht der fossilen Myriopoden, Arachnoiden, und Insekten, *in* Zittel, K.A., ed., Handbuch der Palaeontologie, Abt. 1, Palaeozoologie. Bd 2, Mollusca und Arthropoda: Munich, Verlag von R. Oldenbourg, p. 721–831.

Scudder, S.H., 1890, The Tertiary Insects of North America: Report of the U.S. Geological Survey of the Territories, v. 13, p. 1–734.

Séméria, Y., and Nel, A., 1990, *Paleochrysopa monteilsensis* gen. et. sp. nov., a new fossil of Chrysopidae from the Upper Eocene Formation of Monteils France with a review of the known chrysopid fossils (Insecta: Neuroptera), *in* Mansell, M.W., and Aspöck, H., eds., Advances in Neuropterology, Proceedings of the Third International Symposium on Neuropterology: Pretoria, South African Department of Agricultural Development, p. 27–32.

Sheldon, N.D., Mitchell, R.L., Collinson, M.E., and Hooker, J.J., 2009, Eocene–Oligocene transition paleoclimatic and paleoenvironmental record from the Isle of Wight (U.K.), *in* Koeberl, C., and Montanari, A., eds., Late Eocene Earth: Hothouse, Icehouse, and Impacts: Geological Society of America, Special Paper 452, p. 249–259.

Simmons, N.B., and Geisler, J.H., 1998, Phylogenetic relationships of *Icaronycteris*, *Archaeonycteris*, *Hassianycteris*, and *Palaeochiropteryx* to extant bat lineages, with comments on the evolution of echolocation and foraging strategies in Microchiroptera: American Museum of Natural History, Bulletin, v. 235, p. 1–182.

Smith, D., 2008, A comparison of the plant–insect associations in the middle Eocene Green River Formation and the upper Eocene Florissant Formation and their climatic implications, *in* Meyer, H.W., and Smith, D.W., eds., Paleontology of the upper Eocene Florissant Formation, Colorado: Geological Society of America, Special Paper 435, p. 89–103.

Smith, T., Habersetzer, J., Simmons, N.B., and Gunnell, G.F., 2012, Systematics and paleobiogeography of early bats, *in* Gunnell, G.F., and Simmons, N.B., eds., Evolutionary History of Bats: Fossils, Molecules and Morphology: Cambridge, Cambridge University Press, p. 23–66.

Smith, T., Rana, R.S., Missiaen, P., Rose, K.D., Sahni, A., Singh, H., and Singh, L., 2007, High bat (Chiroptera) diversity in the Early Eocene of India: Naturwissenschaften, v. 94, p. 1003–1009.

Statz, G., 1936, Ueber neue Funde von Neuropteren, Panorpaten und Trichopteren aus den tertiären Schiefern von Rott am Siebengebirge: Decheniana, v. 93, p. 208–255.

Tabuce, R., Antunes, M.T., and Sigé, B., 2009, A new primitive bat from the earliest Eocene of Europe: Journal of Vertebrate Paleontology, v. 29, p. 627–630.

Teeling, E.C., Springer, M.S., Madsen, O., Bates, P., O'Brien, S.J., and Murphy, W.J., 2005, A molecular phylogeny for bats illuminates biogeography and the fossil record: Science, v. 307, p. 580–584.

Thiel, C., Klotz, S., and Uhl, D., 2012, Palaeoclimate estimates for selected leaf floras from the late Pliocene (Reuverian) of Central Europe based on different palaeobotanical techniques: Turkish Journal of Earth Sciences, v. 21, p. 1–25.

Utescher, T., Mosbrugger, V., and Ashraf, A.R., 2000, Terrestrial climate evolution in northwest Germany over the last 25 million years: PALAIOS, v. 15, p. 430–449.

Van Valen, L., 1973, A new evolutionary law: Evolutionary Theory, v. 1, p. 1–30.

Veselka, N., McErlain, D.D., Holdsworth, D.W., Eger, J.L., Chhem, R.K., Mason, M.J., Brain, K.L., Faure, P.A., and Fenton, M.B., 2010, A bony connection signals laryngeal echolocation in bats: Nature, v. 463, p. 939–942.

Weitschat, W., 2009, Jäger, Gejagte Parasiten und Blinde Passagiere: Momentaufnahmen aus dem Bernsteinwald: Denisia, v. 26, p. 243–256.

Weitschat, W., and Wichard, W., 1998, Atlas der Pflanzen und Tiere im Baltischen Bernstein: Munich, Dr. Friedrich Pfeil Verlag, 256 p.

Wilf, P., and Labandeira, C.C., 1999, Response of plant–insect associations to Paleocene–Eocene warming: Science, v. 284, p. 2153–2153.

Wilf, P., Labandeira, C.C., Johnson, K.R., and Ellis, B, 2006, Decoupled plant and insect diversity after the end-Cretaceous extinction: Science, v. 313, p. 1112–1115.

Willmann, R., 1993, Insekten aus der Fur-Formation von Dänemark (Moler, ob. Paleozän/unt. Eozän?). 8. Zwei neue Vertreter der Chrysopidae (Neuroptera): Neues Jahrbuch für Geologie und Paläontologie Monatshefte, v. 1993, p. 239–245.

Willmann, R., and Brooks, S.J., 1991, Insekten aus der Fur-Formation von Dänemark (Moler, ob. Paleozän/ unt. Eozän?). 6. Chrysopidae (Neuroptera): Meyniana, v. 43, p. 125–135.

Wing, S.L., and Greenwood, D.R., 1993, Fossils and fossil climate: the case for equable continental interiors in the Eocene: Royal Society of London, Philosophical Transactions, Series B, v. 34, 243–252.

Wolfe, J.A., 1975, Some aspects of plant geography of the Northern Hemisphere during the Late Cretaceous and Tertiary: Annals of the Missouri Botanical Garden, v. 62, p. 264–279.

Wolfe, J.A., and Schorn, H.E., 1989, Paleocologic, paleoclimatic, and evolutionary significance of the Oligocene Creede flora, Colorado: Paleobiology, v. 15, p. 180–198.

Wolfe, J.A., Forest, C.E., and Molnar, P., 1998, Paleobotanical evidence of Eocene and Oligocene paleoaltitudes in midlatitude western North America: Geological Society of America, Bulletin, v. 110, p. 664–678.

Yack, J.E., 2004, The structure and function of auditory chordotonal organs in insects: Microscopy Research and Technique, v. 63, p. 315–337.

Yang, C.K., and Hong, Y.C., 1990, *Drakochrysa*, an Early Cretaceous new genus of Chrysopidae (Insecta: Neuroptera) from Laiyang Basin, Shandong province: Geoscience, v. 4, p. 15–26.

Zachos, J.C., Dickens, G.R., and Zeebe, R.E., 2008, An early Cenozoic perspective on greenhouse warming and carbon cycle dynamics: Nature, v. 451, p. 279–283.

Zherikhin, V.V., 1978, Development and changes in Cretaceous and Cenozoic faunistic complexes (tracheates and chelicerates): Moscow, Nauka Press, 200 p., in Russian.

Received 30 August 2013; accepted 8 April 2014.

APPENDIX

Fossil Chrysopidae (genera and material that is undescribed or not determined below the family or subfamily level).

Jurassic

†Limaiinae Martins-Neto et Vulcano 1989

†Numerous undescribed specimens: Middle Jurassic (Bathonian–Callovian), Daohugou, Inner Mongolia, China (VM, personal observation 2011)

†*Mesypochrysa* Martynov 1927 (5 spp.): Late Jurassic (Oxfordian–Kimmeridgian), Karatau, S. Kazakhstan (Martynov 1927; Panfilov 1980; Nel el al. 2005).

Cretaceous

†Limaiinae Martins-Neto and Vulcano 1989

†*Mesypochrysa* Martynov 1927 [=*Caririchrysa* Martins-Neto and Vulcano 1989] (11 spp.): late Berriasian, Durlston Formation, S. England; pre-Barremian–early Barremian, Baissa, Transbaikalian Russia; Hauterivian–Aptian, Bon-Tsagaan, Mongolia; Barremian, Yixian Formation, NE China; late Aptian, Crato Formation, Brazil (Martins-Neto and Vulcano 1989; Ponomarenko 1992; Makarkin 1997; Martins-Neto 1997, 2003; Nel et al. 2005; Jepson et al. 2012).

†*Baisochrysa* Makarkin 1997 (1 sp.): pre-Barremian–early Barremian, Baissa, Transbaikalian Russia (Makarkin 1997).

†*Lembochrysa* Ren and Guo 1996 (2 spp.; at least 15 undescribed specimens): Barremian, Yixian Formation, NE China (Ren and Guo 1996; VM, personal observation 2011).

†*Drakochrysa* Yang and Hong 1990 (1 sp.): Barremian, Laiyang Formation, China (Yang and Hong 1990).

†*Limaia* Martins-Neto et Vulcano 1989 (2 spp.): late Aptian, Crato Formation, Brazil (Martins-Neto and Vulcano 1989; Martins-Neto 1997).

Subfamily *incertae sedis*

†*Paralembochrysa* Nel et al. 2005 (1 sp.; at least 3 undescribed specimens): Barremian, Yixian Formation (Huangbanjigou), NE China (Nel et al. 2005; VM, personal observation 2011).

†*Araripechrysa* Martins-Neto and Vulcano 1989 (1 sp.): late Aptian, Crato Formation, Brazil (Martins-Neto and Vulcano 1989).

†*Cretachrysa* Makarkin 1994 (1 sp.): Cenomanian, Ola Formation, NE Siberia (Makarkin 1994).

Paleogene

†Limaiinae Martins-Neto and Vulcano 1989

†*Protochrysa* Wilmann and Brooks 1991 (3 spp.): early Eocene, Fur Formation, Denmark and McAbee, B.C., Canada (Willmann and Brooks 1991; Rust 1999; Makarkin and Archibald 2013).

Nothochrysinae Navás 1910

†*Cimbrochrysa* Schlüter 1982 (1 sp.): early Eocene, Fur Formation, Denmark (Schlüter 1982).

†*Danochrysa* Willmann 1993 (1 sp.): early Eocene, Fur Formation, Denmark (Wilmann 1993).

†*Stephenbrooksia* Willmann 1993 (1 sp.): early Eocene, Fur Formation, Denmark (Wilmann 1993).

†*Okanaganochrysa* Makarkin and Archibald 2013 (1 sp.): early Eocene, McAbee, B.C., Canada (Makarkin and Archibald 2013).

†*Adamsochrysa* Makarkin and Archibald 2013 (4 spp. [2 named, 2 unnamed]; one specimen indet.): early Eocene, McAbee and Driftwood Canyon, B.C., Canada and Republic, WA, U.S.A. (Makarkin and Archibald 2013).

†*Pseudochrysopa* Makarkin and Archibald 2013 (2 spp. [1 named, 1 unnamed]; one specimen indet.): early Eocene, Driftwood Canyon, B.C., Canada (Makarkin and Archibald 2013).

Nothochysinae gen. sp. A (1 sp.): early Eocene, Driftwood Canyon, B.C., Canada (Makarkin and Archibald 2013).

Nothochysinae gen. sp. indet. (one specimen): early Eocene, McAbee, B.C., Canada (Makarkin and Archibald 2013).

†*Asiachrysa* Makarkin 2014 (1 sp.): Eocene, Tadushi Formation, the Russian Far East. This formation was previously considered to be Paleocene (e.g., Rasnitsyn and Zherikhin 2002), but K/Ar and Rb-Sr dating of underlying and overlying formations give an Eocene age (Popov and Grebennikov 2001; Makarkin 2014).

†*Archaeochrysa* Adams 1967 (4 spp.): early Eocene, McAbee, B.C., Canada; late Eocene of Florissant, CO, U.S.A.; late Oligocene Creede, CO, U.S.A. (Cockerell 1914; Carpenter 1935; Adams 1967; Makarkin and Archibald 2013).

†*Palaeochrysa* Scudder 1890 (3 spp.): late Eocene, Florissant, CO, U.S.A. (Scudder 1890; Cockerell 1909, 1914; Adams 1967).

†*Dyspetochrysa* Adams 1967 (1 sp.): late Eocene, Florissant, CO, U.S.A. (Adams 1967).

†*Tribochrysa* Scudder 1885 (2 spp.): late Eocene, Florissant, CO, U.S.A. (Scudder 1885, 1890; Carpenter 1935).

Chrysopidae Species A: late Eocene, Bembridge Marls, England (Jarzembowski 1980, fig. 42).

Undescribed specimen: Oligocene, Canyon Ferry, Montana, U.S.A. (CoBabe et al. 2002, their fig. 3A).

Nothochrysa McLachlan 1868 (1 sp.): late Oligocene (Chattian), Aix-en-Provence, France (Nel and Semeria 1986).

Chrysopinae Schneider 1851

†*Paleochrysopa* Séméria and Nel 1990 (1 sp.): late Eocene (Priabonian), Monteils, France (Séméria and Nel 1990).

Undescribed adult specimen probably belonging to Belonopterygini: late Eocene (Priabonian), Baltic amber (Weitschat and Wichard 1998, pl. 56d; Makarkin and Archibald 2013)

?Nothochrysinae Navás 1910

Undescribed specimen (one larva, Hoffeins' colln): late Eocene (Priabonian), Baltic amber (Makarkin and Archibald 2013)

?Chrysopinae Schneider 1851

Undescribed specimens (two larvae): late Eocene (Priabonian), Baltic amber (Scheven 2004, figs on p. 68, 69; Makarkin and Archibald 2013)

Subfamily *incertae sedis*

Chrysopidae subfam. gen. sp. indet.: early Eocene, Driftwood Canyon (one specimen), B.C., Canada (Makarkin and Archibald 2013).

Undescribed specimen (one debris-carrying larva): late Eocene (Priabonian), Baltic amber (Weitschat 2009, fig. 45)

Neogene

Nothochrysinae Navás 1910

†*Pronothochrysa* Peñalver et al. 1995 (1 sp.): early Miocene, Ribesalbes, Spain (Peñalver et al. 1995).

Nothochrysa McLachlan 1868 (1 sp.): early Miocene (Aquitanian), Rott, Germany (Statz 1936).

Nothochrysinae gen. sp. indet. (1 sp.): late Miocene, Botchi Formation, Russian Far East (Makarkin 1998)

Hypochrysa Hagen 1966 (1 sp.): late Pliocene, Willershausen, Germany (Schlüter 1982).

Chrysopinae Schneider 1851

Chrysopa Leach, 1815 (s.l.) (6 spp.): early–middle Miocene, Dominican Amber; middle Miocene (Langhian), Stavropolskii Krai, Russia; middle–late Miocene (early Tortonian/early Messinian), Magyar Sáros [=Delenii], Romania (Handschin 1937; Makarkin 1991; Engel and Grimaldi 2007).

Leucochrysa McLachlan 1868 (1 sp.): early–middle Miocene, Dominican Amber (Engel and Grimaldi 2007).

ONLINE SUPPLEMENTARY MATERIAL FOR
THE RED QUEEN AND COURT JESTER IN GREEN LACEWING EVOLUTION:
BAT PREDATION AND GLOBAL CLIMATE CHANGE

S. Bruce Archibald, Vladimir N. Makarkin, David R. Greenwood, and Gregg F. Gunnell

- Figure S1: Modern Nothochrysinae species densities
- Table S1: Modern Chrysopidae habitat mean annual temperature (MAT)
- Table S2: Modern Chrysopidae habitat coldest quarter mean temperature (CQMT)
- Table S3: Modern Chrysopidae habitat mean annual precipitation (MAP)
- Table S4: Modern Nothochrysinae occurrences used in climate analysis
- References for Table S4
- Table S5: Modern Chrysopinae occurrences used in climate analysis
- References for Table S5



Figure S1—Modern Nothochrysinae species densities, taken from precise locality data in Tables S4 and S5, and general, regional distributions described by Aspöck et al. (1980), Zakharenko and Krivokhatsky (1993), Aspöck and Aspöck (2001), Yang and Yang (2005) and Duelli et al. (2010).

REFERENCES FOR FIGURE S1

ASPÖCK, H., ASPÖCK, U., and HÖLZEL, H., 1980, Die Neuropteren Europas, vol. 2: Göcke and Evers, Krefeld, 495 p.

ASPÖCK, H., HÖLZEL, H., and ASPÖCK, U., 2001, Kommentierter Katalog der Neuropterida (Insecta: Raphidioptera, Megaloptera, Neuroptera) der Westpalaarktis: Denisia, v. 2, p. 1–606.

DUELLI, P., HÖLZEL, H., and MANSELL, M.W., 2010, Habitat and larvae of the enigmatic genus *Kimochrysa* Tjeder (Neuroptera: Chrysopidae) in South Africa, *in* Devetak, D., Lipovsek, S., and Arnett, A.E., eds., Proceedings of the Tenth International Symposium on Neuropterology, Piran, Slovenia, 2008: Maribor, Slovenia, p. 153–158.

YANG, X., YANG, C., and LI, W., 2005, Neuroptera, Chrysopidae *in* Chen, Y.Y., chief ed., Fauna Sinica Insecta: Science Press, Beijing, v. 39, p. 1–398.

ZAKHARENKO, A.V., and KRIVOKHATSKY, V.A., 1993, Neuroptera from the European part of the former USSR: Izvestiya Kharkovskogo Entomologicheskogo Obshchestva, v. 1, p. 34–83.

Table S1—Modern Chrysopidae habitat mean annual temperature (MAT). Median, 25th and 75th percentiles, minimum and maximum MAT values in °C for Chrysopinae, Nothochrysinae and genera of Nothochrysinae from occurrence data (occurrence numbers in parentheses) in Tables S4 and S5. See figure 2.

Taxon	MAT med	MAT 25 %	MAT 75 %	MAT min	MAT max
Chrysopinae (9278)	10.0	8.9	18.8	-16.3	30.1
Nothochrysinae (366)	9.8	8.5	11.4	4.0	24.1
Dictyochrysa (40)	12.8	9.1	15.3	4.0	19.2
Triplochrysa (4)	15.8	-	-	15.4	9.0
Kimochrysa (3)	17.3	-	-	15.2	18.1
Pamochrysa (1)	13.2	-	-	-	-
Pimachrysa (12)	16.7	15.0	18.4	13.3	20.6
Asthenochrysa (2)	22.6	-	-	21.2	24.1
Leptochrysa (1)	18.7	-	-	-	-
Hypochrysa (30)	9.6	7.7	10.8	6.5	13.5
Nothochrysa (273)	9.6	8.5	10.5	4.0	17.6

Table S2—Modern Chrysopidae habitat coldest quarter mean temperature (CQMT). Median, 25th and 75th percentiles, minimum and maximum CQMT values in °C for Chrysopinae, Nothochrysinae and genera of Nothochrysinae (occurrence numbers in parentheses) from occurrence data in Tables S4 and S5. See figure 2.

Taxon	CQMT med	CQMT 25 %	CQMT 75 %	CQMT min	CQMT max
Chrysopinae (9278)	4.1	2.4	12.6	-44.4	28.0
Nothochrysinae (366)	3.6	0.9	5.0	-11.6	22.1
Dictyochrysa (40)	7.2	4.0	9.3	-2.1	11.9
Triplochrysa (4)	9.0	-	-	9.0	9.1
Kimochrysa (3)	12.1	-	-	11.6	14.0
Pamochrysa (1)	13.2	-	-	-	-
Pimachrysa (12)	9.5	7.7	12.0	5.9	15.7
Asthenochrysa (2)	19.4	-	-	16.7	22.1
Leptochrysa (1)	18.1	-	-	-	-
Hypochrysa (30)	-0.4	-1.8	2.7	-3.2	8.2
Nothochrysa (273)	3.4	0.9	4.4	-11.6	11.8

Table S3—Modern Chrysopidae habitat mean annual precipitation (MAP). Median, 25th and 75th percentiles, minimum and maximum MAP values in mm/year for Chrysopinae, Nothochrysinae and genera of Nothochrysinae (occurrence numbers in parentheses) from occurrence data in Tables S4 and S5. See figure 2.

Taxon	**MAP med**	**MAP 25 %**	**MAP 75 %**	**MAP min**	**MAP max**
Chrysopinae (9278)	742	596	1038	0	5033
Nothochrysinae (366)	774	648	934	87	1846
Dictyochrysa (40)	959	697	1348	256	1840
Triplochrysa (4)	730	-	-	662	795
Kimochrysa (3)	730	-	-	662	795
Pamochrysa (1)	920	-	-	-	-
Pimachrysa (12)	306	281	401	87	548
Asthenochrysa (2)	1467	-	-	1204	1730
Leptochrysa (1)	928	-	-	-	-
Hypochrysa (30)	779	644	917	336	1362
Nothochrysa (273)	769	651	911	424	1846

Table S4—Modern Nothochrysinae occurrences used in climate analysis. Country and taxon names are given as reported. Some country names have been subsequently changed and taxon names revised.

species		latitude	longitude	MAT	CQMT	MAP	country	reference
Dictyochrysa	*fulva*	-28.86308	151.86732	15.4	9.0	795	Australia	New 1980
Dictyochrysa	*fulva*	-35.28204	149.12858	12.8	6.1	654	Australia	New 1980
Dictyochrysa	*fulva*	-35.57412	150.03394	15.1	9.9	971	Australia	New 1980
Dictyochrysa	*fulva*	-36.56086	146.72390	13.9	7.5	971	Australia	New 1980
Dictyochrysa	*fulva*	-37.64017	145.19248	14.4	9.3	754	Australia	New 1980
Dictyochrysa	*peterseni*	-36.43072	148.33098	4.6	-1.5	1729	Australia	New 1980
Dictyochrysa	*peterseni*	-36.45234	148.28685	4.0	-2.1	1686	Australia	New 1980
Dictyochrysa	*peterseni*	-29.73744	151.73726	13.5	7.2	882	Australia	New 1980
Dictyochrysa	*peterseni*	-34.54085	116.02646	15.0	11.3	1154	Australia	New 1980
Dictyochrysa	*peterseni*	-34.43103	115.87892	14.9	11.2	1138	Australia	New 1980
Dictyochrysa	*peterseni*	-34.18051	140.27024	16.9	10.7	256	Australia	New 1980
Dictyochrysa	*peterseni*	-35.88213	140.05383	15.6	10.8	457	Australia	New 1980
Dictyochrysa	*peterseni*	-41.70375	146.91376	11.0	6.4	959	Australia	New 1980
Dictyochrysa	*peterseni*	-35.28204	149.12858	12.8	6.1	654	Australia	New 1980
Dictyochrysa	*peterseni*	-31.54023	148.92895	16.4	9.1	668	Australia	New 1980
Dictyochrysa	*peterseni*	-31.90085	149.11283	16.2	9.0	665	Australia	New 1980
Dictyochrysa	*peterseni*	-36.27038	149.48686	10.0	4.2	806	Australia	New 1980
Dictyochrysa	*peterseni*	-32.15207	151.52160	15.3	9.4	1100	Australia	New 1980
Dictyochrysa	*peterseni*	-35.51262	149.15216	11.4	4.9	774	Australia	New 1980
Dictyochrysa	*peterseni*	-35.86961	148.48778	7.8	1.3	1515	Australia	New 1980
Dictyochrysa	*peterseni*	-33.64487	151.28435	17.0	11.9	1293	Australia	New 1980
Dictyochrysa	*peterseni*	-30.83333	146.55000	19.2	11.6	418	Australia	New 1980
Dictyochrysa	*peterseni*	-36.45537	148.26696	4.0	-2.1	1686	Australia	New 1980
Dictyochrysa	*peterseni*	-37.29793	143.29410	12.2	6.8	756	Australia	New 1980
Dictyochrysa	*peterseni*	-36.36629	143.54389	14.6	8.4	510	Australia	New 1980
Dictyochrysa	*peterseni*	-36.05001	142.72454	15.4	9.3	384	Australia	New 1980
Dictyochrysa	*peterseni*	-37.84571	144.07680	12.7	7.9	706	Australia	New 1980
Dictyochrysa	*peterseni*	-35.06531	142.31762	16.4	10.1	356	Australia	New 1980
Dictyochrysa	*peterseni*	-36.56086	146.72390	13.9	7.5	971	Australia	New 1980
Dictyochrysa	*peterseni*	-37.55576	145.47823	12.6	7.3	1224	Australia	New 1980
Dictyochrysa	*peterseni*	-28.86308	151.86732	15.4	9.0	795	Australia	New 1980

Dictyochrysa	*peterseni*	-36.50000	148.20000	8.5	2.2	1514	Australia	W-GBIF-1
Dictyochrysa	*peterseni*	-36.29990	148.50000	7.6	1.4	1593	Australia	W-GBIF-1
Dictyochrysa	*peterseni*	-36.50000	148.30000	5.3	-0.8	1734	Australia	W-GBIF-1
Dictyochrysa	*peterseni*	-36.50000	148.20000	8.5	2.2	1514	Australia	W-GBIF-1
Dictyochrysa	*latifasciata*	-42.01284	147.80085	9.3	5.1	864	Australia	New 1980
Dictyochrysa	*latifasciata*	-42.91269	147.24511	6.2	2.4	1018	Australia	New 1980
Dictyochrysa	*latifasciata*	-42.90230	147.27045	10.4	6.4	958	Australia	New 1980
Dictyochrysa	*latifasciata*	-41.27286	145.61341	9.9	6.3	1678	Australia	New 1980
Dictyochrysa	*latifasciata*	-42.20000	146.10000	7.4	3.5	1840	Australia	W-GBIF-1
Triplochrysa	*pallida*	-28.86308	151.86732	15.4	9.0	795	Australia	New 1980
Triplochrysa	*kimminsi*	-28.86308	151.86732	15.4	9.0	795	Australia	New 1980
Triplochrysa	*kimminsi*	-31.89767	149.11204	16.2	9.0	665	Australia	New 1980
Triplochrysa	*kimminsi*	-31.87990	149.08000	16.3	9.1	662	Australia	W-GBIF-1
Kimochrysa	*impar*	-34.32993	18.98928	15.2	11.6	818	S. Africa	Tjeder 1966
Kimochrysa	*impar*	-17.50691	30.97473	18.1	14.0	901	Zimbabwe	Navás 1912
Kimochrysa	*africana*	-33.64504	19.44375	17.3	12.1	414	S. Africa	Tjeder 1966
Pamochrysa	*stellata*	-28.90257	29.17022	13.2	8.8	920	S. Africa	Tjeder 1966
Pimachrysa	*grata*	31.72509	-110.88009	15.2	7.5	548	USA	Adams 1967
Pimachrysa	*albicostales*	29.11329	-114.66854	20.6	15.7	87	Mexico	Adams 1967
Pimachrysa	*albicostales*	32.21407	-111.00569	20.3	11.5	309	USA	Adams 1967
Pimachrysa	*albicostales*	35.36829	-117.90790	18.2	8.8	105	USA	W-GBIF-2
Pimachrysa	*fusca*	34.03360	-116.30440	13.4	5.9	401	USA	Adams 1967
Pimachrysa	*fusca*	34.04610	-116.26400	15.9	7.8	285	USA	Adams 1967
Pimachrysa	*fusca*	33.78298	-118.11421	17.5	13.5	289	USA	Adams 1967
Pimachrysa	*fusca*	33.72696	-117.83311	17.4	13.3	302	USA	Adams 1967
Pimachrysa	*intermedia*	33.88847	-116.68692	18.8	11.3	267	USA	Adams 1967
Pimachrysa	*nigra*	33.78648	-117.36107	16.0	10.2	506	USA	Adams 1967
Pimachrysa	*nigra*	36.53080	-121.14520	14.5	8.4	401	USA	Adams 1967
Pimachrysa	*nigra*	34.84165	-118.86482	13.3	6.2	351	USA	Adams 1967
Asthenochrysa	*viridula*	-25.59716	-54.57860	21.2	16.7	1730	Argentina	Adams & Penny 1992
Asthenochrysa	*viridula*	-18.91668	-40.00000	24.1	22.1	1204	Brazil	Adams & Penny 1992
Leptochrysa	*prisca*	-5.87570	-77.96749	18.7	18.1	928	Peru	Adams & Penny 1992
Hypochrysa	*elegans*	47.41667	0.80000	11.3	4.2	675	France	Thierry et al. 2005
Hypochrysa	*elegans*	43.08516	-2.22484	12.2	6.8	1177	Spain	Monserrat 2008
Hypochrysa	*elegans*	42.14010	-0.40890	11.8	4.8	477	Spain	Monserrat 2008
Hypochrysa	*elegans*	42.76891	25.31881	7.2	-2.3	715	Bulgaria	Monserrat 2008

Hypochrysa	*elegans*	43.29298	-1.81151	13.5	8.2	1362	Spain	Monserrat 2008
Hypochrysa	*elegans*	42.90855	-2.49142	11.6	5.6	927	Spain	Monserrat 2008
Hypochrysa	*elegans*	42.87528	-4.09288	9.8	3.9	808	Spain	Marín & Monserrat 1989
Hypochrysa	*elegans*	43.08017	-4.45801	7.7	1.8	947	Spain	Marín & Monserrat 1989
Hypochrysa	*elegans*	46.61667	14.46667	7.8	-2.6	1031	Austria	Hölzel 1964
Hypochrysa	*elegans*	46.55528	14.29583	7.3	-2.8	1093	Austria	Hölzel 1964
Hypochrysa	*elegans*	47.07667	15.58222	7.8	-2.2	888	Austria	Gepp 1977
Hypochrysa	*elegans*	47.20000	15.61667	7.7	-2.2	873	Austria	Gepp 1977
Hypochrysa	*elegans*	47.06333	15.42861	8.3	-1.8	858	Austria	Gepp 1977
Hypochrysa	*elegans*	47.07028	15.43889	8.3	-1.8	858	Austria	Gepp 1975
Hypochrysa	*elegans*	48.06667	16.16667	8.5	-0.8	698	Austria	Anderle & Aspöck 2007
Hypochrysa	*elegans*	41.36528	48.52639	10.8	0.5	499	Azerbaijan	Kurbanov 1972
Hypochrysa	*elegans*	41.46806	48.80278	13.5	2.9	336	Azerbaijan	Kurbanov 1972
Hypochrysa	*elegans*	50.56667	4.68333	9.6	2.3	835	Belgium	Bozsik et al., 2000
Hypochrysa	*elegans*	50.23250	8.45889	6.5	-1.3	948	Germany	Ohm & Remane 1968
Hypochrysa	*elegans*	50.22167	8.44583	6.5	-1.3	952	Germany	Ohm & Remane 1968
Hypochrysa	*elegans*	42.68333	26.33333	10.9	1.0	634	Bulgaria	Monserrat 2008
Hypochrysa	*elegans*	42.87459	25.31636	9.7	-0.5	634	Bulgaria	Monserrat 2008
Hypochrysa	*elegans*	42.72673	25.92954	7.0	-2.3	749	Bulgaria	Monserrat 2008
Hypochrysa	*elegans*	47.82806	19.97167	9.2	-1.3	579	Hungary	Ujhelyi 1968
Hypochrysa	*elegans*	48.11667	20.53333	6.7	-3.2	701	Hungary	Ujhelyi 1968
Hypochrysa	*elegans*	47.47747	18.51609	10.4	0.1	563	Hungary	Ujhelyi 1968
Hypochrysa	*elegans*	41.73300	15.75000	11.2	3.8	606	Italy	Principi 1956
Hypochrysa	*elegans*	44.87861	22.41417	9.6	-0.5	701	Romania	Kis 1959
Hypochrysa	*elegans*	44.90000	22.36667	9.7	-0.4	694	Romania	Kis 1959
Hypochrysa	*elegans*	44.60835	38.25290	9.7	0.5	875	Russia	Makarkin & Shchurov 2011
Nothochrysa	*capitata*	43.38333	6.31667	13.7	7.2	769	France	Alrouechdi et al. 1980a
Nothochrysa	*capitata*	45.35000	25.55000	5.7	-4.3	829	Romania	Kis 1965
Nothochrysa	*capitata*	39.87776	3.01719	15.9	10.1	675	Spain	Monserrat 2005
Nothochrysa	*capitata*	41.71298	14.13954	10.9	3.4	780	Italy	Monserrat 1980
Nothochrysa	*capitata*	43.76873	11.25690	14.5	6.0	859	Italy	Monserrat 1980
Nothochrysa	*capitata*	41.38792	2.16993	16.5	10.3	609	Spain	Monserrat 1986
Nothochrysa	*capitata*	41.78654	2.34867	11.2	4.9	876	Spain	Monserrat & Rogrigo 1992
Nothochrysa	*capitata*	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Nothochrysa	*capitata*	48.03000	14.65000	8.1	-1.4	899	Austria	W-GBIF-3
Nothochrysa	*capitata*	48.19000	15.90000	9.0	-0.3	675	Austria	W-GBIF-3

Nothochrysa	*capitata*	48.38000	15.25000	5.7	-3.2	914	Austria	W-GBIF-3
Nothochrysa	*capitata*	48.18000	16.02000	8.6	-0.7	693	Austria	W-GBIF-3
Nothochrysa	*capitata*	47.07028	15.43889	8.3	-1.8	858	Austria	Gepp 1975
Nothochrysa	*capitata*	47.50444	15.44889	5.6	-3.7	974	Austria	Gepp 1977
Nothochrysa	*capitata*	46.59140	14.27650	8.0	-2.4	1023	Austria	Hölzel 1964
Nothochrysa	*capitata*	46.51667	14.23333	6.9	-2.8	1162	Austria	Hölzel 1964
Nothochrysa	*capitata*	46.52694	14.30194	7.6	-2.5	1089	Austria	Hölzel 1964
Nothochrysa	*capitata*	54.05528	9.59389	8.3	0.8	811	Germany	Ohm 1963
Nothochrysa	*capitata*	54.52700	9.55200	8.4	1.0	858	Germany	Ohm 1963
Nothochrysa	*capitata*	54.76700	9.96700	8.4	1.3	723	Germany	Ohm 1963
Nothochrysa	*capitata*	54.16222	10.42139	8.2	0.5	713	Germany	Ohm 1964
Nothochrysa	*capitata*	50.83611	8.76028	8.8	0.7	754	Germany	Ohm & Remane 1968
Nothochrysa	*capitata*	49.07780	13.25450	6.0	-3.1	971	Germany	W-GBIF-4
Nothochrysa	*capitata*	53.18333	-4.10000	9.0	4.0	1069	UK	Morgan 1976
Nothochrysa	*capitata*	53.21803	-3.79416	9.3	4.0	910	UK	Morgan 1976
Nothochrysa	*capitata*	51.44944	-0.27389	10.5	4.7	633	UK	Barnard et al. 1986
Nothochrysa	*capitata*	50.51740	-3.69400	9.8	4.8	940	UK	W-GBIF-5
Nothochrysa	*capitata*	50.79820	-2.56890	8.8	3.4	878	UK	W-GBIF-5
Nothochrysa	*capitata*	50.70960	-2.00130	10.0	4.7	792	UK	W-GBIF-5
Nothochrysa	*capitata*	50.88910	-1.71700	9.8	4.3	792	UK	W-GBIF-5
Nothochrysa	*capitata*	50.79950	-1.85940	9.9	4.6	793	UK	W-GBIF-5
Nothochrysa	*capitata*	50.61760	-1.29460	10.1	4.6	858	UK	W-GBIF-5
Nothochrysa	*capitata*	50.79920	-1.71750	9.9	4.5	806	UK	W-GBIF-5
Nothochrysa	*capitata*	50.88810	-1.43270	10.6	5.1	767	UK	W-GBIF-5
Nothochrysa	*capitata*	50.79880	-1.57560	10.3	4.9	780	UK	W-GBIF-5
Nothochrysa	*capitata*	50.97860	-1.57400	10.2	4.6	755	UK	W-GBIF-5
Nothochrysa	*capitata*	50.79920	-1.71750	9.9	4.5	806	UK	W-GBIF-5
Nothochrysa	*capitata*	51.42180	-3.29570	9.9	4.6	1030	UK	W-GBIF-5
Nothochrysa	*capitata*	51.15610	-2.85930	9.6	4.1	852	UK	W-GBIF-5
Nothochrysa	*capitata*	51.60660	-2.72330	9.9	4.4	846	UK	W-GBIF-5
Nothochrysa	*capitata*	51.78870	-2.00130	8.9	3.3	745	UK	W-GBIF-5
Nothochrysa	*capitata*	51.78830	-1.71140	9.2	3.4	650	UK	W-GBIF-5
Nothochrysa	*capitata*	51.60850	-1.71250	9.4	3.6	651	UK	W-GBIF-5
Nothochrysa	*capitata*	51.33590	-1.14010	9.6	3.6	739	UK	W-GBIF-5
Nothochrysa	*capitata*	51.15370	-0.85750	9.6	3.3	822	UK	W-GBIF-5
Nothochrysa	*capitata*	51.32850	-0.42250	10.1	3.9	652	UK	W-GBIF-5

Nothochrysa	*capitata*	51.96120	-0.69150	9.6	3.3	638	UK	W-GBIF-5
Nothochrysa	*capitata*	51.33350	-0.85300	9.7	3.0	752	UK	W-GBIF-5
Nothochrysa	*capitata*	51.50620	-0.27230	10.5	4.7	628	UK	W-GBIF-5
Nothochrysa	*capitata*	51.23860	-0.42560	9.5	3.3	702	UK	W-GBIF-5
Nothochrysa	*capitata*	51.33030	-0.56600	10.0	3.6	682	UK	W-GBIF-5
Nothochrysa	*capitata*	51.69310	-0.84390	9.4	3.0	687	UK	W-GBIF-5
Nothochrysa	*capitata*	51.96120	-0.69150	9.6	3.3	638	UK	W-GBIF-5
Nothochrysa	*capitata*	51.42340	-0.85080	9.9	3.2	709	UK	W-GBIF-5
Nothochrysa	*capitata*	51.23860	-0.42560	9.5	3.3	702	UK	W-GBIF-5
Nothochrysa	*capitata*	51.51010	-0.56040	10.2	3.6	648	UK	W-GBIF-5
Nothochrysa	*capitata*	51.33200	-0.70950	9.5	2.9	769	UK	W-GBIF-5
Nothochrysa	*capitata*	51.41830	-0.41940	10.4	4.1	627	UK	W-GBIF-5
Nothochrysa	*capitata*	51.51010	-0.56040	10.2	3.6	648	UK	W-GBIF-5
Nothochrysa	*capitata*	51.24040	-0.56880	9.9	3.5	705	UK	W-GBIF-5
Nothochrysa	*capitata*	51.42340	-0.85080	9.9	3.2	709	UK	W-GBIF-5
Nothochrysa	*capitata*	51.33030	-0.56600	10.0	3.6	682	UK	W-GBIF-5
Nothochrysa	*capitata*	51.32420	-0.13560	10.1	4.2	688	UK	W-GBIF-5
Nothochrysa	*capitata*	51.41410	-0.13200	10.8	5.0	639	UK	W-GBIF-5
Nothochrysa	*capitata*	51.68990	-0.55470	9.6	3.2	672	UK	W-GBIF-5
Nothochrysa	*capitata*	51.32420	-0.13560	10.1	4.2	688	UK	W-GBIF-5
Nothochrysa	*capitata*	51.78140	-0.69670	9.2	2.7	699	UK	W-GBIF-5
Nothochrysa	*capitata*	51.77790	-0.40690	9.7	3.4	670	UK	W-GBIF-5
Nothochrysa	*capitata*	51.41830	-0.41940	10.4	4.1	627	UK	W-GBIF-5
Nothochrysa	*capitata*	51.15220	-0.71450	9.4	3.1	817	UK	W-GBIF-5
Nothochrysa	*capitata*	51.40920	0.15530	10.3	4.4	641	UK	W-GBIF-5
Nothochrysa	*capitata*	51.58890	0.16380	10.4	4.3	609	UK	W-GBIF-5
Nothochrysa	*capitata*	51.85570	0.32180	9.7	3.4	588	UK	W-GBIF-5
Nothochrysa	*capitata*	51.58890	0.16380	10.4	4.3	609	UK	W-GBIF-5
Nothochrysa	*capitata*	51.21420	0.86220	9.6	3.7	695	UK	W-GBIF-5
Nothochrysa	*capitata*	51.59150	0.01960	10.6	4.5	618	UK	W-GBIF-5
Nothochrysa	*capitata*	51.21420	0.86220	9.6	3.7	695	UK	W-GBIF-5
Nothochrysa	*capitata*	51.84270	0.90190	9.8	3.8	544	UK	W-GBIF-5
Nothochrysa	*capitata*	51.30040	1.01100	9.9	4.1	635	UK	W-GBIF-5
Nothochrysa	*capitata*	51.11700	1.14200	9.8	4.0	671	UK	W-GBIF-5
Nothochrysa	*capitata*	51.29260	1.29740	10.3	4.6	579	UK	W-GBIF-5
Nothochrysa	*capitata*	51.20290	1.29100	9.9	4.1	633	UK	W-GBIF-5

Nothochrysa	*capitata*	51.30040	1.01100	9.9	4.1	635	UK	W-GBIF-5
Nothochrysa	*capitata*	51.71000	10.52870	5.6	-2.2	1157	Germany	W-GBIF-5
Nothochrysa	*capitata*	52.13050	-4.04670	9.1	4.0	1261	UK	W-GBIF-5
Nothochrysa	*capitata*	52.93910	-4.08460	9.7	4.8	978	UK	W-GBIF-5
Nothochrysa	*capitata*	52.04310	-3.89690	8.4	3.0	1470	UK	W-GBIF-5
Nothochrysa	*capitata*	52.95140	-3.19210	7.7	2.1	1045	UK	W-GBIF-5
Nothochrysa	*capitata*	52.59030	-3.32990	8.3	2.6	1103	UK	W-GBIF-5
Nothochrysa	*capitata*	52.31270	-3.90840	8.5	3.2	1455	UK	W-GBIF-5
Nothochrysa	*capitata*	52.22280	-3.90450	8.5	3.2	1472	UK	W-GBIF-5
Nothochrysa	*capitata*	52.04310	-3.89690	8.4	3.0	1470	UK	W-GBIF-5
Nothochrysa	*capitata*	52.86660	-2.44700	8.9	3.1	726	UK	W-GBIF-5
Nothochrysa	*capitata*	52.95700	-2.29910	8.9	3.2	776	UK	W-GBIF-5
Nothochrysa	*capitata*	52.86710	-2.29850	9.0	3.3	733	UK	W-GBIF-5
Nothochrysa	*capitata*	52.32730	-1.56120	9.5	3.8	616	UK	W-GBIF-5
Nothochrysa	*capitata*	52.23370	-0.97640	9.6	3.5	612	UK	W-GBIF-5
Nothochrysa	*capitata*	52.66410	0.36440	9.6	3.4	572	UK	W-GBIF-5
Nothochrysa	*capitata*	52.83040	0.96730	9.8	3.7	641	UK	W-GBIF-5
Nothochrysa	*capitata*	52.65440	0.80750	9.4	3.3	625	UK	W-GBIF-5
Nothochrysa	*capitata*	52.03530	0.33110	9.4	3.2	578	UK	W-GBIF-5
Nothochrysa	*capitata*	52.55330	1.24370	9.9	3.9	630	UK	W-GBIF-5
Nothochrysa	*capitata*	52.91230	1.27050	10.5	4.3	652	UK	W-GBIF-5
Nothochrysa	*capitata*	52.73290	1.25700	10.3	4.2	634	UK	W-GBIF-5
Nothochrysa	*capitata*	53.11600	-4.24260	8.9	4.0	1089	UK	W-GBIF-5
Nothochrysa	*capitata*	53.20860	-4.09770	9.6	4.6	967	UK	W-GBIF-5
Nothochrysa	*capitata*	53.20290	-4.39690	9.8	5.3	915	UK	W-GBIF-5
Nothochrysa	*capitata*	53.03970	-3.34370	8.1	2.6	1017	UK	W-GBIF-5
Nothochrysa	*capitata*	53.21350	-3.79840	9.3	4.0	910	UK	W-GBIF-5
Nothochrysa	*capitata*	53.12130	-3.94400	8.1	2.8	1188	UK	W-GBIF-5
Nothochrysa	*capitata*	53.13480	-2.74880	9.3	3.9	779	UK	W-GBIF-5
Nothochrysa	*capitata*	53.49430	-1.24780	9.5	3.8	661	UK	W-GBIF-5
Nothochrysa	*capitata*	53.13380	-1.10460	9.4	3.4	679	UK	W-GBIF-5
Nothochrysa	*capitata*	53.49330	-1.09700	9.7	4.0	604	UK	W-GBIF-5
Nothochrysa	*capitata*	53.31610	-1.55110	8.5	2.9	937	UK	W-GBIF-5
Nothochrysa	*capitata*	53.49330	-1.09700	9.7	4.0	604	UK	W-GBIF-5
Nothochrysa	*capitata*	53.49430	-1.24780	9.5	3.8	661	UK	W-GBIF-5
Nothochrysa	*capitata*	53.49330	-1.09700	9.7	4.0	604	UK	W-GBIF-5

Nothochrysa	*capitata*	53.58570	-1.54830	9.3	3.8	785	UK	W-GBIF-5
Nothochrysa	*capitata*	53.85150	-0.93730	9.4	3.8	613	UK	W-GBIF-5
Nothochrysa	*capitata*	53.29850	0.09920	9.6	3.5	625	UK	W-GBIF-5
Nothochrysa	*capitata*	54.12240	-1.08340	9.2	3.7	644	UK	W-GBIF-5
Nothochrysa	*capitata*	54.21560	-1.84810	7.2	1.7	1073	UK	W-GBIF-5
Nothochrysa	*capitata*	54.03560	-1.69610	8.7	3.2	845	UK	W-GBIF-5
Nothochrysa	*capitata*	54.12580	-1.84840	8.0	2.5	1001	UK	W-GBIF-5
Nothochrysa	*capitata*	54.84470	-1.84580	7.9	2.5	744	UK	W-GBIF-5
Nothochrysa	*capitata*	54.66350	-1.38130	8.6	3.3	675	UK	W-GBIF-5
Nothochrysa	*capitata*	54.38750	-0.61550	8.4	3.1	861	UK	W-GBIF-5
Nothochrysa	*capitata*	54.29940	-0.77220	8.6	3.2	788	UK	W-GBIF-5
Nothochrysa	*capitata*	54.38750	-0.61550	8.4	3.1	861	UK	W-GBIF-5
Nothochrysa	*capitata*	54.20780	-0.62160	9.4	4.1	737	UK	W-GBIF-5
Nothochrysa	*capitata*	54.38750	-0.61550	8.4	3.1	861	UK	W-GBIF-5
Nothochrysa	*capitata*	54.82120	8.86250	8.1	1.1	834	Germany	W-GBIF-5
Nothochrysa	*capitata*	55.56000	-2.95280	7.0	1.4	1016	UK	W-GBIF-5
Nothochrysa	*capitata*	56.54130	-3.62780	6.6	0.9	1028	UK	W-GBIF-5
Nothochrysa	*capitata*	56.36960	-2.81100	8.3	2.8	657	UK	W-GBIF-5
Nothochrysa	*capitata*	57.26790	-2.83060	6.4	1.3	894	UK	W-GBIF-5
Nothochrysa	*capitata*	47.70783	14.39042	4.4	-4.6	1284	Austria	Aspöck & Aspöck 1969
Nothochrysa	*capitata*	42.26444	23.60694	5.9	-2.8	654	Bulgaria	Hubenov et al. 1998
Nothochrysa	*capitata*	49.05000	13.78333	6.1	-3.0	946	Czech Rep.	Zelený 2008
Nothochrysa	*capitata*	43.38333	6.31667	13.7	7.2	769	France	Alrouechdi et al. 1980b
Nothochrysa	*capitata*	43.71779	7.26807	14.5	8.2	817	France	Séméria 1992
Nothochrysa	*capitata*	51.32278	-0.47722	10.2	3.9	656	UK	Briggs 1894
Nothochrysa	*capitata*	52.75477	0.39761	9.6	3.4	587	UK	Atmore 1907
Nothochrysa	*capitata*	50.87240	-2.45970	9.0	3.6	846	UK	Haines 1922
Nothochrysa	*capitata*	50.87268	-1.57660	10.3	4.8	783	UK	Lucas 1917
Nothochrysa	*capitata*	51.39300	-1.11500	9.7	3.6	723	UK	Lucas 1922
Nothochrysa	*capitata*	50.96667	-1.35000	10.5	4.7	766	UK	Lucas 1925
Nothochrysa	*capitata*	50.97790	-1.43750	10.3	4.6	768	UK	Lucas 1928
Nothochrysa	*capitata*	51.38000	-0.35260	10.4	4.4	630	UK	Lucas 1931
Nothochrysa	*capitata*	51.35600	-0.03800	10.3	4.4	672	UK	Wormald 1869
Nothochrysa	*capitata*	50.80000	-1.08300	10.5	4.6	818	UK	Killington 1926
Nothochrysa	*capitata*	50.97790	-1.43750	10.3	4.6	768	UK	Killington 1926
Nothochrysa	*capitata*	50.85444	-1.50472	10.4	4.9	776	UK	Killington 1931

Nothochrysa	*capitata*	52.56280	-3.14930	8.6	3.0	956	UK	Morgan 1996
Nothochrysa	*capitata*	43.78300	11.22800	14.4	6.1	863	Italy	Monserrat 1980
Nothochrysa	*capitata*	41.60200	14.23100	13.1	5.8	813	Italy	Monserrat 1980
Nothochrysa	*capitata*	42.08200	14.06000	6.8	-0.6	822	Italy	Letardi & Biscaccianti 2007
Nothochrysa	*capitata*	43.82772	11.86437	8.3	0.9	903	Italy	Pantaleoni et al. 1994
Nothochrysa	*capitata*	43.85998	11.74439	8.0	0.7	915	Italy	Pantaleoni 1993
Nothochrysa	*capitata*	41.72649	12.40391	15.5	9.0	769	Italy	Letardi & Maltzeff 2001
Nothochrysa	*capitata*	41.68333	12.45000	15.4	9.0	781	Italy	Letardi & Maltzeff 2001
Nothochrysa	*capitata*	52.13712	4.33276	9.5	3.2	776	Netherlands	Geijskes 1972
Nothochrysa	*capitata*	58.07131	7.97912	7.5	0.9	1256	Norway	Hansen & Berggren 1999
Nothochrysa	*capitata*	45.74328	14.64516	7.4	-1.2	1353	Slovenia	Devetak 1984
Nothochrysa	*capitata*	41.76700	2.40000	12.4	6.0	841	Spain	Monserrat & Rogrigo 1992
Nothochrysa	*capitata*	41.55000	1.90000	15.2	8.7	616	Spain	Monserrat 1986
Nothochrysa	*capitata*	36.74417	3.04250	17.6	11.8	701	Algeria	McLachlan 1898
Nothochrysa	*capitata*	49.65356	19.99178	9.1	0.4	652	Poland	Zaćwilichowski 1938
Nothochrysa	*capitata*	49.43944	19.85417	6.3	-3.7	930	Poland	Zaćwilichowski 1938
Nothochrysa	*capitata*	50.54472	23.21528	7.0	-3.4	591	Poland	Zaćwilichowski 1938
Nothochrysa	*capitata*	45.35000	25.55139	5.7	-4.3	829	Romania	Kis 1965
Nothochrysa	*capitata*	46.30417	7.59139	8.0	-0.3	928	Switzerland	Duelli 1987
Nothochrysa	*fulviceps*	47.86667	-0.91667	11.3	4.9	701	France	Thierry et al. 2005
Nothochrysa	*fulviceps*	46.23833	23.58333	8.9	-1.3	624	Romania	Kis 1959
Nothochrysa	*fulviceps*	46.61667	21.51667	10.9	0.3	575	Romania	Monserrat 2008
Nothochrysa	*fulviceps*	40.55537	-1.65293	8.3	0.8	590	Spain	Díaz-Aranda & Monserrat 1988
Nothochrysa	*fulviceps*	42.08333	-7.58333	12.1	5.8	1081	Spain	Monserrat 1978
Nothochrysa	*fulviceps*	40.74145	-4.05467	10.5	3.0	493	Spain	Monserrat 2008
Nothochrysa	*fulviceps*	42.63050	-1.01277	10.3	3.4	860	Spain	Marín & Monserrat 1995
Nothochrysa	*fulviceps*	43.24411	-4.56107	11.3	6.0	865	Spain	Marín & Monserrat 1989
Nothochrysa	*fulviceps*	41.13333	-1.06667	10.8	3.3	439	Spain	Monserrat & Rogrigo 1992
Nothochrysa	*fulviceps*	44.37556	9.87830	11.8	3.7	894	Italy	Monserrat 1980
Nothochrysa	*fulviceps*	47.86667	19.98333	7.6	-2.5	658	Hungary	Abraham 1989
Nothochrysa	*fulviceps*	46.97829	17.91877	10.7	0.3	561	Hungary	Ujhelyi 1968
Nothochrysa	*fulviceps*	46.83330	17.55000	10.7	0.5	606	Hungary	W-GBIF-2
Nothochrysa	*fulviceps*	46.91670	17.84820	10.8	0.4	566	Hungary	W-GBIF-2
Nothochrysa	*fulviceps*	46.64169	14.94176	8.2	-1.9	1022	Austria	Hölzel 1964
Nothochrysa	*fulviceps*	46.78611	15.45000	8.4	-1.6	953	Austria	Gepp 1977
Nothochrysa	*fulviceps*	46.86667	15.90000	9.1	-0.7	876	Austria	Gepp 1977

Nothochrysa	*fulviceps*	46.82083	15.44889	8.4	-1.6	937	Austria	Gepp 1977
Nothochrysa	*fulviceps*	46.99083	15.50861	8.4	-1.7	876	Austria	Gepp 1977
Nothochrysa	*fulviceps*	47.07028	15.43889	8.3	-1.8	858	Austria	Gepp 1975
Nothochrysa	*fulviceps*	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Nothochrysa	*fulviceps*	48.72000	14.90000	7.5	-1.7	784	Austria	W-GBIF-3
Nothochrysa	*fulviceps*	52.35000	14.43333	8.7	-1.3	555	Germany	Ohm & Remane 1968
Nothochrysa	*fulviceps*	50.10000	8.08333	7.6	-0.3	775	Germany	Ohm & Remane 1968
Nothochrysa	*fulviceps*	54.16222	10.42139	8.2	0.5	713	Germany	Ohm 1964
Nothochrysa	*fulviceps*	51.78720	-2.58130	9.6	4.1	805	UK	W-GBIF-5
Nothochrysa	*fulviceps*	51.42190	-0.70700	9.8	3.1	704	UK	W-GBIF-5
Nothochrysa	*fulviceps*	52.86660	-2.44700	8.9	3.1	726	UK	W-GBIF-5
Nothochrysa	*fulviceps*	52.13930	-0.54020	9.9	3.7	584	UK	W-GBIF-5
Nothochrysa	*fulviceps*	53.31610	-1.55110	8.5	2.9	937	UK	W-GBIF-5
Nothochrysa	*fulviceps*	53.29850	0.09920	9.6	3.5	625	UK	W-GBIF-5
Nothochrysa	*fulviceps*	54.75240	-2.77830	8.0	2.3	947	UK	W-GBIF-5
Nothochrysa	*fulviceps*	55.23330	9.99990	8.0	0.9	675	Denmark	W-GBIF-2
Nothochrysa	*fulviceps*	48.00000	16.23000	8.8	-0.6	686	Austria	W-GBIF-3
Nothochrysa	*fulviceps*	50.63389	39.86722	6.9	-6.7	510	Russia	V.Krivokhatsky, pers. data
Nothochrysa	*fulviceps*	56.29799	10.48214	7.5	0.2	595	Denmark	Schmidt Nielsen 1977
Nothochrysa	*fulviceps*	44.45000	1.13333	12.3	5.1	806	France	Canard et al. 2007
Nothochrysa	*fulviceps*	54.74710	-2.00600	7.3	1.8	909	UK	Lucas 1917
Nothochrysa	*fulviceps*	47.86887	19.97796	7.6	-2.5	658	Hungary	Abrahám 1989
Nothochrysa	*fulviceps*	46.07125	18.23311	11.2	0.6	637	Hungary	Abrahám 1991
Nothochrysa	*fulviceps*	46.19062	18.36678	9.4	-0.8	693	Hungary	Abrahám 1991
Nothochrysa	*fulviceps*	44.38333	9.88333	11.8	3.7	894	Italy	Monserrat 1980
Nothochrysa	*fulviceps*	52.13712	4.33276	9.5	3.2	776	Netherlands	Geijskes 1972
Nothochrysa	*fulviceps*	58.10580	7.93620	7.3	0.6	1290	Sweden	Hansen & Berggren 1999
Nothochrysa	*fulviceps*	45.16667	23.38333	9.4	-0.9	661	Romania	Kis & Stamp 1964
Nothochrysa	*fulviceps*	46.42583	21.83694	10.9	0.3	593	Romania	Kis & Stamp 1964
Nothochrysa	*fulviceps*	54.31667	49.26667	4.0	-11.6	532	Russia	Rokhletsova 2000
Nothochrysa	*fulviceps*	46.36891	16.02697	9.6	-0.2	942	Slovenia	Devetak 1984
Nothochrysa	*fulviceps*	46.55717	15.64645	9.4	-0.3	986	Slovenia	Devetak 1984
Nothochrysa	*fulviceps*	40.46667	-1.58333	7.5	0.1	651	Spain	Monserrat & Rogrigo 1992
Nothochrysa	*fulviceps*	43.25000	-4.55000	10.4	5.0	911	Spain	Marín & Monserrat 1989
Nothochrysa	*fulviceps*	42.86700	-3.93300	9.9	3.9	803	Spain	Marín & Monserrat 1989
Nothochrysa	*fulviceps*	42.63333	-1.00000	10.3	3.4	860	Spain	Marín & Monserrat 1995

Nothochrysa	*fulviceps*	40.73333	-4.06667	10.5	3.0	493	Spain	Monserrat 2008
Nothochrysa	*fulviceps*	56.02285	12.75504	7.8	0.3	671	Sweden	Tjeder 1940
Nothochrysa	*fulviceps*	56.28614	12.49744	7.7	-0.3	674	Sweden	Greve 1984
Nothochrysa	*fulviceps*	47.38031	7.94633	8.2	0.3	1086	Switzerland	Duelli et al. 2002
Nothochrysa	*fulviceps*	37.80000	30.90000	12.0	3.1	581	Turkey	Canbulat & Kıyak 2004
Nothochrysa	*fulviceps*	38.43333	31.11667	10.0	0.8	535	Turkey	Canbulat & Kıyak 2004
Nothochrysa	*californica*	37.87159	-122.27275	14.5	10.6	567	USA	Adams 1967
Nothochrysa	*californica*	37.80438	-122.27080	14.6	10.8	526	USA	Adams 1967
Nothochrysa	*californica*	37.87715	-122.17969	14.2	9.6	659	USA	Adams 1967
Nothochrysa	*californica*	37.90604	-122.54498	13.7	9.8	962	USA	Adams 1967
Nothochrysa	*californica*	37.89365	-122.57202	13.7	9.8	962	USA	Adams 1967
Nothochrysa	*californica*	38.01326	-122.66387	13.4	9.1	1042	USA	Adams 1967
Nothochrysa	*californica*	39.35528	-123.61386	11.8	7.6	1150	USA	Adams 1967
Nothochrysa	*californica*	39.27290	-123.76297	11.2	7.9	1108	USA	Adams 1967
Nothochrysa	*californica*	38.89796	-123.21445	12.6	7.4	1166	USA	Adams 1967
Nothochrysa	*californica*	37.44188	-122.14302	14.5	9.7	424	USA	Adams 1967
Nothochrysa	*californica*	37.42111	-122.14581	14.5	9.7	424	USA	Adams 1967
Nothochrysa	*californica*	44.56332	-123.26233	11.2	5.0	1108	USA	Adams 1967
Nothochrysa	*californica*	44.63318	-123.29399	10.2	4.0	1456	USA	Adams 1967
Nothochrysa	*californica*	44.63318	-123.29399	10.2	4.0	1456	USA	Adams 1967
Nothochrysa	*californica*	44.51254	-123.40956	10.8	4.5	1194	USA	Adams 1967
Nothochrysa	*californica*	44.36080	-123.41060	10.8	4.6	1261	USA	Adams 1967
Nothochrysa	*californica*	44.63791	-123.57871	10.2	4.3	1846	USA	Adams, 1967
Nothochrysa	*californica*	48.47961	-116.84938	6.4	-3.3	782	USA	Johnson 1995
Nothochrysa	*californica*	47.23706	-121.17898	6.6	-1.4	1356	USA	Adams, 1967
Nothochrysa	*californica*	48.65000	-123.40000	9.7	4.2	1016	Canada	Garland & Kevan 2007
Nothochrysa	*californica*	49.43333	-124.66667	9.8	3.4	1463	Canada	Garland & Kevan 2007
Nothochrysa	*californica*	48.75000	-123.21667	9.7	4.4	875	Canada	Garland & Kevan 2007
Nothochrysa	*californica*	48.43333	-123.36667	9.8	4.9	715	Canada	Garland & Kevan 2007
Nothochrysa	*californica*	49.25000	-123.13300	9.9	3.5	1266	Canada	W-GBIF-2
Nothochrysa	*californica*	37.80440	-122.26990	14.6	10.8	526	USA	W-GBIF-2
Nothochrysa	*californica*	37.87160	-122.27200	14.5	10.6	567	USA	W-GBIF-2
Nothochrysa	*californica*	37.88300	-122.23890	14.1	9.5	715	USA	W-GBIF-2
Nothochrysa	*californica*	37.87160	-122.27200	14.5	10.6	567	USA	W-GBIF-2
Nothochrysa	*californica*	37.98710	-122.58890	13.7	9.3	1032	USA	W-GBIF-2
Nothochrysa	*californica*	37.90670	-122.54590	13.7	9.8	962	USA	W-GBIF-2

Nothochrysa	*californica*	37.88160	-121.91400	14.6	8.6	588	USA	W-GBIF-2
Nothochrysa	*californica*	38.64770	-122.55500	13.0	6.9	1077	USA	W-GBIF-2
Nothochrysa	*sinica*	33.54361	108.54194	9.8	-1.0	878	China	Yang 1986
Nothochrysa	*sinica*	34.25000	108.93333	14.3	1.5	553	China	X. Liu, pers. comm.
Nothochrysa	*sinica*	30.20000	108.56667	11.2	1.8	1513	China	X. Liu, pers. comm.
Nothochrysa	*turcicus*	39.88000	28.91400	11.8	3.7	731	Turkey	Kovanci & Canbulat 2007
Nothochrysa	*turcicus*	39.80500	28.99600	10.9	2.8	801	Turkey	Kovanci & Canbulat 2007
Nothochrysa	*turcicus*	39.80700	28.99800	10.9	2.8	801	Turkey	Kovanci & Canbulat 2007
Nothochrysa	*turcicus*	39.78700	28.95300	11.4	3.3	729	Turkey	Kovanci & Canbulat 2007
Nothochrysa	*turcicus*	39.77900	28.89200	11.2	3.0	764	Turkey	Kovanci & Canbulat 2007
Nothochrysa	*turcicus*	39.79300	28.91300	11.5	3.4	737	Turkey	Kovanci & Canbulat 2007

WEB REFERENCES FOR TABLES S4 AND S5

RMCA (Royal Museum for Central Africa) occurrence data were accessed through the website of the RMCA, Tervuren, Belgium, Metafro Infosys Illustrated database of Neuroptera (insects): http://www.metafro.be/neuroptera/collection.

W-RMCA-1: Royal Museum for Central Africa, Tervuren, Belgium.
W-RMCA-2: South African National Collection, Pretoria.
W-RMCA-3: Natural History Museum, London.
W-RMCA-4: Koen Maes Collection, Belgium.
W-RMCA-5: Herbert Hölzel Collection, Austria.
W-RMCA-6: Durban Museum, South Africa.
W-RMCA-7: State Museum Windhoek, Namibia.
W-RMCA-8: Natal Museum, Pietermaritzburg.
W-RMCA-9: Transvaal Museum, Pretoria.
W-RMCA-10: Zoological Institute Lund University, Sweden.
W-RMCA-11: Ministry of Agriculture, Harare.
W-RMCA-12: Jonathan B Ball Collection.
W-RMCA-13: National Museum of Zimbabwe, Bulawayo.

GBIF (Global Biodiversity Information Facility) occurrence data were accessed through the GBIF data portal http://data.gbif.org/welcome.htm for the following collections listed in Tables S4 and S5 as:

W-GBIF-1: Australian Museum provider for OZCAM (Online Zoological Collections of Australian Museums).
W-GBIF-2: Texas A&M University Insect Collection.
W-GBIF-3: Biologiezentrum Linz.
W-GBIF-4: GEO-Hauptveranstaltung im Nationalpark Bayerischer Wald.
W-GBIF-5: Biological Records Centre - Lacewings and allied insects records from Britain and Ireland to 1999.
W-GBIF-6: Instituto Nacional de Biodiversidad (Costa Rica).
W-GBIF-7: South African National Biodiversity Institute.
W-GBIF-8: Spain, BDBCV - IV Semana de la Biodiversidad (Alicante, Spain), 2009.
W-GBIF-9: KBIF Data repository.
W-GBIF-10: National Museum of Nature and Science, Japan.
W-GBIF-11: inatura - Erlebnis Naturschau Dornbirn.
W-GBIF-12: University of Alberta.
W-GBIF-13: Service du Patrimoine naturel, Muséum national d'Histoire naturelle, Paris.
W-GBIF-14: GEO-Tag der Artenvielfalt.
W-GBIF-15: UK National Biodiversity Network.
W-GBIF-16: National Biodiversity Data Centre.
W-GBIF-17: Sweden, Bugs (GBIF-SE: Artdatabanken).
W-GBIF-18: The Norwegian Biodiversity Information Centre (NBIC)
W-GBIF-19: Natural History Museum, University of Oslo.
W-GBIF-20: Finnish Museum of Natural History.
W-GBIF-21: Musée national d'histoire naturelle Luxembourg.
W-GBIF-22: Botanic Garden and Botanical Museum Berlin-Dahlem.
W-GBIF-23: Discover Life.

REFERENCES FOR TABLE S4 (WEB REFERENCES ABOVE)

ABRAHÁM, L., 1989, A Mátra Múzeum Neuropteroidea gyüjteménye (Neuropteroidea: Megaloptera, Raphidioptera, Planipennia): Folia Historico-Naturalia Musei Matraensis, v. 14, p. 81–86.

ABRAHÁM, L., 1991, On the Neuropteroidea and Mecoptera of Baranya County, Hungary: A Janus Pannonius Múzeum évkönyve, v. 35, p. 13–18.

ADAMS, P.A., and PENNY, N.D., 1992, New genera of Nothochrysinae from South America (Neuroptera: Chrysopidae): The Pan-Pacific Entomologist, v. 68, p. 216–221.

ALROUECHDI, K., CANARD, M., PRALAVORIO, R., and ARAMBOURG Y., 1980a, Repartition des adultes et des pontes de chrysopides (Neuroptera) recoltes dans une oliveraie de Provence: Neuroptera International, v. 1, p. 65–74.

ALROUECHDI, K., LYON, J.-P., CANARD, M., and FOURNIER, D., 1980b, Les chrysopides (Neuroptera) récoltés dans une oliveraie du Sud-Est de la France: Acta Oecologica-Oecologia Applicata, v. 1, p. 173–180.

ANDERLE, F., and ASPÖCK, U., 2007, Neuropterida (Insecta Endopterygota) of the Nature Reserve Eichkogel (Lower Austria): arguments for protecting an insular biocoenosis in the south of Vienna: Annali del Museo Civico di Storia Naturale di Ferrara, v. 8, p. 139–144.

ASPÖCK, H, and ASPÖCK, U., 1969, Die Neuropteren Mitteleuropas. Ein Nachtrag zur synopsis der Systematik, Ökologie und Biogeographien der Neuropteren Mitteleuropas: Naturkundliches Jahrbuch der Stadt Linz, v. 1969, p. 17–68.

ATMORE, E.A., 1907, Note on *Nothochrysa capitata*, F.: Entomologist's Monthly Magazine, v. 43, p. 68.

BARNARD, P.C., BROOKS, S.J., and STORK, N.E., 1986, The seasonality and distribution of Neuroptera, Raphidioptera and Mecoptera on oaks in Richmond Park, Surrey, as revealed by insecticide knock-down sampling: Journal of Natural History, v. 20, p. 1321–1331.

BOZSIK, A., MIGNON, J., and GASPAR, C., 2000, Contribution à la connaissance des Chrysopidae de Belgique: bilan des captures réalisées à Gembloux: Notes Fauniques de Gembloux, v. 41, p. 3–10.

BRIGGS, C.A., 1894, *Nothochrysa capitata* and other Neuroptera in Surrey: Entomologist's Monthly Magazine, v. 30, p. 186.

CANARD, M., MAZEL, R., TILLIER, P., DANFLOUS, S., and THIERRY, D., 2007, Cartographie de chrysopes en France (Neuroptera, Chrysopidae): Revue de l'Association Roussillonnaise d'Entomologie, v. 16, p. 9–21.

CANBULAT, S., and KIYAK, S., 2004, Four species of lacewings (Insecta; Neuroptera) new to the fauna of Turkey: Zoology in the Middle East, v. 32, p. 113–114.

DEVETAK, D., 1984, Megaloptera, Raphidioptera and Planipennia in Slovenia (Yugoslavia). Faunistical contribution: Neuroptera International, v. 3, p. 55–72.

DÍAZ-ARANDA, L.M., and MONSERRAT, V.J., 1988, Contribución al conocimiento de los neurópteros de Teruel (Insecta, Neuropteroidea): Boletin de la Asociacion Espanola de Entomologia, v. 12, p. 215–231.

DUELLI, P., 1987, Eine isolierte Reliktpopulation von *Chrysoperla mediterranea* (Planipennia: Chrysopidae) in der Schweiz: Mitteilungen der Schweizerischen Entomologischen Gesellschaft, v. 60, p. 301–306.

DUELLI, P., OBRIST, M.K., and FLÜCKIGER, P.F., 2002, Forest edges are biodiversity hotspots - also for Neuroptera: Acta Zoologica Academiae Scientiarum Hungaricae, v. 48(Suppl. 2), p. 75–87.

GEIJSKES, D.C., 1972, Over de Neuroptera-Fauna van Meijendel: Zoologische Bijdragen, v. 13, p. 43–58.

GEPP, J., 1975, Die Neuropteren von Graz: Ein Beitrag zur Kenntnis der mitteleuropäischen Grossstatfauna: Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark, v. 105, p. 265–278.
GEPP, J., 1977, Die Planipennier der Steiermark (Neuroptera s. str., Neuropteroidea, Insecta): Autökologie und Regionalfaunistik: Mitteilungen des Naturwissenschaftlichen Vereins für Steiermark, v. 107, p. 171–206.
HAINES, F.H., 1922, Neuroptera in Dorset: Entomologist (London), v. 55, p. 84–85.
HANSEN, L.O., and BERGGREN, K., 1999, The genus *Nothochrysa* (Planipennia, Chrysopidae) in Norway: Norwegian Journal of Entomology, v. 46, p. 57–60.
HÖLZEL, H., 1964, Die Netzflügler Kärntens: Carinthia II, v. 74, p. 97–156.
HUBENOV, Z., BESHOVSKI, V., BESHKOV, S., KOLAROV, J., KUMANSKI, K., POPOV, A., and VASSILEVA, E., 1998, Insects of Bulgaria, Part 2: Blattoidea, Mantoidea, Isoptera, Orthoptera, Dermaptera, Embioptera, Megaloptera, Raphidioptera, Neuroptera, Mecoptera, Hymenoptera, Trichoptera, Lepidoptera and Diptera, *in* Meine, C., ed., Bulgaria's Biological Diversity: Conservation Status and Needs Assessment, Biodiversity Support Program, Washington, DC, v. 1–2, p. 211–259.
JOHNSON, J.B., 1995, Lacewings (Insecta: Neuroptera) of the Columbia River Basin: Interior Columbia Basin Ecosystem Management Project Contract # 43-0E00-4-9222, p. 1–16.
KILLINGTON, F.J., 1926, Notes on Neuroptera taken in 1925: Entomologist (London), v. 59, p. 110–112.
KILLINGTON, F.J., 1931, Notes on British Neuroptera: Entomologist (London), v. 64, p. 73–76.
KIS, B., 1959, Faunenkatalog der bisher in der Rumänischen Volksrepublik bekannten Neuropteren und Mecopteren: Folia Entomologica Hungarica (NS), v. 12, p. 331–347.
KIS, B., 1965, Beiträge zur Kenntnis der Neuropterenfauna Rumäniens: Folia Entomologica Hungarica (NS), v. 18, p. 359–366.
KIS, B., and STAMP, H.M., 1964, Katalog der Neuropterensammulung des Brukenthalmuseums in Sibiu (Hermannstadt): Entomologische Abhandlungen Staatliches Museum für Tierkunde Dresden, v. 32, p. 53–60.
KOVANCI, B., and CANBULAT, S., 2007, A new species of the genus *Nothochrysa* McLachlan 1868 from northwestern Turkey (Neuroptera: Chrysopidae) with a key to western Palaearctic species: Annales de la Société Entomologique de France (NS), v. 43, p. 165–168.
KURBANOV, G.G., 1972, A study of Chrysopidae of high Caucasus in the limits of the Azerbaidzhan SSR: Izvestiya Akademii Nauk Azerbaidzhanskoi SSR Seriya Biologicheskikh Nauk, v. 3, p. 93–98. In Russian.
LETARDI, A., and BISCACCIANTI, A.B., 2007, Neuropterida of the Majella National Park (Italy): Annali del Museo Civico di Storia Naturale di Ferrara, v. 8, p. 107–110.
LETARDI, A., and MALTZEFF, P., 2001, Neurotteridi e Mecotteri della Tenuta Presidenziale di Castelporziano e delle aree limitrofe (Neuroptera, Raphidioptera, Mecoptera): Bollettino dell'Associazione Romana di Entomologia, v. 56, p. 49–62.
LUCAS, W.J., 1917, British Neuroptera in 1916: Entomologist (London), v. 50, p. 87–89.
LUCAS, W.J., 1922, Notes on British Neuroptera in 1921: Entomologist (London), v. 55, p. 57–58.
LUCAS, W.J., 1925, Notes on British Neuroptera (including Megaloptera and Mecoptera) in 1924: Entomologist (London), v. 58, p. 155–156.
LUCAS, W.J., 1928, Notes on British Neuroptera and Mecoptera in 1927: Entomologist (London), v. 61, p. 217–220.
LUCAS, W.J., 1931, Notes on British Neuroptera and Mecoptera in 1930: Entomologist (London), v. 64, p. 243–244.
MAKARKIN, V.N., and SHCHUROV, V.I., 2011, New data on Neuroptera of the Caucasus: Kavkazskii Entomologicheskii Byulleten, v. 7, p. 61–67. In Russian.

MARÍN, F., and MONSERRAT, V.J., 1989, Contribución al conocimiento de los neurópteros de Cantabria (Insecta, Neuropteroidea): Boletin de la Asociacion Espanola de Entomologia, v. 13, p. 287–298.
MARÍN, F., and MONSERRAT, V.J., 1995, Contribución al conocimiento de los neurópteros de Zaragoza (Insecta, Neuropteroidea): Zapateri, Revista Aragonesa de Entomología, v. 5, p. 109–126.
MCLACHLAN, R., 1898, Neuroptera-Planipennia collected in Algeria by the Rev. A. E. Eaton: Transactions of the Royal Entomological Society of London, v. 46, p. 151–168.
MONSERRAT, V.J., 1978, Contribución al conocimiento de los Neurópteros de Orense (Neu. Planipennia): Boletin de la Asociacion Espanola de Entomologia, v. 2, p. 169–184.
MONSERRAT, V.J., 1980, Contribucion al conocimiento de los Neuropteros de Italia (Neuroptera, Planipennia): Neuroptera International, v. 1, p. 48–64.
MONSERRAT, V.J., 1986, Sobre los Neurópteros ibéricos (IV) (Neur.): Boletin de la Asociacion Espanola de Entomologia, v. 10, p. 95–105.
MONSERRAT, V.J., 2005, Catálogo de los Neurópteros de Baleares con nuevos datos sobre su fauna (Insecta, Neuroptera): Boletin de la Asociacion Espanola de Entomologia, v. 48, p. 71–85.
MONSERRAT, V.J., 2008, Nuevos datos sobre algunas especies de chrisópidos (Insecta: Neuroptera: Chrysopidae): Heteropterus Revista de Entomología, v. 8, p. 171–196.
MONSERRAT, V.J., and RODRIGO, F., 1992, Nuevas citas sobre los crisópidos ibéricos (Insecta, Neuroptera: Chrysopidae): Zoologica Baetica, v. 3, p. 123–138.
MORGAN, M.J., 1996, The invertebrate fauna of Gregynog, Montgomery (SO 09, VC47): Natural Science Report 96/5/1, p. 1–38.
MORGAN, M.J., 1976, Neuroptera and Mecoptera in north Wales: a preliminary survey of their distribution: Entomologist's Gazette, v. 27, p. 229–242.
NAVÁS, L., 1912, Crisópidos y Hemeróbidos (Ins. Neur.) nuevos ó críticos: Brotéria (Zoológica), v. 10, p. 98–113.
NEW, T.R., 1980, A revision of the Australian Chrysopidae (Insecta: Neuroptera): Australian Journal of Zoology, Supplementary Series, v. 77, p. 1–143.
NIELSEN, E.S., 1977, En undersogelse af netvingefaunaen (Neuroptera s. str.) i en dansk bogeskov [Studies on lacewings (Neuroptera, s. str.) in a Danish Beech stand]: Entomologiske Meddelelser, v. 45, p. 45–64.
OHM, P., 1963, Die Neuropteren und Mecopteren des Reher Kratts: Faunistische Mitteilungen aus Norddeutschland, v. 2, p. 67–71.
OHM, P., 1964, Die Neuropteren- und Mecopterenfauna der Umgebung von Plön (Holstein): Faunistische Mitteilungen aus Norddeutschland, v. 2, p. 125–128.
OHM, P., and REMANE, R., 1968, Die Neuropterenfauna Hessens und einiger angrenzender Gebiete (Zur Verbreitung der Neuropteren in Mitteleuropa): Faunistisch-Ökologische Mitteilungen, v. 3, p. 209–228.
PANTALEONI, R.A., 1993, I neurotteri (Insecta Neuropteroidea) delle collezioni "Zangheri" (Museo di Storia Naturale della Romagna) e "Malmerendi" (Museo civico di Scienze Naturali di Faenza): Bollettino del Museo Civico di Storia Naturale di Verona, v. 17(for 1990), p. 277–291.
PANTALEONI, R.A., CAMPADELLI, G., and CRUDELE, G., 1994, Nuovi dati sui Neurotteri dell'alto Appennino romagnolo: Bollettino dell'Istituto di Entomologia "Guido Grandi" della Università degli studi di Bologna, v. 48, p. 171–183.
PRINCIPI, M.M., 1956, Campagna di ricerche dell'Istituto di Entomologia dell'Università di Bologna nella "Foresta Umbra" (Gargano). IV. Reperti etologici su di un raro neurottero crysopide, l'*Hypochrysa nobilis* Schneider: Atti dell'Accademia delle Scienze dell'Istituto di Bologna, Rendiconti, Classe di Scienze Fisiche, v. 3, p. 152–154.

ROKHLETZOVA, A.V., 2000, Materials on the Neuroptera fauna of the Ulyanovsk region, *in* The Nature of the Simbirsk Volga region. Issue 1. Ulyanovsk State Technical University, Ulyanovsk, p. 113–126. In Russian.

SÉMÉRIA, Y., 1992, Planipennes (Neuroptera) urbains: les espaces verts. I.– Nice ville. Chrysopidae du domaine Valrose (1982–1983): Neuroptera International, v. 7, p. 15–20.

THIERRY, D., DEUTSCH, B., PAULIAN, M., VILLENAVE, J., CANARD, M., 2005, Typifying ecosystems by using green lacewing assemblages: Agronomy for Sustainable Development, v. 25, p. 473–479.

TJEDER, B., 1940, Revisions of the Scandinavian Neuroptera (s. str.) and Mecoptera recorded by J. W. Zetterstedt, H. D. J. Wallengren, and others: Opuscula Entomologica, v. 5, p. 67–114.

TJEDER, B., 1966, The Lace-wings of Southern Africa. 5. Family Chrysopidae, *in* Hanström, B., Brinck, P., Rudebec, G., eds., South African Animal Life, v. 12: Swedish Natural Science Research Council, Stockholm, p. 228–534.

UJHELYI, S., 1968, Adatok a récesszárnyú rovarok hazai elöfordulásához: Állattani Közlemények, v. 55, p. 129–139.

WORMALD, P.C., 1869, Capture of rare species of Neuroptera-Planipennia: Entomologist's Monthly Magazine, v. 6, p. 139.

YANG, C.K., 1986, The subfamily Nothochrysinae new to China and a new species of the genus *Nothochrysa* (Neuroptera: Chrysopidae): Entomotaxonomia, v. 8, p. 277–280. In Chinese.

ZÁCWILICHOWSKI, J., 1938, Materialy do fauny sieciarek (Neuroptera) Polski: Fragmenta Faunistica Musei Zoologici Polonici (Warsaw), v. 3, p. 241–249.

ZELENÝ, J., 2008, Neuroptera of the Bohemian Forest and the foothills: Silva Gabreta, v. 14, p. 135–148.

Table S5—Modern Chrysopinae occurrences used in climate analysis. Country and taxon names are given as reported. Some country names have been subsequently changed and taxon names revised. For example, species appearing here as belonging to *Nothochrysa* are now placed in the genus *Italochrysa*, within the Chrysopinae.

species	latitude	longitude	MAT	CQMT	MAP	country	reference
Anisochrysa venosa	24.70753	46.80450	25.3	15.5	111	Saudi Arabia	Hölzel 1980a
Anisochrysa phlebia	25.40034	49.59133	26.3	17.0	74	Saudi Arabia	Hölzel 1980a
Ankylopteryx venusta	-28.37945	32.30849	21.6	18.0	1072	South Africa	Tjeder 1966
Ankylopteryx venusta	-2.03420	33.06040	22.2	21.5	1468	Tanganyika Terr	Tjeder 1966
Ankylopteryx pallidula	-18.40424	36.10394	25.3	22.1	1035	Mozambique	Tjeder 1966
Ankylopteryx pellucida	-23.90000	30.06670	18.8	14.2	1119	Transvaal	Tjeder 1966
Ankylopteryx grata	-29.61667	30.38333	18.3	13.7	888	South Africa	Tjeder 1966
Ankylopteryx grata	-29.88424	30.97903	20.8	17.2	971	South Africa	Tjeder 1966
Ankylopteryx grata	-29.85788	31.02758	20.9	17.4	974	South Africa	Tjeder 1966
Ankylopteryx grata	-29.81484	31.01752	20.8	17.4	972	South Africa	Tjeder 1966
Ankylopteryx pusilla	-18.40024	36.10298	25.3	22.1	1035	Mozambique	Tjeder 1966
Ankylopteryx neavei	-33.99966	23.40124	16.5	13.2	902	Cape Prov.	Tjeder 1966
Ankylopteryx neavei	-1.26408	36.83424	19.2	17.4	837	Kenya	Tjeder 1966
Ankylopteryx neavei	0.12558	34.84448	19.9	19.0	1921	Kenya	Tjeder 1966
Ankylopteryx neavei	0.31627	32.58265	21.5	20.7	1284	Uganda	Tjeder 1966
Ankylopteryx neavei	0.37559	32.27296	21.7	20.9	1228	Uganda	Tjeder 1966
Ankylopteryx splendidissima	-4.27444	15.28260	25.6	23.4	1373	DR Congo	Navás 1910
Ankylopteryx buettikoferi	-4.27444	15.28260	25.6	23.4	1373	DR Congo	Navás 1910
Ankylopteryx alluaudi	-4.68267	55.48040	24.9	24.2	2281	Seychelles	Navás 1910
Ankylopteryx splendidissima	4.80000	8.96666	26.0	25.0	3027	Cameroon	Gerstaecker 1884
Ankylopteryx buettikoferi	-4.27444	15.28260	25.6	23.4	1373	DR Congo	Navás 1910
Ankylopteryx nepheloptera	-5.06670	12.85000	25.0	22.1	1216	DR Congo	W-RMCA-1
Ankylopteryx pallidula	-27.04731	32.42007	22.6	18.8	737	South Africa	W-RMCA-2
Ankylopteryx pallidula	-29.86335	30.98680	20.6	17.2	976	South Africa	W-RMCA-2
Ankylopteryx pallidula	-27.53534	32.67100	22.3	18.7	932	South Africa	W-RMCA-2
Ankylopteryx pallidula	-28.89596	31.45276	19.1	16.1	1112	South Africa	W-RMCA-2
Ankylopteryx pallidula	-31.62298	29.54000	19.7	17.3	1081	South Africa	W-RMCA-2
Ankylopteryx buettikoferi	2.15392	31.23074	24.5	23.4	969	DR Congo	W-RMCA-1
Ankylopteryx burgeoni	2.91034	29.41517	23.8	22.7	1745	DR Congo	W-RMCA-1
Ankylopteryx fastuosa	-5.84922	13.05358	27.6	24.7	879	DR Congo	W-RMCA-1

Ankylopteryx lambillioni	-5.06670	12.85000	25.0	22.1	1216	DR Congo	W-RMCA-1
Ankylopteryx modesta	1.58333	44.16667	26.5	25.3	441	Somalia	W-RMCA-1
Ankylopteryx overlaeti	-9.69778	22.94111	23.2	21.8	1307	DR Congo	W-RMCA-1
Ankylopteryx tristicta	2.15392	31.23074	24.5	23.4	969	DR Congo	W-RMCA-1
Ankylopteryx pallida	-17.37210	145.38234	19.6	15.6	1252	Australia	New 1980
Ankylopteryx pallida	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Ankylopteryx pallida	-26.65154	153.08815	20.4	15.7	1777	Australia	New 1980
Ankylopteryx pallida	-27.37395	152.88429	19.9	14.7	1254	Australia	New 1980
Ankylopteryx pallida	-18.89196	145.91693	20.7	16.1	947	Australia	New 1980
Ankylopteryx pallida	-27.45123	153.06265	20.3	15.2	1177	Australia	New 1980
Ankylopteryx pallida	-28.17010	153.53815	19.9	15.3	1646	Australia	New 1980
Ankylopteryx pallida	-27.63229	152.59101	19.8	14.0	924	Australia	New 1980
Ankylopteryx pallida	-34.64520	150.48263	13.2	7.7	1479	Australia	New 1980
Ankylopteryx pallida	-31.89692	151.56281	12.2	6.3	1150	Australia	New 1980
Ankylopteryx pallida	-33.39352	151.34356	17.3	12.2	1388	Australia	New 1980
Ankylopteryx picilabris	-17.93177	145.92293	23.8	19.8	2833	Australia	New 1980
Ankylopteryx picilabris	-17.71397	146.04276	23.8	20.0	3372	Australia	New 1980
Ankylopteryx picilabris	-12.71390	143.13164	25.5	23.2	1866	Australia	New 1980
Ankylopteryx picilabris	-16.91771	145.75279	24.7	21.3	2421	Australia	New 1980
Ankylopteryx basalis	-18.58251	146.28321	24.2	20.0	2194	Australia	New 1980
Ankylopteryx rieki	-12.71390	143.13164	25.5	23.2	1866	Australia	New 1980
Ankylopteryx rieki	-17.14239	145.75163	23.2	19.6	2962	Australia	New 1980
Apertochrysa eurydera	-22.55000	31.08333	23.3	18.9	502	South Africa	W-RMCA-2
Apertochrysa umbrosa	0.01667	37.06667	16.3	15.8	809	South Africa	W-RMCA-1
Brinckochrysa stenoptera	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.76170	29.31452	16.0	10.0	676	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-22.59721	31.29954	23.0	18.5	526	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-24.63719	26.40206	20.6	14.0	448	Mozambique	W-RMCA-2
Brinckochrysa stenoptera	-23.78398	30.15467	19.6	15.0	1041	Botswana	W-RMCA-2
Brinckochrysa stenoptera	-28.35000	18.98330	19.7	12.7	122	Namibia	W-RMCA-2
Brinckochrysa stenoptera	-27.91667	32.36667	21.5	17.6	894	South Africa	W-RMCA-2

Brinckochrysa stenoptera	-25.09289	30.45571	16.4	11.3	750	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-28.11167	32.43117	21.5	17.6	1003	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-23.83631	28.22934	18.9	13.1	557	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.53322	26.08367	18.2	11.8	597	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-28.20611	32.41514	21.3	17.5	1033	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-23.97523	31.45933	22.5	17.5	526	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-30.26096	29.92214	17.5	13.1	753	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-29.11585	26.21734	16.0	9.0	556	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.73001	28.24980	17.6	11.9	708	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-32.18330	18.88330	19.4	13.3	226	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.13989	27.80803	19.9	13.8	585	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-24.19995	28.63841	16.8	11.6	657	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.53322	26.08367	18.2	11.8	597	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-24.05357	31.73322	22.9	17.6	512	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-24.47729	28.77591	19.3	13.7	545	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-30.27535	30.58547	19.0	15.8	1026	South Africa	W-RMCA-2
Brinckochrysa chlorosoma	-23.56679	15.04798	21.0	18.4	22	Namibia	W-RMCA-2
Brinckochrysa chlorosoma	-22.55951	17.08543	19.3	14.2	368	Namibia	W-RMCA-2
Brinckochrysa chlorosoma	-28.86881	27.24593	14.7	8.2	672	South Africa	W-RMCA-2
Brinckochrysa chlorosoma	-28.89482	21.98355	20.0	12.7	219	South Africa	W-RMCA-2
Brinckochrysa notabilis	2.78333	44.08333	28.4	27.4	565	Somalia	W-RMCA-1
Brinckochrysa pulchella	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Brinckochrysa pulchella	-25.76374	28.26682	17.2	11.7	714	South Africa	W-RMCA-2
Brinckochrysa pulchella	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Brinckochrysa pulchella	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Brinckochrysa pulchella	-25.75053	28.95222	16.6	10.8	680	South Africa	W-RMCA-2
Brinckochrysa pulchella	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-23.83631	28.22934	18.9	13.1	557	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-24.47729	28.77591	19.3	13.7	545	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-28.35000	18.98330	19.7	12.7	122	Namibia	W-RMCA-2

Brinckochrysa stenoptera	-22.59721	31.29954	23.0	18.5	526	Mozambique	W-RMCA-2
Brinckochrysa stenoptera	-30.26096	29.92214	17.5	13.1	753	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.13989	27.80803	19.9	13.8	585	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.73001	28.24980	17.6	11.9	708	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-28.20611	32.41514	21.3	17.5	1033	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-32.18330	18.88330	19.4	13.3	226	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-23.97523	31.45933	22.5	17.5	526	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-28.11167	32.43117	21.5	17.6	1003	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.53322	26.08367	18.2	11.8	597	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-24.63719	26.40206	20.6	14.0	448	Botswana	W-RMCA-2
Brinckochrysa stenoptera	-23.78398	30.15467	19.6	15.0	1041	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-24.05357	31.73322	22.9	17.6	512	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.09289	30.45571	16.4	11.3	750	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-30.27535	30.58547	19.0	15.8	1026	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-24.19995	28.63841	16.8	11.6	657	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-29.11585	26.21734	16.0	9.0	556	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-27.91667	32.36667	21.5	17.6	894	South Africa	W-RMCA-2
Brinckochrysa stenoptera	-25.76170	29.31452	16.0	10.0	676	South Africa	W-RMCA-2
Brinckochrysa tjederi	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Brinckochrysa tjederi	-27.53534	32.67100	22.3	18.7	932	South Africa	W-RMCA-2
Brinckochrysa tjederi	-25.76007	28.31410	17.2	11.6	709	South Africa	W-RMCA-2
Brinckochrysa tjederi	-28.95281	31.75766	21.6	17.9	1083	South Africa	W-RMCA-2
Brinckochrysa tjederi	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Brinckochrysa tjederi	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-23.56679	15.04798	21.0	18.4	22	Namibia	W-RMCA-2
Brinckochrysa turkanensis	-28.86881	27.24593	14.7	8.2	672	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-27.45534	23.43068	17.6	10.9	473	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-25.42136	20.59624	20.4	12.5	237	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-23.83631	28.22934	18.9	13.1	557	South Africa	W-RMCA-2

Brinckochrysa turkanensis	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-24.05357	31.73322	22.9	17.6	512	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-26.87756	22.05211	19.7	12.2	205	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-23.56679	15.04798	21.0	18.4	22	Namibia	W-RMCA-2
Brinckochrysa turkanensis	-23.63737	15.18165	20.6	17.8	33	Namibia	W-RMCA-2
Brinckochrysa turkanensis	-28.56764	28.46767	13.3	7.6	829	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-28.53333	28.81667	14.4	9.1	812	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-21.78933	15.62732	20.6	16.4	227	Namibia	W-RMCA-2
Brinckochrysa turkanensis	-22.00012	15.58520	21.6	17.7	152	Namibia	W-RMCA-2
Brinckochrysa turkanensis	-19.60263	13.38813	20.2	17.1	97	Namibia	W-RMCA-2
Brinckochrysa turkanensis	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Brinckochrysa turkanensis	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Brinckochrysa notabilis	2.86667	44.01663	28.3	27.2	557	Somalia	W-RMCA-1
Brinckochrysa pulchella	-5.70000	13.06670	25.9	22.9	1037	DR Congo	W-RMCA-1
Brinckochrysa alfierii	24.45514	46.97773	25.8	16.1	100	Saudi Arabia	Hölzel 1980a
Brinckochrysa alfierii	34.60732	9.60721	18.2	10.1	182	Tunisia	Hölzel 1980a
Borniochrysa squamosa	-1.18331	29.44876	21.9	21.6	1174	DR Congo	W-RMCA-1
Borniochrysa squamosa	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Borniochrysa squamosa	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Borniochrysa squamosa	-25.44683	30.74624	19.1	14.6	851	South Africa	W-RMCA-2
Borniochrysa squamosa	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Borniochrysa squamosa	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Borniochrysa squamosa	-24.19995	28.63841	16.8	11.6	657	South Africa	W-RMCA-2
Borniochrysa squamosa	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
Borniochrysa squamosa	-25.47082	30.98480	19.9	15.5	793	South Africa	W-RMCA-2
Borniochrysa squamosa	-25.09929	31.08369	20.4	16.4	828	South Africa	W-RMCA-2
Borniochrysa squamosa	-23.04984	29.90003	19.0	14.5	720	South Africa	W-RMCA-2
Borniochrysa squamosa	-25.83164	28.21611	16.7	11.1	719	South Africa	W-RMCA-2
Borniochrysa squamosa	-0.70972	36.42202	16.9	15.6	709	Kenya	W-RMCA-2
Borniochrysa squamosa	1.30815	35.20691	18.5	17.8	990	Kenya	W-RMCA-2
Borniochrysa squamosa	-25.06510	30.88484	18.6	14.8	1105	South Africa	W-RMCA-2
Borniochrysa squamosa	-33.59934	26.89198	18.3	15.8	581	South Africa	W-RMCA-2
Borniochrysa squamosa	-28.20611	32.41514	21.3	17.5	1033	South Africa	W-RMCA-2
Borniochrysa squamosa	-23.88386	29.74010	16.1	11.6	866	South Africa	W-RMCA-2

Borniochrysa squamosa	-1.18331	29.44876	21.9	21.6	1174	DR Congo	W-RMCA-1
Calochrysa extranea	-34.40229	150.48154	13.3	7.7	1074	Australia	New 1980
Calochrysa extranea	-24.76823	151.96159	21.3	16.2	1080	Australia	New 1980
Calochrysa extranea	-26.43184	147.30939	19.1	11.2	566	Australia	New 1980
Calochrysa extranea	-26.39528	146.07732	20.7	12.7	475	Australia	New 1980
Calochrysa extranea	-28.97174	147.79416	20.3	12.5	450	Australia	New 1980
Calochrysa extranea	-26.48786	147.98191	19.7	12.0	562	Australia	New 1980
Calochrysa extranea	-26.56481	148.79870	19.8	12.3	626	Australia	New 1980
Calochrysa extranea	-28.33539	152.29272	16.4	10.4	922	Australia	New 1980
Calochrysa extranea	-24.11547	148.08619	20.9	14.1	730	Australia	New 1980
Calochrysa extranea	-17.64226	145.45673	20.5	16.4	1475	Australia	New 1980
Calochrysa extranea	-28.07617	145.67856	20.5	12.5	384	Australia	New 1980
Calochrysa extranea	-22.82475	147.63268	22.0	15.5	656	Australia	New 1980
Calochrysa extranea	-19.25946	146.81180	24.1	19.6	1099	Australia	New 1980
Calochrysa extranea	-20.76585	145.02183	23.1	17.0	580	Australia	New 1980
Calochrysa extranea	-16.46397	136.07081	27.0	21.6	710	Australia	New 1980
Calochrysa extranea	-16.80549	135.66650	26.7	21.1	652	Australia	New 1980
Calochrysa extranea	-17.49998	130.78336	26.8	20.6	586	Australia	New 1980
Calochrysa extranea	-19.43965	135.44481	25.8	19.1	378	Australia	New 1980
Calochrysa extranea	-31.25126	124.11868	18.1	12.0	227	Australia	New 1980
Calochrysa extranea	-20.43358	115.53480	26.0	21.4	299	Australia	New 1980
Calochrysa extranea	-31.95717	115.84078	18.7	14.0	803	Australia	New 1980
Calochrysa extranea	-32.59693	116.27704	15.5	10.1	981	Australia	New 1980
Calochrysa extranea	-34.49443	116.17585	14.8	11.0	1074	Australia	New 1980
Calochrysa extranea	-33.92580	115.08025	16.4	13.1	1082	Australia	New 1980
Calochrysa extranea	-31.98646	115.86617	18.7	14.1	793	Australia	New 1980
Calochrysa extranea	-33.65327	115.34732	16.4	12.5	830	Australia	New 1980
Calochrysa extranea	-31.98084	115.79955	18.7	14.1	782	Australia	New 1980
Calochrysa extranea	-34.07244	115.10701	16.5	13.2	1064	Australia	New 1980
Calochrysa extranea	-31.97340	116.06135	17.0	11.7	966	Australia	New 1980
Calochrysa extranea	-32.07798	121.67966	17.3	11.2	287	Australia	New 1980
Calochrysa extranea	-30.29126	115.32121	18.9	14.0	565	Australia	New 1980
Calochrysa extranea	-27.82796	114.68647	20.2	14.5	380	Australia	New 1980
Calochrysa extranea	-21.59052	117.07025	26.4	19.5	352	Australia	New 1980
Calochrysa extranea	-21.59052	117.07025	26.4	19.5	352	Australia	New 1980
Calochrysa extranea	-26.31451	114.42945	22.2	15.5	216	Australia	New 1980

Calochrysa extranea	-30.62399	115.65349	17.7	12.4	585	Australia	New 1980
Calochrysa extranea	-31.11018	122.68265	18.0	11.4	241	Australia	New 1980
Calochrysa extranea	-31.23333	121.46667	17.6	11.0	277	Australia	New 1980
Calochrysa extranea	-31.56661	122.58332	17.6	11.4	257	Australia	New 1980
Calochrysa extranea	-32.63333	121.48333	17.0	11.6	329	Australia	New 1980
Calochrysa extranea	-32.12262	121.85431	17.3	11.3	286	Australia	New 1980
Calochrysa extranea	-32.79632	137.06269	17.1	10.9	263	Australia	New 1980
Calochrysa extranea	-30.59165	138.39302	19.1	11.3	170	Australia	New 1980
Calochrysa extranea	-32.47261	137.82100	18.6	12.1	254	Australia	New 1980
Calochrysa extranea	-27.74302	140.73187	22.0	13.7	176	Australia	New 1980
Calochrysa extranea	-35.54468	138.61841	15.5	11.6	556	Australia	New 1980
Calochrysa extranea	-34.97209	138.64052	15.2	10.3	711	Australia	New 1980
Calochrysa extranea	-35.42996	149.06293	12.9	6.2	694	Australia	New 1980
Calochrysa extranea	-35.30678	149.12023	12.9	6.2	647	Australia	New 1980
Calochrysa extranea	-30.44469	146.22061	19.8	12.1	380	Australia	New 1980
Calochrysa extranea	-31.53340	146.28333	18.2	10.5	447	Australia	New 1980
Calochrysa extranea	-32.55310	148.94045	16.5	9.4	667	Australia	New 1980
Calochrysa extranea	-30.02073	148.11496	19.7	11.9	512	Australia	New 1980
Calochrysa extranea	-36.14844	141.89489	15.1	9.3	392	Australia	New 1980
Calochrysa extranea	-35.08693	142.32363	16.4	10.1	355	Australia	New 1980
Ceraeochrysa sp.	-26.85000	-65.38333	17.0	11.8	1089	Argentina	W-GBIF-2
Ceraeochrysa angulata	6.16055	-75.64695	19.2	18.7	2073	Colombia	W-GBIF-2
Ceraeochrysa sp.	6.16055	-75.64695	19.2	18.7	2073	Colombia	W-GBIF-2
Ceraeochrysa. sp.	8.75939	-83.28310	26.2	25.4	4840	Costa Rica	W-GBIF-6
Ceraeochrysa. berlandi	8.67910	-83.56670	25.3	24.4	3826	Costa Rica	W-GBIF-6
Ceraeochrysa. everes	8.48017	-83.59130	26.2	25.4	4452	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	8.67910	-83.56670	25.3	24.4	3826	Costa Rica	W-GBIF-6
Ceraeochrysa. sanchezi	8.67910	-83.56670	25.3	24.4	3826	Costa Rica	W-GBIF-6
Ceraeochrysa costaricensis	8.94221	-82.83560	19.3	18.6	3002	Costa Rica	W-GBIF-6
Ceraeochrysa. discolor	8.94944	-82.83640	19.3	18.6	3002	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	8.94944	-82.83640	19.3	18.6	3002	Costa Rica	W-GBIF-6
Ceraeochrysa discolor	8.77908	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
Ceraeochrysa elegans	8.77908	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
Ceraeochrysa costaricensis	8.77908	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
Ceraeochrysa sp.	8.85000	-82.58333	14.9	14.0	2371	Panama	W-GBIF-2
Ceraeochrysa tauberae	8.77908	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2

Ceraeochrysa. sanchezi	8.77908	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
Ceraeochrysa tauberae	8.77908	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
Ceraeochrysa. sp.	9.77649	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	9.76525	-84.52520	25.2	24.4	2952	Costa Rica	W-GBIF-6
Ceraeochrysa. sanchezi	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	9.76745	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	9.74715	-84.56340	24.5	23.7	3132	Costa Rica	W-GBIF-6
Ceraeochrysa. cubana	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Ceraeochrysa. cubana	9.73229	-83.78660	17.6	16.8	4867	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	9.67177	-83.02770	25.6	24.7	2843	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	9.67538	-83.02680	25.6	24.7	2843	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	9.67538	-83.02680	25.6	24.7	2843	Costa Rica	W-GBIF-6
Ceraeochrysa elegans	9.97398	-83.69490	20.2	19.4	3060	Costa Rica	W-GBIF-6
Ceraeochrysa inbio	9.97398	-83.69490	20.2	19.4	3060	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	9.67538	-83.02680	25.6	24.7	2843	Costa Rica	W-GBIF-6
Ceraeochrysa. berlandi	9.76258	-83.78830	19.0	18.2	3835	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	9.67177	-83.02770	25.6	24.7	2843	Costa Rica	W-GBIF-6
Ceraeochrysa smithi	9.90000	-83.68333	22.1	21.2	2808	Costa Rica	W-GBIF-2
Ceraeochrysa acmon	9.51935	-82.95630	25.9	25.0	2595	Costa Rica	W-GBIF-6
Ceraeochrysa sp.	9.08333	-79.53333	26.4	25.8	2000	Panama	W-GBIF-2
Ceraeochrysa. sp.	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.86550	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.90190	-85.73110	25.5	24.6	1660	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.86550	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.57560	-85.02320	23.0	22.2	2511	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.16820	-85.37370	25.6	24.8	2020	Costa Rica	W-GBIF-6
Ceraeochrysa. smithi	10.93010	-85.47040	21.8	21.0	2691	Costa Rica	W-GBIF-6
Ceraeochrysa. smithi	10.86550	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.95260	-85.48880	21.8	21.0	2691	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.95260	-85.48880	21.8	21.0	2691	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.86550	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.86550	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
Ceraeochrysa. discolor	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6

Ceraeochrysa. sp.	10.93010	-85.47040	21.8	21.0	2691	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.87410	-85.58000	25.6	24.8	1774	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.87410	-85.58000	25.6	24.8	1774	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
Ceraeochrysa. sanchezi	10.90190	-85.73100	25.5	24.6	1660	Costa Rica	W-GBIF-6
Ceraeochrysa. sanchezi	10.90190	-85.73100	25.5	24.6	1660	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.88330	-85.41350	23.0	22.2	2664	Costa Rica	W-GBIF-6
Ceraeochrysa. discolor	10.88330	-85.41350	23.0	22.2	2664	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.88970	-85.39890	23.0	22.2	2664	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
Ceraeochrysa	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. sanchezi	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.34910	-85.35230	26.5	25.6	1832	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.33270	-85.26240	26.7	25.9	1795	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.93010	-85.47040	21.8	21.0	2691	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.86550	-85.57350	25.6	24.8	1774	Costa Rica	W-GBIF-6
Ceraeochrysa. claveri	10.16820	-85.37370	25.6	24.8	2020	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.16820	-85.37370	25.6	24.8	2020	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.89750	-85.46530	22.9	22.1	2499	Costa Rica	W-GBIF-6
Ceraeochrysa. smithi	10.89750	-85.46530	22.9	22.1	2499	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
Ceraeochrysa. discolor	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6

Ceraeochrysa. cubana	10.99260	-85.42950	21.7	20.9	2827	Costa Rica	W-GBIF-6
Ceraeochrysa. cubana	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. everes	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Ceraeochrysa. claveri	10.43920	-84.01090	26.0	25.2	3980	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.18350	-84.39270	17.6	16.9	2685	Costa Rica	W-GBIF-6
Ceraeochrysa elegans	10.29840	-84.79250	18.8	18.0	2950	Costa Rica	W-GBIF-6
Ceraeochrysa. nigripedis	10.29840	-84.79250	18.8	18.0	2950	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.29840	-84.79250	18.8	18.0	2950	Costa Rica	W-GBIF-6
Ceraeochrysa. discolor	10.27670	-84.79660	21.4	20.6	2860	Costa Rica	W-GBIF-6
Ceraeochrysa. berlandi	10.26930	-84.08590	20.7	20.0	3455	Costa Rica	W-GBIF-6
Ceraeochrysa. discolor	10.26930	-84.08590	20.7	20.0	3455	Costa Rica	W-GBIF-6
Ceraeochrysa. nigripedis	10.17610	-84.11140	16.4	15.6	3308	Costa Rica	W-GBIF-6
Ceraeochrysa nigripedis	10.26666	-84.08333	21.7	21.0	3838	Costa Rica	W-GBIF-2
Ceraeochrysa. claveri	10.58480	-83.52920	26.3	25.4	5033	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.58480	-83.52920	26.3	25.4	5033	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.53950	-83.50650	26.3	25.4	4701	Costa Rica	W-GBIF-6
Ceraeochrysa. claveri	10.59430	-83.71650	25.7	24.9	4986	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.64400	-83.74200	26.1	25.2	5031	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	10.53950	-83.50650	26.3	25.4	4701	Costa Rica	W-GBIF-6
Ceraeochrysa sp.	10.65000	-61.40000	26.0	25.1	1762	Trinidad/Tobago	W-GBIF-2
Ceraeochrysa. sp.	11.03390	-85.52480	24.8	23.9	1979	Costa Rica	W-GBIF-6
Ceraeochrysa. cubana	11.03390	-85.52480	24.8	23.9	1979	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	11.03390	-85.52480	24.8	23.9	1979	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	11.03430	-85.52750	24.8	23.9	1979	Costa Rica	W-GBIF-6
Ceraeochrysa. sp.	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
Ceraeochrysa. sanchezi	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
Ceraeochrysa. smithi	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
Ceraeochrysa. smithi	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
Ceraeochrysa. sanchezi	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
Ceraeochrysa sp.	12.00000	-61.77153	27.3	26.5	1774	Grenada	W-GBIF-2
Ceraeochrysa cubana	15.42207	-61.41159	23.7	22.3	2623	Dominican Rep.	W-GBIF-2
Ceraeochrysa cubana	15.42207	-61.41159	23.7	22.3	2623	Dominican Rep.	W-GBIF-2
Ceraeochrysa cubana	15.42207	-61.41159	23.7	22.3	2623	Dominican Rep.	W-GBIF-2
Ceraeochrysa cubana	15.42207	-61.41159	23.7	22.3	2623	Dominican Rep.	W-GBIF-2
Ceraeochrysa sp.	15.30646	-61.38546	26.0	24.6	2094	Dominican Rep.	W-GBIF-2
Ceraeochrysa sp.	16.60000	-93.91667	23.8	21.7	1086	Mexico	W-GBIF-2

Ceraeochrysa sp.	16.60000	-93.91667	23.8	21.7	1086	Mexico	W-GBIF-2
Ceraeochrysa cubana	17.81667	-77.21667	26.5	25.2	1069	Jamaica	W-GBIF-2
Ceraeochrysa gradata	18.91861	-99.16772	21.1	19.4	1038	Mexico	W-GBIF-2
Ceraeochrysa sp.	18.90000	-97.00000	20.2	17.3	1967	Mexico	W-GBIF-2
Ceraeochrysa cincta	18.11542	-77.27528	24.3	23.0	1517	Jamaica	W-GBIF-2
Ceraeochrysa sp.	18.45604	-77.40013	24.2	22.9	1460	Jamaica	W-GBIF-2
Ceraeochrysa valida	18.05000	-76.75000	23.4	21.9	1994	Jamaica	W-GBIF-2
Ceraeochrysa valida	18.66139	-71.21667	23.7	21.9	1009	Dominican Rep.	W-GBIF-2
Ceraeochrysa sp.	18.43330	-66.48330	25.4	23.7	1603	USA	W-GBIF-2
Ceraeochrysa sp.	19.53333	-105.06670	26.4	24.1	747	Mexico	W-GBIF-2
Ceraeochrysa sp.	19.23521	-96.60223	24.6	21.4	994	Mexico	W-GBIF-2
Ceraeochrysa sp.	19.41703	-96.91667	19.5	16.5	1703	Mexico	W-GBIF-2
Ceraeochrysa sp.	19.41703	-96.91667	19.5	16.5	1703	Mexico	W-GBIF-2
Ceraeochrysa sp.	19.23521	-96.60223	24.6	21.4	994	Mexico	W-GBIF-2
Ceraeochrysa valida	19.71043	-71.26667	26.2	24.1	940	Dominican Rep.	W-GBIF-2
Ceraeochrysa valida	20.96667	-89.61667	25.8	23.0	950	Mexico	W-GBIF-2
Ceraeochrysa sanchezi	20.03537	-77.57301	25.9	23.8	1035	Cuba	W-GBIF-2
Ceraeochrysa sp.	21.67472	-105.08670	25.1	21.7	1446	Mexico	W-GBIF-2
Ceraeochrysa sp.	21.32528	-104.71330	19.7	16.7	1063	Mexico	W-GBIF-2
Ceraeochrysa valida	21.22199	-98.84750	22.9	18.3	1993	Mexico	W-GBIF-2
Ceraeochrysa sp.	22.83333	-99.00000	25.3	20.0	1089	Mexico	W-GBIF-2
Ceraeochrysa sp.	22.83333	-99.00000	25.3	20.0	1089	Mexico	W-GBIF-2
Ceraeochrysa sp.	22.30000	-97.85447	23.9	19.3	1098	Mexico	W-GBIF-2
Ceraeochrysa sp.	22.30000	-97.85447	23.9	19.3	1098	Mexico	W-GBIF-2
Ceraeochrysa sp.	22.97000	-82.38695	24.4	21.5	1560	Cuba	W-GBIF-2
Ceraeochrysa sp.	23.10944	-82.42111	24.9	22.1	1325	Cuba	W-GBIF-2
Ceraeochrysa smithi	23.07667	-82.43000	24.7	21.9	1402	Cuba	W-GBIF-2
Ceraeochrysa sp.	25.40778	-108.45000	24.9	19.4	451	Mexico	W-GBIF-2
Ceraeochrysa sp.	25.40778	-108.45000	24.9	19.4	451	Mexico	W-GBIF-2
Ceraeochrysa sp.	25.40778	-108.45000	24.9	19.4	451	Mexico	W-GBIF-2
Ceraeochrysa valida	25.90175	-97.49748	23.2	16.6	687	USA	W-GBIF-2
Ceraeochrysa valida	25.90175	-97.49748	23.2	16.6	687	USA	W-GBIF-2
Ceraeochrysa cubana	25.93278	-80.16278	24.2	20.0	1387	USA	W-GBIF-2
Ceraeochrysa cincta	25.77389	-80.19389	24.3	20.2	1267	USA	W-GBIF-2
Ceraeochrysa valida	26.17313	-98.38252	23.3	15.5	566	USA	W-GBIF-2
Ceraeochrysa valida	26.95194	-97.65444	22.4	14.9	663	USA	W-GBIF-2

Ceraeochrysa valida	27.04222	-99.43972	23.3	14.6	531	USA	W-GBIF-2
Ceraeochrysa valida	27.04222	-99.43972	23.3	14.6	531	USA	W-GBIF-2
Ceraeochrysa valida	27.04222	-99.43972	23.3	14.6	531	USA	W-GBIF-2
Ceraeochrysa cubana	27.33611	-82.53083	22.4	16.6	1331	USA	W-GBIF-2
Ceraeochrysa cubana	27.89131	-82.84557	22.4	16.1	1260	USA	W-GBIF-2
Ceraeochrysa cubana	27.89131	-82.84557	22.4	16.1	1260	USA	W-GBIF-2
Ceraeochrysa cincta	27.49893	-82.57493	22.3	16.5	1318	USA	W-GBIF-2
Ceraeochrysa cincta	27.90947	-82.78574	22.4	16.2	1251	USA	W-GBIF-2
Ceraeochrysa cincta	27.86560	-82.78750	22.4	16.2	1246	USA	W-GBIF-2
Ceraeochrysa cincta	27.49893	-82.57493	22.3	16.5	1318	USA	W-GBIF-2
Ceraeochrysa cincta	27.90947	-82.78574	22.4	16.2	1251	USA	W-GBIF-2
Ceraeochrysa cubana	27.39329	-82.64056	22.5	16.6	1303	USA	W-GBIF-2
Ceraeochrysa cincta	27.52111	-82.57250	22.4	16.4	1307	USA	W-GBIF-2
Ceraeochrysa cincta	27.49893	-82.57493	22.3	16.5	1318	USA	W-GBIF-2
Ceraeochrysa cincta	27.89131	-82.84557	22.4	16.1	1260	USA	W-GBIF-2
Ceraeochrysa cincta	27.90947	-82.78574	22.4	16.2	1251	USA	W-GBIF-2
Ceraeochrysa cincta	27.89131	-82.84557	22.4	16.1	1260	USA	W-GBIF-2
Ceraeochrysa smithi	27.53083	-82.73361	22.5	16.5	1281	USA	W-GBIF-2
Ceraeochrysa cincta	27.18866	-81.33757	22.3	16.6	1249	USA	W-GBIF-2
Ceraeochrysa cincta	27.18866	-81.33757	22.3	16.6	1249	USA	W-GBIF-2
Ceraeochrysa cincta	27.18866	-81.33757	22.3	16.6	1249	USA	W-GBIF-2
Ceraeochrysa cincta	27.47143	-81.54146	22.3	16.6	1226	USA	W-GBIF-2
Ceraeochrysa cubana	27.18866	-81.33757	22.3	16.6	1249	USA	W-GBIF-2
Ceraeochrysa cincta	28.07807	-82.75156	22.2	15.9	1286	USA	W-GBIF-2
Ceraeochrysa cubana	28.07807	-82.75156	22.2	15.9	1286	USA	W-GBIF-2
Ceraeochrysa smithi	28.07807	-82.75156	22.2	15.9	1286	USA	W-GBIF-2
Ceraeochrysa cincta	28.98193	-81.92426	21.1	14.5	1265	USA	W-GBIF-2
Ceraeochrysa cincta	28.98193	-81.92426	21.1	14.5	1265	USA	W-GBIF-2
Ceraeochrysa cincta	28.09196	-81.72342	22.2	16.2	1226	USA	W-GBIF-2
Ceraeochrysa valida	28.60000	-81.33923	21.9	15.7	1263	USA	W-GBIF-2
Ceraeochrysa cubana	28.61058	-80.80774	21.7	15.8	1380	USA	W-GBIF-2
Ceraeochrysa cubana	28.40317	-80.59621	22.0	16.2	1228	USA	W-GBIF-2
Ceraeochrysa cubana	28.40317	-80.59621	22.0	16.2	1228	USA	W-GBIF-2
Ceraeochrysa sp.	28.61058	-80.80774	21.7	15.8	1380	USA	W-GBIF-2
Ceraeochrysa lineaticornis	29.48708	-98.69572	20.3	11.6	722	USA	W-GBIF-2
Ceraeochrysa valida	29.48708	-98.69572	20.3	11.6	722	USA	W-GBIF-2

Ceraeochrysa valida	29.48708	-98.69572	20.3	11.6	722	USA	W-GBIF-2
Ceraeochrysa lineaticornis	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Ceraeochrysa placita	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Ceraeochrysa lineaticornis	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Ceraeochrysa sp.	30.25416	-99.96333	18.0	8.7	627	USA	W-GBIF-2
Ceraeochrysa sp.	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Ceraeochrysa lineaticornis	30.08638	-97.17305	19.6	10.3	926	USA	W-GBIF-2
Ceraeochrysa sp.	30.46194	-97.87194	19.2	9.9	831	USA	W-GBIF-2
Ceraeochrysa sp.	30.46194	-97.87194	19.2	9.9	831	USA	W-GBIF-2
Ceraeochrysa lineaticornis	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Ceraeochrysa lineaticornis	30.45000	-88.11000	19.6	11.4	1561	USA	W-GBIF-2
Ceraeochrysa cubana	30.17361	-85.69944	19.7	11.8	1560	USA	W-GBIF-2
Ceraeochrysa placita	31.93342	-109.26340	10.4	2.9	601	USA	W-GBIF-2
Ceraeochrysa lineaticornis	31.21833	-96.11888	18.9	9.4	1018	USA	W-GBIF-2
Ceraeochrysa lineaticornis	31.74674	-92.44514	18.5	9.1	1457	USA	W-GBIF-2
Ceraeochrysa lineaticornis	32.34931	-90.46010	17.8	8.3	1348	USA	W-GBIF-2
Ceraeochrysa lineaticornis	32.27459	-90.13203	17.9	8.5	1335	USA	W-GBIF-2
Ceraeochrysa lineaticornis	32.29876	-90.18481	17.8	8.5	1307	USA	W-GBIF-2
Ceraeochrysa lineaticornis	33.47166	-90.92444	17.2	6.7	1334	USA	W-GBIF-2
Ceraeochrysa lineaticornis	33.70027	-90.92972	17.0	6.4	1338	USA	W-GBIF-2
Ceraeochrysa lineaticornis	33.49567	-88.42727	16.9	7.1	1404	USA	W-GBIF-2
Ceraeochrysa lineaticornis	34.85262	-82.39400	15.6	6.0	1341	USA	W-GBIF-2
Ceraeochrysa lineaticornis	35.91922	-82.21207	10.7	1.3	1372	USA	W-GBIF-2
Ceraeochrysa placita	35.91922	-82.21207	10.7	1.3	1372	USA	W-GBIF-2
Ceraeochrysa placita	37.60277	-105.57083	3.7	-7.0	371	USA	W-GBIF-2
Ceraeochrysa lineaticornis	37.56144	-89.43898	13.2	1.1	1170	USA	W-GBIF-2
Ceraeochrysa lineaticornis	37.35540	-80.53784	9.1	-1.1	1118	USA	W-GBIF-2
Ceraeochrysa sp.	38.89165	-121.21740	16.3	8.4	633	USA	W-GBIF-2
Ceraeochrysa placita	38.03964	-120.23270	12.4	5.2	1134	USA	W-GBIF-2
Ceraeochrysa lineaticornis	38.26674	-85.53301	12.7	1.2	1167	USA	W-GBIF-2
Ceraeochrysa lineaticornis	38.34485	-79.08503	11.4	0.9	938	USA	W-GBIF-2
Ceraeochrysa lineaticornis	38.91666	-78.81666	9.5	-1.3	1000	USA	W-GBIF-2
Ceraeochrysa placita	38.91666	-78.81666	9.5	-1.3	1000	USA	W-GBIF-2
Ceraeochrysa placita	38.91666	-78.81666	9.5	-1.3	1000	USA	W-GBIF-2
Ceraeochrysa placita	38.91666	-78.81666	9.5	-1.3	1000	USA	W-GBIF-2
Ceraeochrysa lineaticornis	38.97205	-77.04636	12.7	1.5	1050	USA	W-GBIF-2

Ceraeochrysa lineaticornis	38.89511	-77.03636	13.3	2.0	1030	USA	W-GBIF-2
Ceraeochrysa lineaticornis	38.52540	-76.61100	13.3	2.4	1086	USA	W-GBIF-2
Ceraeochrysa lineaticornis	38.98066	-76.93692	12.9	1.8	1057	USA	W-GBIF-2
Ceraeochrysa lineaticornis	38.98066	-76.93692	12.9	1.8	1057	USA	W-GBIF-2
Ceraeochrysa lineaticornis	39.00830	-77.24675	12.5	1.3	1021	USA	W-GBIF-2
Ceraeochrysa lineaticornis	39.27205	-76.73191	12.5	1.2	1119	USA	W-GBIF-2
Ceraeochrysa lineaticornis	39.00677	-76.77913	12.8	1.7	1081	USA	W-GBIF-2
Ceraeochrysa lineaticornis	39.23927	-76.98664	12.0	0.7	1092	USA	W-GBIF-2
Ceraeochrysa lineaticornis	40.11642	-88.24338	10.9	-2.4	968	USA	W-GBIF-2
Ceraeochrysa lineaticornis	41.75520	-70.49449	9.8	-0.6	1170	USA	W-GBIF-2
Ceraeochrysa placita	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Ceraeochrysa lineaticornis	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Ceraeochrysa lineaticornis	42.20009	-71.42451	9.1	-2.7	1174	USA	W-GBIF-2
Ceraeochrysa lineaticornis	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Ceraeochrysa lineaticornis	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Ceraeochrysa lineaticornis	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Ceraeochrysa lineaticornis	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Ceratochrysa antica	-25.65965	27.24307	18.7	12.4	663	South Africa	W-RMCA-2
Ceratochrysa antica	-24.93219	34.18258	23.3	20.0	857	South Africa	W-RMCA-2
Ceratochrysa antica	-24.67015	30.32847	18.8	13.8	767	South Africa	W-RMCA-2
Ceratochrysa antica	-25.76401	28.26591	17.2	11.7	714	South Africa	W-RMCA-2
Ceratochrysa antica	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Ceratochrysa antica	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Ceratochrysa antica	-22.61086	30.37837	22.5	18.3	586	South Africa	W-RMCA-2
Ceratochrysa antica	7.08024	-5.98904	26.5	25.0	1277	Nigeria	W-RMCA-2
Ceratochrysa ceratina	-26.88846	32.27673	22.9	18.8	644	South Africa	W-RMCA-2
Ceratochrysa ceratina	-22.45027	31.32063	24.7	19.7	405	Mozambique	W-RMCA-2
Ceratochrysa ceratina	-25.08883	30.77457	17.8	13.7	1043	South Africa	W-RMCA-2
Ceratochrysa ceratina	-27.04731	32.42007	22.6	18.8	737	South Africa	W-RMCA-2
Ceratochrysa ceratina	-27.26522	32.77102	22.3	18.9	925	South Africa	W-RMCA-2
Ceratochrysa ceratina	-22.44000	31.24000	24.5	19.5	416	South Africa	W-RMCA-2
Ceratochrysa ceratina	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
Ceratochrysa ceratina	-22.61086	30.37837	22.5	18.3	586	South Africa	W-RMCA-2
Ceratochrysa ceratina	-23.68456	30.67941	22.0	17.3	520	South Africa	W-RMCA-2
Ceratochrysa ceratina	-24.54114	31.02935	21.0	16.9	732	South Africa	W-RMCA-2
Ceratochrysa ceratina	-28.38362	32.40660	21.7	18.2	1123	South Africa	W-RMCA-2

Ceratochrysa ceratina	-22.55000	31.08333	23.3	18.9	502	Mozambique	W-RMCA-2
Ceratochrysa ceratina	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Ceratochrysa ceratina	-22.37665	30.05499	23.1	18.3	373	South Africa	W-RMCA-2
Ceratochrysa ceratina	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
Ceratochrysa ceratina	-23.97523	31.45933	22.5	17.5	526	South Africa	W-RMCA-2
Ceratochrysa ceratina	-24.05357	31.73322	22.9	17.6	512	South Africa	W-RMCA-2
Ceratochrysa ceratina	-23.68456	30.67941	22.0	17.3	520	South Africa	W-RMCA-2
Ceratochrysa antica	-9.70070	27.22318	23.1	20.3	820	DR Congo	W-RMCA-1
Ceraeochrysa caligata	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Ceraeochrysa caligata	-1.43641	-48.42875	26.9	26.4	2468	Brazil	Adams & Penny 1985
Ceraeochrysa caligata	-1.66268	-56.43295	26.9	26.3	2439	Brazil	Adams & Penny 1985
Ceraeochrysa claveri	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Ceraeochrysa claveri	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Ceraeochrysa claveri	0.11843	-67.08475	26.4	25.7	2866	Brazil	Adams & Penny 1985
Ceraeochrysa cubana	-8.76185	-63.90288	26.1	25.3	2104	Brazil	Adams & Penny 1985
Ceraeochrysa cubana	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Ceraeochrysa cubana	-3.13488	-58.44974	26.9	26.5	2259	Brazil	Adams & Penny 1985
Ceraeochrysa cubana	2.81945	-60.67116	27.2	26.3	1555	Brazil	Adams & Penny 1985
Ceraeochrysa cubana	-2.99840	-47.35912	26.6	26.2	1815	Brazil	Adams & Penny 1985
Ceraeochrysa cubana	-3.56670	-64.38330	26.8	26.5	2305	Brazil	Adams & Penny 1985
Ceraeochrysa cubana	-1.66268	-56.43295	26.9	26.3	2439	Brazil	Adams & Penny 1985
Ceraeochrysa scapularis	-2.44704	-54.69133	26.1	25.5	2154	Brazil	Adams & Penny 1985
Ceraeochrysa scapularis	2.81945	-60.67116	27.2	26.3	1555	Brazil	Adams & Penny 1985
Ceraeochrysa scapularis	7.35678	-73.89786	28.4	28.0	2811	Colombia	Adams & Penny 1985
Ceraeochrysa acutipuppis	2.77531	-60.69249	27.3	26.3	1557	Brazil	Adams & Penny 1985
Ceraeochrysa rafaeli	-3.08693	-60.02300	27.5	27.0	2153	Brazil	Adams & Penny 1985
Ceraeochrysa sanchezi	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Ceraeochrysa sanchezi	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Ceraeochrysa sanchezi	-14.92266	-51.08179	26.1	24.6	1576	Brazil	Adams & Penny 1985
Ceraeochrysa everes	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Ceraeochrysa everes	-9.09427	-64.08987	26.0	25.3	2106	Brazil	Adams & Penny 1985
Ceraeochrysa everes	-19.78050	-42.59999	23.4	20.6	1140	Brazil	Adams & Penny 1985
Ceraeochrysa squalidens	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Ceraeochrysa nigripes	-12.73549	-60.13406	20.9	20.1	1914	Brazil	Adams & Penny 1985
Ceraeochrysa nigripes	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Ceraeochrysa nigripes	-7.91667	-73.20000	25.6	24.7	2169	Brazil	Adams & Penny 1985

Ceraeochrysa tenuicornis	-3.06908	-60.01903	27.4	27.0	2165	Brazil	Adams & Penny 1985
Ceraeochrysa tenuicornis	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Ceraeochrysa tenuicornis	-0.14848	-66.97864	26.4	25.7	2899	Brazil	Adams & Penny 1985
Ceraeochrysa tenuicornis	-6.07154	-49.89941	26.2	25.7	1832	Brazil	Adams & Penny 1985
Ceraeochrysa tenuicornis	-23.38854	-48.72382	20.4	17.3	1214	Brazil	Adams & Penny 1985
Ceraeochrysa tenuicornis	-3.76965	-49.67460	27.1	26.7	2424	Brazil	Adams & Penny 1985
Ceraeochrysa tenuicornis	-1.66268	-56.43295	26.9	26.3	2439	Brazil	Adams & Penny 1985
Ceraeochrysa tenuicornis	-8.25699	-49.27288	26.2	25.8	1729	Brazil	Adams & Penny 1985
Ceraeochrysa ariasi	-12.73549	-60.13406	20.9	20.1	1914	Brazil	Adams & Penny 1985
Ceraeochrysa ariasi	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Ceraeochrysa falcifera	-1.45517	-48.50300	26.9	26.5	2422	Brazil	Adams & Penny 1985
Ceraeochrysa michaelmris	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Nacarina panchlora	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Nacarina panchlora	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Nacarina pletorica	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Nacarina aculeata	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Nacarina gladius	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Nacarina lavrasana	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Nacarina lavrasana	-21.97113	-46.80363	20.1	16.9	1478	Brazil	de Freitas & Penny 2001
Nacarina lavrasana	-21.24801	-44.99763	20.1	17.4	1492	Brazil	de Freitas & Penny 2001
Nacarina sagitta	-21.75353	-48.82249	21.8	18.6	1236	Brazil	de Freitas & Penny 2001
Ceraeochrysa acmon	9.52031	-82.95559	25.9	25.0	2595	Costa Rica	de Freitas & Penny 2001
Ceraeochrysa acmon	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa acmon	-21.48011	-47.55360	21.1	18.1	1454	Brazil	de Freitas & Penny 2001
Ceraeochrysa acmon	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Ceraeochrysa acmon	-19.01305	-57.64729	25.3	22.1	1079	Brazil	de Freitas & Penny 2001
Ceraeochrysa caligata	10.46507	-68.01817	27.2	26.4	940	Panama	de Freitas & Penny 2001
Ceraeochrysa caligata	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa caligata	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Ceraeochrysa cincta	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Ceraeochrysa cincta	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa cincta	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Ceraeochrysa claveri	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Ceraeochrysa claveri	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Ceraeochrysa cubana	22.13130	-80.33872	25.1	22.5	1238	Cuba	de Freitas & Penny 2001
Ceraeochrysa cubana	-21.12538	-48.44889	21.8	19.0	1330	Brazil	de Freitas & Penny 2001

Ceraeochrysa cubana	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Ceraeochrysa cubana	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa cubana	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Ceraeochrysa everes	5.16096	-52.62891	26.1	25.6	2855	Fr Guiana	de Freitas & Penny 2001
Ceraeochrysa everes	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa everes	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Ceraeochrysa everes	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Ceraeochrysa everes	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Ceraeochrysa montoyana	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa paraguaria	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Ceraeochrysa sanchezi	23.15403	-82.34953	25.0	22.2	1238	Cuba	de Freitas & Penny 2001
Ceraeochrysa sanchezi	-5.57268	-36.90442	27.9	26.4	637	Brazil	de Freitas & Penny 2001
Ceraeochrysa sanchezi	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa sanchezi	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Ceraeochrysa sanchezi	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Ceraeochrysa scapularis	-21.13826	-48.97376	22.6	19.8	1304	Brazil	de Freitas & Penny 2001
Ceraeochrysa scapularis	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Ceraeochrysa scapularis	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa tenuicornis	-3.10286	-59.99668	27.4	26.9	2150	Brazil	de Freitas & Penny 2001
Ceraeochrysa tenuicornis	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Ceraeochrysa tucumana	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Ceraeochrysa tucumana	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Ceraeochrysa dislepis	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Ceraeochrysa dislepis	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa dislepis	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Ceraeochrysa dislepis	-18.76125	-50.93760	24.2	22.2	1523	Brazil	de Freitas & Penny 2001
Ceraeochrysa dolichosvela	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa dolichosvela	-19.01305	-57.64729	25.3	22.1	1079	Brazil	de Freitas & Penny 2001
Ceraeochrysa squama	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Ceraeochrysa acmon	9.51970	-82.95525	25.9	25.0	2595	Costa Rica	Penny 1998
Ceraeochrysa acmon	-10.45575	-63.11467	25.0	24.3	2283	Brazil	Penny 1998
Ceraeochrysa acmon	-6.63750	-51.98246	25.2	24.9	2032	Brazil	Penny 1998
Ceraeochrysa acmon	9.16553	-79.83743	26.5	25.7	2550	Panama	Penny 1998
Ceraeochrysa elegans	10.31480	-84.80708	18.8	18.0	2950	Costa Rica	Penny 1998
Ceraeochrysa elegans	9.94315	-83.67926	21.5	20.7	2915	Costa Rica	Penny 1998
Ceraeochrysa elegans	8.79668	-82.95064	21.4	20.6	3471	Costa Rica	Penny 1998

Ceraeochrysa elegans	23.02507	-99.14356	24.4	19.0	1288	Mexico	Penny 1998
Ceraeochrysa pseudovaricosa	8.94852	-82.83165	18.4	17.7	2769	Costa Rica	Penny 1998
Chrysemosa commixta	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Chrysemosa commixta	-22.45027	31.32063	24.7	19.7	405	Mozambique	W-RMCA-2
Chrysemosa commixta	-24.19782	29.47676	18.0	12.8	621	South Africa	W-RMCA-2
Chrysemosa commixta	-30.28630	27.06037	13.9	7.3	682	South Africa	W-RMCA-2
Chrysemosa commixta	-22.61086	30.37837	22.5	18.3	586	South Africa	W-RMCA-2
Chrysemosa commixta	-18.19254	31.55610	16.7	12.7	898	Zimbabwe	W-RMCA-2
Chrysemosa commixta	-25.76007	28.31410	17.2	11.6	709	South Africa	W-RMCA-2
Chrysemosa commixta	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Chrysemosa commixta	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Chrysemosa jeanneli	-23.56679	15.04798	21.0	18.4	22	Namibia	W-RMCA-2
Chrysemosa jeanneli	-24.63719	26.40206	20.6	14.0	448	South Africa	W-RMCA-2
Chrysemosa jeanneli	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Chrysemosa jeanneli	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2
Chrysemosa jeanneli	-22.55951	17.08543	19.3	14.2	368	Namibia	W-RMCA-2
Chrysemosa jeanneli	-24.43332	30.73332	18.1	14.0	954	South Africa	W-RMCA-2
Chrysemosa jeanneli	-23.78398	30.15467	19.6	15.0	1041	South Africa	W-RMCA-2
Chrysemosa jeanneli	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Chrysemosa jeanneli	-24.19782	29.47676	18.0	12.8	621	South Africa	W-RMCA-2
Chrysemosa jeanneli	-25.13989	27.80803	19.9	13.8	585	South Africa	W-RMCA-2
Chrysemosa jeanneli	-22.45027	31.32063	24.7	19.7	405	Mozambique	W-RMCA-2
Chrysemosa jeanneli	-25.61678	27.95085	18.1	12.0	661	South Africa	W-RMCA-2
Chrysemosa jeanneli	-23.88386	29.74010	16.1	11.6	866	South Africa	W-RMCA-2
Chrysemosa jeanneli	-25.26111	27.10083	19.0	12.9	646	South Africa	W-RMCA-2
Chrysemosa jeanneli	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Chrysemosa jeanneli	-23.68456	30.67941	22.0	17.3	520	South Africa	W-RMCA-2
Chrysemosa jeanneli	-24.27210	29.22563	17.0	12.1	623	South Africa	W-RMCA-2
Chrysemosa jeanneli	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Chrysemosa jeanneli	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Chrysemosa jeanneli	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Chrysemosa jeanneli	-25.73001	28.24980	17.6	11.9	708	South Africa	W-RMCA-2
Chrysemosa jeanneli	-24.02880	29.15166	17.5	12.5	571	South Africa	W-RMCA-2
Chrysemosa jeanneli	-22.03693	19.96042	19.9	13.7	374	Namibia	W-RMCA-2
Chrysemosa jeanneli	-22.61086	30.37837	22.5	18.3	586	South Africa	W-RMCA-2
Chrysemosa jeanneli	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2

Chrysemosa jeanneli	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
Chrysemosa jeanneli	-32.16914	25.61401	16.3	10.4	356	South Africa	W-RMCA-2
Chrysemosa jeanneli	-25.44877	30.71209	19.1	14.6	851	South Africa	W-RMCA-2
Chrysemosa jeanneli	-24.60428	27.36100	20.2	14.1	621	South Africa	W-RMCA-2
Chrysemosa jeanneli	-24.63719	26.40206	20.6	14.0	448	South Africa	W-RMCA-2
Chrysemosa jeanneli	-25.65965	27.24307	18.7	12.4	663	South Africa	W-RMCA-2
Chrysemosa parva	-26.87756	22.05211	19.7	12.2	205	South Africa	W-RMCA-2
Chrysopa	-34.47920	20.51250	17.6	13.6	552	South Africa	W-GBIF-7
Chrysopa chloris	-33.93330	18.86670	16.5	12.1	790	South Africa	W-GBIF-7
Chrysopa jeanneli	-33.61670	19.15000	13.6	9.2	870	South Africa	W-GBIF-7
Chrysopa jeanneli	-33.78330	20.11670	16.6	11.0	352	South Africa	W-GBIF-7
Chrysopa	-33.95000	20.70000	16.2	11.2	458	South Africa	W-GBIF-7
Chrysopa	-33.98330	20.81670	15.9	11.2	470	South Africa	W-GBIF-7
Chrysopa caffer	-33.96670	20.70000	16.3	11.4	478	South Africa	W-GBIF-7
Chrysopa jeanneli	-33.40000	21.40000	12.4	7.4	354	South Africa	W-GBIF-7
Chrysopa chloris	-34.00000	23.40000	16.5	13.2	902	South Africa	W-GBIF-7
Chrysopa burgeoni	-33.37500	25.62500	18.1	13.4	382	South Africa	W-GBIF-7
Chrysopa	-33.31670	26.51670	16.6	12.7	706	South Africa	W-GBIF-7
Chrysopa	-33.31670	26.51670	16.6	12.7	706	South Africa	W-GBIF-7
Chrysopa vulgaris	-32.18330	18.88330	19.4	13.3	226	South Africa	W-GBIF-7
Chrysopa	-32.60000	26.93330	14.8	10.7	916	South Africa	W-GBIF-7
Chrysopa	-30.20000	17.80000	16.3	11.6	193	South Africa	W-GBIF-7
Chrysopa chloris	-30.35000	21.81670	18.8	11.1	194	South Africa	W-GBIF-7
Chrysopa jeanneli	-30.21670	26.53330	14.7	7.9	507	South Africa	W-GBIF-7
Chrysopa kannemeyeri	-30.21670	26.53330	14.7	7.9	507	South Africa	W-GBIF-7
Chrysopa kannemeyeri	-30.21670	26.53330	14.7	7.9	507	South Africa	W-GBIF-7
Chrysopa vulgaris	-30.21670	26.53330	14.7	7.9	507	South Africa	W-GBIF-7
Chrysopa burgeoni	-30.21670	26.53330	14.7	7.9	507	South Africa	W-GBIF-7
Chrysopa vulgaris	-29.98330	30.96670	20.8	17.1	979	South Africa	W-GBIF-7
Chrysopa chloris	-28.70000	30.80000	18.0	13.7	776	South Africa	W-GBIF-7
Chrysopa pudion	-28.70000	30.80000	18.0	13.7	776	South Africa	W-GBIF-7
Chrysopa chloris	-28.70000	30.80000	18.0	13.7	776	South Africa	W-GBIF-7
Chrysopa hamata	-28.71670	31.13330	16.8	13.2	893	South Africa	W-GBIF-7
Chrysopa	-26.73330	16.80000	16.1	10.5	117	Namibia	W-GBIF-7
Chrysopa jeanneli	-26.86670	26.66670	16.9	10.3	605	South Africa	W-GBIF-7
Chrysopa chloris	-26.71670	27.10000	17.0	10.6	614	South Africa	W-GBIF-7

Chrysopa venosella	-26.20000	28.08330	16.1	11.2	784	South Africa	W-GBIF-7
Chrysopa venosella	-26.20000	28.08330	16.1	11.2	784	South Africa	W-GBIF-7
Chrysopa pudion	-23.03330	29.70000	18.4	13.6	721	South Africa	W-GBIF-7
Chrysopa michaelseni	-19.13330	13.61670	23.6	19.8	111	Namibia	W-GBIF-7
Chrysopa michaelseni	-19.13330	13.61670	23.6	19.8	111	Namibia	W-GBIF-7
Chrysopa stenoptera	-19.21670	13.88330	21.6	17.7	219	Namibia	W-GBIF-7
Chrysopa peri	-19.23330	17.71670	22.0	17.1	548	Namibia	W-GBIF-7
Chrysopa jeanneli	-18.05000	13.38330	21.3	17.9	204	Namibia	W-GBIF-7
Chrysopa stenoptera	-18.05000	13.38330	21.3	17.9	204	Namibia	W-GBIF-7
Chrysopa jeanneli	-3.96667	37.80000	22.9	20.5	657	Tanzania	W-GBIF-7
Chrysopa quadripunctata	25.66667	-100.31670	22.0	15.2	589	Mexico	W-GBIF-2
Chrysopa oculata	27.20000	-101.90000	18.4	11.3	344	Mexico	W-GBIF-2
Chrysopa carnea	28.39127	-16.52343	18.3	15.2	411	Spain	W-GBIF-8
Chrysopa flaviceps	28.20972	-16.77858	15.4	11.9	479	Spain	W-GBIF-8
Chrysopa flaviceps	28.17836	-16.47948	17.9	14.8	394	Spain	W-GBIF-2
Chrysopa carnea	28.39506	-16.64900	18.4	15.3	404	Spain	W-GBIF-2
Chrysopa quadripunctata	29.51666	-103.50277	19.0	9.9	341	USA	W-GBIF-2
Chrysopa oculata	29.81972	-99.58305	18.1	9.0	717	USA	W-GBIF-2
Chrysopa oculata	29.49523	-99.71255	19.6	10.5	653	USA	W-GBIF-2
Chrysopa oculata	29.86689	-96.91692	20.2	11.2	971	USA	W-GBIF-2
Chrysopa incompleta	29.18220	-81.70896	20.9	14.2	1295	USA	W-GBIF-2
Chrysopa coloradensis	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Chrysopa coloradensis	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Chrysopa excepta	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Chrysopa oculata	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Chrysopa quadripunctata	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Chrysopa quadripunctata	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Chrysopa quadripunctata	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Chrysopa nigricornis	30.25416	-99.96333	18.0	8.7	627	USA	W-GBIF-2
Chrysopa nigricornis	30.25416	-99.96333	18.0	8.7	627	USA	W-GBIF-2
Chrysopa quadripunctata	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Chrysopa quadripunctata	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Chrysopa oculata	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Chrysopa oculata	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Chrysopa quadripunctata	30.12002	-99.14031	18.4	9.3	735	USA	W-GBIF-2
Chrysopa quadripunctata	30.04721	-99.14032	18.6	9.6	732	USA	W-GBIF-2

Chrysopa quadripunctata	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Chrysopa quadripunctata	30.25416	-99.96333	18.0	8.7	627	USA	W-GBIF-2
Chrysopa quadripunctata	30.25416	-99.96333	18.0	8.7	627	USA	W-GBIF-2
Chrysopa oculata	30.41436	-98.80370	18.0	9.0	775	USA	W-GBIF-2
Chrysopa oculata	30.11050	-97.23178	19.7	10.4	917	USA	W-GBIF-2
Chrysopa quadripunctata	30.08638	-97.17305	19.6	10.3	926	USA	W-GBIF-2
Chrysopa oculata	30.08638	-97.17305	19.6	10.3	926	USA	W-GBIF-2
Chrysopa quadripunctata	30.08638	-97.17305	19.6	10.3	926	USA	W-GBIF-2
Chrysopa incompleta	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Chrysopa nigricornis	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysopa incompleta	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Chrysopa nigricornis	30.58833	-96.25333	20.0	10.8	1014	USA	W-GBIF-2
Chrysopa incompleta	30.58833	-96.25333	20.0	10.8	1014	USA	W-GBIF-2
Chrysopa incompleta	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Chrysopa nigricornis	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysopa quadripunctata	30.88055	-96.69305	20.0	10.9	923	USA	W-GBIF-2
Chrysopa quadripunctata	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysopa quadripunctata	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Chrysopa oculata	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Chrysopa oculata	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysopa oculata	30.66686	-96.31691	19.9	10.9	1007	USA	W-GBIF-2
Chrysopa oculata	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysopa quadripunctata	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysopa quadripunctata	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Chrysopa quadripunctata	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Chrysopa quadripunctata	30.67436	-96.36996	19.9	10.9	1001	USA	W-GBIF-2
Chrysopa oculata	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Chrysopa quadripunctata	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Chrysopa quadripunctata	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysopa quadripunctata	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Chrysopa quadripunctata	30.67436	-96.36996	19.9	10.9	1001	USA	W-GBIF-2
Chrysopa quadripunctata	30.81083	-96.17500	19.8	10.7	1014	USA	W-GBIF-2
Chrysopa quadripunctata	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Chrysopa quadripunctata	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Chrysopa quadripunctata	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Chrysopa oculata	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2

Chrysopa quadripunctata	30.81083	-96.17500	19.8	10.7	1014	USA	W-GBIF-2
Chrysopa oculata	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysopa incompleta	30.53353	-95.35021	19.2	10.0	1204	USA	W-GBIF-2
Chrysopa incompleta	30.53353	-95.35021	19.2	10.0	1204	USA	W-GBIF-2
Chrysopa incompleta	30.97000	-88.39000	18.8	10.2	1612	USA	W-GBIF-2
Chrysopa oculata	30.74459	-86.74583	19.0	10.7	1564	USA	W-GBIF-2
Chrysopa nigricornis	31.85416	-106.54111	16.4	6.9	241	USA	W-GBIF-2
Chrysopa oculata	31.79113	-106.47440	17.4	7.6	219	USA	W-GBIF-2
Chrysopa excepta	31.60555	-102.85472	17.9	7.5	318	USA	W-GBIF-2
Chrysopa oculata	31.85570	-99.02338	18.0	7.8	706	USA	W-GBIF-2
Chrysopa oculata	31.06379	-98.38405	18.2	8.5	748	USA	W-GBIF-2
Chrysopa oculata	31.54933	-97.14668	19.2	9.2	823	USA	W-GBIF-2
Chrysopa oculata	31.09823	-97.34279	18.9	8.9	874	USA	W-GBIF-2
Chrysopa quadripunctata	31.92238	-97.36030	18.7	8.2	842	USA	W-GBIF-2
Chrysopa incompleta	31.02824	-96.20774	19.4	10.1	1009	USA	W-GBIF-2
Chrysopa quadripunctata	31.03861	-96.20916	19.6	10.3	997	USA	W-GBIF-2
Chrysopa oculata	31.22359	-96.12440	18.9	9.4	1018	USA	W-GBIF-2
Chrysopa oculata	31.22359	-96.12440	18.9	9.4	1018	USA	W-GBIF-2
Chrysopa quadripunctata	31.19666	-96.12250	19.0	9.5	1018	USA	W-GBIF-2
Chrysopa quadripunctata	31.02824	-96.20774	19.4	10.1	1009	USA	W-GBIF-2
Chrysopa nigricornis	31.57295	-95.48981	18.7	9.2	1086	USA	W-GBIF-2
Chrysopa nigricornis	31.57295	-95.48981	18.7	9.2	1086	USA	W-GBIF-2
Chrysopa incompleta	31.05972	-94.27111	18.6	9.4	1279	USA	W-GBIF-2
Chrysopa oculata	31.60351	-94.65549	18.5	9.0	1171	USA	W-GBIF-2
Chrysopa incompleta	31.74674	-92.44514	18.5	9.1	1457	USA	W-GBIF-2
Chrysopa oculata	32.42067	-104.22880	17.1	7.2	323	USA	W-GBIF-2
Chrysopa excepta	32.48555	-103.78416	16.4	6.6	346	USA	W-GBIF-2
Chrysopa excepta	32.42067	-103.78400	16.6	6.8	342	USA	W-GBIF-2
Chrysopa excepta	32.32833	-103.78166	16.9	7.1	332	USA	W-GBIF-2
Chrysopa excepta	32.32833	-103.78166	16.9	7.1	332	USA	W-GBIF-2
Chrysopa excepta	32.48555	-103.78416	16.4	6.6	346	USA	W-GBIF-2
Chrysopa excepta	32.42067	-103.78400	16.6	6.8	342	USA	W-GBIF-2
Chrysopa excepta	32.35666	-103.78166	16.8	7.0	336	USA	W-GBIF-2
Chrysopa excepta	32.42067	-103.78400	16.6	6.8	342	USA	W-GBIF-2
Chrysopa oculata	32.33000	-103.78833	16.9	7.1	332	USA	W-GBIF-2
Chrysopa excepta	32.73760	-102.29440	16.5	6.3	431	USA	W-GBIF-2

Chrysopa oculata	32.22070	-98.20227	17.6	7.5	802	USA	W-GBIF-2
Chrysopa oculata	32.29889	-97.80682	18.3	8.0	807	USA	W-GBIF-2
Chrysopa incompleta	32.71388	-96.41666	18.0	7.4	988	USA	W-GBIF-2
Chrysopa oculata	32.71388	-96.41666	18.0	7.4	988	USA	W-GBIF-2
Chrysopa nigricornis	32.81166	-95.16777	17.5	7.2	1109	USA	W-GBIF-2
Chrysopa incompleta	32.61349	-95.25644	17.9	7.7	1074	USA	W-GBIF-2
Chrysopa incompleta	32.82611	-95.16250	17.5	7.2	1112	USA	W-GBIF-2
Chrysopa incompleta	32.61349	-95.25644	17.9	7.7	1074	USA	W-GBIF-2
Chrysopa quadripunctata	32.81166	-95.16777	17.5	7.2	1109	USA	W-GBIF-2
Chrysopa oculata	32.70833	-95.41000	17.8	7.6	1066	USA	W-GBIF-2
Chrysopa quadripunctata	32.81166	-95.16777	17.5	7.2	1109	USA	W-GBIF-2
Chrysopa oculata	32.70833	-95.41000	17.8	7.6	1066	USA	W-GBIF-2
Chrysopa quadripunctata	32.81166	-95.16777	17.5	7.2	1109	USA	W-GBIF-2
Chrysopa oculata	32.70833	-95.41000	17.8	7.6	1066	USA	W-GBIF-2
Chrysopa oculata	32.70833	-95.41000	17.8	7.6	1066	USA	W-GBIF-2
Chrysopa quadripunctata	32.81166	-95.16777	17.5	7.2	1109	USA	W-GBIF-2
Chrysopa oculata	32.70833	-95.41000	17.8	7.6	1066	USA	W-GBIF-2
Chrysopa quadripunctata	32.81166	-95.16777	17.5	7.2	1109	USA	W-GBIF-2
Chrysopa quadripunctata	32.81166	-95.16777	17.5	7.2	1109	USA	W-GBIF-2
Chrysopa quadripunctata	32.81166	-95.16777	17.5	7.2	1109	USA	W-GBIF-2
Chrysopa oculata	32.70833	-95.41000	17.8	7.6	1066	USA	W-GBIF-2
Chrysopa quadripunctata	32.61349	-95.25644	17.9	7.7	1074	USA	W-GBIF-2
Chrysopa oculata	32.61349	-95.25644	17.9	7.7	1074	USA	W-GBIF-2
Chrysopa quadripunctata	32.61349	-95.25644	17.9	7.7	1074	USA	W-GBIF-2
Chrysopa quadripunctata	32.82611	-95.16250	17.5	7.2	1112	USA	W-GBIF-2
Chrysopa oculata	32.82611	-95.16250	17.5	7.2	1112	USA	W-GBIF-2
Chrysopa quadripunctata	32.82611	-95.16250	17.5	7.2	1112	USA	W-GBIF-2
Chrysopa oculata	32.70833	-95.41000	17.8	7.6	1066	USA	W-GBIF-2
Chrysopa incompleta	32.48333	-93.56666	18.0	8.5	1227	USA	W-GBIF-2
Chrysopa oculata	32.19381	-80.73817	18.8	10.4	1280	USA	W-GBIF-2
Chrysopa dubitans	32.66666	51.61666	15.6	4.0	129	Iran	W-GBIF-2
Chrysopa quadripunctata	33.39777	-105.74944	8.3	0.3	544	USA	W-GBIF-2
Chrysopa excepta	33.06294	-102.42800	15.6	5.4	448	USA	W-GBIF-2
Chrysopa excepta	33.78218	-102.16380	15.0	4.9	458	USA	W-GBIF-2
Chrysopa excepta	33.86942	-101.66680	15.1	4.8	493	USA	W-GBIF-2
Chrysopa excepta	33.69394	-101.85520	15.4	5.2	470	USA	W-GBIF-2

Chrysopa excepta	33.99314	-101.99300	14.7	4.4	471	USA	W-GBIF-2
Chrysopa excepta	33.86942	-101.66680	15.1	4.8	493	USA	W-GBIF-2
Chrysopa oculata	33.86942	-101.66680	15.1	4.8	493	USA	W-GBIF-2
Chrysopa oculata	33.74680	-101.38770	15.4	4.9	517	USA	W-GBIF-2
Chrysopa oculata	33.86942	-101.66680	15.1	4.8	493	USA	W-GBIF-2
Chrysopa oculata	33.74680	-101.38770	15.4	4.9	517	USA	W-GBIF-2
Chrysopa oculata	33.86942	-101.66680	15.1	4.8	493	USA	W-GBIF-2
Chrysopa oculata	33.86942	-101.66680	15.1	4.8	493	USA	W-GBIF-2
Chrysopa oculata	33.74680	-101.38770	15.4	4.9	517	USA	W-GBIF-2
Chrysopa oculata	33.23623	-96.80111	17.8	7.1	982	USA	W-GBIF-2
Chrysopa oculata	33.47388	-90.90805	17.2	6.7	1338	USA	W-GBIF-2
Chrysopa oculata	33.69402	-81.76705	16.7	7.2	1225	USA	W-GBIF-2
Chrysopa nigricornis	34.20611	-118.21670	17.2	12.0	508	USA	W-GBIF-2
Chrysopa nigricornis	34.02108	-118.21050	18.3	14.4	382	USA	W-GBIF-2
Chrysopa quadripunctata	34.51527	-111.76250	16.7	7.6	411	USA	W-GBIF-2
Chrysopa oculata	34.94060	-104.68510	13.9	4.2	350	USA	W-GBIF-2
Chrysopa excepta	34.40480	-103.20520	13.9	3.8	412	USA	W-GBIF-2
Chrysopa excepta	34.15972	-102.63527	14.0	3.8	448	USA	W-GBIF-2
Chrysopa excepta	34.07603	-101.39950	14.7	4.0	516	USA	W-GBIF-2
Chrysopa nigricornis	34.98000	-101.91620	14.4	3.9	477	USA	W-GBIF-2
Chrysopa oculata	34.07603	-101.39950	14.7	4.0	516	USA	W-GBIF-2
Chrysopa oculata	34.94336	-101.66200	14.5	3.7	490	USA	W-GBIF-2
Chrysopa oculata	34.96750	-101.67222	14.6	3.8	481	USA	W-GBIF-2
Chrysopa incompleta	34.86918	-95.22153	16.1	5.2	1227	USA	W-GBIF-2
Chrysopa nigricornis	34.86918	-95.22153	16.1	5.2	1227	USA	W-GBIF-2
Chrysopa incompleta	34.86918	-95.22153	16.1	5.2	1227	USA	W-GBIF-2
Chrysopa septempunctata	34.86972	-83.10222	14.0	4.8	1686	USA	W-GBIF-2
Chrysopa oculata	34.65344	-82.83959	15.8	6.3	1348	USA	W-GBIF-2
Chrysopa septempunctata	34.30000	46.80000	13.6	2.7	467	Iran	W-GBIF-2
Chrysopa coloradensis	35.36829	-117.90790	18.2	8.8	105	USA	W-GBIF-2
Chrysopa coloradensis	35.72387	-117.61410	18.4	8.2	86	USA	W-GBIF-2
Chrysopa coloradensis	35.36829	-117.90790	18.2	8.8	105	USA	W-GBIF-2
Chrysopa coloradensis	35.94833	-117.55388	12.5	3.7	231	USA	W-GBIF-2
Chrysopa coloradensis	35.22501	-112.48410	12.1	3.2	341	USA	W-GBIF-2
Chrysopa oculata	35.24945	-112.19100	8.0	-0.1	575	USA	W-GBIF-2
Chrysopa oculata	35.24945	-112.19100	8.0	-0.1	575	USA	W-GBIF-2

Chrysopa oculata	35.97394	-97.03364	15.5	3.7	883	USA	W-GBIF-2
Chrysopa incompleta	35.21666	-93.25000	15.0	4.1	1250	USA	W-GBIF-2
Chrysopa nigricornis	35.21666	-93.25000	15.0	4.1	1250	USA	W-GBIF-2
Chrysopa quadripunctata	35.21666	-93.25000	15.0	4.1	1250	USA	W-GBIF-2
Chrysopa oculata	35.21666	-93.25000	15.0	4.1	1250	USA	W-GBIF-2
Chrysopa nigricornis	35.84228	-90.70432	15.7	4.2	1214	USA	W-GBIF-2
Chrysopa incompleta	35.62035	-90.89845	16.0	4.5	1228	USA	W-GBIF-2
Chrysopa oculata Say	35.77250	-83.21361	12.1	2.4	1288	USA	W-GBIF-2
Chrysopa incompleta	35.99403	-78.89862	14.9	4.8	1144	USA	W-GBIF-2
Chrysopa pallens	35.66014	108.53110	8.5	-3.9	574	China	W-GBIF-2
Chrysopa intima	35.06000	128.06000	13.7	2.1	1465	South Korea	W-GBIF-9
Chrysopa septempunctata	35.50420	133.99400	14.4	4.6	1829	Japan	W-GBIF-10
Chrysopa formosa	35.50420	133.99400	14.4	4.6	1829	Japan	W-GBIF-10
Chrysopa septempunctata	35.52080	134.00600	14.4	4.5	1840	Japan	W-GBIF-10
Chrysopa septempunctata	35.50420	134.24400	14.6	4.7	1922	Japan	W-GBIF-10
Chrysopa formosa	35.50420	134.24400	14.6	4.7	1922	Japan	W-GBIF-10
Chrysopa septempunctata	35.62920	139.66900	15.5	6.1	1460	Japan	W-GBIF-10
Chrysopa formosa Brauer	35.68500	139.75140	15.7	6.2	1432	Japan	W-GBIF-2
Chrysopa coloradensis	36.17688	-117.69230	9.2	1.2	330	USA	W-GBIF-2
Chrysopa nigricornis	36.13424	-90.15981	15.1	3.2	1252	USA	W-GBIF-2
Chrysopa incompleta	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa nigricornis	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa septempunctata	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa septempunctata	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa oculata	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa quadripunctata	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa oculata	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa oculata	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa oculata	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa oculata	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa oculata	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Chrysopa formosa	36.47496	10.75331	17.9	11.0	351	Tunisia	W-GBIF-2
Chrysopa formosa	36.47496	10.75331	17.9	11.0	351	Tunisia	W-GBIF-2
Chrysopa septempunctata	36.28333	59.80000	14.0	3.1	251	Iran	W-GBIF-2
Chrysopa coloradensis	37.01000	-117.50638	15.5	4.8	111	USA	W-GBIF-2
Chrysopa coloradensis	37.34555	-112.00805	10.5	0.4	261	USA	W-GBIF-2

Chrysopa coloradensis	37.04194	-112.67250	9.1	-0.3	402	USA	W-GBIF-2
Chrysopa coloradensis	37.06722	-112.70250	9.1	-0.3	402	USA	W-GBIF-2
Chrysopa coloradensis	37.34555	-112.00805	10.5	0.4	261	USA	W-GBIF-2
Chrysopa coloradensis	37.71888	-111.26630	11.8	0.4	179	USA	W-GBIF-2
Chrysopa coloradensis	37.25666	-111.90777	11.3	0.9	225	USA	W-GBIF-2
Chrysopa coloradensis	37.72582	-111.29770	11.5	0.2	190	USA	W-GBIF-2
Chrysopa coloradensis	37.79944	-111.42555	10.3	-0.7	219	USA	W-GBIF-2
Chrysopa oculata	37.79361	-111.41500	10.3	-0.6	219	USA	W-GBIF-2
Chrysopa oculata	37.61277	-111.89666	7.1	-2.8	297	USA	W-GBIF-2
Chrysopa oculata	37.79361	-111.41500	10.3	-0.6	219	USA	W-GBIF-2
Chrysopa oculata	37.85500	-111.45194	9.6	-1.1	238	USA	W-GBIF-2
Chrysopa oculata	37.79944	-111.42555	10.3	-0.7	219	USA	W-GBIF-2
Chrysopa oculata	37.79361	-111.41500	10.3	-0.6	219	USA	W-GBIF-2
Chrysopa oculata	37.79944	-111.42555	10.3	-0.7	219	USA	W-GBIF-2
Chrysopa oculata	37.79361	-111.41500	10.3	-0.6	219	USA	W-GBIF-2
Chrysopa oculata	37.85500	-111.45194	9.6	-1.1	238	USA	W-GBIF-2
Chrysopa nigricornis	38.89167	-121.29190	16.5	8.5	577	USA	W-GBIF-2
Chrysopa nigricornis	38.89167	-121.29190	16.5	8.5	577	USA	W-GBIF-2
Chrysopa nigricornis	38.54491	-121.74050	15.9	8.3	470	USA	W-GBIF-2
Chrysopa nigricornis	38.58157	-121.49440	16.0	8.4	450	USA	W-GBIF-2
Chrysopa oculata	38.44526	-107.55450	4.9	-6.4	404	USA	W-GBIF-2
Chrysopa oculata	38.25444	-104.60860	11.5	0.5	306	USA	W-GBIF-2
Chrysopa nigricornis	38.24865	-85.75940	13.2	1.6	1128	USA	W-GBIF-2
Chrysopa oculata	38.18867	-85.67648	13.2	1.7	1138	USA	W-GBIF-2
Chrysopa oculata	38.19423	-85.47255	12.9	1.4	1167	USA	W-GBIF-2
Chrysopa oculata	38.18867	-85.67648	13.2	1.7	1138	USA	W-GBIF-2
Chrysopa oculata	38.24865	-85.75940	13.2	1.6	1128	USA	W-GBIF-2
Chrysopa oculata	38.24865	-85.75940	13.2	1.6	1128	USA	W-GBIF-2
Chrysopa oculata	38.18867	-85.67648	13.2	1.7	1138	USA	W-GBIF-2
Chrysopa oculata	38.24865	-85.75940	13.2	1.6	1128	USA	W-GBIF-2
Chrysopa oculata	38.18867	-85.67648	13.2	1.7	1138	USA	W-GBIF-2
Chrysopa nigricornis	38.02833	-84.47128	12.6	1.2	1166	USA	W-GBIF-2
Chrysopa nigricornis	38.50068	-78.44972	8.6	-2.1	1218	USA	W-GBIF-2
Chrysopa quadripunctata	38.91666	-78.81666	9.5	-1.3	1000	USA	W-GBIF-2
Chrysopa oculata	38.91666	-78.81666	9.5	-1.3	1000	USA	W-GBIF-2
Chrysopa quadripunctata	38.91666	-78.81666	9.5	-1.3	1000	USA	W-GBIF-2

Chrysopa quadripunctata	38.97205	-77.04636	12.7	1.5	1050	USA	W-GBIF-2
Chrysopa nigricornis	38.98066	-76.93692	12.9	1.8	1057	USA	W-GBIF-2
Chrysopa quadripunctata	38.98066	-76.93692	12.9	1.8	1057	USA	W-GBIF-2
Chrysopa oculata	38.98066	-76.93692	12.9	1.8	1057	USA	W-GBIF-2
Chrysopa oculata	38.98066	-76.93692	12.9	1.8	1057	USA	W-GBIF-2
Chrysopa oculata	38.47459	-76.97743	13.4	2.5	1043	USA	W-GBIF-2
Chrysopa timberlakei	39.50266	-120.36740	5.4	-2.1	965	USA	W-GBIF-2
Chrysopa coloradensis	39.47353	-118.77740	11.2	1.2	125	USA	W-GBIF-2
Chrysopa oculata	39.47353	-118.77740	11.2	1.2	125	USA	W-GBIF-2
Chrysopa oculata	39.75556	-105.22060	8.5	-1.0	435	USA	W-GBIF-2
Chrysopa oculata	39.75813	-105.41060	3.9	-5.0	490	USA	W-GBIF-2
Chrysopa chi	39.00455	-76.87553	12.8	1.6	1065	USA	W-GBIF-2
Chrysopa oculata	39.23927	-76.98664	12.0	0.7	1092	USA	W-GBIF-2
Chrysopa quadripunctata	39.23927	-76.98664	12.0	0.7	1092	USA	W-GBIF-2
Chrysopa oculata	39.23927	-76.98664	12.0	0.7	1092	USA	W-GBIF-2
Chrysopa coloradensis	40.44890	-121.88920	15.0	7.4	937	USA	W-GBIF-2
Chrysopa coloradensis	40.83056	-121.51250	9.0	1.1	785	USA	W-GBIF-2
Chrysopa coloradensis	40.83056	-121.51250	9.0	1.1	785	USA	W-GBIF-2
Chrysopa timberlakei	40.83056	-121.51250	9.0	1.1	785	USA	W-GBIF-2
Chrysopa coloradensis	40.73715	-114.03020	10.5	-1.4	146	USA	W-GBIF-2
Chrysopa excepta	40.73715	-114.03020	10.5	-1.4	146	USA	W-GBIF-2
Chrysopa coloradensis	40.73715	-114.03020	10.5	-1.4	146	USA	W-GBIF-2
Chrysopa coloradensis	40.73715	-114.03020	10.5	-1.4	146	USA	W-GBIF-2
Chrysopa coloradensis	40.23384	-111.65850	10.1	-1.4	464	USA	W-GBIF-2
Chrysopa oculata	40.19440	-110.06180	7.8	-6.7	185	USA	W-GBIF-2
Chrysopa oculata	40.19440	-110.06180	7.8	-6.7	185	USA	W-GBIF-2
Chrysopa pleuralis	40.15718	-110.40490	7.1	-5.7	242	USA	W-GBIF-2
Chrysopa oculata	40.45551	-109.52880	7.3	-6.4	213	USA	W-GBIF-2
Chrysopa oculata	40.45551	-109.52880	7.3	-6.4	213	USA	W-GBIF-2
Chrysopa oculata	40.75449	-86.35667	10.0	-3.2	954	USA	W-GBIF-2
Chrysopa oculata	40.75449	-86.35667	10.0	-3.2	954	USA	W-GBIF-2
Chrysopa oculata	40.06396	-80.72091	10.6	-1.1	1010	USA	W-GBIF-2
Chrysopa nigricornis	40.10344	-75.21239	11.9	0.4	1133	USA	W-GBIF-2
Chrysopa oculata	40.10344	-75.21239	11.9	0.4	1133	USA	W-GBIF-2
Chrysopa oculata	40.10344	-75.21239	11.9	0.4	1133	USA	W-GBIF-2
Chrysopa formosa	40.00000	-3.99999	14.7	6.4	395	Spain	W-GBIF-2

Chrysopa nigricornis	41.73549	-111.83440	8.9	-3.0	465	USA	W-GBIF-2
Chrysopa coloradensis	41.73549	-111.83440	8.9	-3.0	465	USA	W-GBIF-2
Chrysopa oculata	41.12805	-101.71960	9.4	-3.4	450	USA	W-GBIF-2
Chrysopa oculata	41.43333	-96.49808	10.2	-4.1	768	USA	W-GBIF-2
Chrysopa nigricornis	41.44230	-76.67522	8.0	-3.8	855	USA	W-GBIF-2
Chrysopa formosa	41.60000	26.68333	13.5	4.2	610	Turkey	W-GBIF-2
Chrysopa viridana	41.60000	26.68333	13.5	4.2	610	Turkey	W-GBIF-2
Chrysopa septempunctata	41.78986	26.91559	13.1	3.8	612	Turkey	W-GBIF-2
Chrysopa septempunctata	41.78986	26.91559	13.1	3.8	612	Turkey	W-GBIF-2
Chrysopa nigricornis	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Chrysopa chi Fitch	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Chrysopa quadripunctata	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Chrysopa oculata	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Chrysopa oculata	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Chrysopa oculata	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Chrysopa nigricornis	42.38037	-72.52315	8.3	-4.2	1112	USA	W-GBIF-2
Chrysopa nigricornis	42.38037	-72.52315	8.3	-4.2	1112	USA	W-GBIF-2
Chrysopa oculata	42.38037	-72.52315	8.3	-4.2	1112	USA	W-GBIF-2
Chrysopa nigricornis	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Chrysopa chi	42.21121	-71.12783	9.7	-1.8	1151	USA	W-GBIF-2
Chrysopa nigricornis	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Chrysopa chi	42.21121	-71.12783	9.7	-1.8	1151	USA	W-GBIF-2
Chrysopa nigricornis	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Chrysopa oculata	42.99564	-71.45479	8.0	-4.6	1048	USA	W-GBIF-2
Chrysopa quadripunctata	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Chrysopa oculata	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Chrysopa oculata	42.21121	-71.12783	9.7	-1.8	1151	USA	W-GBIF-2
Chrysopa oculata	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Chrysopa oculata	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Chrysopa oculata	43.21650	-123.34170	12.3	6.1	930	USA	W-GBIF-2
Chrysopa oculata	43.21650	-123.34170	12.3	6.1	930	USA	W-GBIF-2
Chrysopa oculata	43.20285	-116.57330	10.3	0.1	239	USA	W-GBIF-2
Chrysopa oculata	43.22363	-114.62180	4.9	-6.6	403	USA	W-GBIF-2
Chrysopa oculata	43.51963	-114.37500	3.4	-7.4	442	USA	W-GBIF-2
Chrysopa oculata	43.57820	-70.32172	8.1	-3.9	1138	USA	W-GBIF-2
Chrysopa coloradensis	44.29437	-121.36320	8.2	0.6	298	USA	W-GBIF-2

Chrysopa chi	44.17921	-74.46141	4.5	-8.6	1071	USA	W-GBIF-2
Chrysopa nigricornis	44.30783	-74.39099	4.7	-8.5	1026	USA	W-GBIF-2
Chrysopa nigricornis	44.30783	-74.39099	4.7	-8.5	1026	USA	W-GBIF-2
Chrysopa oculata	44.34616	-74.31767	4.7	-8.5	1018	USA	W-GBIF-2
Chrysopa intima	44.00000	143.00000	3.8	-9.4	1211	Japan	W-GBIF-2
Chrysopa nigricornis	45.52345	-122.67620	11.6	5.0	1064	USA	W-GBIF-2
Chrysopa oculata	45.55000	-76.16600	5.4	-9.6	843	Canada	W-GBIF-12
Chrysopa chi	45.18333	-75.95618	5.8	-8.9	845	Canada	W-GBIF-2
Chrysopa chi	45.35000	-75.93333	5.8	-9.1	841	Canada	W-GBIF-2
Chrysopa chi	45.18333	-75.95618	5.8	-8.9	845	Canada	W-GBIF-2
Chrysopa oculata	45.88145	-73.28725	5.7	-9.2	970	Canada	W-GBIF-2
Chrysopa perla	45.44100	2.87998	6.4	-0.1	914	France	W-GBIF-13
Chrysopa formosa	45.18333	9.78333	13.1	2.9	810	Italy	W-GBIF-2
Chrysopa perla	45.01667	9.66666	13.1	2.9	785	Italy	W-GBIF-2
Chrysopa perla	45.18333	9.78333	13.1	2.9	810	Italy	W-GBIF-2
Chrysopa perla	45.01667	9.66666	13.1	2.9	785	Italy	W-GBIF-2
Chrysopa perla	45.18333	9.78333	13.1	2.9	810	Italy	W-GBIF-2
Chrysopa perla	45.01667	9.66666	13.1	2.9	785	Italy	W-GBIF-2
Chrysopa perla	45.18333	9.78333	13.1	2.9	810	Italy	W-GBIF-2
Chrysopa oculata	46.60207	-120.50590	9.9	-0.2	208	USA	W-GBIF-2
Chrysopa oculata	46.60207	-120.50590	9.9	-0.2	208	USA	W-GBIF-2
Chrysopa oculata	46.60207	-120.50590	9.9	-0.2	208	USA	W-GBIF-2
Chrysopa coloradensis	46.73238	-116.98680	8.1	-0.7	615	USA	W-GBIF-2
Chrysopa chi	46.14407	-115.59570	8.5	-0.9	706	USA	W-GBIF-2
Chrysopa chi	46.14407	-115.59570	8.5	-0.9	706	USA	W-GBIF-2
Chrysopa oculata	46.14407	-115.37700	2.4	-6.7	741	USA	W-GBIF-2
Chrysopa perla	46.84140	9.53098	8.6	0.1	1139	Austria	W-GBIF-11
Chrysopa abbreviata	46.61980	9.57234	3.8	-3.5	1182	Switzerland	W-GBIF-2
Chrysopa dorsalis	46.61980	9.57234	3.8	-3.5	1182	Switzerland	W-GBIF-2
Chrysopa pallens	46.61980	9.57234	3.8	-3.5	1182	Switzerland	W-GBIF-2
Chrysopa phyllochroma	46.61980	9.57234	3.8	-3.5	1182	Switzerland	W-GBIF-2
Chrysopa pallens	46.61980	9.57234	3.8	-3.5	1182	Switzerland	W-GBIF-2
Chrysopa dorsalis	46.88000	13.28000	6.3	-2.8	1226	Austria	W-GBIF-3
Chrysopa dorsalis	46.93833	17.33833	10.1	-0.1	629	Hungary	W-GBIF-2
Chrysopa pallens	46.91666	17.84833	10.9	0.5	565	Hungary	W-GBIF-2
Chrysopa pallens	46.32166	17.22500	10.6	0.6	737	Hungary	W-GBIF-2

Chrysopa formosa	46.34333	18.79000	11.3	0.8	577	Hungary	W-GBIF-2
Chrysopa formosa	46.34333	18.79000	11.3	0.8	577	Hungary	W-GBIF-2
Chrysopa formosa	46.34333	18.79000	11.3	0.8	577	Hungary	W-GBIF-2
Chrysopa pallens	46.34333	18.79000	11.3	0.8	577	Hungary	W-GBIF-2
Chrysopa formosa	46.74000	19.75166	10.8	0.4	535	Hungary	W-GBIF-2
Chrysopa abbreviata	46.74000	19.75166	10.8	0.4	535	Hungary	W-GBIF-2
Chrysopa pallens	46.74000	19.75166	10.8	0.4	535	Hungary	W-GBIF-2
Chrysopa chi	47.92129	-117.11410	4.9	-4.4	750	USA	W-GBIF-2
Chrysopa coloradensis	47.36380	-116.75520	8.0	-1.1	689	USA	W-GBIF-2
Chrysopa perla	47.05190	9.60729	1.1	-5.5	1523	Austria	W-GBIF-3
Chrysopa abbreviata	47.48060	9.69618	9.2	0.3	1154	Austria	W-GBIF-3
Chrysopa flava	47.53000	13.68000	1.6	-6.5	1576	Austria	W-GBIF-3
Chrysopa ciliata	47.79000	13.39000	7.0	-2.2	1401	Austria	W-GBIF-3
Chrysopa flavifrons	47.87000	13.83000	7.4	-2.0	1309	Austria	W-GBIF-3
Chrysopa flavifrons	47.63000	13.03000	7.2	-1.9	1263	Germany	W-GBIF-3
Chrysopa perla	47.58000	13.52000	5.6	-3.4	1447	Austria	W-GBIF-3
Chrysopa perla	47.69000	13.67000	5.4	-3.7	1466	Austria	W-GBIF-3
Chrysopa vittata	47.88000	13.52000	7.9	-1.4	1342	Austria	W-GBIF-3
Chrysopa septempunctata	47.92000	13.80000	8.1	-1.4	1227	Austria	W-GBIF-3
Chrysopa septempunctata	47.53000	13.68000	1.6	-6.5	1576	Austria	W-GBIF-3
Chrysopa flava	47.58000	14.39000	4.9	-4.3	1248	Austria	W-GBIF-3
Chrysopa flava	47.55000	14.47000	5.0	-4.2	1213	Austria	W-GBIF-3
Chrysopa pallida	47.72000	14.32000	6.8	-2.7	1135	Austria	W-GBIF-3
Chrysopa pallida	47.54000	14.46000	4.5	-4.6	1251	Austria	W-GBIF-3
Chrysopa ciliata	47.95000	14.37000	7.8	-1.6	1002	Austria	W-GBIF-3
Chrysopa ciliata	47.88000	14.25000	7.6	-1.8	1067	Austria	W-GBIF-3
Chrysopa ciliata	47.70000	14.41000	4.4	-4.6	1284	Austria	W-GBIF-3
Chrysopa albolineata	47.90000	14.33000	6.2	-3.1	1156	Austria	W-GBIF-3
Chrysopa albolineata	47.95000	14.37000	7.8	-1.6	1002	Austria	W-GBIF-3
Chrysopa albolineata	47.95000	14.37000	7.8	-1.6	1002	Austria	W-GBIF-3
Chrysopa flavifrons	47.88000	14.25000	7.6	-1.8	1067	Austria	W-GBIF-3
Chrysopa flavifrons	47.56000	14.14000	5.3	-3.9	1319	Austria	W-GBIF-3
Chrysopa formosa	47.57000	14.48000	5.0	-4.2	1213	Austria	W-GBIF-3
Chrysopa perla	47.78000	14.32000	3.4	-5.3	1384	Austria	W-GBIF-3
Chrysopa perla	47.59000	14.63000	5.2	-4.0	1143	Austria	W-GBIF-3
Chrysopa perla	47.48000	14.48000	5.1	-4.2	1206	Austria	W-GBIF-3

Chrysopa perla	47.53000	14.06000	6.2	-3.2	1292	Austria	W-GBIF-3
Chrysopa perla	47.42000	14.90000	1.8	-6.5	1327	Austria	W-GBIF-3
Chrysopa perla	47.59000	14.50000	5.5	-3.8	1172	Austria	W-GBIF-3
Chrysopa perla	47.59000	14.42000	5.7	-3.6	1173	Austria	W-GBIF-3
Chrysopa perla	47.58000	14.34000	4.3	-4.7	1302	Austria	W-GBIF-3
Chrysopa perla	47.70000	14.50000	4.5	-4.5	1250	Austria	W-GBIF-3
Chrysopa perla	47.69000	14.60000	6.5	-3.0	1060	Austria	W-GBIF-3
Chrysopa perla	47.60000	14.59000	3.2	-5.4	1297	Austria	W-GBIF-3
Chrysopa perla	47.58000	14.47000	5.0	-4.2	1213	Austria	W-GBIF-3
Chrysopa perla	47.56000	14.59000	4.2	-4.8	1227	Austria	W-GBIF-3
Chrysopa perla	47.50000	14.70000	2.6	-5.9	1319	Austria	W-GBIF-3
Chrysopa perla	47.55000	14.42000	5.2	-4.1	1214	Austria	W-GBIF-3
Chrysopa perla	47.54000	14.64000	3.1	-5.6	1296	Austria	W-GBIF-3
Chrysopa perla	47.65000	14.58000	4.8	-4.4	1199	Austria	W-GBIF-3
Chrysopa perla	47.58000	14.50000	5.0	-4.2	1213	Austria	W-GBIF-3
Chrysopa vittata	47.95000	14.37000	7.8	-1.6	1002	Austria	W-GBIF-3
Chrysopa vittata	47.57000	14.45000	5.2	-4.1	1214	Austria	W-GBIF-3
Chrysopa ventralis	47.48000	14.48000	5.1	-4.2	1206	Austria	W-GBIF-3
Chrysopa ventralis	47.56000	14.58000	4.6	-4.5	1213	Austria	W-GBIF-3
Chrysopa ventralis	47.58000	14.39000	4.9	-4.3	1248	Austria	W-GBIF-3
Chrysopa ventralis	47.64000	14.49000	2.5	-6.0	1389	Austria	W-GBIF-3
Chrysopa ventralis	47.55000	14.42000	5.2	-4.1	1214	Austria	W-GBIF-3
Chrysopa septempunctata	47.94000	14.35000	7.8	-1.6	1002	Austria	W-GBIF-3
Chrysopa septempunctata	47.90000	14.33000	6.2	-3.1	1156	Austria	W-GBIF-3
Chrysopa septempunctata	47.95000	14.37000	7.8	-1.6	1002	Austria	W-GBIF-3
Chrysopa septempunctata	47.60000	14.46000	5.5	-3.8	1172	Austria	W-GBIF-3
Chrysopa septempunctata	47.55000	14.47000	5.0	-4.2	1213	Austria	W-GBIF-3
Chrysopa septempunctata	47.57000	14.41000	4.9	-4.3	1248	Austria	W-GBIF-3
Chrysopa phyllochroma	47.39000	14.90000	4.9	-4.4	1111	Austria	W-GBIF-3
Chrysopa abbreviata	47.23000	15.54000	5.6	-3.8	997	Austria	W-GBIF-3
Chrysopa flava	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3
Chrysopa flava	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3
Chrysopa flava	47.76000	15.80000	1.7	-6.5	1184	Austria	W-GBIF-3
Chrysopa flava	47.36000	15.08000	6.5	-3.3	978	Austria	W-GBIF-3
Chrysopa pallida	47.98000	15.02000	7.6	-1.9	865	Austria	W-GBIF-3
Chrysopa pallida	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3

Chrysopa pallida	47.69000	15.84000	6.8	-2.6	845	Austria	W-GBIF-3
Chrysopa nigricostata	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3
Chrysopa flavifrons	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3
Chrysopa flavifrons	47.44000	15.28000	7.0	-2.7	911	Austria	W-GBIF-3
Chrysopa flavifrons	47.38000	15.09000	6.3	-3.3	981	Austria	W-GBIF-3
Chrysopa formosa	47.36000	15.08000	6.5	-3.3	978	Austria	W-GBIF-3
Chrysopa perla	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3
Chrysopa perla	47.84000	15.98000	7.4	-1.9	787	Austria	W-GBIF-3
Chrysopa perla	47.36000	15.08000	6.5	-3.3	978	Austria	W-GBIF-3
Chrysopa perla	47.35000	15.47000	3.9	-5.0	1096	Austria	W-GBIF-3
Chrysopa perla	47.41000	15.27000	6.5	-3.1	949	Austria	W-GBIF-3
Chrysopa perla	47.24000	15.54000	5.6	-3.8	997	Austria	W-GBIF-3
Chrysopa perla	47.38000	15.09000	6.3	-3.3	981	Austria	W-GBIF-3
Chrysopa perla	47.27000	15.32000	7.4	-2.6	902	Austria	W-GBIF-3
Chrysopa perla	47.89000	15.99000	7.5	-1.8	772	Austria	W-GBIF-3
Chrysopa perla	47.32000	15.36000	6.6	-3.1	939	Austria	W-GBIF-3
Chrysopa dorsalis	47.69000	15.84000	6.8	-2.6	845	Austria	W-GBIF-3
Chrysopa dorsalis	47.54000	15.24000	5.9	-3.6	982	Austria	W-GBIF-3
Chrysopa vittata	47.80000	15.09000	3.6	-5.1	1144	Austria	W-GBIF-3
Chrysopa vittata	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3
Chrysopa ventralis	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3
Chrysopa ventralis	47.76000	15.80000	1.7	-6.5	1184	Austria	W-GBIF-3
Chrysopa ventralis	47.36000	15.08000	6.5	-3.3	978	Austria	W-GBIF-3
Chrysopa septempunctata	47.87000	15.89000	6.7	-2.5	831	Austria	W-GBIF-3
Chrysopa septempunctata	47.18000	15.49000	5.2	-4.1	1030	Austria	W-GBIF-3
Chrysopa septempunctata	47.29000	15.37000	6.3	-3.4	964	Austria	W-GBIF-3
Chrysopa phyllochroma	47.18000	15.30000	7.2	-2.7	918	Austria	W-GBIF-3
Chrysopa pallida	47.87000	16.13000	8.3	-1.1	726	Austria	W-GBIF-3
Chrysopa dorsalis	47.96000	16.21000	9.5	0.0	656	Austria	W-GBIF-3
Chrysopa septempunctata	47.87000	16.13000	8.3	-1.1	726	Austria	W-GBIF-3
Chrysopa septempunctata	47.89000	16.64000	9.8	0.2	627	Austria	W-GBIF-3
Chrysopa formosa	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
Chrysopa pallens	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
Chrysopa perla	48.93600	-0.12827	10.3	4.2	709	France	W-GBIF-13
Chrysopa perla	48.94820	3.98658	9.6	2.2	668	France	W-GBIF-13
Chrysopa perla	48.77710	9.18071	9.1	0.8	704	Germany	W-GBIF-14

Chrysopa perla	48.70430	12.65660	8.4	-1.1	818	Germany	W-GBIF-14
Chrysopa perla	48.88570	12.56860	8.5	-1.0	740	Germany	W-GBIF-14
Chrysopa pallida	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Chrysopa ciliata	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Chrysopa gracilis	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Chrysopa albolineata	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Chrysopa flavifrons	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Chrysopa flavifrons	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Chrysopa dorsalis	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Chrysopa septempunctata	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Chrysopa phyllochroma	48.37000	13.96000	8.9	-0.7	934	Austria	W-GBIF-3
Chrysopa flava	48.30000	14.25000	8.6	-0.9	903	Austria	W-GBIF-3
Chrysopa flava	48.32000	14.26000	8.9	-0.6	874	Austria	W-GBIF-3
Chrysopa flava	48.37000	14.29000	7.6	-1.7	956	Austria	W-GBIF-3
Chrysopa flava	48.33000	14.32000	9.2	-0.4	840	Austria	W-GBIF-3
Chrysopa pallida	48.37000	14.34000	7.9	-1.5	920	Austria	W-GBIF-3
Chrysopa pallida	48.33000	14.17000	8.9	-0.6	890	Austria	W-GBIF-3
Chrysopa pallida	48.23000	14.36000	8.9	-0.6	868	Austria	W-GBIF-3
Chrysopa pallida	48.07000	14.44000	8.8	-0.7	889	Austria	W-GBIF-3
Chrysopa pallida	48.72000	14.90000	7.5	-1.7	784	Austria	W-GBIF-3
Chrysopa ciliata	48.38000	14.29000	6.3	-2.8	1060	Austria	W-GBIF-3
Chrysopa ciliata	48.33000	14.32000	9.2	-0.4	840	Austria	W-GBIF-3
Chrysopa ciliata	48.06000	14.43000	8.8	-0.7	889	Austria	W-GBIF-3
Chrysopa ciliata	48.24000	14.93000	8.1	-1.3	818	Austria	W-GBIF-3
Chrysopa ciliata	48.03000	14.19000	8.2	-1.2	1001	Austria	W-GBIF-3
Chrysopa gracilis	48.37000	14.34000	7.9	-1.5	920	Austria	W-GBIF-3
Chrysopa gracilis	48.24000	14.93000	8.1	-1.3	818	Austria	W-GBIF-3
Chrysopa carnea	48.30000	14.25000	8.6	-0.9	903	Austria	W-GBIF-3
Chrysopa albolineata	48.30000	14.25000	8.6	-0.9	903	Austria	W-GBIF-3
Chrysopa flavifrons	48.30000	14.25000	8.6	-0.9	903	Austria	W-GBIF-3
Chrysopa flavifrons	48.37000	14.29000	7.6	-1.7	956	Austria	W-GBIF-3
Chrysopa flavifrons	48.23000	14.36000	8.9	-0.6	868	Austria	W-GBIF-3
Chrysopa flavifrons	48.07000	14.44000	8.8	-0.7	889	Austria	W-GBIF-3
Chrysopa flavifrons	48.24000	14.93000	8.1	-1.3	818	Austria	W-GBIF-3
Chrysopa flavifrons	48.72000	14.90000	7.5	-1.7	784	Austria	W-GBIF-3
Chrysopa perla	48.30000	14.25000	8.6	-0.9	903	Austria	W-GBIF-3

Chrysopa perla	48.30000	14.29000	8.9	-0.6	874	Austria	W-GBIF-3
Chrysopa perla	48.12000	14.87000	8.8	-0.8	806	Austria	W-GBIF-3
Chrysopa perla	48.03000	14.65000	8.1	-1.4	899	Austria	W-GBIF-3
Chrysopa dorsalis	48.72000	14.90000	7.5	-1.7	784	Austria	W-GBIF-3
Chrysopa vittata	48.37000	14.29000	7.6	-1.7	956	Austria	W-GBIF-3
Chrysopa vittata	48.50000	14.89000	5.5	-3.4	962	Austria	W-GBIF-3
Chrysopa vittata	48.07000	14.44000	8.8	-0.7	889	Austria	W-GBIF-3
Chrysopa vittata	48.03000	14.65000	8.1	-1.4	899	Austria	W-GBIF-3
Chrysopa ventralis	48.30000	14.25000	8.6	-0.9	903	Austria	W-GBIF-3
Chrysopa ventralis	48.30000	14.29000	8.9	-0.6	874	Austria	W-GBIF-3
Chrysopa ventralis	48.33000	14.32000	9.2	-0.4	840	Austria	W-GBIF-3
Chrysopa ventralis	48.07000	14.44000	8.8	-0.7	889	Austria	W-GBIF-3
Chrysopa ventralis	48.72000	14.90000	7.5	-1.7	784	Austria	W-GBIF-3
Chrysopa septempunctata	48.30000	14.25000	8.6	-0.9	903	Austria	W-GBIF-3
Chrysopa septempunctata	48.31000	14.35000	8.3	-1.1	896	Austria	W-GBIF-3
Chrysopa septempunctata	48.50000	14.89000	5.5	-3.4	962	Austria	W-GBIF-3
Chrysopa septempunctata	48.37000	14.16000	8.9	-0.6	889	Austria	W-GBIF-3
Chrysopa septempunctata	48.07000	14.44000	8.8	-0.7	889	Austria	W-GBIF-3
Chrysopa phyllochroma	48.30000	14.29000	8.9	-0.6	874	Austria	W-GBIF-3
Chrysopa phyllochroma	48.31000	14.34000	8.3	-1.1	896	Austria	W-GBIF-3
Chrysopa phyllochroma	48.03000	14.65000	8.1	-1.4	899	Austria	W-GBIF-3
Chrysopa pallida	48.03000	15.76000	7.2	-2.0	796	Austria	W-GBIF-3
Chrysopa formosa	48.22000	15.33000	9.0	-0.5	720	Austria	W-GBIF-3
Chrysopa formosa	48.40000	15.58000	8.8	-0.5	688	Austria	W-GBIF-3
Chrysopa perla	48.22000	15.33000	9.0	-0.5	720	Austria	W-GBIF-3
Chrysopa perla	48.55000	15.68000	8.9	-0.4	654	Austria	W-GBIF-3
Chrysopa perla	48.38000	15.25000	5.7	-3.2	914	Austria	W-GBIF-3
Chrysopa ventralis	48.22000	15.33000	9.0	-0.5	720	Austria	W-GBIF-3
Chrysopa septempunctata	48.40000	15.58000	8.8	-0.5	688	Austria	W-GBIF-3
Chrysopa septempunctata	48.55000	15.68000	8.9	-0.4	654	Austria	W-GBIF-3
Chrysopa septempunctata	48.49000	15.69000	9.2	-0.2	651	Austria	W-GBIF-3
Chrysopa phyllochroma	48.22000	15.33000	9.0	-0.5	720	Austria	W-GBIF-3
Chrysopa phyllochroma	48.40000	15.58000	8.8	-0.5	688	Austria	W-GBIF-3
Chrysopa abbreviata	48.21000	16.21000	8.9	-0.4	673	Austria	W-GBIF-3
Chrysopa flava	48.23000	16.30000	9.5	0.2	644	Austria	W-GBIF-3
Chrysopa nigricostata	48.21000	16.37000	9.9	0.5	624	Austria	W-GBIF-3

Chrysopa flavifrons	48.08000	16.29000	8.8	-0.5	683	Austria	W-GBIF-3
Chrysopa flavifrons	48.00000	16.23000	8.8	-0.6	686	Austria	W-GBIF-3
Chrysopa flavifrons	48.05000	16.25000	8.4	-0.9	708	Austria	W-GBIF-3
Chrysopa formosa	48.00000	16.23000	8.8	-0.6	686	Austria	W-GBIF-3
Chrysopa formosa	48.19000	16.43000	10.0	0.6	620	Austria	W-GBIF-3
Chrysopa formosa	48.21000	16.37000	9.9	0.5	624	Austria	W-GBIF-3
Chrysopa perla	48.08000	16.29000	8.8	-0.5	683	Austria	W-GBIF-3
Chrysopa perla	48.01000	16.46000	9.9	0.4	628	Austria	W-GBIF-3
Chrysopa perla	48.09000	16.21000	8.5	-0.8	699	Austria	W-GBIF-3
Chrysopa dorsalis	48.08000	16.29000	8.8	-0.5	683	Austria	W-GBIF-3
Chrysopa vittata	48.19000	16.43000	10.0	0.6	620	Austria	W-GBIF-3
Chrysopa vittata	48.20000	16.17000	8.8	-0.5	679	Austria	W-GBIF-3
Chrysopa ventralis	48.32000	16.36000	9.9	0.5	621	Austria	W-GBIF-3
Chrysopa ventralis	48.00000	16.13000	8.0	-1.3	735	Austria	W-GBIF-3
Chrysopa septempunctata	48.08000	16.29000	8.8	-0.5	683	Austria	W-GBIF-3
Chrysopa septempunctata	48.19000	16.43000	10.0	0.6	620	Austria	W-GBIF-3
Chrysopa septempunctata	48.09000	16.21000	8.5	-0.8	699	Austria	W-GBIF-3
Chrysopa septempunctata	48.27000	16.29000	8.9	-0.4	670	Austria	W-GBIF-3
Chrysopa septempunctata	48.05000	16.25000	8.4	-0.9	708	Austria	W-GBIF-3
Chrysopa phyllochroma	48.21000	16.37000	9.9	0.5	624	Austria	W-GBIF-3
Chrysopa oculata	49.05400	-113.91200	3.6	-6.4	575	Canada	W-GBIF-12
Chrysopa oculata	49.05400	-113.91200	3.6	-6.4	575	Canada	W-GBIF-12
Chrysopa oculata	49.69800	-112.85700	5.5	-6.6	392	Canada	W-GBIF-12
Chrysopa oculata	49.69800	-112.85700	5.5	-6.6	392	Canada	W-GBIF-12
Chrysopa oculata	49.69800	-112.85700	5.5	-6.6	392	Canada	W-GBIF-12
Chrysopa oculata	49.69800	-112.85700	5.5	-6.6	392	Canada	W-GBIF-12
Chrysopa oculata	49.69800	-112.85700	5.5	-6.6	392	Canada	W-GBIF-12
Chrysopa oculata	49.62300	-110.27700	1.8	-11.3	403	Canada	W-GBIF-12
Chrysopa perla	49.22560	6.99430	9.5	1.6	737	Germany	W-GBIF-14
Chrysopa perla	49.92440	8.85875	9.9	1.4	655	Germany	W-GBIF-14
Chrysopa perla	49.83410	8.82320	9.7	1.2	670	Germany	W-GBIF-14
Chrysopa phyllochroma	49.83090	8.82540	9.6	1.1	680	Germany	W-GBIF-14
Chrysopa perla	49.42180	8.68718	9.8	1.3	706	Germany	W-GBIF-14
Chrysopa perla	49.48820	9.77976	9.4	0.8	674	Germany	W-GBIF-14
Chrysopa phyllochroma	49.01890	9.79440	8.3	-0.2	741	Germany	W-GBIF-14
Chrysopa perla	49.77150	11.05290	8.6	0.2	636	Germany	W-GBIF-14

Chrysopa perla	49.50680	11.75180	8.0	-0.8	666	Germany	W-GBIF-14
Chrysopa perla	49.45380	11.05420	8.9	0.4	650	Germany	W-GBIF-14
Chrysopa perla	49.63350	11.24650	8.0	-0.4	699	Germany	W-GBIF-14
Chrysopa perla	49.21900	12.64860	7.9	-1.5	694	Germany	W-GBIF-14
Chrysopa perla	49.07780	13.25450	6.0	-3.1	971	Germany	W-GBIF-14
Chrysopa oculata	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
Chrysopa oculata	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
Chrysopa oculata	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
Chrysopa abbreviata	50.86131	-4.47629	10.1	5.0	1025	UK	W-GBIF-15
Chrysopa perla	50.81751	-4.48462	10.4	5.2	993	UK	W-GBIF-15
Chrysopa perla	50.50481	-4.15080	10.1	5.3	1030	UK	W-GBIF-15
Chrysopa perla	50.94246	-4.31331	10.1	4.9	1069	UK	W-GBIF-15
Chrysopa perla	50.91205	-4.01302	10.1	4.9	1091	UK	W-GBIF-15
Chrysopa perla	50.79241	-4.16398	10.3	5.2	1041	UK	W-GBIF-15
Chrysopa commata	50.56283	-3.62387	10.0	4.9	880	UK	W-GBIF-15
Chrysopa commata	50.62940	-3.45294	9.8	4.5	832	UK	W-GBIF-15
Chrysopa commata	50.65462	-3.48555	9.8	4.6	844	UK	W-GBIF-15
Chrysopa perla	50.92703	-3.62941	9.3	3.9	1145	UK	W-GBIF-15
Chrysopa abbreviata	50.75383	-2.21267	9.7	4.3	809	UK	W-GBIF-15
Chrysopa abbreviata	50.75401	-2.07089	9.8	4.4	808	UK	W-GBIF-15
Chrysopa pallens	50.84135	-2.78123	9.1	3.6	850	UK	W-GBIF-15
Chrysopa dorsalis	50.93214	-2.64043	9.2	3.6	807	UK	W-GBIF-15
Chrysopa perla	50.68639	-2.20528	10.0	4.7	796	UK	W-GBIF-15
Chrysopa perla	50.93388	-2.07116	9.4	4.0	804	UK	W-GBIF-15
Chrysopa perla	50.93388	-2.07116	9.4	4.0	804	UK	W-GBIF-15
Chrysopa perla	50.75229	-2.63798	9.0	3.5	868	UK	W-GBIF-15
Chrysopa perla	50.90181	-2.37690	9.4	3.9	803	UK	W-GBIF-15
Chrysopa perla	50.70960	-2.00136	10.0	4.7	792	UK	W-GBIF-15
Chrysopa albolineata	50.61830	-2.56677	10.1	4.8	784	UK	W-GBIF-15
Chrysopa commata	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
Chrysopa commata	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
Chrysopa dorsalis	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
Chrysopa dorsalis	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Chrysopa dorsalis	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15
Chrysopa dorsalis	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Chrysopa pallens	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15

Chrysopa perla	50.83045	-1.92190	9.9	4.5	794	UK	W-GBIF-15
Chrysopa perla	50.93336	-1.64420	9.8	4.1	795	UK	W-GBIF-15
Chrysopa perla	50.70172	-1.18568	10.4	4.7	834	UK	W-GBIF-15
Chrysopa perla	50.59485	-1.20693	9.8	4.1	893	UK	W-GBIF-15
Chrysopa perla	50.88937	-1.02601	10.1	4.1	844	UK	W-GBIF-15
Chrysopa perla	50.97435	-1.93590	9.4	3.8	799	UK	W-GBIF-15
Chrysopa perla	50.84786	-1.62354	10.2	4.7	780	UK	W-GBIF-15
Chrysopa perla	50.84394	-1.92898	9.8	4.4	792	UK	W-GBIF-15
Chrysopa perla	50.76751	-1.96455	9.8	4.5	805	UK	W-GBIF-15
Chrysopa perla	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
Chrysopa perla	50.78672	-1.82195	10.0	4.7	801	UK	W-GBIF-15
Chrysopa perla	50.70315	-1.42642	10.4	4.9	812	UK	W-GBIF-15
Chrysopa perla	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Chrysopa perla	50.67625	-1.35527	10.3	4.7	834	UK	W-GBIF-15
Chrysopa perla	50.71091	-1.21385	10.5	4.8	818	UK	W-GBIF-15
Chrysopa perla	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15
Chrysopa perla	50.78550	-1.96453	9.8	4.5	805	UK	W-GBIF-15
Chrysopa perla	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
Chrysopa perla	50.88730	-1.29055	10.5	4.8	787	UK	W-GBIF-15
Chrysopa perla	50.77516	-1.99220	9.8	4.5	805	UK	W-GBIF-15
Chrysopa perla	50.96094	-0.98179	9.5	3.4	876	UK	W-GBIF-15
Chrysopa perla	50.97671	-0.75351	9.9	3.8	839	UK	W-GBIF-15
Chrysopa perla	50.88533	-0.00235	9.9	4.2	704	UK	W-GBIF-15
Chrysopa perla	50.88468	-0.57113	9.9	3.9	762	UK	W-GBIF-15
Chrysopa perla	50.99077	0.77892	10.4	4.5	680	UK	W-GBIF-15
Chrysopa perla	50.87560	0.03988	10.1	4.4	694	UK	W-GBIF-15
Chrysopa abbreviata	50.60360	1.59481	10.5	4.4	627	France	W-GBIF-13
Chrysopa perla	50.92390	6.96242	10.1	2.5	774	Germany	W-GBIF-14
Chrysopa perla	50.36670	7.05376	7.6	0.2	861	Germany	W-GBIF-14
Chrysopa perla	50.42530	7.45743	10.1	2.4	654	Germany	W-GBIF-14
Chrysopa perla	50.60830	7.42813	8.9	1.4	786	Germany	W-GBIF-14
Chrysopa perla	50.80560	9.59505	8.3	0.0	671	Germany	W-GBIF-14
Chrysopa perla	50.62960	11.96330	7.4	-1.0	665	Germany	W-GBIF-14
Chrysopa perla	50.67400	11.25850	7.8	-0.4	610	Germany	W-GBIF-14
Chrysopa perla	50.63000	11.95280	7.5	-0.9	655	Germany	W-GBIF-14
Chrysopa perla	50.42084	12.01274	7.1	-1.5	689	Germany	W-GBIF-14

Chrysopa perla	50.02380	12.00300	6.8	-1.9	720	Germany	W-GBIF-14
Chrysopa phyllochroma	50.08334	14.46667	8.9	-0.1	496	Czech Rep.	W-GBIF-2
Chrysopa abbreviata	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Chrysopa abbreviata	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Chrysopa abbreviata	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Chrysopa dorsalis	50.31667	18.85000	8.5	-1.9	684	Poland	W-GBIF-2
Chrysopa abbreviata	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Chrysopa abbreviata	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Chrysopa abbreviata	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Chrysopa abbreviata	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Chrysopa abbreviata	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Chrysopa phyllochroma	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Chrysopa pallens	50.31667	18.85000	8.5	-1.9	684	Poland	W-GBIF-2
Chrysopa pallens	50.31667	18.85000	8.5	-1.9	684	Poland	W-GBIF-2
Chrysopa pallens	50.31667	18.85000	8.5	-1.9	684	Poland	W-GBIF-2
Chrysopa phyllochroma	50.20750	19.83350	7.3	-2.9	738	Poland	W-GBIF-14
Chrysopa oculata	51.06600	-114.08000	3.3	-8.4	430	Canada	W-GBIF-12
Chrysopa chi	51.06600	-114.08000	3.3	-8.4	430	Canada	W-GBIF-12
Chrysopa oculata	51.46100	-112.71000	3.4	-11.6	356	Canada	W-GBIF-12
Chrysopa abbreviata	51.66332	-5.04410	10.0	4.9	868	UK	W-GBIF-15
Chrysopa dorsalis	51.63631	-4.24728	10.8	5.4	1043	UK	W-GBIF-15
Chrysopa dorsalis	51.63631	-4.24728	10.8	5.4	1043	UK	W-GBIF-15
Chrysopa abbreviata	51.09280	-4.21368	11.0	5.8	1012	UK	W-GBIF-15
Chrysopa abbreviata	51.09280	-4.21368	11.0	5.8	1012	UK	W-GBIF-15
Chrysopa abbreviata	51.09280	-4.21368	11.0	5.8	1012	UK	W-GBIF-15
Chrysopa abbreviata	51.07074	-4.19121	11.1	5.9	998	UK	W-GBIF-15
Chrysopa abbreviata	51.09280	-4.21368	11.0	5.8	1012	UK	W-GBIF-15
Chrysopa abbreviata	51.07074	-4.19121	11.1	5.9	998	UK	W-GBIF-15
Chrysopa abbreviata	51.09280	-4.21368	11.0	5.8	1012	UK	W-GBIF-15
Chrysopa abbreviata	51.09280	-4.21368	11.0	5.8	1012	UK	W-GBIF-15
Chrysopa abbreviata	51.54476	-4.09131	10.6	5.0	1133	UK	W-GBIF-15
Chrysopa abbreviata	51.05223	-4.21888	11.1	5.9	984	UK	W-GBIF-15
Chrysopa abbreviata	51.56606	-4.15723	10.5	4.9	1132	UK	W-GBIF-15
Chrysopa abbreviata	51.54476	-4.09131	10.6	5.0	1133	UK	W-GBIF-15
Chrysopa pallens	51.86390	-4.09882	10.0	4.7	1155	UK	W-GBIF-15
Chrysopa pallens	51.57183	-4.16111	10.5	4.9	1132	UK	W-GBIF-15

Chrysopa abbreviata	51.67334	-4.30914	10.6	5.4	1017	UK	W-GBIF-15
Chrysopa abbreviata	51.70577	-4.96732	10.1	5.0	871	UK	W-GBIF-15
Chrysopa perla	51.83930	-4.37571	10.0	5.0	1022	UK	W-GBIF-15
Chrysopa perla	51.63631	-4.24728	10.8	5.4	1043	UK	W-GBIF-15
Chrysopa perla	51.71722	-4.36351	10.5	5.3	1006	UK	W-GBIF-15
Chrysopa perla	51.08637	-4.19695	11.1	5.9	1010	UK	W-GBIF-15
Chrysopa perla	51.74013	-4.15464	9.8	4.4	1202	UK	W-GBIF-15
Chrysopa perla	51.92872	-4.16949	9.1	3.9	1236	UK	W-GBIF-15
Chrysopa abbreviata	51.56632	-4.14281	10.5	4.9	1132	UK	W-GBIF-15
Chrysopa abbreviata	51.54476	-4.09131	10.6	5.0	1133	UK	W-GBIF-15
Chrysopa perla	51.92872	-4.16949	9.1	3.9	1236	UK	W-GBIF-15
Chrysopa perla	51.74013	-4.15464	9.8	4.4	1202	UK	W-GBIF-15
Chrysopa perla	51.70165	-4.28743	10.4	5.1	1064	UK	W-GBIF-15
Chrysopa perla	51.79907	-4.12844	10.0	4.7	1154	UK	W-GBIF-15
Chrysopa perla	51.65569	-4.14919	10.7	5.3	1081	UK	W-GBIF-15
Chrysopa pallens	51.57183	-4.16111	10.5	4.9	1132	UK	W-GBIF-15
Chrysopa pallens	51.50821	-3.16007	10.1	4.4	996	UK	W-GBIF-15
Chrysopa pallens	51.50821	-3.16007	10.1	4.4	996	UK	W-GBIF-15
Chrysopa pallens	51.46709	-3.22382	10.2	4.6	1008	UK	W-GBIF-15
Chrysopa pallens	51.52590	-3.18935	10.1	4.4	1016	UK	W-GBIF-15
Chrysopa pallens	51.46709	-3.22382	10.2	4.6	1008	UK	W-GBIF-15
Chrysopa pallens	51.60510	-3.35028	9.3	3.5	1157	UK	W-GBIF-15
Chrysopa pallens	51.43614	-3.17263	10.2	4.7	980	UK	W-GBIF-15
Chrysopa perla	51.54955	-3.80302	10.4	5.0	1123	UK	W-GBIF-15
Chrysopa perla	51.19002	-3.78895	8.5	3.0	1372	UK	W-GBIF-15
Chrysopa perla	51.46550	-3.36775	9.9	4.5	1044	UK	W-GBIF-15
Chrysopa perla	51.57142	-3.13281	9.7	3.9	1048	UK	W-GBIF-15
Chrysopa perla	51.50821	-3.16007	10.1	4.4	996	UK	W-GBIF-15
Chrysopa perla	51.50821	-3.16007	10.1	4.4	996	UK	W-GBIF-15
Chrysopa perla	51.77800	-3.01258	9.0	3.3	1050	UK	W-GBIF-15
Chrysopa perla	51.13915	-3.19368	9.0	3.6	1043	UK	W-GBIF-15
Chrysopa perla	51.54955	-3.80302	10.4	5.0	1123	UK	W-GBIF-15
Chrysopa perla	51.63345	-3.90028	10.3	4.8	1170	UK	W-GBIF-15
Chrysopa perla	51.46550	-3.36775	9.9	4.5	1044	UK	W-GBIF-15
Chrysopa perla	51.19002	-3.78895	8.5	3.0	1372	UK	W-GBIF-15
Chrysopa perla	51.22137	-3.79732	9.7	4.3	1214	UK	W-GBIF-15

Chrysopa perla	51.53429	-3.24725	10.1	4.4	1035	UK	W-GBIF-15
Chrysopa perla	51.65147	-3.26419	9.1	3.1	1164	UK	W-GBIF-15
Chrysopa perla	51.64765	-3.00823	9.8	4.1	965	UK	W-GBIF-15
Chrysopa perla	51.53429	-3.24725	10.1	4.4	1035	UK	W-GBIF-15
Chrysopa pallens	51.43614	-3.17263	10.2	4.7	980	UK	W-GBIF-15
Chrysopa phyllochroma	51.54955	-3.80302	10.4	5.0	1123	UK	W-GBIF-15
Chrysopa perla	51.53429	-3.24725	10.1	4.4	1035	UK	W-GBIF-15
Chrysopa pallens	51.56320	-2.21642	9.4	3.8	757	UK	W-GBIF-15
Chrysopa pallens	51.56320	-2.21642	9.4	3.8	757	UK	W-GBIF-15
Chrysopa abbreviata	51.63637	-2.27240	9.0	3.5	803	UK	W-GBIF-15
Chrysopa perla	51.74305	-2.21728	9.5	3.9	741	UK	W-GBIF-15
Chrysopa perla	51.57621	-2.82913	10.0	4.5	861	UK	W-GBIF-15
Chrysopa perla	51.57396	-2.82981	10.0	4.5	861	UK	W-GBIF-15
Chrysopa perla	51.64609	-2.80222	9.2	3.6	961	UK	W-GBIF-15
Chrysopa perla	51.68303	-2.64374	9.3	3.8	882	UK	W-GBIF-15
Chrysopa perla	51.48489	-2.69856	9.8	4.2	857	UK	W-GBIF-15
Chrysopa perla	51.93644	-2.18184	9.9	4.4	669	UK	W-GBIF-15
Chrysopa perla	51.57396	-2.82981	10.0	4.5	861	UK	W-GBIF-15
Chrysopa perla	51.74305	-2.21728	9.5	3.9	741	UK	W-GBIF-15
Chrysopa perla	51.57441	-2.82909	10.0	4.5	861	UK	W-GBIF-15
Chrysopa commata	51.68287	-1.32733	9.8	4.1	637	UK	W-GBIF-15
Chrysopa pallens	51.11322	-1.64282	9.6	3.7	767	UK	W-GBIF-15
Chrysopa dorsalis	51.74055	-1.20336	9.8	4.0	644	UK	W-GBIF-15
Chrysopa commata	51.09027	-1.63799	9.6	3.7	767	UK	W-GBIF-15
Chrysopa commata	51.68303	-1.35626	9.8	4.0	636	UK	W-GBIF-15
Chrysopa dorsalis	51.65152	-1.34948	9.9	4.1	634	UK	W-GBIF-15
Chrysopa pallens	51.79217	-1.64473	9.3	3.4	639	UK	W-GBIF-15
Chrysopa pallens	51.99838	-1.48286	9.0	3.2	650	UK	W-GBIF-15
Chrysopa commata	51.65152	-1.34948	9.9	4.1	634	UK	W-GBIF-15
Chrysopa pallens	51.95208	-1.23599	9.5	3.5	617	UK	W-GBIF-15
Chrysopa perla	51.74055	-1.20336	9.8	4.0	644	UK	W-GBIF-15
Chrysopa perla	51.87912	-1.09194	9.8	3.8	610	UK	W-GBIF-15
Chrysopa perla	51.77353	-1.47093	9.6	3.8	615	UK	W-GBIF-15
Chrysopa perla	51.73729	-1.41342	9.8	4.0	620	UK	W-GBIF-15
Chrysopa perla	51.91776	-1.55649	9.1	3.2	653	UK	W-GBIF-15
Chrysopa perla	51.91776	-1.55649	9.1	3.2	653	UK	W-GBIF-15

Chrysopa perla	51.90007	-1.64388	9.3	3.5	631	UK	W-GBIF-15
Chrysopa perla	51.07077	-1.30270	10.2	4.3	771	UK	W-GBIF-15
Chrysopa perla	51.74055	-1.20336	9.8	4.0	644	UK	W-GBIF-15
Chrysopa perla	51.88208	-1.64402	9.3	3.5	631	UK	W-GBIF-15
Chrysopa perla	51.83207	-1.49202	9.5	3.6	623	UK	W-GBIF-15
Chrysopa perla	51.99832	-1.46829	9.0	3.2	650	UK	W-GBIF-15
Chrysopa perla	51.26782	-1.06032	9.7	3.5	765	UK	W-GBIF-15
Chrysopa perla	51.89732	-1.12064	9.8	3.8	610	UK	W-GBIF-15
Chrysopa perla	51.83135	-1.34689	9.7	3.9	614	UK	W-GBIF-15
Chrysopa perla	51.66489	-1.32760	9.9	4.1	640	UK	W-GBIF-15
Chrysopa perla	51.96946	-1.14835	9.5	3.4	622	UK	W-GBIF-15
Chrysopa perla	51.96946	-1.14835	9.5	3.4	622	UK	W-GBIF-15
Chrysopa perla	51.80891	-1.35447	9.7	3.9	614	UK	W-GBIF-15
Chrysopa perla	51.88085	-1.35344	9.5	3.6	619	UK	W-GBIF-15
Chrysopa perla	51.80783	-1.18041	9.8	4.0	624	UK	W-GBIF-15
Chrysopa perla	51.82601	-1.20910	9.9	4.0	617	UK	W-GBIF-15
Chrysopa perla	51.92199	-1.49101	9.1	3.2	651	UK	W-GBIF-15
Chrysopa perla	51.97181	-1.58507	9.1	3.2	652	UK	W-GBIF-15
Chrysopa perla	51.38089	-1.20962	9.7	3.7	717	UK	W-GBIF-15
Chrysopa perla	51.38089	-1.20962	9.7	3.7	717	UK	W-GBIF-15
Chrysopa perla	51.80891	-1.35447	9.7	3.9	614	UK	W-GBIF-15
Chrysopa perla	51.80891	-1.35447	9.7	3.9	614	UK	W-GBIF-15
Chrysopa perla	51.39361	-1.16412	9.8	3.7	714	UK	W-GBIF-15
Chrysopa perla	51.80783	-1.18041	9.8	4.0	624	UK	W-GBIF-15
Chrysopa perla	51.78658	-1.30042	9.8	4.0	629	UK	W-GBIF-15
Chrysopa perla	51.80741	-1.12239	9.7	3.8	632	UK	W-GBIF-15
Chrysopa perla	51.62759	-1.12587	10.0	4.1	649	UK	W-GBIF-15
Chrysopa perla	51.86410	-1.64416	9.1	3.3	648	UK	W-GBIF-15
Chrysopa perla	51.83046	-1.20177	9.8	4.0	624	UK	W-GBIF-15
Chrysopa perla	51.79233	-1.70273	9.2	3.4	643	UK	W-GBIF-15
Chrysopa perla	51.82734	-1.44128	9.5	3.7	625	UK	W-GBIF-15
Chrysopa perla	51.37983	-1.06593	9.7	3.5	733	UK	W-GBIF-15
Chrysopa perla	51.46974	-1.06409	9.8	3.6	696	UK	W-GBIF-15
Chrysopa perla	51.72462	-1.78643	9.4	3.5	642	UK	W-GBIF-15
Chrysopa perla	51.11269	-1.49995	10.0	4.2	751	UK	W-GBIF-15
Chrysopa perla	51.77427	-1.67386	9.3	3.4	642	UK	W-GBIF-15

Chrysopa perla	51.84488	-1.35395	9.6	3.8	615	UK	W-GBIF-15
Chrysopa perla	51.40442	-1.75198	9.1	3.2	744	UK	W-GBIF-15
Chrysopa perla	51.73456	-1.00794	9.8	3.7	647	UK	W-GBIF-15
Chrysopa perla	51.37983	-1.06593	9.7	3.5	733	UK	W-GBIF-15
Chrysopa perla	51.59434	-1.64627	9.5	3.7	643	UK	W-GBIF-15
Chrysopa perla	51.82133	-1.11995	9.7	3.8	632	UK	W-GBIF-15
Chrysopa perla	51.61241	-1.67502	9.5	3.6	644	UK	W-GBIF-15
Chrysopa perla	51.81015	-1.64459	9.3	3.4	639	UK	W-GBIF-15
Chrysopa perla	51.97147	-1.49772	9.0	3.2	650	UK	W-GBIF-15
Chrysopa perla	51.83672	-1.52826	9.2	3.3	645	UK	W-GBIF-15
Chrysopa perla	51.74055	-1.20336	9.8	4.0	644	UK	W-GBIF-15
Chrysopa perla	51.93410	-1.23630	9.5	3.5	617	UK	W-GBIF-15
Chrysopa perla	51.02207	-1.35833	10.2	4.4	780	UK	W-GBIF-15
Chrysopa perla	51.65064	-1.20493	10.0	4.1	648	UK	W-GBIF-15
Chrysopa perla	51.06620	-1.14510	9.8	3.8	813	UK	W-GBIF-15
Chrysopa commata	51.28728	-0.78097	9.5	3.0	792	UK	W-GBIF-15
Chrysopa pallens	51.73145	-0.33458	9.7	3.6	663	UK	W-GBIF-15
Chrysopa commata	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa pallens	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa dorsalis	51.37190	-0.34766	10.3	4.2	644	UK	W-GBIF-15
Chrysopa dorsalis	51.37190	-0.34766	10.3	4.2	644	UK	W-GBIF-15
Chrysopa dorsalis	51.37190	-0.34766	10.3	4.2	644	UK	W-GBIF-15
Chrysopa commata	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa pallens	51.45737	-0.05665	10.9	4.9	640	UK	W-GBIF-15
Chrysopa pallens	51.63712	-0.04898	10.7	4.6	617	UK	W-GBIF-15
Chrysopa commata	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Chrysopa dorsalis	51.28570	-0.63760	9.8	3.4	732	UK	W-GBIF-15
Chrysopa pallens	51.28728	-0.78097	9.5	3.0	792	UK	W-GBIF-15
Chrysopa dorsalis	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa dorsalis	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa pallens	51.55167	-0.34116	10.1	4.1	639	UK	W-GBIF-15
Chrysopa pallens	51.37719	-0.77858	9.6	2.8	741	UK	W-GBIF-15
Chrysopa pallens	51.75311	-0.30843	9.7	3.5	665	UK	W-GBIF-15
Chrysopa pallens	51.55167	-0.34116	10.1	4.1	639	UK	W-GBIF-15
Chrysopa commata	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Chrysopa dorsalis	51.19737	-0.78334	9.6	3.2	805	UK	W-GBIF-15

Chrysopa pallens	51.63943	-0.19342	10.2	4.2	655	UK	W-GBIF-15
Chrysopa pallens	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Chrysopa pallens	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Chrysopa pallens	51.64156	-0.33788	9.8	3.6	666	UK	W-GBIF-15
Chrysopa commata	51.64156	-0.33788	9.8	3.6	666	UK	W-GBIF-15
Chrysopa pallens	51.13059	-0.84942	9.6	3.3	822	UK	W-GBIF-15
Chrysopa pallens	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
Chrysopa pallens	51.01755	-0.78806	9.6	3.5	852	UK	W-GBIF-15
Chrysopa pallens	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa pallens	51.65585	-0.56941	9.7	3.3	670	UK	W-GBIF-15
Chrysopa pallens	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Chrysopa pallens	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Chrysopa commata	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Chrysopa dorsalis	51.19737	-0.78334	9.6	3.2	805	UK	W-GBIF-15
Chrysopa pallens	51.45967	-0.20053	11.0	5.1	621	UK	W-GBIF-15
Chrysopa dorsalis	51.37719	-0.77858	9.6	2.8	741	UK	W-GBIF-15
Chrysopa commata	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Chrysopa pallens	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Chrysopa pallens	51.40175	-0.14888	10.8	5.0	639	UK	W-GBIF-15
Chrysopa pallens	51.56270	-0.03557	10.8	4.9	607	UK	W-GBIF-15
Chrysopa pallens	51.64156	-0.33788	9.8	3.6	666	UK	W-GBIF-15
Chrysopa pallens	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
Chrysopa pallens	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
Chrysopa pallens	51.54955	-0.19698	10.6	4.6	649	UK	W-GBIF-15
Chrysopa commata	51.72931	-0.18984	9.9	3.8	662	UK	W-GBIF-15
Chrysopa pallens	51.18704	-0.78433	9.6	3.2	805	UK	W-GBIF-15
Chrysopa pallens	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15
Chrysopa pallens	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Chrysopa pallens	51.99893	-0.17898	9.8	3.5	619	UK	W-GBIF-15
Chrysopa dorsalis	51.37719	-0.77858	9.6	2.8	741	UK	W-GBIF-15
Chrysopa perla	51.37859	-0.92225	9.9	3.4	726	UK	W-GBIF-15
Chrysopa perla	51.50030	-0.95540	9.7	3.3	699	UK	W-GBIF-15
Chrysopa perla	51.18704	-0.78433	9.6	3.2	805	UK	W-GBIF-15
Chrysopa perla	51.57278	-0.24658	10.5	4.6	637	UK	W-GBIF-15
Chrysopa perla	51.27976	-0.62988	9.8	3.4	732	UK	W-GBIF-15
Chrysopa perla	51.27762	-0.06425	9.8	3.9	704	UK	W-GBIF-15

Chrysopa perla	51.37859	-0.92225	9.9	3.4	726	UK	W-GBIF-15
Chrysopa perla	51.76881	-0.69340	9.2	2.7	699	UK	W-GBIF-15
Chrysopa perla	51.25999	-0.41690	9.9	3.6	674	UK	W-GBIF-15
Chrysopa perla	51.37190	-0.34766	10.3	4.2	644	UK	W-GBIF-15
Chrysopa perla	51.19933	-0.38749	9.4	3.3	702	UK	W-GBIF-15
Chrysopa perla	51.49440	-0.26760	10.6	4.8	621	UK	W-GBIF-15
Chrysopa perla	51.13677	-0.59195	9.6	3.3	759	UK	W-GBIF-15
Chrysopa perla	51.31953	-0.01584	9.8	3.8	705	UK	W-GBIF-15
Chrysopa perla	51.54708	-0.33411	10.1	4.1	639	UK	W-GBIF-15
Chrysopa perla	51.41212	-0.80857	9.7	2.9	735	UK	W-GBIF-15
Chrysopa perla	51.30721	-0.32057	10.1	4.1	661	UK	W-GBIF-15
Chrysopa phyllochroma	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa perla	51.35685	-0.24047	10.4	4.5	659	UK	W-GBIF-15
Chrysopa perla	51.64187	-0.14779	10.4	4.4	644	UK	W-GBIF-15
Chrysopa perla	51.64187	-0.14779	10.4	4.4	644	UK	W-GBIF-15
Chrysopa perla	51.31475	-0.44300	10.2	3.9	652	UK	W-GBIF-15
Chrysopa perla	51.25929	-0.18328	9.7	3.8	701	UK	W-GBIF-15
Chrysopa phyllochroma	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa perla	51.65932	-0.00537	10.6	4.6	610	UK	W-GBIF-15
Chrysopa perla	51.10886	-0.92854	9.4	3.2	846	UK	W-GBIF-15
Chrysopa perla	51.40715	-0.64118	9.8	3.2	707	UK	W-GBIF-15
Chrysopa perla	51.63712	-0.04898	10.7	4.6	617	UK	W-GBIF-15
Chrysopa perla	51.29985	-0.24767	9.9	3.9	693	UK	W-GBIF-15
Chrysopa perla	51.16047	-0.65774	9.6	3.3	775	UK	W-GBIF-15
Chrysopa perla	51.57958	-0.13300	10.8	4.8	641	UK	W-GBIF-15
Chrysopa perla	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Chrysopa perla	51.16087	-0.47036	9.7	3.6	679	UK	W-GBIF-15
Chrysopa perla	51.14769	-0.76320	9.5	3.2	821	UK	W-GBIF-15
Chrysopa perla	51.31842	-0.08406	10.0	4.1	691	UK	W-GBIF-15
Chrysopa perla	51.57958	-0.13300	10.8	4.8	641	UK	W-GBIF-15
Chrysopa perla	51.44569	-0.88469	9.9	3.3	708	UK	W-GBIF-15
Chrysopa perla	51.44569	-0.88469	9.9	3.3	708	UK	W-GBIF-15
Chrysopa perla	51.24833	-0.06047	10.0	4.2	689	UK	W-GBIF-15
Chrysopa perla	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15
Chrysopa perla	51.29841	-0.57266	10.0	3.6	682	UK	W-GBIF-15
Chrysopa perla	51.21978	-0.10248	10.0	4.2	691	UK	W-GBIF-15

Chrysopa perla	51.23858	-0.36462	9.8	3.7	674	UK	W-GBIF-15
Chrysopa perla	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Chrysopa perla	51.13914	-0.45964	9.7	3.6	679	UK	W-GBIF-15
Chrysopa perla	51.54688	-0.31969	10.2	4.3	636	UK	W-GBIF-15
Chrysopa perla	51.28868	-0.92436	9.7	3.3	776	UK	W-GBIF-15
Chrysopa perla	51.34993	-0.38436	10.3	4.2	642	UK	W-GBIF-15
Chrysopa perla	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Chrysopa perla	51.46476	-0.53364	10.3	3.8	640	UK	W-GBIF-15
Chrysopa perla	51.37489	-0.61268	10.0	3.4	692	UK	W-GBIF-15
Chrysopa perla	51.32481	-0.29409	10.1	4.1	661	UK	W-GBIF-15
Chrysopa perla	51.27552	-0.96051	9.6	3.3	777	UK	W-GBIF-15
Chrysopa perla	51.33073	-0.29890	10.1	4.1	661	UK	W-GBIF-15
Chrysopa perla	51.75684	-0.75025	9.6	3.2	656	UK	W-GBIF-15
Chrysopa perla	51.22060	-0.18194	9.9	4.1	694	UK	W-GBIF-15
Chrysopa perla	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Chrysopa perla	51.53574	-0.89691	9.9	3.4	686	UK	W-GBIF-15
Chrysopa perla	51.16476	-0.17698	9.8	4.1	688	UK	W-GBIF-15
Chrysopa perla	51.33777	-0.16941	10.4	4.5	666	UK	W-GBIF-15
Chrysopa perla	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
Chrysopa perla	51.35814	-0.23683	10.4	4.5	659	UK	W-GBIF-15
Chrysopa perla	51.46851	-0.92013	9.8	3.4	701	UK	W-GBIF-15
Chrysopa perla	51.14808	-0.14618	9.8	4.1	690	UK	W-GBIF-15
Chrysopa perla	51.54822	-0.83964	9.8	3.3	681	UK	W-GBIF-15
Chrysopa perla	51.20866	-0.48023	9.6	3.3	703	UK	W-GBIF-15
Chrysopa perla	51.15875	-0.19581	9.8	4.1	688	UK	W-GBIF-15
Chrysopa perla	51.64156	-0.33788	9.8	3.6	666	UK	W-GBIF-15
Chrysopa perla	51.63943	-0.19342	10.2	4.2	655	UK	W-GBIF-15
Chrysopa perla	51.22677	-0.42090	9.5	3.3	702	UK	W-GBIF-15
Chrysopa perla	51.17327	-0.67596	9.7	3.3	772	UK	W-GBIF-15
Chrysopa perla	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa perla	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Chrysopa perla	51.12201	-0.89251	9.7	3.4	830	UK	W-GBIF-15
Chrysopa perla	51.87632	-0.58131	9.7	3.3	645	UK	W-GBIF-15
Chrysopa perla	51.55285	-0.60438	9.9	3.4	667	UK	W-GBIF-15
Chrysopa perla	51.36216	-0.01041	10.3	4.4	672	UK	W-GBIF-15
Chrysopa perla	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15

Chrysopa perla	51.13924	-0.27378	9.7	3.8	672	UK	W-GBIF-15
Chrysopa perla	51.50477	-0.72546	10.0	3.4	670	UK	W-GBIF-15
Chrysopa perla	51.55425	-0.95417	9.6	3.2	697	UK	W-GBIF-15
Chrysopa perla	51.64156	-0.33788	9.8	3.6	666	UK	W-GBIF-15
Chrysopa perla	51.46851	-0.92013	9.8	3.4	701	UK	W-GBIF-15
Chrysopa perla	51.26614	-0.91772	9.7	3.3	776	UK	W-GBIF-15
Chrysopa perla	51.35904	-0.23680	10.4	4.5	659	UK	W-GBIF-15
Chrysopa perla	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
Chrysopa perla	51.15959	-0.65919	9.6	3.3	775	UK	W-GBIF-15
Chrysopa perla	51.21666	-0.77926	9.5	3.0	803	UK	W-GBIF-15
Chrysopa perla	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
Chrysopa perla	51.55363	-0.48535	10.2	3.8	637	UK	W-GBIF-15
Chrysopa perla	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15
Chrysopa perla	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15
Chrysopa perla	51.25946	-0.25351	9.6	3.6	698	UK	W-GBIF-15
Chrysopa perla	51.32825	-0.83013	9.6	2.9	775	UK	W-GBIF-15
Chrysopa perla	51.32825	-0.83013	9.6	2.9	775	UK	W-GBIF-15
Chrysopa perla	51.45967	-0.20053	11.0	5.1	621	UK	W-GBIF-15
Chrysopa perla	51.29014	-0.38574	9.9	3.7	669	UK	W-GBIF-15
Chrysopa perla	51.40046	-0.15253	10.8	5.0	639	UK	W-GBIF-15
Chrysopa perla	51.14499	-0.06623	9.9	4.1	688	UK	W-GBIF-15
Chrysopa perla	51.26045	-0.25921	9.6	3.6	698	UK	W-GBIF-15
Chrysopa perla	51.43753	-0.22298	10.6	4.8	639	UK	W-GBIF-15
Chrysopa perla	51.19844	-0.48987	9.5	3.3	709	UK	W-GBIF-15
Chrysopa perla	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
Chrysopa perla	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
Chrysopa perla	51.34625	-0.55035	10.1	3.6	677	UK	W-GBIF-15
Chrysopa perla	51.34625	-0.55035	10.1	3.6	677	UK	W-GBIF-15
Chrysopa perla	51.09033	-0.82543	9.5	3.2	842	UK	W-GBIF-15
Chrysopa perla	51.37384	-0.49129	10.3	3.9	648	UK	W-GBIF-15
Chrysopa perla	51.18479	-0.25204	9.9	4.0	674	UK	W-GBIF-15
Chrysopa perla	51.31052	-0.18126	10.0	4.0	695	UK	W-GBIF-15
Chrysopa perla	51.22427	-0.40309	9.5	3.4	693	UK	W-GBIF-15
Chrysopa perla	51.47775	-0.49434	10.4	3.9	632	UK	W-GBIF-15
Chrysopa perla	51.32686	-0.58255	10.0	3.6	682	UK	W-GBIF-15
Chrysopa perla	51.65585	-0.56941	9.7	3.3	670	UK	W-GBIF-15

Chrysopa perla	51.21058	-0.17374	9.9	4.1	694	UK	W-GBIF-15
Chrysopa perla	51.56062	-0.57673	10.0	3.5	660	UK	W-GBIF-15
Chrysopa perla	51.46851	-0.92013	9.8	3.4	701	UK	W-GBIF-15
Chrysopa perla	51.25819	-0.25857	9.6	3.6	698	UK	W-GBIF-15
Chrysopa perla	51.21207	-0.68774	9.6	3.1	778	UK	W-GBIF-15
Chrysopa perla	51.15498	-0.12731	9.8	4.1	690	UK	W-GBIF-15
Chrysopa perla	51.38271	-0.16762	10.8	4.9	639	UK	W-GBIF-15
Chrysopa perla	51.56095	-0.03853	10.8	4.9	607	UK	W-GBIF-15
Chrysopa perla	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Chrysopa perla	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Chrysopa perla	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
Chrysopa perla	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
Chrysopa perla	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
Chrysopa perla	51.09396	-0.58540	9.8	3.6	750	UK	W-GBIF-15
Chrysopa perla	51.09396	-0.58540	9.8	3.6	750	UK	W-GBIF-15
Chrysopa perla	51.33144	-0.19622	10.0	4.0	695	UK	W-GBIF-15
Chrysopa perla	51.15963	-0.13714	9.8	4.1	690	UK	W-GBIF-15
Chrysopa perla	51.56270	-0.03557	10.8	4.9	607	UK	W-GBIF-15
Chrysopa perla	51.34411	-0.38672	10.3	4.2	642	UK	W-GBIF-15
Chrysopa perla	51.24762	-0.50187	9.7	3.4	707	UK	W-GBIF-15
Chrysopa perla	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
Chrysopa perla	51.24176	-0.15531	10.0	4.2	690	UK	W-GBIF-15
Chrysopa perla	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
Chrysopa perla	51.55067	-0.01589	10.8	4.9	607	UK	W-GBIF-15
Chrysopa perla	51.00452	-0.13979	9.7	4.0	675	UK	W-GBIF-15
Chrysopa perla	51.23607	-0.37761	9.5	3.4	693	UK	W-GBIF-15
Chrysopa phyllochroma	51.10746	-0.78571	9.2	2.9	853	UK	W-GBIF-15
Chrysopa perla	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
Chrysopa perla	51.33861	-0.19450	10.4	4.5	666	UK	W-GBIF-15
Chrysopa perla	51.15786	-0.83373	9.6	3.3	822	UK	W-GBIF-15
Chrysopa perla	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15
Chrysopa perla	51.24775	-0.87516	9.4	3.0	809	UK	W-GBIF-15
Chrysopa perla	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Chrysopa perla	51.21186	-0.31975	9.9	3.9	668	UK	W-GBIF-15
Chrysopa perla	51.77639	-0.68810	9.2	2.7	699	UK	W-GBIF-15
Chrysopa perla	51.26028	-0.43839	9.9	3.6	674	UK	W-GBIF-15

Chrysopa perla	51.27176	-0.29462	9.9	3.9	674	UK	W-GBIF-15
Chrysopa perla	51.27176	-0.29462	9.9	3.9	674	UK	W-GBIF-15
Chrysopa perla	51.15854	-0.36459	9.8	3.8	655	UK	W-GBIF-15
Chrysopa perla	51.51010	-0.56042	10.2	3.6	648	UK	W-GBIF-15
Chrysopa phyllochroma	51.32640	-0.27912	10.1	4.1	675	UK	W-GBIF-15
Chrysopa dorsalis	51.15370	-0.85752	9.6	3.3	822	UK	W-GBIF-15
Chrysopa dorsalis	51.32850	-0.42258	10.2	3.9	652	UK	W-GBIF-15
Chrysopa perla	51.15370	-0.85752	9.6	3.3	822	UK	W-GBIF-15
Chrysopa perla	51.23660	-0.28248	10.0	4.1	674	UK	W-GBIF-15
Chrysopa perla	51.33200	-0.70955	9.5	2.9	769	UK	W-GBIF-15
Chrysopa perla	51.23440	-0.13932	10.0	4.2	690	UK	W-GBIF-15
Chrysopa perla	51.92879	-0.68584	9.7	3.4	634	UK	W-GBIF-15
Chrysopa perla	51.96555	-0.35503	10.0	3.7	605	UK	W-GBIF-15
Chrysopa pallens	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Chrysopa perla	51.83706	-0.49763	9.5	3.1	676	UK	W-GBIF-15
Chrysopa perla	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Chrysopa perla	51.85809	-0.38800	9.7	3.4	667	UK	W-GBIF-15
Chrysopa perla	51.85069	-0.54437	9.6	3.2	665	UK	W-GBIF-15
Chrysopa perla	51.85069	-0.54437	9.6	3.2	665	UK	W-GBIF-15
Chrysopa pallens	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Chrysopa pallens	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Chrysopa perla	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Chrysopa perla	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Chrysopa perla	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Chrysopa perla	51.32412	-0.47139	10.2	3.9	656	UK	W-GBIF-15
Chrysopa perla	51.32100	-0.47365	10.2	3.9	656	UK	W-GBIF-15
Chrysopa perla	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa perla	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa perla	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Chrysopa pallens	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Chrysopa phyllochroma	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Chrysopa perla	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Chrysopa pallens	51.54210	0.23542	10.4	4.3	603	UK	W-GBIF-15
Chrysopa pallens	51.17987	0.36095	10.3	4.4	658	UK	W-GBIF-15
Chrysopa commata	51.44324	0.66238	10.2	4.2	585	UK	W-GBIF-15
Chrysopa pallens	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15

Chrysopa commata	51.90421	0.10797	9.8	3.5	617	UK	W-GBIF-15
Chrysopa commata	51.90421	0.10797	9.8	3.5	617	UK	W-GBIF-15
Chrysopa pallens	51.52594	0.06233	10.7	4.8	602	UK	W-GBIF-15
Chrysopa dorsalis	51.88537	0.97914	9.9	3.9	548	UK	W-GBIF-15
Chrysopa dorsalis	51.88537	0.97914	9.9	3.9	548	UK	W-GBIF-15
Chrysopa commata	51.45490	0.08720	10.5	4.5	628	UK	W-GBIF-15
Chrysopa pallens	51.48633	0.25934	10.4	4.5	603	UK	W-GBIF-15
Chrysopa pallens	51.33711	0.77829	10.2	4.3	607	UK	W-GBIF-15
Chrysopa pallens	51.86329	0.15762	9.9	3.6	611	UK	W-GBIF-15
Chrysopa pallens	51.86329	0.15762	9.9	3.6	611	UK	W-GBIF-15
Chrysopa pallens	51.63462	0.09544	10.4	4.3	612	UK	W-GBIF-15
Chrysopa pallens	51.06480	0.86116	10.3	4.4	676	UK	W-GBIF-15
Chrysopa pallens	51.53307	0.66762	10.1	4.0	570	UK	W-GBIF-15
Chrysopa pallens	51.34161	0.75917	10.2	4.3	607	UK	W-GBIF-15
Chrysopa commata	51.45225	0.23103	10.4	4.4	618	UK	W-GBIF-15
Chrysopa pallens	51.06480	0.86116	10.3	4.4	676	UK	W-GBIF-15
Chrysopa pallens	51.56853	0.04405	10.6	4.6	604	UK	W-GBIF-15
Chrysopa pallens	51.68175	0.47017	9.8	3.8	580	UK	W-GBIF-15
Chrysopa pallens	51.56868	0.03540	10.7	4.7	606	UK	W-GBIF-15
Chrysopa commata	51.46217	0.41150	10.3	4.3	599	UK	W-GBIF-15
Chrysopa dorsalis	51.88537	0.97914	9.9	3.9	548	UK	W-GBIF-15
Chrysopa pallens	51.88537	0.97914	9.9	3.9	548	UK	W-GBIF-15
Chrysopa commata	51.88537	0.97914	9.9	3.9	548	UK	W-GBIF-15
Chrysopa pallens	51.69723	0.35161	9.8	3.7	602	UK	W-GBIF-15
Chrysopa pallens	51.29443	0.66021	9.6	3.7	668	UK	W-GBIF-15
Chrysopa pallens	51.67442	0.05750	10.2	4.1	633	UK	W-GBIF-15
Chrysopa commata	51.50119	0.08859	10.6	4.7	603	UK	W-GBIF-15
Chrysopa pallens	51.13812	0.42316	10.1	4.2	675	UK	W-GBIF-15
Chrysopa commata	51.52409	0.11559	10.6	4.7	603	UK	W-GBIF-15
Chrysopa pallens	51.54210	0.23542	10.4	4.3	603	UK	W-GBIF-15
Chrysopa pallens	51.52147	0.06069	10.7	4.8	602	UK	W-GBIF-15
Chrysopa perla	51.53626	0.52358	10.2	4.2	580	UK	W-GBIF-15
Chrysopa perla	51.07491	0.83394	10.3	4.4	676	UK	W-GBIF-15
Chrysopa perla	51.61589	0.78084	10.1	4.0	545	UK	W-GBIF-15
Chrysopa perla	51.85304	0.27186	9.7	3.4	599	UK	W-GBIF-15
Chrysopa perla	51.07491	0.83394	10.3	4.4	676	UK	W-GBIF-15

Chrysopa perla	51.27722	0.64559	9.6	3.7	680	UK	W-GBIF-15
Chrysopa perla	51.43090	0.61130	10.1	4.1	594	UK	W-GBIF-15
Chrysopa perla	51.08060	0.78430	10.3	4.4	676	UK	W-GBIF-15
Chrysopa perla	51.08060	0.78430	10.3	4.4	676	UK	W-GBIF-15
Chrysopa perla	51.35658	0.51369	9.8	3.8	650	UK	W-GBIF-15
Chrysopa perla	51.49869	0.38460	10.3	4.3	599	UK	W-GBIF-15
Chrysopa perla	51.68629	0.59342	9.8	3.8	565	UK	W-GBIF-15
Chrysopa perla	51.85281	0.78454	9.8	3.7	541	UK	W-GBIF-15
Chrysopa perla	51.24778	0.99004	9.9	4.1	666	UK	W-GBIF-15
Chrysopa perla	51.39168	0.75284	10.2	4.3	592	UK	W-GBIF-15
Chrysopa perla	51.23302	0.98693	9.9	4.1	666	UK	W-GBIF-15
Chrysopa perla	51.54476	0.09131	10.6	4.6	601	UK	W-GBIF-15
Chrysopa perla	51.08060	0.78430	10.3	4.4	676	UK	W-GBIF-15
Chrysopa perla	51.52345	0.24676	10.4	4.5	600	UK	W-GBIF-15
Chrysopa perla	51.40573	0.42219	9.9	4.0	639	UK	W-GBIF-15
Chrysopa perla	51.36239	0.22666	10.0	4.0	666	UK	W-GBIF-15
Chrysopa perla	51.85992	0.24170	9.7	3.4	607	UK	W-GBIF-15
Chrysopa perla	51.52191	0.11189	10.6	4.7	603	UK	W-GBIF-15
Chrysopa perla	51.52386	0.47243	10.2	4.2	584	UK	W-GBIF-15
Chrysopa perla	51.71896	0.38894	9.9	3.8	583	UK	W-GBIF-15
Chrysopa perla	51.89327	0.84155	9.8	3.7	543	UK	W-GBIF-15
Chrysopa perla	51.83746	0.06855	9.9	3.7	619	UK	W-GBIF-15
Chrysopa perla	51.42267	0.59716	10.1	4.1	594	UK	W-GBIF-15
Chrysopa perla	51.60130	0.07296	10.5	4.5	611	UK	W-GBIF-15
Chrysopa perla	51.62252	0.04214	10.5	4.5	611	UK	W-GBIF-15
Chrysopa perla	51.52594	0.06233	10.7	4.8	602	UK	W-GBIF-15
Chrysopa perla	51.33745	0.76395	10.2	4.3	607	UK	W-GBIF-15
Chrysopa perla	51.63297	0.43717	9.8	3.8	596	UK	W-GBIF-15
Chrysopa perla	51.86675	0.41856	9.7	3.6	560	UK	W-GBIF-15
Chrysopa perla	51.69334	0.10611	10.1	4.0	624	UK	W-GBIF-15
Chrysopa perla	51.62252	0.04214	10.5	4.5	611	UK	W-GBIF-15
Chrysopa perla	51.26809	0.93400	9.9	4.0	659	UK	W-GBIF-15
Chrysopa perla	51.67771	0.07501	10.2	4.1	633	UK	W-GBIF-15
Chrysopa perla	51.86364	0.11333	9.9	3.6	617	UK	W-GBIF-15
Chrysopa perla	51.48633	0.25934	10.4	4.5	603	UK	W-GBIF-15
Chrysopa perla	51.43233	0.60778	10.1	4.1	594	UK	W-GBIF-15

Chrysopa perla	51.35658	0.51369	9.8	3.8	650	UK	W-GBIF-15
Chrysopa perla	51.52904	0.21315	10.4	4.5	600	UK	W-GBIF-15
Chrysopa perla	51.25809	0.27178	9.8	3.9	686	UK	W-GBIF-15
Chrysopa perla	51.50924	0.18985	10.5	4.5	601	UK	W-GBIF-15
Chrysopa perla	51.71284	0.02015	10.3	4.2	622	UK	W-GBIF-15
Chrysopa perla	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
Chrysopa perla	51.04102	0.74626	10.3	4.4	685	UK	W-GBIF-15
Chrysopa perla	51.48245	0.29732	10.4	4.4	603	UK	W-GBIF-15
Chrysopa perla	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15
Chrysopa perla	51.30319	0.69014	9.8	3.8	655	UK	W-GBIF-15
Chrysopa perla	51.34634	0.74940	10.2	4.2	611	UK	W-GBIF-15
Chrysopa perla	51.48524	0.31547	10.4	4.4	603	UK	W-GBIF-15
Chrysopa perla	51.07711	0.92689	10.4	4.5	664	UK	W-GBIF-15
Chrysopa perla	51.30763	0.48949	10.2	4.3	629	UK	W-GBIF-15
Chrysopa perla	51.37668	0.62258	10.2	4.3	605	UK	W-GBIF-15
Chrysopa perla	51.47174	0.38320	10.3	4.3	599	UK	W-GBIF-15
Chrysopa perla	51.67003	0.05151	10.2	4.1	633	UK	W-GBIF-15
Chrysopa perla	51.35007	0.80062	10.2	4.3	608	UK	W-GBIF-15
Chrysopa perla	51.89237	0.68886	9.6	3.5	547	UK	W-GBIF-15
Chrysopa perla	51.59374	0.28633	10.1	4.0	610	UK	W-GBIF-15
Chrysopa perla	51.86329	0.15762	9.9	3.6	611	UK	W-GBIF-15
Chrysopa perla	51.34158	0.68305	10.1	4.1	621	UK	W-GBIF-15
Chrysopa perla	51.33743	0.62824	10.1	4.1	621	UK	W-GBIF-15
Chrysopa perla	51.06523	0.86190	10.3	4.4	676	UK	W-GBIF-15
Chrysopa perla	51.17043	0.78971	9.9	4.0	678	UK	W-GBIF-15
Chrysopa perla	51.06480	0.86116	10.3	4.4	676	UK	W-GBIF-15
Chrysopa perla	51.06480	0.86116	10.3	4.4	676	UK	W-GBIF-15
Chrysopa perla	51.55071	0.18463	10.4	4.4	600	UK	W-GBIF-15
Chrysopa perla	51.34786	0.76098	10.2	4.3	607	UK	W-GBIF-15
Chrysopa perla	51.42444	0.59870	10.1	4.1	594	UK	W-GBIF-15
Chrysopa perla	51.49869	0.38460	10.3	4.3	599	UK	W-GBIF-15
Chrysopa perla	51.28212	0.01553	9.8	3.9	700	UK	W-GBIF-15
Chrysopa perla	51.42381	0.52457	10.1	4.2	604	UK	W-GBIF-15
Chrysopa perla	51.47672	0.33665	10.3	4.3	602	UK	W-GBIF-15
Chrysopa perla	51.56853	0.04405	10.6	4.6	604	UK	W-GBIF-15
Chrysopa perla	51.08060	0.78430	10.3	4.4	676	UK	W-GBIF-15

Chrysopa perla	51.36244	0.44935	10.1	4.2	632	UK	W-GBIF-15
Chrysopa perla	51.56798	0.02382	10.7	4.7	606	UK	W-GBIF-15
Chrysopa perla	51.63462	0.09544	10.4	4.3	612	UK	W-GBIF-15
Chrysopa perla	51.58999	0.31719	9.9	3.8	618	UK	W-GBIF-15
Chrysopa perla	51.38977	0.03176	10.5	4.6	644	UK	W-GBIF-15
Chrysopa perla	51.62529	0.13908	10.2	4.2	612	UK	W-GBIF-15
Chrysopa perla	51.61443	0.23970	10.2	4.2	606	UK	W-GBIF-15
Chrysopa perla	51.61443	0.23970	10.2	4.2	606	UK	W-GBIF-15
Chrysopa perla	51.56868	0.03540	10.7	4.7	606	UK	W-GBIF-15
Chrysopa perla	51.62031	0.21398	10.2	4.2	606	UK	W-GBIF-15
Chrysopa perla	51.98280	0.06286	9.5	3.2	623	UK	W-GBIF-15
Chrysopa perla	51.88895	0.83401	9.8	3.7	543	UK	W-GBIF-15
Chrysopa phyllochroma	51.88537	0.97914	9.9	3.9	548	UK	W-GBIF-15
Chrysopa perla	51.57896	0.41768	10.0	4.0	597	UK	W-GBIF-15
Chrysopa perla	51.64639	0.18995	10.2	4.1	611	UK	W-GBIF-15
Chrysopa perla	51.72766	0.61389	9.8	3.7	560	UK	W-GBIF-15
Chrysopa perla	51.84069	0.37360	9.6	3.5	581	UK	W-GBIF-15
Chrysopa perla	51.58014	0.35999	10.3	4.2	590	UK	W-GBIF-15
Chrysopa perla	51.34945	0.76970	10.2	4.3	607	UK	W-GBIF-15
Chrysopa perla	51.49840	0.39900	10.3	4.3	599	UK	W-GBIF-15
Chrysopa perla	51.43588	0.01798	10.7	4.8	627	UK	W-GBIF-15
Chrysopa perla	51.25229	0.02426	9.8	3.9	700	UK	W-GBIF-15
Chrysopa perla	51.70141	0.15715	10.1	4.0	620	UK	W-GBIF-15
Chrysopa perla	51.55307	0.34200	10.3	4.2	590	UK	W-GBIF-15
Chrysopa perla	51.71868	0.61337	9.8	3.7	560	UK	W-GBIF-15
Chrysopa perla	51.86540	0.96838	10.0	4.0	546	UK	W-GBIF-15
Chrysopa perla	51.50119	0.08859	10.6	4.7	603	UK	W-GBIF-15
Chrysopa perla	51.43588	0.01798	10.7	4.8	627	UK	W-GBIF-15
Chrysopa perla	51.08060	0.78430	10.3	4.4	676	UK	W-GBIF-15
Chrysopa perla	51.35967	0.57851	9.8	3.9	644	UK	W-GBIF-15
Chrysopa perla	51.63550	0.07163	10.4	4.3	619	UK	W-GBIF-15
Chrysopa perla	51.98584	0.73087	9.5	3.4	548	UK	W-GBIF-15
Chrysopa perla	51.70943	0.20964	10.0	3.8	604	UK	W-GBIF-15
Chrysopa perla	51.70128	0.16438	10.1	4.0	620	UK	W-GBIF-15
Chrysopa perla	51.31160	0.73440	9.9	4.0	645	UK	W-GBIF-15
Chrysopa perla	51.61081	0.19329	10.2	4.2	613	UK	W-GBIF-15

Chrysopa perla	51.55666	0.61850	9.9	3.8	587	UK	W-GBIF-15
Chrysopa perla	51.52147	0.06069	10.7	4.8	602	UK	W-GBIF-15
Chrysopa perla	51.91568	0.21758	9.6	3.3	604	UK	W-GBIF-15
Chrysopa perla	51.85992	0.24170	9.7	3.4	607	UK	W-GBIF-15
Chrysopa perla	51.86150	0.22944	9.7	3.4	607	UK	W-GBIF-15
Chrysopa perla	51.84960	0.61196	9.6	3.6	545	UK	W-GBIF-15
Chrysopa abbreviata	51.24517	1.36754	10.3	4.5	590	UK	W-GBIF-15
Chrysopa abbreviata	51.24517	1.36754	10.3	4.5	590	UK	W-GBIF-15
Chrysopa perla	51.34503	1.12421	10.2	4.3	600	UK	W-GBIF-15
Chrysopa perla	51.34503	1.12421	10.2	4.3	600	UK	W-GBIF-15
Chrysopa perla	51.33757	1.13375	10.1	4.3	597	UK	W-GBIF-15
Chrysopa perla	51.09304	1.17790	9.8	4.0	662	UK	W-GBIF-15
Chrysopa perla	51.94438	1.24723	10.2	4.4	551	UK	W-GBIF-15
Chrysopa perla	51.29180	1.09620	10.1	4.3	616	UK	W-GBIF-15
Chrysopa perla	51.32958	1.07936	9.9	4.1	630	UK	W-GBIF-15
Chrysopa perla	51.32958	1.07936	9.9	4.1	630	UK	W-GBIF-15
Chrysopa perla	51.10280	1.14999	9.8	4.0	671	UK	W-GBIF-15
Chrysopa perla	51.97139	1.13048	10.0	4.1	554	UK	W-GBIF-15
Chrysopa perla	51.09427	1.20784	9.8	4.0	662	UK	W-GBIF-15
Chrysopa perla	51.33855	1.07996	10.2	4.3	605	UK	W-GBIF-15
Chrysopa perla	51.24617	1.34827	10.3	4.5	590	UK	W-GBIF-15
Chrysopa perla	51.30376	1.03458	10.0	4.1	635	UK	W-GBIF-15
Chrysopa perla	51.30376	1.03458	10.0	4.1	635	UK	W-GBIF-15
Chrysopa perla	51.25306	1.08141	10.1	4.2	633	UK	W-GBIF-15
Chrysopa perla	51.32779	1.02683	10.0	4.1	635	UK	W-GBIF-15
Chrysopa perla	51.32779	1.02683	10.0	4.1	635	UK	W-GBIF-14
Chrysopa perla	51.32779	1.02683	10.0	4.1	635	UK	W-GBIF-14
Chrysopa perla	51.19390	6.68653	10.2	2.6	801	Germany	W-GBIF-14
Chrysopa perla	51.26630	7.17446	9.1	1.7	908	Germany	W-GBIF-14
Chrysopa perla	51.96810	7.62418	9.3	2.0	800	Germany	W-GBIF-14
Chrysopa perla	51.43620	7.56954	9.3	2.0	839	Germany	W-GBIF-14
Chrysopa perla	51.71000	10.52870	5.6	-2.2	1157	Germany	W-GBIF-14
Chrysopa perla	51.97700	10.84490	8.4	0.5	608	Germany	W-GBIF-14
Chrysopa perla	51.09560	11.05040	8.7	0.5	495	Germany	W-GBIF-14
Chrysopa perla	51.83406	12.26162	9.2	0.8	503	Germany	W-GBIF-14
Chrysopa perla	51.35690	12.38000	9.0	0.5	518	Germany	W-GBIF-14

Chrysopa perla	51.25310	14.46240	8.7	-0.4	589	Germany	W-GBIF-14
Chrysopa chi	52.57200	-114.02200	2.1	-11.5	480	Canada	W-GBIF-12
Chrysopa oculata	52.96200	-113.36000	2.3	-12.1	452	Canada	W-GBIF-12
Chrysopa chi	52.96200	-113.36000	2.3	-12.1	452	Canada	W-GBIF-12
Chrysopa chi	52.96200	-113.36000	2.3	-12.1	452	Canada	W-GBIF-12
Chrysopa abbreviata	52.92246	-6.02892	9.7	5.4	931	Ireland	W-GBIF-15
Chrysopa abbreviata	52.92270	-6.02991	9.7	5.4	931	Ireland	W-GBIF-16
Chrysopa abbreviata	52.86177	-4.11695	9.5	4.5	1037	UK	W-GBIF-15
Chrysopa abbreviata	52.80271	-4.15117	9.9	5.0	972	UK	W-GBIF-15
Chrysopa abbreviata	52.88305	-4.41529	9.7	5.1	952	UK	W-GBIF-15
Chrysopa abbreviata	52.80271	-4.15117	9.9	5.0	972	UK	W-GBIF-15
Chrysopa perla	52.94470	-4.00191	9.2	4.1	1066	UK	W-GBIF-15
Chrysopa perla	52.19599	-4.39322	9.5	4.9	1002	UK	W-GBIF-15
Chrysopa perla	52.89515	-4.00706	8.2	3.0	1245	UK	W-GBIF-15
Chrysopa perla	52.90589	-4.16372	9.9	5.0	964	UK	W-GBIF-15
Chrysopa perla	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
Chrysopa abbreviata	52.80780	-4.14326	9.9	5.0	972	UK	W-GBIF-15
Chrysopa perla	52.90589	-4.16372	9.9	5.0	964	UK	W-GBIF-15
Chrysopa perla	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
Chrysopa perla	52.19599	-4.39322	9.5	4.9	1002	UK	W-GBIF-15
Chrysopa perla	52.89515	-4.00706	8.2	3.0	1245	UK	W-GBIF-15
Chrysopa perla	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
Chrysopa pallens	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Chrysopa pallens	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Chrysopa abbreviata	52.03693	-3.71539	9.1	3.6	1355	UK	W-GBIF-15
Chrysopa pallens	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
Chrysopa perla	52.93894	-3.99643	9.2	3.9	1076	UK	W-GBIF-15
Chrysopa perla	52.63573	-3.25617	8.2	2.6	1069	UK	W-GBIF-15
Chrysopa perla	52.28382	-3.86127	8.5	3.2	1474	UK	W-GBIF-15
Chrysopa perla	52.92581	-3.05999	8.7	3.3	826	UK	W-GBIF-15
Chrysopa perla	52.72040	-3.32524	8.1	2.5	1073	UK	W-GBIF-15
Chrysopa perla	52.90185	-3.56125	8.0	2.5	1148	UK	W-GBIF-15
Chrysopa perla	52.18269	-3.99603	9.0	3.9	1307	UK	W-GBIF-15
Chrysopa perla	52.96458	-3.04753	8.7	3.3	824	UK	W-GBIF-15
Chrysopa phyllochroma	52.28382	-3.86127	8.5	3.2	1474	UK	W-GBIF-15
Chrysopa perla	52.33143	-3.51907	8.2	2.6	1443	UK	W-GBIF-15

Chrysopa perla	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
Chrysopa perla	52.63573	-3.25617	8.2	2.6	1069	UK	W-GBIF-15
Chrysopa pallens	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Chrysopa perla	52.18269	-3.99603	9.0	3.9	1307	UK	W-GBIF-15
Chrysopa perla	52.93894	-3.99643	9.2	3.9	1076	UK	W-GBIF-15
Chrysopa abbreviata	52.45865	-2.43053	9.1	3.4	692	UK	W-GBIF-15
Chrysopa commata	52.36467	-2.71309	8.9	3.3	756	UK	W-GBIF-15
Chrysopa commata	52.99723	-2.26077	8.9	3.2	800	UK	W-GBIF-15
Chrysopa pallens	52.10236	-2.36503	8.9	3.4	760	UK	W-GBIF-15
Chrysopa commata	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15
Chrysopa commata	52.73209	-2.22216	9.2	3.5	711	UK	W-GBIF-15
Chrysopa pallens	52.72950	-2.81455	8.8	3.1	731	UK	W-GBIF-15
Chrysopa pallens	52.96903	-2.20178	9.2	3.6	784	UK	W-GBIF-15
Chrysopa pallens	52.37264	-2.07345	9.2	3.6	692	UK	W-GBIF-15
Chrysopa commata	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Chrysopa pallens	52.37082	-2.66104	9.0	3.3	735	UK	W-GBIF-15
Chrysopa commata	52.91190	-2.22308	9.1	3.5	753	UK	W-GBIF-15
Chrysopa dorsalis	52.37209	-2.36725	9.1	3.4	706	UK	W-GBIF-15
Chrysopa pallens	52.19263	-2.21946	9.8	4.2	647	UK	W-GBIF-15
Chrysopa perla	52.09910	-2.94902	9.5	3.9	832	UK	W-GBIF-15
Chrysopa phyllochroma	52.91414	-2.76595	8.7	3.1	744	UK	W-GBIF-15
Chrysopa perla	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Chrysopa perla	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Chrysopa perla	52.68236	-2.09690	9.3	3.6	714	UK	W-GBIF-15
Chrysopa perla	52.99723	-2.26077	8.9	3.2	800	UK	W-GBIF-15
Chrysopa perla	52.91595	-2.39415	8.7	3.1	766	UK	W-GBIF-15
Chrysopa perla	52.19227	-2.36577	9.7	4.1	664	UK	W-GBIF-15
Chrysopa perla	52.37264	-2.07345	9.2	3.6	692	UK	W-GBIF-15
Chrysopa perla	52.20542	-2.46100	9.1	3.5	730	UK	W-GBIF-15
Chrysopa perla	52.93989	-2.74483	8.7	3.1	752	UK	W-GBIF-15
Chrysopa perla	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15
Chrysopa perla	52.95217	-2.30516	8.9	3.2	776	UK	W-GBIF-15
Chrysopa perla	52.56798	-2.95247	7.5	1.8	1021	UK	W-GBIF-15
Chrysopa perla	52.96826	-2.73713	8.8	3.2	758	UK	W-GBIF-15
Chrysopa perla	52.92551	-2.14133	9.0	3.4	802	UK	W-GBIF-15
Chrysopa perla	52.72349	-2.83887	8.9	3.1	740	UK	W-GBIF-15

Chrysopa perla	52.01298	-2.07286	9.7	4.1	668	UK	W-GBIF-15
Chrysopa perla	52.37706	-2.35921	9.3	3.6	680	UK	W-GBIF-15
Chrysopa perla	52.90929	-2.81792	8.8	3.1	750	UK	W-GBIF-15
Chrysopa perla	52.89848	-2.18584	9.2	3.5	756	UK	W-GBIF-15
Chrysopa perla	52.37209	-2.36725	9.1	3.4	706	UK	W-GBIF-15
Chrysopa perla	52.37209	-2.36725	9.1	3.4	706	UK	W-GBIF-15
Chrysopa perla	52.19263	-2.21946	9.8	4.2	647	UK	W-GBIF-15
Chrysopa perla	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Chrysopa perla	52.90371	-2.77990	8.7	3.1	744	UK	W-GBIF-15
Chrysopa perla	52.90929	-2.81792	8.8	3.1	750	UK	W-GBIF-15
Chrysopa perla	52.82200	-2.22262	9.1	3.4	735	UK	W-GBIF-15
Chrysopa perla	52.82163	-2.37103	9.1	3.4	708	UK	W-GBIF-15
Chrysopa perla	52.91190	-2.22308	9.1	3.5	753	UK	W-GBIF-15
Chrysopa perla	52.91209	-2.07436	9.0	3.3	819	UK	W-GBIF-15
Chrysopa perla	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15
Chrysopa perla	52.82163	-2.37103	9.1	3.4	708	UK	W-GBIF-15
Chrysopa commata	52.73209	-2.22216	9.2	3.5	711	UK	W-GBIF-15
Chrysopa perla	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Chrysopa perla	52.05830	-2.14726	9.8	4.3	654	UK	W-GBIF-15
Chrysopa dorsalis	52.32730	-2.44162	9.2	3.6	690	UK	W-GBIF-15
Chrysopa phyllochroma	52.68730	-2.29731	9.1	3.4	698	UK	W-GBIF-15
Chrysopa phyllochroma	52.50790	-2.00143	9.1	3.5	716	UK	W-GBIF-15
Chrysopa perla	52.82200	-2.22262	9.1	3.4	735	UK	W-GBIF-15
Chrysopa pallens	52.37154	-1.48585	9.5	3.6	623	UK	W-GBIF-15
Chrysopa pallens	52.37209	-1.63275	9.2	3.5	658	UK	W-GBIF-15
Chrysopa commata	52.90644	-1.47211	9.7	3.8	690	UK	W-GBIF-15
Chrysopa pallens	52.36990	-1.19208	9.4	3.4	628	UK	W-GBIF-15
Chrysopa commata	52.82929	-1.25261	9.8	3.7	641	UK	W-GBIF-15
Chrysopa perla	52.41170	-1.41922	9.5	3.6	629	UK	W-GBIF-15
Chrysopa perla	52.10290	-1.92699	9.7	4.1	635	UK	W-GBIF-15
Chrysopa perla	52.37607	-1.49315	9.5	3.6	627	UK	W-GBIF-15
Chrysopa perla	52.73043	-1.33354	9.2	3.2	706	UK	W-GBIF-15
Chrysopa perla	52.85111	-1.22030	9.8	3.6	642	UK	W-GBIF-15
Chrysopa perla	52.37607	-1.49315	9.5	3.6	627	UK	W-GBIF-15
Chrysopa perla	52.64284	-1.07694	9.5	3.4	633	UK	W-GBIF-15
Chrysopa perla	52.19649	-1.69638	9.6	3.9	609	UK	W-GBIF-15

Chrysopa perla	52.25000	-1.45064	9.5	3.6	620	UK	W-GBIF-15
Chrysopa perla	52.37209	-1.63275	9.2	3.5	658	UK	W-GBIF-15
Chrysopa perla	52.00521	-1.11853	9.5	3.4	625	UK	W-GBIF-15
Chrysopa perla	52.55246	-1.92625	9.1	3.5	722	UK	W-GBIF-15
Chrysopa perla	52.06112	-1.43837	9.2	3.3	634	UK	W-GBIF-15
Chrysopa perla	52.06112	-1.43837	9.2	3.3	634	UK	W-GBIF-15
Chrysopa perla	52.55246	-1.92625	9.1	3.5	722	UK	W-GBIF-15
Chrysopa perla	52.06138	-1.49672	9.0	3.1	652	UK	W-GBIF-15
Chrysopa perla	52.39379	-1.43415	9.5	3.6	629	UK	W-GBIF-15
Chrysopa perla	52.58387	-1.85977	9.2	3.5	718	UK	W-GBIF-15
Chrysopa perla	52.37581	-1.43438	9.5	3.6	629	UK	W-GBIF-15
Chrysopa perla	52.18395	-1.71402	9.6	3.9	612	UK	W-GBIF-15
Chrysopa perla	52.06112	-1.43837	9.2	3.3	634	UK	W-GBIF-15
Chrysopa perla	52.38480	-1.43427	9.5	3.6	629	UK	W-GBIF-15
Chrysopa perla	52.37607	-1.49315	9.5	3.6	627	UK	W-GBIF-15
Chrysopa perla	52.72950	-1.18545	9.7	3.6	633	UK	W-GBIF-15
Chrysopa perla	52.07849	-1.32140	9.5	3.5	609	UK	W-GBIF-15
Chrysopa perla	52.38472	-1.41958	9.5	3.6	629	UK	W-GBIF-15
Chrysopa perla	52.82929	-1.25261	9.8	3.7	641	UK	W-GBIF-15
Chrysopa perla	52.33991	-1.44952	9.4	3.6	623	UK	W-GBIF-15
Chrysopa perla	52.39440	-1.58112	9.3	3.6	647	UK	W-GBIF-15
Chrysopa perla	52.41177	-1.43392	9.5	3.6	629	UK	W-GBIF-15
Chrysopa perla	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
Chrysopa perla	52.91190	-1.77692	9.5	3.8	753	UK	W-GBIF-15
Chrysopa perla	52.91209	-1.92564	9.3	3.6	794	UK	W-GBIF-15
Chrysopa perla	52.82200	-1.77738	9.3	3.6	756	UK	W-GBIF-15
Chrysopa perla	52.64237	-1.92610	9.1	3.5	739	UK	W-GBIF-15
Chrysopa perla	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
Chrysopa perla	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
Chrysopa perla	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
Chrysopa perla	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
Chrysopa pallens	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Chrysopa commata	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Chrysopa pallens	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Chrysopa pallens	52.80771	-0.14536	9.7	3.5	581	UK	W-GBIF-15
Chrysopa pallens	52.66772	-0.58983	9.5	3.2	607	UK	W-GBIF-15

Chrysopa pallens	52.66772	-0.58983	9.5	3.2	607	UK	W-GBIF-15
Chrysopa commata	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Chrysopa commata	52.97853	-0.45833	9.7	3.6	577	UK	W-GBIF-15
Chrysopa commata	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Chrysopa pallens	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Chrysopa pallens	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
Chrysopa commata	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
Chrysopa perla	52.09296	-0.46715	10.0	3.8	578	UK	W-GBIF-15
Chrysopa perla	52.16137	-0.73895	9.8	3.5	611	UK	W-GBIF-15
Chrysopa perla	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Chrysopa perla	52.18628	-0.75653	9.6	3.3	630	UK	W-GBIF-15
Chrysopa perla	52.16422	-0.75349	9.7	3.5	617	UK	W-GBIF-15
Chrysopa perla	52.15931	-0.55917	9.8	3.6	597	UK	W-GBIF-15
Chrysopa perla	52.21412	-0.63060	9.6	3.4	617	UK	W-GBIF-15
Chrysopa perla	52.40397	-0.23365	9.6	3.6	556	UK	W-GBIF-15
Chrysopa perla	52.40768	-0.24085	9.6	3.6	556	UK	W-GBIF-15
Chrysopa perla	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Chrysopa perla	52.21906	-0.59238	9.6	3.4	613	UK	W-GBIF-15
Chrysopa perla	52.27240	-0.61707	9.7	3.4	603	UK	W-GBIF-15
Chrysopa perla	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Chrysopa perla	52.41869	-0.28674	9.8	3.7	548	UK	W-GBIF-15
Chrysopa perla	52.21113	-0.68485	9.7	3.5	609	UK	W-GBIF-15
Chrysopa perla	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Chrysopa perla	52.67837	-0.24331	9.8	3.6	565	UK	W-GBIF-15
Chrysopa perla	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
Chrysopa perla	52.21697	-0.06393	9.7	3.5	567	UK	W-GBIF-15
Chrysopa perla	52.35840	-0.16423	9.8	3.6	547	UK	W-GBIF-15
Chrysopa perla	52.21888	-0.07116	9.7	3.5	567	UK	W-GBIF-15
Chrysopa perla	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Chrysopa perla	52.21775	-0.05657	9.7	3.5	567	UK	W-GBIF-15
Chrysopa perla	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Chrysopa perla	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Chrysopa perla	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Chrysopa perla	52.40397	-0.23365	9.6	3.6	556	UK	W-GBIF-15
Chrysopa perla	52.13300	-0.10210	9.6	3.4	585	UK	W-GBIF-15
Chrysopa perla	52.03542	-0.50338	9.8	3.5	619	UK	W-GBIF-15

Chrysopa perla	52.16705	-0.29643	9.9	3.8	564	UK	W-GBIF-15
Chrysopa perla	52.03723	-0.30501	10.0	3.7	591	UK	W-GBIF-15
Chrysopa perla	52.03723	-0.30501	10.0	3.7	591	UK	W-GBIF-15
Chrysopa perla	52.03723	-0.30501	10.0	3.7	591	UK	W-GBIF-15
Chrysopa perla	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Chrysopa perla	52.04184	-0.34494	9.9	3.6	590	UK	W-GBIF-15
Chrysopa perla	52.02596	-0.46725	9.9	3.6	605	UK	W-GBIF-15
Chrysopa pallens	52.03223	-0.30156	10.0	3.7	591	UK	W-GBIF-15
Chrysopa pallens	52.11577	-0.26406	10.0	3.8	571	UK	W-GBIF-15
Chrysopa pallens	52.08606	-0.32360	10.0	3.8	574	UK	W-GBIF-15
Chrysopa phyllochroma	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Chrysopa phyllochroma	52.11577	-0.26406	10.0	3.8	571	UK	W-GBIF-15
Chrysopa phyllochroma	52.08606	-0.32360	10.0	3.8	574	UK	W-GBIF-15
Chrysopa phyllochroma	52.08606	-0.32360	10.0	3.8	574	UK	W-GBIF-15
Chrysopa phyllochroma	52.11577	-0.26406	10.0	3.8	571	UK	W-GBIF-15
Chrysopa phyllochroma	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Chrysopa phyllochroma	52.08606	-0.32360	10.0	3.8	574	UK	W-GBIF-15
Chrysopa perla	52.24596	-0.58567	9.6	3.4	613	UK	W-GBIF-15
Chrysopa perla	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Chrysopa perla	52.22095	-0.63844	9.6	3.4	617	UK	W-GBIF-15
Chrysopa perla	52.18465	-0.61029	9.8	3.6	599	UK	W-GBIF-15
Chrysopa perla	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Chrysopa perla	52.18465	-0.61029	9.8	3.6	599	UK	W-GBIF-15
Chrysopa perla	52.06287	-0.57760	10.0	3.7	601	UK	W-GBIF-15
Chrysopa perla	52.00886	-0.61064	9.8	3.5	626	UK	W-GBIF-15
Chrysopa perla	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Chrysopa perla	52.11577	-0.26406	10.0	3.8	571	UK	W-GBIF-15
Chrysopa perla	52.27454	-0.60748	9.7	3.4	603	UK	W-GBIF-15
Chrysopa pallens	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Chrysopa pallens	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Chrysopa phyllochroma	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Chrysopa phyllochroma	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Chrysopa perla	52.09477	-0.61308	9.7	3.5	619	UK	W-GBIF-15
Chrysopa perla	52.00487	-0.61586	9.8	3.5	626	UK	W-GBIF-15
Chrysopa perla	52.09296	-0.46715	10.0	3.8	578	UK	W-GBIF-15
Chrysopa perla	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15

Chrysopa perla	52.27454	-0.60748	9.7	3.4	603	UK	W-GBIF-15
Chrysopa perla	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Chrysopa perla	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Chrysopa commata	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Chrysopa commata	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
Chrysopa dorsalis	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
Chrysopa pallens	52.90698	0.49769	9.6	3.4	599	UK	W-GBIF-15
Chrysopa commata	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Chrysopa commata	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Chrysopa pallens	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Chrysopa pallens	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Chrysopa commata	52.62366	0.66476	9.4	3.1	607	UK	W-GBIF-15
Chrysopa commata	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
Chrysopa commata	52.07200	0.69964	9.5	3.5	541	UK	W-GBIF-15
Chrysopa commata	52.95379	0.85478	9.8	3.8	628	UK	W-GBIF-15
Chrysopa commata	52.71009	0.29467	9.6	3.5	581	UK	W-GBIF-15
Chrysopa commata	52.71009	0.29467	9.6	3.5	581	UK	W-GBIF-15
Chrysopa commata	52.74295	0.29270	9.6	3.5	581	UK	W-GBIF-15
Chrysopa commata	52.74295	0.29270	9.6	3.5	581	UK	W-GBIF-15
Chrysopa commata	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
Chrysopa commata	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
Chrysopa dorsalis	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
Chrysopa dorsalis	52.97007	0.75530	9.8	3.8	615	UK	W-GBIF-15
Chrysopa commata	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Chrysopa commata	52.95379	0.85478	9.8	3.8	628	UK	W-GBIF-15
Chrysopa commata	52.95379	0.85478	9.8	3.8	628	UK	W-GBIF-15
Chrysopa commata	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Chrysopa commata	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Chrysopa dorsalis	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
Chrysopa commata	52.26066	0.56819	9.3	3.2	557	UK	W-GBIF-15
Chrysopa pallens	52.26066	0.56819	9.3	3.2	557	UK	W-GBIF-15
Chrysopa dorsalis	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
Chrysopa commata	52.26066	0.56819	9.3	3.2	557	UK	W-GBIF-15
Chrysopa perla	52.71795	0.56906	9.5	3.2	598	UK	W-GBIF-15
Chrysopa perla	52.07501	0.45972	9.4	3.4	543	UK	W-GBIF-15
Chrysopa phyllochroma	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15

Chrysopa perla	52.43454	0.57461	9.4	3.3	557	UK	W-GBIF-15
Chrysopa phyllochroma	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
Chrysopa perla	52.51757	0.87432	9.5	3.4	609	UK	W-GBIF-15
Chrysopa perla	52.03007	0.27937	9.4	3.2	585	UK	W-GBIF-15
Chrysopa perla	52.00768	0.10554	9.4	3.2	614	UK	W-GBIF-15
Chrysopa perla	52.25163	0.71054	9.4	3.3	566	UK	W-GBIF-15
Chrysopa perla	52.57328	0.60488	9.5	3.2	585	UK	W-GBIF-15
Chrysopa perla	52.97007	0.75530	9.8	3.8	615	UK	W-GBIF-15
Chrysopa perla	52.69716	0.88611	9.6	3.5	625	UK	W-GBIF-15
Chrysopa perla	52.24258	0.04340	9.7	3.6	555	UK	W-GBIF-15
Chrysopa perla	52.46240	0.67710	9.4	3.2	603	UK	W-GBIF-15
Chrysopa perla	52.29857	0.41269	9.6	3.6	541	UK	W-GBIF-15
Chrysopa perla	52.04693	0.09790	9.6	3.4	586	UK	W-GBIF-15
Chrysopa perla	52.82642	0.91472	9.7	3.6	629	UK	W-GBIF-15
Chrysopa perla	52.36928	0.96092	9.6	3.5	589	UK	W-GBIF-15
Chrysopa perla	52.69716	0.88611	9.6	3.5	625	UK	W-GBIF-15
Chrysopa perla	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
Chrysopa perla	52.29705	0.42067	9.5	3.5	541	UK	W-GBIF-15
Chrysopa perla	52.44688	0.62685	9.3	3.2	584	UK	W-GBIF-15
Chrysopa perla	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
Chrysopa perla	52.36705	0.96004	9.6	3.5	589	UK	W-GBIF-15
Chrysopa phyllochroma	52.26066	0.56819	9.3	3.2	557	UK	W-GBIF-15
Chrysopa perla	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
Chrysopa perla	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
Chrysopa phyllochroma	52.70713	0.44257	9.6	3.3	581	UK	W-GBIF-15
Chrysopa perla	52.77342	0.49819	9.5	3.2	596	UK	W-GBIF-15
Chrysopa phyllochroma	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
Chrysopa perla	52.30577	0.29938	9.7	3.6	539	UK	W-GBIF-15
Chrysopa perla	52.30965	0.28490	9.7	3.6	542	UK	W-GBIF-15
Chrysopa perla	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
Chrysopa perla	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
Chrysopa pallens	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
Chrysopa perla	52.30480	0.34529	9.6	3.6	538	UK	W-GBIF-15
Chrysopa perla	52.21181	0.66200	9.2	3.1	568	UK	W-GBIF-15
Chrysopa commata	52.83087	1.43702	10.5	4.5	632	UK	W-GBIF-15
Chrysopa commata	52.72058	1.51721	10.3	4.5	619	UK	W-GBIF-15

Chrysopa pallens	52.59578	1.32255	10.1	4.1	628	UK	W-GBIF-15
Chrysopa abbreviata	52.60585	1.73173	10.0	4.4	598	UK	W-GBIF-15
Chrysopa commata	52.72200	1.14698	10.1	4.0	631	UK	W-GBIF-15
Chrysopa pallens	52.51391	1.02150	9.7	3.6	612	UK	W-GBIF-15
Chrysopa pallens	52.45544	1.65800	9.9	4.2	595	UK	W-GBIF-15
Chrysopa pallens	52.06117	1.13676	9.9	4.0	560	UK	W-GBIF-15
Chrysopa pallens	52.06117	1.13676	9.9	4.0	560	UK	W-GBIF-15
Chrysopa pallens	52.72415	1.69529	10.1	4.5	613	UK	W-GBIF-15
Chrysopa pallens	52.69211	1.42980	10.3	4.4	624	UK	W-GBIF-15
Chrysopa abbreviata	52.31994	1.67616	9.9	4.2	589	UK	W-GBIF-15
Chrysopa abbreviata	52.31526	1.67374	9.9	4.2	589	UK	W-GBIF-15
Chrysopa perla	52.72188	1.48843	10.4	4.4	622	UK	W-GBIF-15
Chrysopa perla	52.86913	1.19478	10.3	4.2	644	UK	W-GBIF-15
Chrysopa perla	52.71879	1.18304	10.2	4.1	635	UK	W-GBIF-15
Chrysopa perla	52.76104	1.04675	9.9	3.8	637	UK	W-GBIF-15
Chrysopa perla	52.60565	1.44889	10.2	4.3	614	UK	W-GBIF-15
Chrysopa phyllochroma	52.33433	1.00924	9.6	3.5	595	UK	W-GBIF-15
Chrysopa perla	52.61463	1.44959	10.2	4.3	614	UK	W-GBIF-15
Chrysopa perla	52.49740	1.60990	9.9	4.3	595	UK	W-GBIF-15
Chrysopa perla	52.60369	1.02769	9.8	3.7	622	UK	W-GBIF-15
Chrysopa perla	52.59155	1.46993	10.1	4.3	614	UK	W-GBIF-15
Chrysopa perla	52.72200	1.14698	10.1	4.0	631	UK	W-GBIF-15
Chrysopa perla	52.94441	1.20669	10.4	4.2	651	UK	W-GBIF-15
Chrysopa perla	52.06117	1.13676	9.9	4.0	560	UK	W-GBIF-15
Chrysopa perla	52.66543	1.54163	10.1	4.3	614	UK	W-GBIF-15
Chrysopa perla	52.05720	1.28241	10.0	4.2	567	UK	W-GBIF-15
Chrysopa perla	52.61506	1.43485	10.2	4.3	614	UK	W-GBIF-15
Chrysopa perla	52.21407	1.60882	9.8	4.1	589	UK	W-GBIF-15
Chrysopa perla	52.69211	1.42980	10.3	4.4	624	UK	W-GBIF-15
Chrysopa perla	52.59155	1.46993	10.1	4.3	614	UK	W-GBIF-15
Chrysopa abbreviata	52.54040	1.68530	9.9	4.3	597	UK	W-GBIF-15
Chrysopa perla	52.10200	10.34210	8.5	0.6	694	Germany	W-GBIF-14
Chrysopa perla	52.52190	13.39260	9.1	0.0	571	Germany	W-GBIF-14
Chrysopa perla	52.14340	13.39980	9.3	0.3	557	Germany	W-GBIF-14
Chrysopa oculata	53.56000	-114.46900	2.2	-11.8	503	Canada	W-GBIF-12
Chrysopa oculata	53.81900	-114.81700	1.7	-12.4	507	Canada	W-GBIF-12

Chrysopa chi	53.56000	-114.46900	2.2	-11.8	503	Canada	W-GBIF-12
Chrysopa oculata	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
Chrysopa oculata	53.50300	-113.56100	2.9	-11.6	460	Canada	W-GBIF-12
Chrysopa chi	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
Chrysopa chi	53.41900	-113.12400	2.1	-12.6	453	Canada	W-GBIF-12
Chrysopa chi	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
Chrysopa oculata	53.37000	-112.66800	2.0	-12.9	442	Canada	W-GBIF-12
Chrysopa abbreviata	53.48055	-6.10935	9.8	5.5	799	Ireland	W-GBIF-15
Chrysopa abbreviata	53.48080	-6.11034	9.8	5.5	799	Ireland	W-GBIF-16
Chrysopa abbreviata	53.15282	-4.41545	9.9	5.3	919	UK	W-GBIF-15
Chrysopa dorsalis	53.15282	-4.41545	9.9	5.3	919	UK	W-GBIF-15
Chrysopa abbreviata	53.15282	-4.41545	9.9	5.3	919	UK	W-GBIF-15
Chrysopa abbreviata	53.24015	-4.54029	10.0	5.5	874	UK	W-GBIF-15
Chrysopa dorsalis	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Chrysopa abbreviata	53.17885	-4.46182	9.9	5.4	894	UK	W-GBIF-15
Chrysopa abbreviata	53.18783	-4.46233	9.9	5.4	894	UK	W-GBIF-15
Chrysopa abbreviata	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Chrysopa perla	53.25190	-4.17365	9.3	4.4	1005	UK	W-GBIF-15
Chrysopa perla	53.14533	-4.34025	9.9	5.3	923	UK	W-GBIF-15
Chrysopa abbreviata	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Chrysopa perla	53.14533	-4.34025	9.9	5.3	923	UK	W-GBIF-15
Chrysopa dorsalis	53.60349	-3.06343	9.1	3.4	841	UK	W-GBIF-15
Chrysopa pallens	53.20998	-3.05201	9.5	4.3	740	UK	W-GBIF-15
Chrysopa pallens	53.05295	-3.33542	8.3	2.8	966	UK	W-GBIF-15
Chrysopa dorsalis	53.58843	-3.05534	9.1	3.4	841	UK	W-GBIF-15
Chrysopa dorsalis	53.56555	-3.09740	9.2	3.6	818	UK	W-GBIF-15
Chrysopa abbreviata	53.31343	-3.51968	9.4	4.0	797	UK	W-GBIF-15
Chrysopa abbreviata	53.58596	-3.08021	9.1	3.4	841	UK	W-GBIF-15
Chrysopa dorsalis	53.56372	-3.07140	9.2	3.6	825	UK	W-GBIF-15
Chrysopa abbreviata	53.56372	-3.07140	9.2	3.6	825	UK	W-GBIF-15
Chrysopa dorsalis	53.56372	-3.07140	9.2	3.6	825	UK	W-GBIF-15
Chrysopa dorsalis	53.58843	-3.05534	9.1	3.4	841	UK	W-GBIF-15
Chrysopa perla	53.09166	-3.01179	9.0	3.8	788	UK	W-GBIF-15
Chrysopa perla	53.20998	-3.05201	9.5	4.3	740	UK	W-GBIF-15
Chrysopa perla	53.05295	-3.33542	8.3	2.8	966	UK	W-GBIF-15
Chrysopa perla	53.07953	-3.71699	8.3	2.8	1104	UK	W-GBIF-15

Chrysopa perla	53.25594	-3.13859	9.4	4.1	750	UK	W-GBIF-15
Chrysopa perla	53.00163	-3.21684	7.5	1.9	1087	UK	W-GBIF-15
Chrysopa perla	53.34366	-3.34824	9.2	3.9	789	UK	W-GBIF-15
Chrysopa perla	53.56372	-3.07140	9.2	3.6	825	UK	W-GBIF-15
Chrysopa perla	53.58596	-3.08021	9.1	3.4	841	UK	W-GBIF-15
Chrysopa perla	53.06438	-3.09697	7.7	2.1	1022	UK	W-GBIF-15
Chrysopa perla	53.07953	-3.71699	8.3	2.8	1104	UK	W-GBIF-15
Chrysopa perla	53.23336	-3.28109	8.4	3.0	900	UK	W-GBIF-15
Chrysopa perla	53.58843	-3.05534	9.1	3.4	841	UK	W-GBIF-15
Chrysopa perla	53.05630	-3.76830	8.5	3.1	1081	UK	W-GBIF-15
Chrysopa perla	53.18631	-3.82229	9.2	3.9	939	UK	W-GBIF-15
Chrysopa perla	53.06438	-3.09697	7.7	2.1	1022	UK	W-GBIF-15
Chrysopa pallens	53.36140	-2.22542	9.8	4.2	888	UK	W-GBIF-15
Chrysopa commata	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
Chrysopa commata	53.41737	-2.98038	9.3	4.0	813	UK	W-GBIF-15
Chrysopa commata	53.48903	-2.83657	9.3	3.9	884	UK	W-GBIF-15
Chrysopa commata	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Chrysopa pallens	53.44750	-2.97881	9.3	4.0	813	UK	W-GBIF-15
Chrysopa pallens	53.13217	-2.21675	9.3	3.8	843	UK	W-GBIF-15
Chrysopa perla	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Chrysopa perla	53.36140	-2.22542	9.8	4.2	888	UK	W-GBIF-15
Chrysopa perla	53.43741	-2.38390	10.0	4.4	906	UK	W-GBIF-15
Chrysopa perla	53.33579	-2.69013	9.5	4.2	885	UK	W-GBIF-15
Chrysopa perla	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
Chrysopa perla	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
Chrysopa perla	53.39222	-2.55870	9.7	4.3	908	UK	W-GBIF-15
Chrysopa perla	53.39193	-2.61584	9.6	4.2	914	UK	W-GBIF-15
Chrysopa perla	53.05126	-2.21634	8.9	3.3	849	UK	W-GBIF-15
Chrysopa perla	53.36754	-2.63954	9.5	4.2	900	UK	W-GBIF-15
Chrysopa perla	53.47192	-2.70062	9.2	3.9	971	UK	W-GBIF-15
Chrysopa perla	53.35875	-2.82650	9.5	4.3	835	UK	W-GBIF-15
Chrysopa perla	53.36754	-2.63954	9.5	4.2	900	UK	W-GBIF-15
Chrysopa perla	53.55294	-2.37664	9.7	4.0	1051	UK	W-GBIF-15
Chrysopa perla	53.54137	-2.07546	9.3	3.6	1083	UK	W-GBIF-15
Chrysopa perla	53.41821	-2.57559	9.6	4.2	940	UK	W-GBIF-15
Chrysopa perla	53.54137	-2.07546	9.3	3.6	1083	UK	W-GBIF-15

Chrysopa perla	53.36158	-2.07514	9.2	3.6	1029	UK	W-GBIF-15
Chrysopa perla	53.39222	-2.55870	9.7	4.3	908	UK	W-GBIF-15
Chrysopa perla	53.63108	-2.22686	8.4	2.8	1288	UK	W-GBIF-15
Chrysopa perla	53.63108	-2.22686	8.4	2.8	1288	UK	W-GBIF-15
Chrysopa perla	53.28511	-2.14251	9.4	3.8	937	UK	W-GBIF-15
Chrysopa perla	53.45091	-2.37649	10.0	4.4	906	UK	W-GBIF-15
Chrysopa perla	53.62364	-2.86947	9.2	3.6	910	UK	W-GBIF-15
Chrysopa perla	53.58164	-2.39654	9.7	4.0	1051	UK	W-GBIF-15
Chrysopa perla	53.46608	-2.70128	9.2	3.9	971	UK	W-GBIF-15
Chrysopa perla	53.23328	-2.69447	9.0	3.6	876	UK	W-GBIF-15
Chrysopa perla	53.36140	-2.22542	9.8	4.2	888	UK	W-GBIF-15
Chrysopa perla	53.36140	-2.22542	9.8	4.2	888	UK	W-GBIF-15
Chrysopa perla	53.00143	-2.37257	9.1	3.5	773	UK	W-GBIF-15
Chrysopa perla	53.42574	-2.49893	9.8	4.3	922	UK	W-GBIF-15
Chrysopa perla	53.36730	-2.94616	9.5	4.2	800	UK	W-GBIF-15
Chrysopa perla	53.63108	-2.22686	8.4	2.8	1288	UK	W-GBIF-15
Chrysopa perla	53.34428	-2.77139	9.5	4.3	852	UK	W-GBIF-15
Chrysopa perla	53.35709	-2.08265	9.2	3.6	1029	UK	W-GBIF-15
Chrysopa perla	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
Chrysopa perla	53.33824	-2.86591	9.4	4.2	832	UK	W-GBIF-15
Chrysopa perla	53.42797	-2.50423	9.7	4.2	937	UK	W-GBIF-15
Chrysopa perla	53.03344	-2.98507	9.0	3.7	768	UK	W-GBIF-15
Chrysopa perla	53.36610	-2.02254	9.0	3.3	1070	UK	W-GBIF-15
Chrysopa perla	53.40966	-2.47317	9.8	4.3	903	UK	W-GBIF-15
Chrysopa perla	53.34950	-2.65129	9.5	4.2	900	UK	W-GBIF-15
Chrysopa perla	53.43736	-2.39895	10.0	4.4	906	UK	W-GBIF-15
Chrysopa perla	53.39598	-2.52115	9.7	4.3	904	UK	W-GBIF-15
Chrysopa perla	53.36158	-2.07514	9.2	3.6	1029	UK	W-GBIF-15
Chrysopa perla	53.37182	-2.82149	9.5	4.3	835	UK	W-GBIF-15
Chrysopa perla	53.50424	-2.62802	9.4	3.9	981	UK	W-GBIF-15
Chrysopa perla	53.43708	-2.47423	9.8	4.3	922	UK	W-GBIF-15
Chrysopa perla	53.23821	-2.69680	9.0	3.6	876	UK	W-GBIF-15
Chrysopa perla	53.17692	-2.30675	9.5	4.0	823	UK	W-GBIF-15
Chrysopa perla	53.63108	-2.22686	8.4	2.8	1288	UK	W-GBIF-15
Chrysopa perla	53.01992	-2.98923	9.0	3.7	768	UK	W-GBIF-15
Chrysopa perla	53.36436	-2.55533	9.4	4.0	925	UK	W-GBIF-15

Chrysopa perla	53.45034	-2.52708	9.7	4.2	937	UK	W-GBIF-15
Chrysopa perla	53.21150	-2.65144	9.1	3.7	861	UK	W-GBIF-15
Chrysopa perla	53.21150	-2.65144	9.1	3.7	861	UK	W-GBIF-15
Chrysopa perla	53.17991	-2.67341	8.9	3.5	851	UK	W-GBIF-15
Chrysopa dorsalis	53.09205	-2.96401	9.2	4.0	753	UK	W-GBIF-15
Chrysopa perla	53.62840	-2.83176	9.3	3.7	933	UK	W-GBIF-15
Chrysopa perla	53.35761	-2.97675	9.4	4.2	773	UK	W-GBIF-15
Chrysopa perla	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Chrysopa pallens	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Chrysopa perla	53.09189	-2.07467	9.0	3.4	920	UK	W-GBIF-15
Chrysopa perla	53.00143	-2.37257	9.1	3.5	773	UK	W-GBIF-15
Chrysopa perla	53.00199	-2.07451	8.6	3.0	934	UK	W-GBIF-15
Chrysopa perla	53.09170	-2.22401	8.9	3.3	881	UK	W-GBIF-15
Chrysopa commata	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Chrysopa perla	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Chrysopa perla	53.44958	-2.67767	9.4	4.0	934	UK	W-GBIF-15
Chrysopa perla	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
Chrysopa perla	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
Chrysopa pallens	53.53852	-2.83000	9.2	3.7	929	UK	W-GBIF-15
Chrysopa pallens	53.44958	-2.67767	9.4	4.0	934	UK	W-GBIF-15
Chrysopa pallens	53.50822	-1.35910	9.7	4.2	668	UK	W-GBIF-15
Chrysopa pallens	53.44513	-1.32993	9.6	3.9	685	UK	W-GBIF-15
Chrysopa pallens	53.52476	-1.07146	9.6	4.0	602	UK	W-GBIF-15
Chrysopa pallens	53.39188	-1.46612	9.5	4.0	758	UK	W-GBIF-15
Chrysopa pallens	53.44513	-1.32993	9.6	3.9	685	UK	W-GBIF-15
Chrysopa commata	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
Chrysopa commata	53.20284	-1.06196	9.6	3.6	652	UK	W-GBIF-15
Chrysopa pallens	53.34642	-1.36153	9.6	4.0	700	UK	W-GBIF-15
Chrysopa dorsalis	53.27056	-1.47513	9.3	3.7	795	UK	W-GBIF-15
Chrysopa phyllochroma	53.49898	-1.31401	9.7	4.1	667	UK	W-GBIF-15
Chrysopa perla	53.44560	-1.42027	9.5	3.9	742	UK	W-GBIF-15
Chrysopa perla	53.58113	-1.58459	9.2	3.7	838	UK	W-GBIF-15
Chrysopa perla	53.60898	-1.73623	9.1	3.5	917	UK	W-GBIF-15
Chrysopa perla	53.40118	-1.54122	9.2	3.7	821	UK	W-GBIF-15
Chrysopa perla	53.41743	-1.20998	9.3	3.6	695	UK	W-GBIF-15
Chrysopa perla	53.56926	-1.07124	9.6	4.0	600	UK	W-GBIF-15

Chrysopa perla	53.65015	-1.06946	9.6	4.0	599	UK	W-GBIF-15
Chrysopa perla	53.49823	-1.19341	9.5	3.8	653	UK	W-GBIF-15
Chrysopa perla	53.17520	-1.28926	9.2	3.2	745	UK	W-GBIF-15
Chrysopa perla	53.43067	-1.11114	9.7	4.0	610	UK	W-GBIF-15
Chrysopa perla	53.38229	-1.34596	9.7	4.0	690	UK	W-GBIF-15
Chrysopa perla	53.37330	-1.34609	9.6	4.0	700	UK	W-GBIF-15
Chrysopa perla	53.47537	-1.54720	8.9	3.4	866	UK	W-GBIF-15
Chrysopa perla	53.55187	-1.08898	9.6	4.0	603	UK	W-GBIF-15
Chrysopa perla	53.30326	-1.45147	9.2	3.5	793	UK	W-GBIF-15
Chrysopa perla	53.92524	-1.13113	9.3	3.7	616	UK	W-GBIF-15
Chrysopa perla	53.55098	-1.09051	9.6	4.0	603	UK	W-GBIF-15
Chrysopa perla	53.57542	-1.24405	9.4	3.8	653	UK	W-GBIF-15
Chrysopa perla	53.36463	-1.40634	9.3	3.7	756	UK	W-GBIF-15
Chrysopa perla	53.37409	-1.51144	9.1	3.5	840	UK	W-GBIF-15
Chrysopa perla	53.73251	-1.27989	9.5	4.0	628	UK	W-GBIF-15
Chrysopa phyllochroma	53.45034	-1.47292	9.4	3.9	774	UK	W-GBIF-15
Chrysopa perla	53.80701	-1.01283	9.4	3.9	603	UK	W-GBIF-15
Chrysopa perla	53.44560	-1.42027	9.5	3.9	742	UK	W-GBIF-15
Chrysopa perla	53.50047	-1.19261	9.6	3.9	637	UK	W-GBIF-15
Chrysopa perla	53.15731	-1.30451	9.2	3.2	754	UK	W-GBIF-15
Chrysopa perla	53.81495	-1.61266	9.3	3.8	744	UK	W-GBIF-15
Chrysopa perla	53.48203	-1.52527	8.9	3.4	850	UK	W-GBIF-15
Chrysopa perla	53.59567	-1.83302	9.1	3.6	961	UK	W-GBIF-15
Chrysopa perla	53.37383	-1.45131	9.1	3.5	799	UK	W-GBIF-15
Chrysopa perla	53.52476	-1.07146	9.6	4.0	602	UK	W-GBIF-15
Chrysopa perla	53.37915	-1.19942	9.4	3.7	673	UK	W-GBIF-15
Chrysopa perla	53.62583	-1.41705	9.5	4.0	696	UK	W-GBIF-15
Chrysopa perla	53.50887	-1.49481	9.4	3.9	756	UK	W-GBIF-15
Chrysopa perla	53.24917	-1.87260	8.3	2.6	1123	UK	W-GBIF-15
Chrysopa perla	53.42435	-1.39422	9.5	4.0	719	UK	W-GBIF-15
Chrysopa phyllochroma	53.43039	-1.34748	9.7	4.1	684	UK	W-GBIF-15
Chrysopa perla	53.48123	-1.02418	9.6	3.9	596	UK	W-GBIF-15
Chrysopa perla	53.25097	-1.41916	9.5	3.8	757	UK	W-GBIF-15
Chrysopa phyllochroma	53.40934	-1.36059	9.7	4.0	690	UK	W-GBIF-15
Chrysopa perla	53.61631	-1.81329	9.1	3.6	961	UK	W-GBIF-15
Chrysopa perla	53.53852	-1.17000	9.6	3.9	637	UK	W-GBIF-15

Chrysopa perla	53.98293	-1.09256	9.3	3.8	621	UK	W-GBIF-15
Chrysopa perla	53.98293	-1.09256	9.3	3.8	621	UK	W-GBIF-15
Chrysopa perla	53.44521	-1.34499	9.7	4.1	684	UK	W-GBIF-15
Chrysopa perla	53.82954	-1.01990	9.4	3.9	603	UK	W-GBIF-15
Chrysopa perla	53.57970	-1.28249	9.4	3.8	672	UK	W-GBIF-15
Chrysopa perla	53.20081	-1.03206	9.6	3.6	639	UK	W-GBIF-15
Chrysopa perla	53.36611	-1.43413	9.1	3.5	799	UK	W-GBIF-15
Chrysopa perla	53.63628	-1.07809	9.6	4.0	599	UK	W-GBIF-15
Chrysopa perla	53.54375	-1.28310	9.4	3.8	672	UK	W-GBIF-15
Chrysopa perla	53.90094	-1.92390	9.1	3.5	991	UK	W-GBIF-15
Chrysopa perla	53.36045	-1.47403	9.4	3.9	779	UK	W-GBIF-15
Chrysopa perla	53.40323	-1.49230	9.5	4.0	758	UK	W-GBIF-15
Chrysopa perla	53.39850	-1.43821	9.6	4.1	728	UK	W-GBIF-15
Chrysopa perla	53.36308	-1.15087	9.6	3.8	645	UK	W-GBIF-15
Chrysopa perla	53.36308	-1.15087	9.6	3.8	645	UK	W-GBIF-15
Chrysopa perla	53.25670	-1.79087	8.5	2.9	1057	UK	W-GBIF-15
Chrysopa perla	53.16742	-1.26620	9.2	3.2	745	UK	W-GBIF-15
Chrysopa perla	53.33700	-1.28657	9.4	3.7	704	UK	W-GBIF-15
Chrysopa perla	53.54460	-1.08008	9.6	4.0	600	UK	W-GBIF-15
Chrysopa perla	53.60800	-1.14370	9.6	4.0	608	UK	W-GBIF-15
Chrysopa perla	53.77058	-1.90137	8.3	2.7	1106	UK	W-GBIF-15
Chrysopa perla	53.37268	-1.24088	9.4	3.6	692	UK	W-GBIF-15
Chrysopa perla	53.57034	-1.22224	9.4	3.8	653	UK	W-GBIF-15
Chrysopa perla	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
Chrysopa perla	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
Chrysopa perla	53.63757	-1.42748	9.5	4.0	696	UK	W-GBIF-15
Chrysopa perla	53.57114	-1.35815	9.5	4.0	685	UK	W-GBIF-15
Chrysopa perla	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
Chrysopa perla	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
Chrysopa perla	53.54274	-1.13219	9.7	4.0	610	UK	W-GBIF-15
Chrysopa perla	53.41790	-1.28522	9.3	3.6	702	UK	W-GBIF-15
Chrysopa phyllochroma	53.35875	-1.17350	9.4	3.7	675	UK	W-GBIF-15
Chrysopa perla	53.47150	-1.16302	9.6	3.9	627	UK	W-GBIF-15
Chrysopa perla	53.38862	-1.44135	9.6	4.1	728	UK	W-GBIF-15
Chrysopa perla	53.40073	-1.43593	9.6	4.1	728	UK	W-GBIF-15
Chrysopa perla	53.54460	-1.08008	9.6	4.0	600	UK	W-GBIF-15

Chrysopa perla	53.89518	-1.44451	9.2	3.7	684	UK	W-GBIF-15
Chrysopa perla	53.39136	-1.36086	9.7	4.0	690	UK	W-GBIF-15
Chrysopa perla	53.20335	-1.65787	9.2	3.5	871	UK	W-GBIF-15
Chrysopa perla	53.52109	-1.18467	9.6	3.9	637	UK	W-GBIF-15
Chrysopa perla	53.21038	-1.16887	9.6	3.6	675	UK	W-GBIF-15
Chrysopa perla	53.50215	-1.31773	9.7	4.1	658	UK	W-GBIF-15
Chrysopa perla	53.32801	-1.28672	9.3	3.5	718	UK	W-GBIF-15
Chrysopa perla	53.37362	-1.40622	9.3	3.7	756	UK	W-GBIF-15
Chrysopa perla	53.55486	-1.26253	9.4	3.8	672	UK	W-GBIF-15
Chrysopa perla	53.59990	-1.14235	9.6	4.0	608	UK	W-GBIF-15
Chrysopa perla	53.63139	-1.71189	9.4	3.9	857	UK	W-GBIF-15
Chrysopa perla	53.39188	-1.46612	9.5	4.0	758	UK	W-GBIF-15
Chrysopa perla	53.67312	-1.07577	9.5	3.9	599	UK	W-GBIF-15
Chrysopa perla	53.56749	-1.13546	9.7	4.0	610	UK	W-GBIF-15
Chrysopa perla	53.09170	-1.77599	8.5	2.8	992	UK	W-GBIF-15
Chrysopa perla	53.92923	-1.12419	9.3	3.8	615	UK	W-GBIF-15
Chrysopa perla	53.57138	-1.05533	9.6	4.0	600	UK	W-GBIF-15
Chrysopa perla	53.54118	-1.77363	8.0	2.4	1113	UK	W-GBIF-15
Chrysopa perla	53.52678	-1.47951	9.4	3.9	756	UK	W-GBIF-15
Chrysopa perla	53.25805	-1.79761	8.5	2.8	1088	UK	W-GBIF-15
Chrysopa perla	53.71714	-1.01494	9.5	3.9	599	UK	W-GBIF-15
Chrysopa perla	53.61147	-1.25852	9.5	3.9	652	UK	W-GBIF-15
Chrysopa perla	53.57171	-1.09761	9.6	4.0	603	UK	W-GBIF-15
Chrysopa perla	53.36158	-1.92486	8.6	2.9	1128	UK	W-GBIF-15
Chrysopa perla	53.18179	-1.92517	8.0	2.3	1164	UK	W-GBIF-15
Chrysopa perla	53.09170	-1.77599	8.5	2.8	992	UK	W-GBIF-15
Chrysopa perla	53.09189	-1.92533	8.2	2.5	1080	UK	W-GBIF-15
Chrysopa perla	53.00199	-1.92549	8.8	3.2	917	UK	W-GBIF-15
Chrysopa perla	53.18179	-1.92517	8.0	2.3	1164	UK	W-GBIF-15
Chrysopa phyllochroma	53.49430	-1.24781	9.5	3.8	661	UK	W-GBIF-15
Chrysopa pallens	53.92976	-0.81877	9.4	3.9	644	UK	W-GBIF-15
Chrysopa pallens	53.71062	-0.40896	9.6	3.9	655	UK	W-GBIF-15
Chrysopa pallens	53.50771	-0.96627	9.7	3.9	586	UK	W-GBIF-15
Chrysopa commata	53.34121	-0.71568	9.6	3.8	596	UK	W-GBIF-15
Chrysopa commata	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
Chrysopa commata	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15

Chrysopa commata	53.26320	-0.57557	9.4	3.6	603	UK	W-GBIF-15
Chrysopa commata	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
Chrysopa commata	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
Chrysopa pallens	53.28185	-0.19315	9.3	3.3	624	UK	W-GBIF-15
Chrysopa pallens	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
Chrysopa perla	53.48056	-0.34975	9.4	3.5	630	UK	W-GBIF-15
Chrysopa perla	53.54378	-0.87785	9.6	3.9	593	UK	W-GBIF-15
Chrysopa perla	53.64817	-0.13137	9.6	3.8	659	UK	W-GBIF-15
Chrysopa perla	53.49585	-0.94545	9.7	3.9	587	UK	W-GBIF-15
Chrysopa perla	53.56266	-0.87886	9.6	3.9	593	UK	W-GBIF-15
Chrysopa perla	53.82004	-0.19970	9.6	3.9	690	UK	W-GBIF-15
Chrysopa perla	53.56176	-0.87888	9.6	3.9	593	UK	W-GBIF-15
Chrysopa perla	53.77799	-0.66216	9.5	3.9	634	UK	W-GBIF-15
Chrysopa phyllochroma	53.77799	-0.66216	9.5	3.9	634	UK	W-GBIF-15
Chrysopa perla	53.50017	-0.83075	9.5	3.8	599	UK	W-GBIF-15
Chrysopa perla	53.90965	-0.92668	9.4	3.8	618	UK	W-GBIF-15
Chrysopa perla	53.91396	-0.85729	9.4	3.9	627	UK	W-GBIF-15
Chrysopa perla	53.46912	-0.92276	9.7	3.9	587	UK	W-GBIF-15
Chrysopa perla	53.72374	-0.41528	9.6	3.9	655	UK	W-GBIF-15
Chrysopa perla	53.26255	-0.28693	9.5	3.4	608	UK	W-GBIF-15
Chrysopa perla	53.60929	-0.61005	9.4	3.7	629	UK	W-GBIF-15
Chrysopa perla	53.77110	-0.39377	9.6	3.9	659	UK	W-GBIF-15
Chrysopa perla	53.80413	-0.70916	9.5	3.9	629	UK	W-GBIF-15
Chrysopa perla	53.62267	-0.56349	9.5	3.8	625	UK	W-GBIF-15
Chrysopa perla	53.53086	-0.94005	9.7	3.9	588	UK	W-GBIF-15
Chrysopa perla	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
Chrysopa perla	53.72131	-0.97695	9.5	3.9	600	UK	W-GBIF-15
Chrysopa perla	53.77200	-0.39374	9.6	3.9	659	UK	W-GBIF-15
Chrysopa perla	53.19595	-0.62945	9.6	3.7	586	UK	W-GBIF-15
Chrysopa perla	53.56899	-0.88171	9.6	3.9	593	UK	W-GBIF-15
Chrysopa perla	53.84123	-0.46253	9.4	3.9	682	UK	W-GBIF-15
Chrysopa perla	53.34910	-0.27220	9.3	3.3	627	UK	W-GBIF-15
Chrysopa perla	53.15449	-0.15513	9.6	3.4	602	UK	W-GBIF-15
Chrysopa pallens	53.58190	-0.94416	9.6	3.9	591	UK	W-GBIF-15
Chrysopa pallens	53.25190	0.17365	9.7	3.6	616	UK	W-GBIF-15
Chrysopa pallens	53.63585	0.12757	9.7	3.8	664	UK	W-GBIF-15

Chrysopa pallens	53.34173	0.17821	9.7	3.6	625	UK	W-GBIF-15
Chrysopa commata	53.44517	0.17597	9.7	3.7	634	UK	W-GBIF-15
Chrysopa pallens	53.25190	0.17365	9.7	3.6	616	UK	W-GBIF-15
Chrysopa perla	53.34438	0.02810	9.5	3.4	635	UK	W-GBIF-15
Chrysopa perla	53.63585	0.12757	9.7	3.8	664	UK	W-GBIF-15
Chrysopa perla	53.34173	0.17821	9.7	3.6	625	UK	W-GBIF-15
Chrysopa perla	53.25190	0.17365	9.7	3.6	616	UK	W-GBIF-15
Chrysopa perla	53.25190	0.17365	9.7	3.6	616	UK	W-GBIF-15
Chrysopa commata	53.47810	0.10810	9.7	3.7	639	UK	W-GBIF-15
Chrysopa perla	53.54100	8.58106	8.8	1.5	762	Germany	W-GBIF-14
Chrysopa perla	53.70340	9.63687	8.5	0.7	763	Germany	W-GBIF-14
Chrysopa perla	53.70650	9.63654	8.5	0.7	763	Germany	W-GBIF-14
Chrysopa perla	53.45840	9.69864	8.6	0.7	740	Germany	W-GBIF-14
Chrysopa perla	53.64350	9.78507	8.5	0.7	760	Germany	W-GBIF-14
Chrysopa perla	53.31850	10.90630	8.7	0.6	612	Germany	W-GBIF-14
Chrysopa perla	53.90050	11.45370	8.5	0.7	610	Germany	W-GBIF-14
Chrysopa chi	54.91600	-114.16600	0.8	-15.1	509	Canada	W-GBIF-12
Chrysopa chi	54.53900	-114.09100	1.6	-13.5	493	Canada	W-GBIF-12
Chrysopa perla	54.04753	-4.82614	8.6	3.9	965	UK	W-GBIF-15
Chrysopa abbreviata	54.17109	-3.22946	8.8	3.0	966	UK	W-GBIF-15
Chrysopa abbreviata	54.17021	-3.22790	8.8	3.0	966	UK	W-GBIF-15
Chrysopa abbreviata	54.34154	-3.46147	8.7	3.1	957	UK	W-GBIF-15
Chrysopa perla	54.97389	-3.17183	8.7	3.3	931	UK	W-GBIF-15
Chrysopa perla	54.30544	-3.09359	8.2	2.5	1070	UK	W-GBIF-15
Chrysopa perla	54.88543	-3.01336	8.5	2.9	858	UK	W-GBIF-15
Chrysopa perla	54.97389	-3.17183	8.7	3.3	931	UK	W-GBIF-15
Chrysopa perla	54.52732	-3.44878	7.7	2.2	1128	UK	W-GBIF-15
Chrysopa perla	54.88543	-3.01336	8.5	2.9	858	UK	W-GBIF-15
Chrysopa pallens	54.91997	-3.17026	8.8	3.3	916	UK	W-GBIF-15
Chrysopa perla	54.88517	-3.04453	8.6	2.9	881	UK	W-GBIF-15
Chrysopa perla	54.16423	-3.24075	8.7	2.9	978	UK	W-GBIF-15
Chrysopa abbreviata	54.16423	-3.24075	8.7	2.9	978	UK	W-GBIF-15
Chrysopa abbreviata	54.14594	-3.27082	8.8	3.1	950	UK	W-GBIF-15
Chrysopa abbreviata	54.16423	-3.24075	8.7	2.9	978	UK	W-GBIF-15
Chrysopa perla	54.64813	-3.37944	8.3	2.8	1036	UK	W-GBIF-15
Chrysopa perla	54.88517	-3.04453	8.6	2.9	881	UK	W-GBIF-15

Chrysopa pallens	54.50251	-3.52899	8.3	2.8	1029	UK	W-GBIF-15
Chrysopa pallens	54.20015	-2.68222	8.2	2.5	1251	UK	W-GBIF-15
Chrysopa perla	54.64072	-2.73529	8.1	2.3	984	UK	W-GBIF-15
Chrysopa perla	54.33441	-2.77673	8.4	2.6	1150	UK	W-GBIF-15
Chrysopa perla	54.32532	-2.79194	8.7	2.9	1111	UK	W-GBIF-15
Chrysopa perla	54.85442	-2.95805	8.4	2.7	863	UK	W-GBIF-15
Chrysopa perla	54.27986	-2.86787	8.3	2.6	1150	UK	W-GBIF-15
Chrysopa perla	54.88663	-2.85748	8.5	2.8	832	UK	W-GBIF-15
Chrysopa perla	54.92859	-2.95591	8.5	2.8	824	UK	W-GBIF-15
Chrysopa perla	54.19960	-2.77420	8.7	3.0	1139	UK	W-GBIF-15
Chrysopa perla	54.99259	-2.32044	7.9	2.4	819	UK	W-GBIF-15
Chrysopa perla	54.61882	-2.54207	8.2	2.5	992	UK	W-GBIF-15
Chrysopa perla	54.90834	-2.95933	8.5	2.8	835	UK	W-GBIF-15
Chrysopa perla	54.94780	-2.25763	7.4	1.9	897	UK	W-GBIF-15
Chrysopa perla	54.94618	-2.67918	8.0	2.3	901	UK	W-GBIF-15
Chrysopa perla	54.99294	-2.13287	8.1	2.7	757	UK	W-GBIF-15
Chrysopa perla	54.79677	-2.85557	8.2	2.5	895	UK	W-GBIF-15
Chrysopa perla	54.99295	-2.11724	8.3	2.9	727	UK	W-GBIF-15
Chrysopa perla	54.89226	-2.67828	7.5	1.8	991	UK	W-GBIF-15
Chrysopa perla	54.18663	-2.68966	8.2	2.5	1251	UK	W-GBIF-15
Chrysopa pallens	54.18663	-2.68966	8.2	2.5	1251	UK	W-GBIF-15
Chrysopa perla	54.76037	-2.91697	8.1	2.4	948	UK	W-GBIF-15
Chrysopa perla	54.76037	-2.91697	8.1	2.4	948	UK	W-GBIF-15
Chrysopa perla	54.72465	-2.88511	7.7	2.0	1015	UK	W-GBIF-15
Chrysopa perla	54.76037	-2.91697	8.1	2.4	948	UK	W-GBIF-15
Chrysopa perla	54.90391	-2.95143	8.6	2.8	825	UK	W-GBIF-15
Chrysopa perla	54.76037	-2.91697	8.1	2.4	948	UK	W-GBIF-15
Chrysopa perla	54.92188	-2.95185	8.5	2.8	824	UK	W-GBIF-15
Chrysopa perla	54.65360	-2.75955	8.0	2.3	996	UK	W-GBIF-15
Chrysopa perla	54.88781	-2.67041	7.5	1.8	991	UK	W-GBIF-15
Chrysopa perla	54.76037	-2.91697	8.1	2.4	948	UK	W-GBIF-15
Chrysopa perla	54.32987	-2.78433	8.2	2.5	1188	UK	W-GBIF-15
Chrysopa perla	54.94173	-2.67130	8.0	2.3	901	UK	W-GBIF-15
Chrysopa perla	54.90391	-2.95143	8.6	2.8	825	UK	W-GBIF-15
Chrysopa perla	54.67002	-2.97697	7.5	1.8	1094	UK	W-GBIF-15
Chrysopa perla	54.83314	-2.79406	8.0	2.3	925	UK	W-GBIF-15

Chrysopa pallens	54.91868	-1.78702	8.1	2.8	697	UK	W-GBIF-15
Chrysopa pallens	54.91868	-1.78702	8.1	2.8	697	UK	W-GBIF-15
Chrysopa perla	54.05724	-1.50346	9.1	3.6	705	UK	W-GBIF-15
Chrysopa perla	54.90296	-1.78945	8.2	2.9	694	UK	W-GBIF-15
Chrysopa perla	54.80230	-1.30767	8.7	3.5	671	UK	W-GBIF-15
Chrysopa perla	54.16708	-1.01883	9.1	3.6	672	UK	W-GBIF-15
Chrysopa perla	54.07664	-1.00645	9.3	3.8	636	UK	W-GBIF-15
Chrysopa perla	54.07664	-1.00645	9.3	3.8	636	UK	W-GBIF-15
Chrysopa perla	54.24821	-1.04761	8.9	3.5	688	UK	W-GBIF-15
Chrysopa perla	54.92090	-1.77375	8.1	2.8	697	UK	W-GBIF-15
Chrysopa perla	54.25456	-1.05514	8.5	3.1	725	UK	W-GBIF-15
Chrysopa perla	54.91194	-1.78940	8.2	2.9	694	UK	W-GBIF-15
Chrysopa perla	54.92979	-1.72688	8.4	3.1	672	UK	W-GBIF-15
Chrysopa perla	54.29128	-1.59284	9.0	3.5	703	UK	W-GBIF-15
Chrysopa perla	54.93874	-1.71121	8.4	3.1	672	UK	W-GBIF-15
Chrysopa perla	54.93878	-1.72682	8.4	3.1	672	UK	W-GBIF-15
Chrysopa perla	54.97498	-1.88282	8.4	3.0	681	UK	W-GBIF-15
Chrysopa perla	54.25290	-1.13270	8.4	3.0	724	UK	W-GBIF-15
Chrysopa perla	54.26049	-1.12716	8.4	3.0	724	UK	W-GBIF-15
Chrysopa perla	54.89397	-1.78949	8.2	2.9	694	UK	W-GBIF-15
Chrysopa perla	54.83958	-1.60291	8.5	3.3	658	UK	W-GBIF-15
Chrysopa perla	54.84020	-1.91435	7.9	2.5	749	UK	W-GBIF-15
Chrysopa perla	54.84020	-1.91435	7.9	2.5	749	UK	W-GBIF-15
Chrysopa perla	54.91201	-1.83620	8.2	2.8	703	UK	W-GBIF-15
Chrysopa perla	54.91201	-1.83620	8.2	2.8	703	UK	W-GBIF-15
Chrysopa pallens	54.93460	-1.84546	7.9	2.5	734	UK	W-GBIF-15
Chrysopa perla	54.15649	-0.47614	9.1	3.8	792	UK	W-GBIF-15
Chrysopa perla	54.27497	-0.61001	8.6	3.2	832	UK	W-GBIF-15
Chrysopa perla	54.00888	-0.91573	9.3	3.9	643	UK	W-GBIF-15
Chrysopa perla	54.25867	-0.76410	9.0	3.6	742	UK	W-GBIF-15
Chrysopa perla	54.08868	-0.84561	9.2	3.8	675	UK	W-GBIF-15
Chrysopa perla	54.13615	-0.78229	9.4	4.0	683	UK	W-GBIF-15
Chrysopa perla	54.09490	-0.70551	8.9	3.5	737	UK	W-GBIF-15
Chrysopa perla	54.05232	-0.67475	8.7	3.3	748	UK	W-GBIF-15
Chrysopa perla	54.05101	-0.67861	8.7	3.3	748	UK	W-GBIF-15
Chrysopa perla	54.30245	-0.65520	8.5	3.2	832	UK	W-GBIF-15

Chrysopa perla	54.24950	-0.79123	9.3	4.0	701	UK	W-GBIF-15
Chrysopa perla	54.28889	-0.77472	9.0	3.6	742	UK	W-GBIF-15
Chrysopa perla	54.07813	-0.69303	8.7	3.3	748	UK	W-GBIF-15
Chrysopa perla	54.12110	-0.93050	9.1	3.6	671	UK	W-GBIF-15
Chrysopa perla	54.82120	8.86255	8.1	1.1	834	Germany	W-GBIF-14
Chrysopa dorsalis	54.78650	18.40777	7.4	-1.0	587	Poland	W-GBIF-2
Chrysopa dorsalis	54.78650	18.40777	7.4	-1.0	587	Poland	W-GBIF-2
Chrysopa pallens	54.04250	21.76945	6.7	-4.8	666	Poland	W-GBIF-2
Chrysopa pallens	54.04250	21.76945	6.7	-4.8	666	Poland	W-GBIF-2
Chrysopa oculata	55.21000	-119.43000	1.9	-12.0	485	Canada	W-GBIF-12
Chrysopa chi	55.21000	-119.43000	1.9	-12.0	485	Canada	W-GBIF-12
Chrysopa perla	55.87030	-4.29364	8.6	3.4	1178	UK	W-GBIF-15
Chrysopa perla	55.14727	-4.18840	7.9	2.6	1334	UK	W-GBIF-15
Chrysopa perla	55.51893	-4.33653	7.7	2.4	1233	UK	W-GBIF-15
Chrysopa perla	55.61916	-4.70785	8.4	3.1	1208	UK	W-GBIF-15
Chrysopa perla	55.59908	-4.65962	8.4	3.1	1188	UK	W-GBIF-15
Chrysopa perla	55.60902	-4.32600	7.6	2.3	1269	UK	W-GBIF-15
Chrysopa perla	55.97462	-3.50240	8.3	3.0	801	UK	W-GBIF-15
Chrysopa perla	55.67508	-2.57964	7.7	2.1	793	UK	W-GBIF-15
Chrysopa perla	55.02831	-1.60105	8.5	3.3	663	UK	W-GBIF-15
Chrysopa perla	55.02831	-1.60105	8.5	3.3	663	UK	W-GBIF-15
Chrysopa perla	55.02887	-1.85137	8.1	2.8	701	UK	W-GBIF-15
Chrysopa perla	55.52650	13.90090	7.8	0.4	612	Sweden	W-GBIF-17
Chrysopa perla	55.57880	13.25220	7.8	0.4	653	Sweden	W-GBIF-17
Chrysopa perla	55.77490	14.12010	7.5	0.1	621	Sweden	W-GBIF-17
Chrysopa pallens	56.93240	18.28740	7.5	-0.2	511	Sweden	W-GBIF-17
Chrysopa pallens	56.51667	21.06398	6.8	-2.2	691	Latvia	W-GBIF-2
Chrysopa pallens	56.51667	21.06398	6.8	-2.2	691	Latvia	W-GBIF-2
Chrysopa	57.43876	-4.16014	6.9	0.9	877	UK	W-GBIF-15
Chrysopa perla	57.08970	13.77820	6.4	-1.7	780	Sweden	W-GBIF-17
Chrysopa perla	59.59102	8.55281	2.0	-6.4	880	Norway	W-GBIF-18
Chrysopa perla	59.11351	9.36935	6.0	-2.1	800	Norway	W-GBIF-19
Chrysopa perla	59.08811	9.81756	6.6	-1.5	758	Norway	W-GBIF-19
Chrysopa perla	59.83299	10.84376	5.4	-3.9	789	Norway	W-GBIF-19
Chrysopa perla	59.91500	10.68912	6.4	-3.2	733	Norway	W-GBIF-19
Chrysopa perla	59.93982	10.57046	5.5	-4.1	754	Norway	W-GBIF-19

Chrysopa perla	59.89431	10.60293	6.3	-3.3	728	Norway	W-GBIF-18
Chrysopa perla	59.84115	10.41839	5.5	-4.0	754	Norway	W-GBIF-18
Chrysopa perla	59.59061	10.08946	5.0	-3.9	773	Norway	W-GBIF-18
Chrysopa perla	59.53759	10.10782	6.3	-2.5	730	Norway	W-GBIF-18
Chrysopa perla	59.53790	10.09945	6.3	-2.5	730	Norway	W-GBIF-18
Chrysopa perla	59.43506	10.42796	6.8	-1.7	733	Norway	W-GBIF-18
Chrysopa perla	59.60425	10.45695	6.0	-2.9	758	Norway	W-GBIF-18
Chrysopa perla	59.54278	10.10228	6.3	-2.6	726	Norway	W-GBIF-18
Chrysopa perla	59.37241	10.97981	6.5	-2.1	773	Norway	W-GBIF-18
Chrysopa perla	59.56240	15.54870	5.8	-3.3	647	Sweden	W-GBIF-17
Chrysopa perla	60.87974	7.33571	0.7	-6.7	1354	Norway	W-GBIF-18
Chrysopa perla	60.43198	9.36161	2.7	-8.1	689	Norway	W-GBIF-18
Chrysopa perla	60.01248	10.78917	4.6	-5.0	788	Norway	W-GBIF-19
Chrysopa perla	60.01248	10.78917	4.6	-5.0	788	Norway	W-GBIF-19
Chrysopa perla	60.01248	10.78917	4.6	-5.0	788	Norway	W-GBIF-19
Chrysopa perla	60.43045	10.89386	2.7	-7.4	750	Norway	W-GBIF-19
Chrysopa perla	60.91029	10.74153	4.1	-6.4	589	Norway	W-GBIF-19
Chrysopa perla	60.81411	10.12131	3.8	-6.9	650	Norway	W-GBIF-18
Chrysopa perla	60.02791	11.45055	4.6	-5.1	801	Norway	W-GBIF-19
Chrysopa perla	61.32792	12.23355	2.2	-8.1	618	Norway	W-GBIF-19
Chrysopa perla	61.29770	16.54840	3.7	-6.8	647	Sweden	W-GBIF-17
chrysopa sp.	61.09560	26.24600	3.9	-7.2	642	Finland	W-GBIF-20
Chrysopa sp	61.17010	28.68410	3.9	-7.4	674	Finland	W-GBIF-20
Chrysopa perla	62.57996	7.78956	3.7	-2.7	1047	Norway	W-GBIF-18
Chrysopa perla	62.57996	7.78956	3.7	-2.7	1047	Norway	W-GBIF-18
Chrysopa perla	62.56142	7.56151	5.8	-0.3	1053	Norway	W-GBIF-18
Chrysopa perla	62.58174	7.81359	5.2	-1.4	983	Norway	W-GBIF-18
Chrysopa perla	62.58897	7.81915	3.1	-3.3	1071	Norway	W-GBIF-18
Chrysopa perla	62.57048	7.86269	5.4	-1.3	965	Norway	W-GBIF-18
Chrysopa perla	62.75063	7.26926	5.7	0.2	1280	Norway	W-GBIF-18
Chrysopa perla	62.42450	8.31523	1.1	-6.1	955	Norway	W-GBIF-18
Chrysopa perla	62.42450	8.31523	1.1	-6.1	955	Norway	W-GBIF-18
Chrysopa perla	62.47729	8.18237	2.8	-4.3	950	Norway	W-GBIF-18
Chrysopa perla	62.96690	17.60610	2.7	-8.3	646	Sweden	W-GBIF-17
Chrysopa perla	63.41390	14.55980	3.0	-7.0	561	Sweden	W-GBIF-17
Chrysopa perla	63.84590	20.11430	2.5	-9.0	576	Sweden	W-GBIF-17

Chrysopa perla	63.83210	20.18340	2.7	-8.7	573	Sweden	W-GBIF-17
Chrysopa perla	63.83210	20.18340	2.7	-8.7	573	Sweden	W-GBIF-17
Chrysopa abbreviata	63.83000	20.16470	2.5	-8.9	583	Sweden	W-GBIF-17
Chrysopa perla	63.83210	20.18340	2.7	-8.7	573	Sweden	W-GBIF-17
Chrysopa abbreviata	63.89040	20.15780	2.3	-9.1	582	Sweden	W-GBIF-17
Chrysopa perla	65.71430	21.80240	1.2	-10.8	492	Sweden	W-GBIF-17
Chrysopa abbreviata	65.49740	22.36290	1.5	-10.3	501	Sweden	W-GBIF-17
Chrysopa pallens	65.50060	22.34900	1.5	-10.4	500	Sweden	W-GBIF-17
Chrysopa chi	51.16667	-115.56667	1.4	-9.4	524	Canada	Garland & MacKevan 2007
Chrysopa chi	55.21667	-119.43333	1.9	-12.0	485	Canada	Garland & MacKevan 2007
Chrysopa chi	51.05000	-114.08333	3.3	-8.4	436	Canada	Garland & MacKevan 2007
Chrysopa chi	50.03333	-113.58333	4.2	-7.1	436	Canada	Garland & MacKevan 2007
Chrysopa chi	53.41667	-113.13333	2.1	-12.5	455	Canada	Garland & MacKevan 2007
Chrysopa chi	52.20000	-113.23333	2.4	-11.8	426	Canada	Garland & MacKevan 2007
Chrysopa chi	57.45000	-119.90000	-1.3	-17.9	445	Canada	Garland & MacKevan 2007
Chrysopa chi	53.36667	-113.73333	2.7	-11.8	472	Canada	Garland & MacKevan 2007
Chrysopa chi	53.55000	-113.46667	2.8	-11.7	456	Canada	Garland & MacKevan 2007
Chrysopa chi	54.53333	-114.08333	1.6	-13.5	493	Canada	Garland & MacKevan 2007
Chrysopa chi	55.16667	-118.80000	1.5	-13.5	471	Canada	Garland & MacKevan 2007
Chrysopa chi	52.46667	-113.95000	2.1	-11.6	470	Canada	Garland & MacKevan 2007
Chrysopa chi	55.43333	-116.48333	0.8	-14.9	472	Canada	Garland & MacKevan 2007
Chrysopa chi	56.25000	-118.60000	1.4	-14.0	438	Canada	Garland & MacKevan 2007
Chrysopa chi	51.01667	-115.06667	0.9	-10.5	590	Canada	Garland & MacKevan 2007
Chrysopa chi	54.76667	-111.96667	1.5	-14.3	457	Canada	Garland & MacKevan 2007
Chrysopa chi	49.70000	-112.81667	5.3	-6.8	395	Canada	Garland & MacKevan 2007
Chrysopa chi	55.75000	-118.71667	1.8	-13.5	443	Canada	Garland & MacKevan 2007
Chrysopa chi	51.10000	-115.06667	2.0	-9.8	554	Canada	Garland & MacKevan 2007
Chrysopa chi	53.55000	-114.46667	2.2	-11.8	503	Canada	Garland & MacKevan 2007
Chrysopa chi	49.08333	-113.86667	3.6	-6.4	569	Canada	Garland & MacKevan 2007
Chrysopa chi	52.96667	-113.36667	2.3	-12.1	452	Canada	Garland & MacKevan 2007
Chrysopa chi	49.23333	-121.76667	10.2	3.1	1725	Canada	Garland & MacKevan 2007
Chrysopa chi	51.18333	-120.11667	6.7	-4.6	451	Canada	Garland & MacKevan 2007
Chrysopa chi	50.05000	-117.20000	1.3	-7.8	869	Canada	Garland & MacKevan 2007
Chrysopa chi	46.26667	-122.95000	10.7	4.7	1326	Canada	Garland & MacKevan 2007
Chrysopa chi	51.08333	-121.58333	3.6	-6.4	403	Canada	Garland & MacKevan 2007
Chrysopa chi	49.28333	-122.75000	9.8	3.1	1483	Canada	Garland & MacKevan 2007

Chrysopa chi	52.48333	-121.73333	3.1	-7.4	684	Canada	Garland & MacKevan 2007
Chrysopa chi	50.00000	-122.75000	0.2	-7.2	944	Canada	Garland & MacKevan 2007
Chrysopa chi	55.25000	-127.66667	4.3	-7.0	544	Canada	Garland & MacKevan 2007
Chrysopa chi	50.66667	-120.31667	8.0	-3.2	313	Canada	Garland & MacKevan 2007
Chrysopa chi	49.91667	-116.91667	6.4	-3.2	792	Canada	Garland & MacKevan 2007
Chrysopa chi	54.60000	-128.41667	5.5	-4.0	1191	Canada	Garland & MacKevan 2007
Chrysopa chi	54.38333	-128.51667	6.1	-3.0	1517	Canada	Garland & MacKevan 2007
Chrysopa chi	59.42778	-126.10417	-1.5	-17.9	471	Canada	Garland & MacKevan 2007
Chrysopa chi	49.12639	-122.09306	9.6	2.5	1632	Canada	Garland & MacKevan 2007
Chrysopa chi	49.13333	-122.61667	9.6	3.1	1455	Canada	Garland & MacKevan 2007
Chrysopa chi	49.13333	-122.30000	9.4	2.7	1775	Canada	Garland & MacKevan 2007
Chrysopa chi	49.21667	-122.91667	9.8	3.3	1423	Canada	Garland & MacKevan 2007
Chrysopa chi	50.16667	-120.66667	5.6	-4.9	341	Canada	Garland & MacKevan 2007
Chrysopa chi	55.71667	-120.13333	1.6	-13.0	483	Canada	Garland & MacKevan 2007
Chrysopa chi	53.00000	-122.50000	4.9	-6.9	534	Canada	Garland & MacKevan 2007
Chrysopa chi	55.90000	-120.13333	1.4	-13.5	473	Canada	Garland & MacKevan 2007
Chrysopa chi	49.11667	-120.86667	2.0	-7.1	745	Canada	Garland & MacKevan 2007
Chrysopa chi	50.83333	-118.98333	6.9	-3.8	730	Canada	Garland & MacKevan 2007
Chrysopa chi	49.53333	-117.65000	6.3	-3.5	790	Canada	Garland & MacKevan 2007
Chrysopa chi	52.35000	-122.28333	4.8	-6.8	437	Canada	Garland & MacKevan 2007
Chrysopa chi	54.51667	-128.60000	6.3	-3.0	1442	Canada	Garland & MacKevan 2007
Chrysopa chi	50.40000	-118.91667	5.2	-5.0	623	Canada	Garland & MacKevan 2007
Chrysopa chi	49.25000	-123.11667	10.0	3.5	1291	Canada	Garland & MacKevan 2007
Chrysopa chi	48.46667	-123.46667	9.3	4.3	942	Canada	Garland & MacKevan 2007
Chrysopa chi	50.25833	-119.26667	7.4	-3.5	448	Canada	Garland & MacKevan 2007
Chrysopa chi	49.40000	-117.65000	6.5	-3.4	780	Canada	Garland & MacKevan 2007
Chrysopa chi	49.70861	-99.60278	2.5	-15.1	450	Canada	Garland & MacKevan 2007
Chrysopa chi	49.86889	-99.35944	2.3	-15.3	460	Canada	Garland & MacKevan 2007
Chrysopa chi	53.32917	-100.16889	0.4	-17.8	465	Canada	Garland & MacKevan 2007
Chrysopa chi	51.14944	-100.04944	1.9	-15.5	496	Canada	Garland & MacKevan 2007
Chrysopa chi	51.49972	-101.16667	0.4	-17.0	488	Canada	Garland & MacKevan 2007
Chrysopa chi	49.68639	-95.32611	2.1	-15.8	561	Canada	Garland & MacKevan 2007
Chrysopa chi	49.63556	-97.13500	2.4	-15.7	513	Canada	Garland & MacKevan 2007
Chrysopa chi	50.08306	-96.94444	2.0	-16.3	521	Canada	Garland & MacKevan 2007
Chrysopa chi	49.40000	-99.63000	2.6	-14.7	450	Canada	Garland & MacKevan 2007
Chrysopa chi	49.98556	-95.52194	2.0	-15.8	544	Canada	Garland & MacKevan 2007

Chrysopa chi	49.85278	-95.55278	2.0	-15.8	543	Canada	Garland & MacKevan 2007
Chrysopa chi	50.88333	-100.25000	0.9	-16.4	511	Canada	Garland & MacKevan 2007
Chrysopa chi	49.80556	-99.64111	2.3	-15.3	455	Canada	Garland & MacKevan 2007
Chrysopa chi	49.63611	-99.60944	2.7	-14.9	448	Canada	Garland & MacKevan 2007
Chrysopa chi	49.84139	-97.15000	2.1	-16.0	518	Canada	Garland & MacKevan 2007
Chrysopa chi	49.88444	-97.14639	2.1	-16.0	520	Canada	Garland & MacKevan 2007
Chrysopa chi	45.94528	-66.66667	5.2	-8.1	1101	Canada	Garland & MacKevan 2007
Chrysopa chi	46.85833	-64.97500	5.0	-8.0	1143	Canada	Garland & MacKevan 2007
Chrysopa chi	45.25917	-66.03889	6.0	-5.0	1299	Canada	Garland & MacKevan 2007
Chrysopa chi	47.62778	-52.96389	5.1	-3.3	1399	Canada	Garland & MacKevan 2007
Chrysopa chi	49.01667	-55.48333	4.6	-6.0	1033	Canada	Garland & MacKevan 2007
Chrysopa chi	48.38333	-53.90000	4.7	-4.2	1141	Canada	Garland & MacKevan 2007
Chrysopa chi	49.16667	-57.43333	4.4	-5.9	1056	Canada	Garland & MacKevan 2007
Chrysopa chi	48.65000	-53.75000	4.6	-4.3	1087	Canada	Garland & MacKevan 2007
Chrysopa chi	49.08278	-55.32500	4.5	-6.0	1037	Canada	Garland & MacKevan 2007
Chrysopa chi	48.96833	-54.59250	4.1	-5.6	1125	Canada	Garland & MacKevan 2007
Chrysopa chi	48.98333	-54.88333	4.4	-5.7	1107	Canada	Garland & MacKevan 2007
Chrysopa chi	47.38333	-53.13333	5.1	-3.1	1406	Canada	Garland & MacKevan 2007
Chrysopa chi	47.85000	-59.35000	4.0	-5.1	1367	Canada	Garland & MacKevan 2007
Chrysopa chi	47.51667	-52.78333	4.9	-3.4	1497	Canada	Garland & MacKevan 2007
Chrysopa chi	49.51667	-57.88333	3.8	-6.5	1098	Canada	Garland & MacKevan 2007
Chrysopa chi	47.57083	-52.76528	4.8	-3.6	1496	Canada	Garland & MacKevan 2007
Chrysopa chi	49.01667	-57.60000	4.5	-5.7	1107	Canada	Garland & MacKevan 2007
Chrysopa chi	47.63333	-52.85000	4.8	-3.6	1451	Canada	Garland & MacKevan 2007
Chrysopa chi	49.60000	-57.91667	3.6	-6.7	1097	Canada	Garland & MacKevan 2007
Chrysopa chi	48.95000	-55.80000	4.2	-6.4	1078	Canada	Garland & MacKevan 2007
Chrysopa chi	48.43333	-58.48333	4.5	-5.4	1268	Canada	Garland & MacKevan 2007
Chrysopa chi	47.56667	-52.73333	5.1	-3.2	1468	Canada	Garland & MacKevan 2007
Chrysopa chi	48.18333	-53.98333	4.6	-4.1	1195	Canada	Garland & MacKevan 2007
Chrysopa chi	48.53056	-53.92889	4.4	-4.6	1140	Canada	Garland & MacKevan 2007
Chrysopa chi	47.80000	-59.21667	4.0	-5.0	1387	Canada	Garland & MacKevan 2007
Chrysopa chi	45.70000	-61.98333	5.4	-5.3	1338	Canada	Garland & MacKevan 2007
Chrysopa chi	44.63333	-63.63333	6.2	-4.3	1434	Canada	Garland & MacKevan 2007
Chrysopa chi	45.03333	-64.83333	6.6	-4.6	1167	Canada	Garland & MacKevan 2007
Chrysopa chi	45.58333	-61.96667	5.8	-4.9	1334	Canada	Garland & MacKevan 2007
Chrysopa chi	45.21667	-64.36667	6.3	-5.2	1195	Canada	Garland & MacKevan 2007

Chrysopa chi	45.13333	-64.43333	6.5	-5.0	1190	Canada	Garland & MacKevan 2007
Chrysopa chi	46.80000	-60.88333	5.4	-4.7	1246	Canada	Garland & MacKevan 2007
Chrysopa chi	46.76667	-60.36667	5.3	-4.4	1346	Canada	Garland & MacKevan 2007
Chrysopa chi	44.55000	-64.25000	6.5	-3.9	1338	Canada	Garland & MacKevan 2007
Chrysopa chi	45.61667	-62.81667	5.8	-5.5	1199	Canada	Garland & MacKevan 2007
Chrysopa chi	46.33333	-61.08333	5.4	-5.1	1334	Canada	Garland & MacKevan 2007
Chrysopa chi	45.08333	-64.50000	6.3	-5.1	1219	Canada	Garland & MacKevan 2007
Chrysopa chi	47.03333	-60.56667	4.5	-5.2	1324	Canada	Garland & MacKevan 2007
Chrysopa chi	45.68333	-62.71667	5.9	-5.6	1186	Canada	Garland & MacKevan 2007
Chrysopa chi	45.40000	-63.70000	6.1	-5.4	1220	Canada	Garland & MacKevan 2007
Chrysopa chi	47.20000	-60.15000	5.0	-4.1	1321	Canada	Garland & MacKevan 2007
Chrysopa chi	46.86667	-60.46667	4.8	-4.9	1346	Canada	Garland & MacKevan 2007
Chrysopa chi	46.88333	-60.43333	5.5	-4.2	1290	Canada	Garland & MacKevan 2007
Chrysopa chi	45.36667	-63.26667	5.8	-5.5	1223	Canada	Garland & MacKevan 2007
Chrysopa chi	60.00000	-111.88333	-2.9	-22.4	347	Canada	Garland & MacKevan 2007
Chrysopa chi	65.28194	-126.82917	-5.7	-24.9	319	Canada	Garland & MacKevan 2007
Chrysopa chi	48.00000	-84.00000	1.2	-14.1	871	Canada	Garland & MacKevan 2007
Chrysopa chi	46.10000	-77.83333	3.7	-11.7	873	Canada	Garland & MacKevan 2007
Chrysopa chi	45.50000	-77.75000	4.1	-10.4	862	Canada	Garland & MacKevan 2007
Chrysopa chi	45.18333	-74.41667	6.4	-7.9	919	Canada	Garland & MacKevan 2007
Chrysopa chi	43.78333	-80.31667	5.8	-6.8	945	Canada	Garland & MacKevan 2007
Chrysopa chi	47.28333	-82.10000	2.3	-12.9	822	Canada	Garland & MacKevan 2007
Chrysopa chi	45.43333	-75.55000	5.9	-9.0	881	Canada	Garland & MacKevan 2007
Chrysopa chi	45.36278	-75.79444	6.0	-8.9	849	Canada	Garland & MacKevan 2007
Chrysopa chi	43.95000	-78.95000	7.6	-5.0	783	Canada	Garland & MacKevan 2007
Chrysopa chi	45.61667	-79.40000	4.5	-9.6	1006	Canada	Garland & MacKevan 2007
Chrysopa chi	45.30000	-76.71667	5.5	-9.1	828	Canada	Garland & MacKevan 2007
Chrysopa chi	49.15000	-81.03333	0.5	-16.3	860	Canada	Garland & MacKevan 2007
Chrysopa chi	45.51667	-75.40000	5.8	-9.1	886	Canada	Garland & MacKevan 2007
Chrysopa chi	53.05000	-93.33333	-1.3	-20.1	591	Canada	Garland & MacKevan 2007
Chrysopa chi	48.85000	-93.91667	2.5	-14.8	669	Canada	Garland & MacKevan 2007
Chrysopa chi	44.98333	-79.93333	6.0	-7.0	979	Canada	Garland & MacKevan 2007
Chrysopa chi	43.55000	-80.25000	6.5	-5.9	908	Canada	Garland & MacKevan 2007
Chrysopa chi	48.94278	-94.54056	2.5	-15.0	618	Canada	Garland & MacKevan 2007
Chrysopa chi	44.15000	-80.20000	5.4	-7.2	941	Canada	Garland & MacKevan 2007
Chrysopa chi	43.64083	-79.54833	7.9	-4.5	786	Canada	Garland & MacKevan 2007

Chrysopa chi	44.03333	-78.53333	6.8	-5.8	801	Canada	Garland & MacKevan 2007
Chrysopa chi	49.81667	-94.43333	2.3	-15.5	613	Canada	Garland & MacKevan 2007
Chrysopa chi	46.28333	-80.00000	4.7	-9.9	906	Canada	Garland & MacKevan 2007
Chrysopa chi	45.70000	-78.38333	3.5	-11.1	924	Canada	Garland & MacKevan 2007
Chrysopa chi	44.03333	-78.65000	6.8	-5.9	811	Canada	Garland & MacKevan 2007
Chrysopa chi	44.48333	-77.68333	6.1	-7.3	848	Canada	Garland & MacKevan 2007
Chrysopa chi	45.31667	-75.71667	6.0	-8.9	868	Canada	Garland & MacKevan 2007
Chrysopa chi	44.81667	-78.76667	5.4	-8.3	916	Canada	Garland & MacKevan 2007
Chrysopa chi	49.81639	-93.09167	2.0	-15.5	679	Canada	Garland & MacKevan 2007
Chrysopa chi	49.01667	-88.26667	1.7	-13.9	773	Canada	Garland & MacKevan 2007
Chrysopa chi	49.11667	-93.93333	2.7	-14.8	655	Canada	Garland & MacKevan 2007
Chrysopa chi	51.63333	-85.95000	-1.0	-18.7	704	Canada	Garland & MacKevan 2007
Chrysopa chi	49.05000	-93.90000	2.6	-14.7	659	Canada	Garland & MacKevan 2007
Chrysopa chi	43.98333	-78.61667	7.1	-5.5	796	Canada	Garland & MacKevan 2007
Chrysopa chi	45.26667	-75.75000	5.9	-8.9	862	Canada	Garland & MacKevan 2007
Chrysopa chi	45.53250	-74.99444	5.9	-8.9	908	Canada	Garland & MacKevan 2007
Chrysopa chi	48.41667	-91.58333	2.3	-14.4	668	Canada	Garland & MacKevan 2007
Chrysopa chi	49.68333	-94.23333	2.4	-15.3	629	Canada	Garland & MacKevan 2007
Chrysopa chi	50.06667	-82.16667	1.0	-16.1	809	Canada	Garland & MacKevan 2007
Chrysopa chi	48.16667	-89.41667	2.7	-12.3	730	Canada	Garland & MacKevan 2007
Chrysopa chi	48.40000	-89.31667	2.5	-12.9	716	Canada	Garland & MacKevan 2007
Chrysopa chi	46.96667	-80.08333	3.2	-12.2	857	Canada	Garland & MacKevan 2007
Chrysopa chi	43.70000	-79.41667	8.1	-4.3	790	Canada	Garland & MacKevan 2007
Chrysopa chi	49.85528	-93.40194	2.0	-15.5	673	Canada	Garland & MacKevan 2007
Chrysopa chi	45.45000	-80.01667	5.3	-8.3	1053	Canada	Garland & MacKevan 2007
Chrysopa chi	46.81667	-64.06667	5.2	-6.9	1087	Canada	Garland & MacKevan 2007
Chrysopa chi	46.41500	-63.07083	5.8	-5.7	1105	Canada	Garland & MacKevan 2007
Chrysopa chi	45.71667	-74.70000	5.1	-9.6	969	Canada	Garland & MacKevan 2007
Chrysopa chi	45.39500	-75.83222	5.8	-9.1	859	Canada	Garland & MacKevan 2007
Chrysopa chi	52.00000	-76.00000	-2.2	-19.6	790	Canada	Garland & MacKevan 2007
Chrysopa chi	45.65000	-76.13333	4.8	-10.3	876	Canada	Garland & MacKevan 2007
Chrysopa chi	46.08333	-73.18333	5.4	-9.5	968	Canada	Garland & MacKevan 2007
Chrysopa chi	48.36667	-68.70000	2.6	-11.0	939	Canada	Garland & MacKevan 2007
Chrysopa chi	46.75139	-71.34444	4.7	-9.8	1108	Canada	Garland & MacKevan 2007
Chrysopa chi	45.58889	-75.87139	4.9	-10.1	901	Canada	Garland & MacKevan 2007
Chrysopa chi	48.25000	-65.91667	3.9	-9.2	992	Canada	Garland & MacKevan 2007

Chrysopa chi	45.50000	-75.78333	5.5	-9.5	877	Canada	Garland & MacKevan 2007
Chrysopa chi	48.42694	-71.06222	2.9	-13.0	925	Canada	Garland & MacKevan 2007
Chrysopa chi	48.45000	-71.06667	2.9	-13.0	925	Canada	Garland & MacKevan 2007
Chrysopa chi	45.01833	-73.75556	6.0	-8.0	888	Canada	Garland & MacKevan 2007
Chrysopa chi	45.85000	-76.73333	5.2	-10.0	834	Canada	Garland & MacKevan 2007
Chrysopa chi	45.29083	-72.49389	5.3	-9.0	1056	Canada	Garland & MacKevan 2007
Chrysopa chi	49.16667	-64.91667	2.6	-9.7	1008	Canada	Garland & MacKevan 2007
Chrysopa chi	45.13889	-72.25250	5.3	-8.9	1050	Canada	Garland & MacKevan 2007
Chrysopa chi	45.46417	-74.15139	6.2	-8.3	926	Canada	Garland & MacKevan 2007
Chrysopa chi	45.48333	-75.65000	6.0	-9.0	867	Canada	Garland & MacKevan 2007
Chrysopa chi	45.38333	-73.95000	6.3	-8.1	928	Canada	Garland & MacKevan 2007
Chrysopa chi	45.95000	-76.01667	4.4	-10.8	915	Canada	Garland & MacKevan 2007
Chrysopa chi	45.56667	-75.95000	4.8	-10.3	901	Canada	Garland & MacKevan 2007
Chrysopa chi	45.49083	-75.84194	5.1	-9.8	889	Canada	Garland & MacKevan 2007
Chrysopa chi	45.21722	-72.51694	5.4	-8.9	1051	Canada	Garland & MacKevan 2007
Chrysopa chi	46.12083	-74.83500	4.0	-11.0	1007	Canada	Garland & MacKevan 2007
Chrysopa chi	46.62556	-72.76444	4.0	-11.1	1065	Canada	Garland & MacKevan 2007
Chrysopa chi	46.44528	-74.92750	3.6	-11.7	1013	Canada	Garland & MacKevan 2007
Chrysopa chi	46.56111	-73.80556	2.4	-12.5	1110	Canada	Garland & MacKevan 2007
Chrysopa chi	47.05000	-79.26667	3.0	-12.4	900	Canada	Garland & MacKevan 2007
Chrysopa chi	45.96667	-73.21667	5.5	-9.4	972	Canada	Garland & MacKevan 2007
Chrysopa chi	45.49472	-74.02500	6.2	-8.3	930	Canada	Garland & MacKevan 2007
Chrysopa chi	45.58333	-73.75000	6.2	-8.4	955	Canada	Garland & MacKevan 2007
Chrysopa chi	45.52639	-75.87361	4.9	-10.1	906	Canada	Garland & MacKevan 2007
Chrysopa chi	45.58333	-70.88333	3.7	-10.2	994	Canada	Garland & MacKevan 2007
Chrysopa chi	45.88611	-74.33972	3.6	-10.8	1077	Canada	Garland & MacKevan 2007
Chrysopa chi	46.40000	-75.11667	3.5	-11.9	1002	Canada	Garland & MacKevan 2007
Chrysopa chi	45.51667	-73.65000	6.3	-8.3	972	Canada	Garland & MacKevan 2007
Chrysopa chi	48.91667	-66.18333	-0.6	-13.9	1223	Canada	Garland & MacKevan 2007
Chrysopa chi	45.55833	-73.19833	5.9	-8.7	993	Canada	Garland & MacKevan 2007
Chrysopa chi	45.52139	-76.42333	5.7	-9.3	814	Canada	Garland & MacKevan 2007
Chrysopa chi	46.43333	-74.35000	2.2	-12.7	1140	Canada	Garland & MacKevan 2007
Chrysopa chi	45.38333	-73.98333	6.3	-8.1	924	Canada	Garland & MacKevan 2007
Chrysopa chi	45.36667	-73.86667	6.5	-7.9	924	Canada	Garland & MacKevan 2007
Chrysopa chi	50.03333	-66.86667	1.5	-12.6	1049	Canada	Garland & MacKevan 2007
Chrysopa chi	45.48333	-74.30000	5.9	-8.5	936	Canada	Garland & MacKevan 2007

Chrysopa chi	45.79056	-74.68361	4.9	-9.8	979	Canada	Garland & MacKevan 2007
Chrysopa chi	45.43333	-73.05000	6.1	-8.4	983	Canada	Garland & MacKevan 2007
Chrysopa chi	48.18250	-67.14917	2.4	-11.5	1021	Canada	Garland & MacKevan 2007
Chrysopa chi	45.40306	-73.94944	6.3	-8.1	928	Canada	Garland & MacKevan 2007
Chrysopa chi	45.15806	-73.67833	6.5	-7.7	913	Canada	Garland & MacKevan 2007
Chrysopa chi	46.77083	-71.28333	4.7	-9.7	1118	Canada	Garland & MacKevan 2007
Chrysopa chi	45.93333	-74.01667	4.1	-10.5	1047	Canada	Garland & MacKevan 2007
Chrysopa chi	46.07222	-73.88694	4.0	-10.7	1046	Canada	Garland & MacKevan 2007
Chrysopa chi	45.87139	-74.07917	4.8	-9.8	1005	Canada	Garland & MacKevan 2007
Chrysopa chi	45.40000	-71.90000	4.8	-9.5	1064	Canada	Garland & MacKevan 2007
Chrysopa chi	46.88889	-71.50556	4.0	-10.6	1141	Canada	Garland & MacKevan 2007
Chrysopa chi	46.08333	-76.08333	4.3	-11.0	920	Canada	Garland & MacKevan 2007
Chrysopa chi	53.83333	-107.01667	0.6	-16.6	429	Canada	Garland & MacKevan 2007
Chrysopa chi	50.53333	-103.66667	2.0	-14.9	426	Canada	Garland & MacKevan 2007
Chrysopa chi	49.83333	-102.28333	1.6	-15.1	441	Canada	Garland & MacKevan 2007
Chrysopa chi	55.10000	-105.28333	-0.7	-19.0	499	Canada	Garland & MacKevan 2007
Chrysopa chi	53.48333	-104.16667	0.4	-17.6	455	Canada	Garland & MacKevan 2007
Chrysopa chi	59.45000	-108.75000	-3.1	-23.1	352	Canada	Garland & MacKevan 2007
Chrysopa chi	53.93333	-106.78333	0.2	-17.0	444	Canada	Garland & MacKevan 2007
Chrysopa chi	53.20000	-105.76667	0.9	-16.5	409	Canada	Garland & MacKevan 2007
Chrysopa chi	52.11667	-106.63333	2.0	-15.2	356	Canada	Garland & MacKevan 2007
Chrysopa chi	64.06250	-139.43056	-5.2	-26.3	314	Canada	Garland & MacKevan 2007
Chrysopa chi	63.95000	-138.61667	-4.9	-24.1	344	Canada	Garland & MacKevan 2007
Chrysopa chi	64.06250	-139.43056	-5.2	-26.3	314	Canada	Garland & MacKevan 2007
Chrysopa chi	62.53333	-136.75000	-3.7	-22.9	264	Canada	Garland & MacKevan 2007
Chrysopa chi	62.81667	-136.58333	-3.5	-23.1	276	Canada	Garland & MacKevan 2007
Chrysopa chi	64.57833	-149.31917	-3.8	-21.7	324	USA	Garland & MacKevan 2007
Chrysopa chi	64.16667	-145.91667	-2.8	-19.7	309	USA	Garland & MacKevan 2007
Chrysopa chi	64.83333	-147.83333	-2.8	-21.1	309	USA	Garland & MacKevan 2007
Chrysopa chi	62.05083	-150.37250	0.9	-11.3	610	USA	Garland & MacKevan 2007
Chrysopa coloradensis	50.80000	-121.31667	7.5	-3.4	313	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.10000	-116.50000	7.1	-3.0	610	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.20000	-123.96667	9.6	3.5	1125	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	50.66667	-120.31667	8.0	-3.2	313	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.91667	-116.91667	6.4	-3.2	792	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.20000	-119.83333	6.2	-4.4	308	Canada	Garland & MacKevan 2007

Chrysopa coloradensis	50.23333	-121.56667	8.1	-2.2	504	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.18333	-119.55000	9.1	-1.4	288	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.76667	-119.73333	8.4	-2.1	317	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.50000	-119.58333	9.0	-1.1	307	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.50000	-119.61667	9.0	-1.1	307	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.06667	-119.58333	7.0	-3.7	297	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	50.70000	-119.26667	6.4	-4.3	574	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	50.68333	-122.11667	7.9	-2.3	463	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.28333	-119.53333	8.8	-1.6	294	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.60000	-119.66667	8.8	-1.4	312	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.83333	-119.63333	8.1	-2.4	325	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.31667	-119.63333	7.6	-2.8	285	Canada	Garland & MacKevan 2007
Chrysopa coloradensis	49.56667	-119.61667	9.0	-1.2	311	Canada	Garland & MacKevan 2007
Chrysopa excepta	49.70000	-112.81667	5.3	-6.8	395	Canada	Garland & MacKevan 2007
Chrysopa excepta	49.40000	-110.70000	4.6	-9.0	327	Canada	Garland & MacKevan 2007
Chrysopa excepta	50.16667	-120.66667	5.6	-4.9	341	Canada	Garland & MacKevan 2007
Chrysopa excepta	49.18333	-119.55000	9.1	-1.4	288	Canada	Garland & MacKevan 2007
Chrysopa excepta	49.50000	-119.58333	9.0	-1.1	307	Canada	Garland & MacKevan 2007
Chrysopa excepta	51.11667	-106.58333	2.9	-13.8	329	Canada	Garland & MacKevan 2007
Chrysopa excepta	50.65000	-104.86667	2.8	-13.9	380	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	53.60000	-112.88333	1.9	-13.0	453	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.70000	-112.81667	5.3	-6.8	395	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.23333	-121.76667	10.2	3.1	1725	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	53.06667	-121.51667	0.8	-8.8	1025	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	40.05000	-117.20000	9.9	0.0	228	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	50.80000	-121.31667	7.5	-3.4	313	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	48.86667	-124.26667	7.7	2.0	1999	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.20000	-123.96667	9.6	3.5	1125	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.23333	-122.81667	9.8	3.2	1425	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	48.93333	-123.45000	9.5	3.6	1073	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.73333	-123.08333	8.9	1.2	1446	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	50.66667	-120.31667	8.0	-3.2	313	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.91667	-116.91667	6.4	-3.2	792	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	48.45000	-123.50000	9.2	4.3	972	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	50.68333	-121.93333	8.7	-1.8	395	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	50.01667	-120.41667	4.4	-6.0	325	Canada	Garland & MacKevan 2007

Chrysopa nigricornis	49.60000	-119.58333	8.7	-1.5	313	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.75000	-119.73333	8.4	-2.1	317	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.18333	-119.55000	9.1	-1.4	288	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.03333	-119.45000	9.5	-1.3	300	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.50000	-119.58333	9.0	-1.1	307	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.23333	-122.68333	9.8	3.1	1482	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	53.00000	-122.50000	4.9	-6.9	534	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	50.98333	-118.20000	6.6	-4.3	1026	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.11667	-122.80000	9.7	3.4	1233	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.60000	-119.66667	8.8	-1.4	312	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	54.51667	-128.60000	6.3	-3.0	1442	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.25000	-123.11667	10.0	3.5	1291	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.25000	-123.11667	10.0	3.5	1291	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	50.25833	-119.26667	7.4	-3.5	448	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	48.43333	-123.36667	9.8	4.9	715	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	52.00000	-122.16667	4.2	-7.0	398	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.84694	-99.95222	2.3	-15.6	459	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.84139	-97.15000	2.1	-16.0	518	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.63556	-97.13500	2.4	-15.7	513	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	50.56306	-96.99278	1.5	-16.8	532	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	50.65806	-97.81583	1.1	-17.2	505	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.88583	-97.24278	2.1	-16.0	519	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.58944	-99.45306	2.8	-14.7	447	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.84139	-97.15000	2.1	-16.0	518	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.88444	-97.14639	2.1	-16.0	520	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.77000	-66.16278	5.8	-6.9	1132	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	44.63333	-63.63333	6.2	-4.3	1434	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.40000	-62.21667	5.5	-5.2	1363	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	47.28333	-82.10000	2.3	-12.9	822	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.31667	-75.70000	6.0	-8.9	873	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	43.13333	-80.26667	7.7	-4.6	904	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	43.38611	-79.83750	7.6	-4.6	850	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.26667	-75.75000	5.9	-8.9	862	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	44.58333	-76.31667	6.3	-7.4	891	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	42.40000	-82.18333	9.3	-3.1	837	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	44.25000	-79.53333	6.6	-6.2	820	Canada	Garland & MacKevan 2007

Chrysopa nigricornis	44.15000	-78.08333	6.1	-6.8	838	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	43.23333	-79.95000	7.8	-4.4	871	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	44.15000	-80.20000	5.4	-7.2	941	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	44.66667	-79.36667	5.9	-7.2	912	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	43.25000	-79.06667	8.8	-3.2	818	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	43.65000	-79.85000	7.2	-5.2	830	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	44.61667	-79.41667	6.1	-7.0	894	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.26667	-75.75000	5.9	-8.9	862	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	49.96667	-82.51667	0.7	-16.4	813	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	48.40000	-89.31667	2.5	-12.9	716	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	43.55000	-79.58333	8.2	-4.1	786	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	42.28333	-81.86667	9.2	-3.1	890	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	43.16667	-79.11667	8.8	-3.2	845	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	44.31667	-76.16667	6.9	-6.4	904	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	44.30000	-76.18333	6.9	-6.5	905	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	44.76667	-79.33333	5.8	-7.5	937	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.25000	-75.91667	5.8	-9.0	847	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	42.85000	-80.73333	7.7	-4.6	943	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	43.70000	-79.41667	8.1	-4.3	790	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	43.15000	-79.40000	8.4	-3.6	852	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	43.10000	-81.13333	7.2	-5.2	951	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	46.08333	-73.18333	5.4	-9.5	968	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	46.86722	-71.63750	4.0	-10.7	1128	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.54167	-75.81667	5.3	-9.8	885	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.21722	-72.51694	5.4	-8.9	1051	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.43417	-73.68444	6.5	-8.1	952	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	46.62556	-72.76444	4.0	-11.1	1065	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	47.40000	-76.15000	2.0	-13.6	992	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.96667	-73.21667	5.5	-9.4	972	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.58333	-73.75000	6.2	-8.4	955	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.50000	-73.60000	6.1	-8.5	990	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.55833	-73.19833	5.9	-8.7	993	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	46.43333	-74.35000	2.2	-12.7	1140	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.40000	-73.93333	6.3	-8.1	928	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.15806	-73.67833	6.5	-7.7	913	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	46.77083	-71.28333	4.7	-9.7	1118	Canada	Garland & MacKevan 2007

Chrysopa nigricornis	45.79528	-72.19250	4.8	-9.8	1055	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	45.87139	-74.07917	4.8	-9.8	1005	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	52.20000	-105.00000	1.2	-16.5	385	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	52.86667	-102.98333	0.1	-17.8	471	Canada	Garland & MacKevan 2007
Chrysopa nigricornis	52.13889	-106.60278	2.0	-15.2	356	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.16667	-115.56667	1.4	-9.4	524	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.26806	-115.91667	0.3	-10.2	579	Canada	Garland & MacKevan 2007
Chrysopa oculata	55.21667	-119.43333	1.9	-12.0	485	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.70000	-114.10000	2.5	-11.6	494	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.81667	-114.83333	1.8	-12.4	508	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.05000	-114.08333	3.3	-8.4	436	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.56667	-114.08333	4.1	-6.1	538	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.56667	-110.13333	1.9	-11.4	396	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.40833	-112.64444	3.3	-11.5	355	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.55000	-113.46667	2.8	-11.7	456	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.26806	-115.91667	0.3	-10.2	579	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.66667	-110.28333	2.3	-11.1	384	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.63333	-110.20000	1.5	-11.6	413	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.95000	-110.00000	3.6	-11.8	318	Canada	Garland & MacKevan 2007
Chrysopa oculata	58.70000	-111.13333	-1.8	-21.0	382	Canada	Garland & MacKevan 2007
Chrysopa oculata	55.16667	-118.80000	1.5	-13.5	471	Canada	Garland & MacKevan 2007
Chrysopa oculata	55.43333	-116.48333	0.8	-14.9	472	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.58333	-113.86667	3.8	-7.7	431	Canada	Garland & MacKevan 2007
Chrysopa oculata	57.06667	-117.55000	0.4	-16.7	414	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.93333	-112.68333	5.0	-7.4	380	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.25000	-115.83333	-0.3	-10.6	591	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.01667	-115.06667	0.9	-10.5	590	Canada	Garland & MacKevan 2007
Chrysopa oculata	54.76667	-111.96667	1.5	-14.3	457	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.70000	-112.81667	5.3	-6.8	395	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.58333	-114.16667	3.9	-6.3	555	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.40000	-110.70000	4.6	-9.0	327	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.05000	-110.66667	5.2	-9.1	319	Canada	Garland & MacKevan 2007
Chrysopa oculata	56.85000	-117.63333	0.6	-16.1	409	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.73333	-113.98333	3.6	-7.9	439	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.11667	-110.46667	4.7	-9.3	309	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.36667	-110.46667	2.4	-13.2	332	Canada	Garland & MacKevan 2007

Chrysopa oculata	56.25000	-117.28333	1.0	-15.8	394	Canada	Garland & MacKevan 2007
Chrysopa oculata	56.66667	-122.75000	0.3	-13.1	542	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.48333	-113.95000	4.8	-5.6	489	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.26667	-113.80000	2.3	-11.6	450	Canada	Garland & MacKevan 2007
Chrysopa oculata	55.75000	-118.71667	1.8	-13.5	443	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.10000	-115.06667	2.0	-9.8	554	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.31667	-112.71667	2.5	-11.9	420	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.83333	-111.61667	4.0	-10.9	309	Canada	Garland & MacKevan 2007
Chrysopa oculata	55.10000	-117.53333	1.3	-13.8	515	Canada	Garland & MacKevan 2007
Chrysopa oculata	56.35000	-117.08333	0.5	-16.2	410	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.36667	-112.66667	2.1	-12.9	440	Canada	Garland & MacKevan 2007
Chrysopa oculata	55.06667	-117.28333	1.4	-13.4	520	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.55000	-114.46667	2.2	-11.8	503	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.08333	-113.86667	3.6	-6.4	569	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.08333	-113.86667	3.6	-6.4	569	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.96667	-113.36667	2.3	-12.1	452	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.51667	-113.56667	2.9	-11.6	460	Canada	Garland & MacKevan 2007
Chrysopa oculata	56.66667	-117.16667	0.5	-16.4	404	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.96667	-119.68333	6.0	-4.9	507	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.23333	-121.76667	10.2	3.1	1725	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.58333	-126.91667	8.4	3.9	1658	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.93333	-120.61667	4.1	-6.1	365	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.18333	-120.11667	6.7	-4.6	451	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.66667	-125.08333	8.6	2.5	1522	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.88333	-119.38333	7.2	-3.7	582	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.08083	-122.55139	7.4	-0.2	677	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.17500	-121.94167	10.0	2.9	1649	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.04306	-118.20833	7.7	-3.2	513	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.08333	-121.58333	3.6	-6.4	403	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.68333	-124.93333	9.4	3.2	1304	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.68333	-124.98333	9.5	3.3	1359	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.73333	-123.61667	9.3	3.6	1167	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.86667	-124.26667	7.7	2.0	1999	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.50000	-115.76667	5.2	-6.2	517	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.10000	-116.50000	7.1	-3.0	610	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.05000	-121.96667	9.5	2.6	1595	Canada	Garland & MacKevan 2007

Chrysopa oculata	55.08333	-121.95000	0.5	-10.9	727	Canada	Garland & MacKevan 2007
Chrysopa oculata	55.76667	-120.23333	1.5	-13.0	488	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.21667	-125.60000	8.0	3.5	2740	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.20000	-123.96667	9.6	3.5	1125	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.50000	-118.36667	2.8	-7.8	971	Canada	Garland & MacKevan 2007
Chrysopa oculata	58.80556	-122.69722	-1.6	-19.9	445	Canada	Garland & MacKevan 2007
Chrysopa oculata	56.25000	-120.85000	1.6	-13.1	470	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.93333	-123.45000	9.5	3.6	1073	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.43333	-123.59167	8.3	3.1	1238	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.03333	-118.43333	7.6	-3.1	458	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.30000	-119.56667	8.5	-1.9	292	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.73333	-123.08333	8.9	1.2	1446	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.38333	-126.55000	6.6	-1.5	1425	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.00000	-122.75000	0.2	-7.2	944	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.25000	-121.95000	9.9	2.7	1674	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.77403	-121.60112	5.4	-4.8	375	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.18333	-122.23333	9.2	2.3	1731	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.38333	-121.43889	9.6	1.4	1702	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.66667	-120.31667	8.0	-3.2	313	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.91667	-116.91667	6.4	-3.2	792	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.81667	-122.41667	4.7	-7.0	523	Canada	Garland & MacKevan 2007
Chrysopa oculata	55.10000	-128.06667	4.8	-6.0	737	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.98333	-123.81667	9.0	2.8	1261	Canada	Garland & MacKevan 2007
Chrysopa oculata	54.38333	-128.51667	6.1	-3.0	1517	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.68333	-121.93333	8.7	-1.8	395	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.23333	-121.56667	8.1	-2.2	504	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.12639	-122.09306	9.6	2.5	1632	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.85000	-125.10000	9.4	3.1	1404	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.13333	-122.30000	9.4	2.7	1775	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.18333	-122.11667	8.5	1.5	1639	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.16667	-123.93333	9.8	3.7	1057	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.50000	-117.28333	6.6	-3.2	791	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.21667	-122.91667	9.8	3.3	1423	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.73333	-123.08333	8.9	1.2	1446	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.16667	-120.66667	5.6	-4.9	341	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.31667	-123.06667	9.7	3.0	1382	Canada	Garland & MacKevan 2007

Chrysopa oculata	49.31667	-119.63333	7.6	-2.8	285	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.28226	-119.52315	8.8	-1.6	294	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.65000	-121.28333	4.3	-6.7	442	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.03333	-119.45000	9.5	-1.3	300	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.03333	-119.45000	9.5	-1.3	300	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.73333	-120.11667	4.5	-5.9	390	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.86667	-121.73333	4.3	-5.7	402	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.98333	-121.68333	0.3	-8.6	522	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.50000	-119.58333	9.0	-1.1	307	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.50000	-119.61667	9.0	-1.1	307	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.23333	-122.68333	9.8	3.1	1482	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.10000	-127.46667	8.1	3.5	2155	Canada	Garland & MacKevan 2007
Chrysopa oculata	55.71667	-120.13333	1.6	-13.0	483	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.91667	-122.75000	3.8	-7.8	622	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.40000	-124.63333	9.6	3.3	1501	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.00000	-122.50000	4.9	-6.9	534	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.61667	-116.10000	3.6	-7.3	566	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.98333	-118.20000	6.6	-4.3	1026	Canada	Garland & MacKevan 2007
Chrysopa oculata	55.90000	-120.13333	1.4	-13.5	473	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.08333	-117.80000	5.6	-4.4	775	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.20000	-122.43333	9.4	2.7	1793	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.55000	-123.36667	9.8	4.6	859	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.70000	-119.26667	6.4	-4.3	574	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.86667	-125.11667	9.4	3.1	1404	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.68333	-122.11667	7.9	-2.3	463	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.65778	-123.62639	8.9	3.5	1217	Canada	Garland & MacKevan 2007
Chrysopa oculata	54.78056	-127.17083	3.2	-7.4	537	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.35000	-122.28333	4.8	-6.8	437	Canada	Garland & MacKevan 2007
Chrysopa oculata	54.53333	-128.65000	6.4	-3.0	1495	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.28333	-124.91667	9.1	2.8	1914	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.34722	-122.54861	4.0	-7.6	605	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.60000	-119.66667	8.8	-1.4	312	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.56667	-119.61667	9.0	-1.2	311	Canada	Garland & MacKevan 2007
Chrysopa oculata	56.13333	-120.65000	2.4	-12.9	460	Canada	Garland & MacKevan 2007
Chrysopa oculata	54.51667	-128.60000	6.3	-3.0	1442	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.11667	-125.88333	9.4	5.5	3190	Canada	Garland & MacKevan 2007

Chrysopa oculata	50.70000	-120.51667	7.2	-3.7	307	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.25000	-123.11667	10.0	3.5	1291	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.25000	-123.11667	10.0	3.5	1291	Canada	Garland & MacKevan 2007
Chrysopa oculata	54.01667	-124.01667	3.0	-9.2	509	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.28333	-119.53333	8.8	-1.6	294	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.38245	-119.34955	5.6	-5.0	470	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.31667	-119.28333	7.2	-3.7	462	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.43333	-123.36667	9.8	4.9	715	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.20000	-124.03333	9.5	3.3	1199	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.40000	-117.68215	6.8	-3.2	770	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.31667	-119.63333	7.6	-2.8	285	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.56667	-119.61667	9.0	-1.2	311	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.70861	-99.60278	2.5	-15.1	450	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.68111	-99.30500	2.6	-14.9	454	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.44556	-96.55750	1.9	-16.2	519	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.84694	-99.95222	2.3	-15.6	459	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.96639	-99.93667	1.9	-15.8	465	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.86889	-99.35944	2.3	-15.3	460	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.14944	-100.04944	1.9	-15.5	496	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.87500	-95.90806	2.2	-15.6	524	Canada	Garland & MacKevan 2007
Chrysopa oculata	54.76806	-101.86417	-0.1	-18.7	474	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.96639	-99.93667	1.9	-15.8	465	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.84139	-97.15000	2.1	-16.0	518	Canada	Garland & MacKevan 2007
Chrysopa oculata	56.45833	-94.20833	-4.5	-23.7	469	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.63556	-97.13500	2.4	-15.7	513	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.65833	-99.89444	0.5	-16.8	518	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.55417	-96.63333	1.8	-16.4	524	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.82500	-101.25333	0.1	-18.3	453	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.08306	-96.94444	2.0	-16.3	521	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.97278	-98.29194	2.6	-15.4	465	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.08611	-101.03917	1.5	-16.2	452	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.24528	-99.84278	1.1	-16.4	478	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.19194	-99.10056	3.0	-14.2	451	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.40000	-99.62861	2.6	-14.7	450	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.68306	-99.46944	1.8	-15.9	479	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.20139	-98.89389	2.7	-14.5	464	Canada	Garland & MacKevan 2007

Chrysopa oculata	49.97278	-98.29194	2.6	-15.4	465	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.85278	-95.55278	2.0	-15.8	543	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.55750	-101.09333	2.9	-14.2	439	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.88333	-100.25000	0.9	-16.4	511	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.32444	-96.29639	2.0	-15.8	515	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.80556	-99.64111	2.3	-15.3	455	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.03528	-95.63917	2.1	-15.6	558	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.58944	-99.45306	2.8	-14.7	447	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.89556	-97.00528	2.1	-16.0	520	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.63611	-99.60944	2.7	-14.9	448	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.84139	-97.15000	2.1	-16.0	518	Canada	Garland & MacKevan 2007
Chrysopa oculata	54.17833	-101.36083	-0.1	-18.6	462	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.24972	-100.30889	2.7	-14.5	442	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.18167	-0.94028	10.8	5.3	777	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.88444	-97.14639	2.1	-16.0	520	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.10000	-65.73333	4.2	-9.5	1076	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.62611	-65.62833	4.5	-8.6	1001	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.89528	-67.46889	4.6	-9.0	1064	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.16917	-65.88500	4.8	-8.5	1119	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.94528	-66.66667	5.2	-8.1	1101	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.61667	-65.03333	4.7	-7.3	1254	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.31667	-68.15000	3.5	-10.9	993	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.91667	-66.00000	4.1	-9.3	992	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.85833	-64.97500	5.0	-8.0	1143	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.23333	-67.15000	3.0	-11.2	1028	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.23333	-67.20000	6.0	-6.0	1099	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.93917	-65.18139	5.5	-7.0	1140	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.08444	-67.06278	6.1	-5.4	1166	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.25917	-66.03889	6.0	-5.0	1299	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.51000	-67.38861	2.4	-11.9	1013	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.72250	-65.50778	5.5	-6.8	1134	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.01667	-55.48333	4.6	-6.0	1033	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.06667	-58.86667	2.9	-6.5	1446	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.96667	-57.95000	4.2	-6.1	1187	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.91667	-57.81667	3.4	-6.9	1066	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.83333	-59.18333	3.9	-5.2	1404	Canada	Garland & MacKevan 2007

Chrysopa oculata	49.68944	-57.73889	0.3	-10.2	1306	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.17639	-57.46583	4.2	-6.1	1074	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.91528	-59.03889	3.1	-6.1	1457	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.58333	-53.95000	4.6	-4.4	1116	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.80000	-59.21667	4.0	-5.0	1387	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.43333	-58.48333	4.5	-5.4	1268	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.63333	-63.63333	6.2	-4.3	1434	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.93333	-65.76667	6.4	-2.0	1271	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.03333	-64.83333	6.6	-4.6	1167	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.10000	-60.75000	5.9	-4.4	1381	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.61667	-63.58333	6.4	-4.0	1419	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.38333	-64.51667	6.4	-3.5	1348	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.74167	-60.64167	3.4	-6.6	1455	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.48333	-65.60000	6.4	-1.1	1264	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.55000	-64.25000	6.5	-3.9	1338	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.63333	-61.01667	5.7	-4.6	1235	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.20000	-62.88333	5.5	-5.4	1318	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.61667	-62.81667	5.8	-5.5	1199	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.38333	-63.90000	6.0	-5.5	1228	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.70000	-61.98333	5.4	-5.3	1338	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.06667	-64.35000	6.1	-5.2	1256	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.86667	-63.71667	6.1	-4.9	1424	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.25000	-65.00000	6.4	-5.1	1157	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.08333	-64.50000	6.3	-5.1	1219	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.03333	-64.66667	6.1	-5.2	1240	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.03333	-64.83333	6.6	-4.6	1167	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.38333	-65.25000	6.3	-3.2	1317	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.03333	-64.71667	6.1	-2.7	1361	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.70000	-65.11667	6.4	-1.6	1313	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.68333	-62.71667	5.9	-5.6	1186	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.40000	-63.70000	6.1	-5.4	1220	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.15000	-64.38333	6.5	-5.0	1195	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.95000	-59.91667	7.3	-0.4	1424	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.88333	-60.43333	5.5	-4.2	1290	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.91667	-66.06667	6.5	-2.1	1263	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.65000	-64.05000	5.4	-6.3	1203	Canada	Garland & MacKevan 2007

Chrysopa oculata	45.36667	-63.26667	5.8	-5.5	1223	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.05000	-64.41667	6.2	-5.1	1239	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.40000	-62.21667	5.5	-5.2	1363	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.08333	-64.36667	6.1	-5.2	1256	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.09778	-64.65167	6.5	-4.9	1177	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.61667	-64.00000	5.2	-6.4	1233	Canada	Garland & MacKevan 2007
Chrysopa oculata	61.86250	-121.34861	-3.5	-23.9	357	Canada	Garland & MacKevan 2007
Chrysopa oculata	60.00000	-111.88333	-2.9	-22.4	347	Canada	Garland & MacKevan 2007
Chrysopa oculata	65.28194	-126.82917	-5.7	-24.9	319	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.46667	-80.15000	6.7	-5.7	898	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.28333	-79.28333	8.7	-3.3	817	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.55000	-78.58333	3.5	-10.9	966	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.21667	-79.98333	7.8	-4.4	877	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.80000	-81.65000	7.9	-4.3	917	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.21667	-74.76667	6.1	-8.3	914	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.53333	-80.16667	6.6	-5.9	903	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.76667	-80.98333	7.6	-4.6	949	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.01667	-79.61667	5.5	-7.8	1000	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.03333	-77.75000	4.8	-9.1	873	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.93333	-84.60000	3.7	-9.5	930	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.25000	-79.83333	6.6	-6.1	842	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.73333	-76.85000	5.2	-9.7	834	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.23333	-77.35000	6.9	-6.4	869	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.31667	-75.83333	5.8	-9.1	856	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.78333	-80.31667	5.8	-6.8	945	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.20000	-79.98333	4.7	-9.7	923	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.43333	-75.55000	5.9	-9.0	881	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.76667	-76.30000	6.0	-8.1	868	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.31667	-75.70000	6.0	-8.9	873	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.33333	-88.88333	1.0	-15.5	742	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.33333	-82.00000	9.2	-3.2	875	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.11667	-79.56667	6.8	-6.0	797	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.10000	-77.76667	6.6	-6.4	850	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.95000	-78.95000	7.6	-5.0	783	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.73333	-81.23333	6.4	-5.4	920	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.67083	-81.25833	6.4	-5.3	914	Canada	Garland & MacKevan 2007

Chrysopa oculata	42.98333	-81.23333	7.4	-4.9	945	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.06667	-79.65000	8.0	-4.0	873	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.30000	-76.71667	5.5	-9.1	828	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.38333	-80.31667	6.9	-5.5	908	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.70000	-80.01667	6.4	-6.3	906	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.93333	-79.85000	8.1	-3.9	905	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.01667	-78.46667	3.5	-11.4	912	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.58333	-76.31667	6.3	-7.4	891	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.01667	-77.45000	4.8	-10.4	839	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.40000	-82.18333	9.3	-3.1	837	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.25000	-77.48333	6.7	-6.6	860	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.61667	-81.53333	7.0	-5.1	961	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.15000	-81.03333	0.5	-16.3	860	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.01667	-81.50000	7.5	-4.7	934	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.50000	-76.08333	5.6	-9.3	828	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.56667	-79.61667	8.2	-4.1	786	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.03333	-74.73333	6.5	-7.7	894	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.81667	-80.00833	6.0	-6.5	894	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.51667	-75.40000	5.8	-9.1	886	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.63333	-79.10000	5.9	-7.4	893	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.25000	-79.53333	6.6	-6.2	820	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.43333	-82.40000	9.3	-3.2	821	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.78333	-92.75000	1.8	-15.7	693	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.26667	-79.96667	8.0	-4.2	861	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.90000	-79.61667	8.1	-3.7	898	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.16306	-81.33917	5.7	-6.2	884	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.60000	-80.55000	6.3	-6.2	941	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.68333	-80.43333	6.0	-6.5	944	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.91667	-76.61667	5.6	-8.6	857	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.34555	-89.28282	2.5	-12.8	725	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.35056	-75.71111	5.9	-9.0	869	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.36667	-80.31667	7.0	-5.3	904	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.33333	-76.16667	6.9	-6.4	904	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.91667	-87.76667	1.4	-13.7	799	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.88333	-79.86667	6.1	-6.9	960	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.98333	-79.93333	6.0	-7.0	979	Canada	Garland & MacKevan 2007

Chrysopa oculata	45.58333	-77.23333	5.3	-9.4	830	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.15000	-79.61667	8.0	-4.0	858	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.91667	-79.36667	5.3	-8.1	991	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.20000	-79.56667	8.3	-3.7	838	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.55000	-80.25000	6.5	-5.9	908	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.23333	-79.95000	7.8	-4.4	871	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.03333	-82.91667	9.4	-3.1	871	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.30000	-77.95000	6.3	-6.9	833	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.43333	-77.88333	6.1	-7.3	839	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.60000	-74.61667	5.8	-8.8	931	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.61667	-81.15000	6.4	-5.5	944	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.43333	-80.31667	6.8	-5.6	909	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.38278	-75.75833	6.0	-9.0	856	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.28333	-83.23333	4.7	-8.7	869	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.15000	-79.38333	8.4	-3.6	852	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.55000	-79.21667	4.4	-9.8	996	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.03333	-78.53333	6.8	-5.8	801	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.25000	-79.46667	6.5	-6.4	824	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.08333	-81.38333	4.2	-9.5	866	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.10000	-82.73333	9.4	-3.1	863	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.28333	-80.00000	4.7	-9.9	906	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.70000	-78.38333	3.5	-11.1	924	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.05000	-76.70000	5.1	-9.2	875	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.08333	-82.56667	9.6	-2.9	857	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.70000	-79.36667	8.2	-4.1	784	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.33333	-75.25000	6.0	-8.7	894	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.06667	-81.00000	7.2	-5.2	947	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.58333	-75.78333	6.6	-7.3	915	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.83333	-76.53333	5.8	-8.3	875	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.48333	-75.88333	6.7	-7.1	911	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.48333	-77.68333	6.1	-7.3	848	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.31667	-75.71667	6.0	-8.9	868	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.40000	-75.50000	6.0	-8.9	882	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.75000	-79.88333	6.1	-6.7	937	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.10000	-81.43333	5.8	-6.0	870	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.58333	-79.65000	8.0	-4.3	797	Canada	Garland & MacKevan 2007

Chrysopa oculata	42.38333	-81.85000	8.8	-3.5	898	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.26667	-75.76667	5.9	-8.9	862	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.05000	-79.46667	6.7	-6.2	794	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.10000	-79.06667	8.5	-3.5	891	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.70000	-80.38333	6.0	-6.5	941	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.01667	-88.26667	1.7	-13.9	773	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.13333	-80.43222	4.7	-9.6	904	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.58333	-78.50000	5.8	-7.7	850	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.13333	-75.71667	6.1	-8.6	861	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.65000	-79.85000	7.2	-5.2	830	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.21667	-79.01667	4.7	-9.3	981	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.05000	-93.90000	2.6	-14.7	659	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.65000	-81.03333	8.0	-4.1	944	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.98333	-78.61667	7.1	-5.5	796	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.76667	-81.03333	7.6	-4.6	948	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.26667	-75.75000	5.9	-8.9	862	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.35000	-80.03333	5.6	-7.9	1056	Canada	Garland & MacKevan 2007
Chrysopa oculata	41.75000	-82.68333	9.7	-2.8	867	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.01667	-77.45000	4.8	-10.4	839	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.30000	-78.31667	6.3	-7.0	798	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.90000	-79.13333	7.4	-5.2	792	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.25417	-81.83333	7.9	-4.3	887	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.96667	-82.51667	0.7	-16.4	813	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.40000	-89.31667	2.5	-12.9	716	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.90000	-79.23333	8.4	-3.5	948	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.55000	-79.58333	8.2	-4.1	786	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.43333	-81.40000	6.7	-5.1	911	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.01667	-78.40000	6.9	-5.7	795	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.03333	-79.35000	4.1	-10.4	974	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.71667	-75.51667	6.5	-7.7	875	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.38333	-80.35000	7.0	-5.4	904	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.10000	-80.13333	5.4	-7.2	938	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.46667	-80.16667	6.7	-5.7	898	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.71667	-94.56667	2.6	-14.8	611	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.43333	-76.35000	5.7	-9.2	810	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.85000	-76.15000	6.0	-8.2	854	Canada	Garland & MacKevan 2007

Chrysopa oculata	42.28333	-81.86667	9.2	-3.1	890	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.16667	-79.25000	8.7	-3.3	840	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.16667	-79.11667	8.8	-3.2	845	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.31667	-76.16667	6.9	-6.4	904	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.30000	-76.18333	6.9	-6.5	905	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.78333	-81.20000	7.6	-4.6	947	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.51667	-84.33333	4.3	-9.2	885	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.76667	-79.33333	5.8	-7.5	937	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.36667	-75.88333	5.9	-9.0	843	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.83333	-76.60000	5.8	-8.3	872	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.35000	-80.25000	5.0	-7.6	981	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.10000	-79.55000	8.0	-4.0	864	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.51667	-78.68333	3.7	-10.6	969	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.06667	-82.16667	1.0	-16.1	809	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.16667	-89.41667	2.7	-12.3	730	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.20000	-82.35000	4.5	-9.0	846	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.85000	-75.55000	6.3	-8.0	879	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.30000	-77.55000	6.7	-6.7	847	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.21667	-79.76667	8.5	-3.6	829	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.95000	-81.63333	7.8	-4.4	916	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.51667	-80.90000	4.1	-10.8	838	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.28333	-79.98333	8.0	-4.2	861	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.15000	-81.85000	7.8	-4.5	897	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.25000	-83.56667	4.7	-8.9	862	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.40000	-89.31667	2.5	-12.9	716	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.60000	-87.95000	0.2	-16.5	802	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.70000	-79.41667	8.1	-4.3	790	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.10000	-77.58333	7.1	-6.0	838	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.15000	-79.40000	8.4	-3.6	852	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.63333	-76.80000	5.9	-7.8	891	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.93333	-80.28333	7.7	-4.5	939	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.46667	-80.51667	6.6	-5.8	929	Canada	Garland & MacKevan 2007
Chrysopa oculata	44.68333	-76.40000	6.0	-7.9	886	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.73333	-82.36667	8.8	-3.7	810	Canada	Garland & MacKevan 2007
Chrysopa oculata	42.30000	-83.01667	9.5	-3.1	834	Canada	Garland & MacKevan 2007
Chrysopa oculata	43.10000	-81.13333	7.2	-5.2	951	Canada	Garland & MacKevan 2007

Chrysopa oculata	46.41667	-63.18333	5.8	-5.7	1099	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.24028	-63.13472	5.8	-5.7	1124	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.41500	-63.07083	5.8	-5.7	1105	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.48333	-63.38333	5.5	-6.1	1099	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.35000	-63.35000	5.5	-6.1	1119	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.41667	-63.10000	5.8	-5.7	1101	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.31667	-63.10000	5.7	-5.8	1127	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.79000	-71.35667	4.7	-9.8	1108	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.85278	-63.64028	1.8	-9.7	1016	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.25000	-72.00000	4.8	-10.0	1053	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.71667	-74.70000	5.1	-9.6	969	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.39500	-75.83222	5.8	-9.1	859	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.21667	-68.15000	1.4	-12.5	963	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.31667	-73.86667	6.5	-7.9	926	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.55000	-76.16667	5.4	-9.6	843	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.08833	-73.21222	5.4	-9.7	970	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.08333	-73.18333	5.4	-9.5	968	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.45000	-73.46667	6.5	-8.0	965	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.75139	-71.34444	4.7	-9.8	1108	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.44750	-73.29000	6.3	-8.2	967	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.50000	-75.78333	5.5	-9.5	877	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.11667	-75.36667	1.2	-14.7	1040	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.01833	-73.75556	6.0	-8.0	888	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.86722	-71.63750	4.0	-10.7	1128	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.83333	-64.48333	3.1	-9.3	1043	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.31667	-67.60000	1.7	-12.3	909	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.10000	-76.05000	4.1	-11.2	928	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.18917	-68.38667	1.4	-12.6	959	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.05000	-73.58333	6.5	-7.6	879	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.46417	-74.15139	6.2	-8.3	926	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.48333	-75.65000	6.0	-9.0	867	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.58333	-73.75000	6.2	-8.4	955	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.38333	-73.95000	6.3	-8.1	928	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.95000	-76.01667	4.4	-10.8	915	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.54167	-75.81667	5.3	-9.8	885	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.21722	-72.51694	5.4	-8.9	1051	Canada	Garland & MacKevan 2007

Chrysopa oculata	46.12083	-74.83500	4.0	-11.0	1007	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.13333	-74.48333	3.5	-11.3	1079	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.62556	-72.76444	4.0	-11.1	1065	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.56111	-73.80556	2.4	-12.5	1110	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.15000	-75.50000	3.7	-11.5	949	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.05000	-79.26667	3.0	-12.4	900	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.96667	-73.21667	5.5	-9.4	972	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.49472	-74.02500	6.2	-8.3	930	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.58333	-73.75000	6.2	-8.4	955	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.25000	-72.95000	5.2	-9.8	989	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.26667	-72.15000	5.0	-9.3	1061	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.96667	-66.95000	3.0	-10.8	1005	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.31667	-74.01667	-1.1	-18.3	934	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.91667	-66.18333	-0.6	-13.9	1223	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.00000	-74.50000	3.9	-10.8	1054	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.51667	-73.65000	6.3	-8.3	972	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.55833	-73.19833	5.9	-8.7	993	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.40000	-75.03333	3.7	-11.6	1000	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.46667	-74.08333	6.0	-8.5	936	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.83333	-76.08333	4.3	-10.8	914	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.43333	-74.35000	2.2	-12.7	1140	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.60028	-75.61694	5.2	-9.8	902	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.48333	-70.90000	3.6	-10.2	1001	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.44861	-73.81750	6.3	-8.1	938	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.33333	-73.96667	6.4	-7.9	916	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.41000	-75.88917	5.9	-9.0	842	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.05000	-73.71667	4.3	-10.4	1027	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.48333	-74.30000	5.9	-8.5	936	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.43333	-73.05000	6.1	-8.4	983	Canada	Garland & MacKevan 2007
Chrysopa oculata	47.18333	-70.21667	4.1	-10.1	978	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.18333	-73.13333	5.2	-9.8	977	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.40000	-73.93333	6.3	-8.1	928	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.85000	-71.61667	4.1	-10.6	1129	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.15806	-73.67833	6.5	-7.7	913	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.77083	-71.28333	4.7	-9.7	1118	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.80000	-72.70000	5.4	-9.3	1010	Canada	Garland & MacKevan 2007

Chrysopa oculata	46.70000	-71.06667	4.6	-9.8	1081	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.56667	-73.20000	5.9	-8.7	993	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.96667	-70.65000	4.1	-9.8	939	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.58750	-73.72556	6.1	-8.5	961	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.50000	-72.90000	6.0	-8.6	988	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.01556	-73.35028	5.4	-9.5	972	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.20000	-66.38333	1.5	-12.3	1073	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.87139	-74.07917	4.8	-9.8	1005	Canada	Garland & MacKevan 2007
Chrysopa oculata	46.53278	-72.77444	4.8	-10.3	1026	Canada	Garland & MacKevan 2007
Chrysopa oculata	48.15000	-69.71667	2.5	-11.5	982	Canada	Garland & MacKevan 2007
Chrysopa oculata	45.40000	-74.03333	6.3	-8.1	922	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.63333	-105.98333	3.8	-11.4	363	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.83333	-108.86250	1.6	-15.2	385	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.01667	-105.06667	3.4	-12.6	356	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.05000	-104.65000	0.4	-17.3	436	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.96667	-106.66667	2.1	-15.1	351	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.83333	-107.01667	0.6	-16.6	429	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.83333	-106.90000	1.4	-15.4	385	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.36667	-102.58333	1.9	-14.9	419	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.25000	-107.46667	3.5	-11.4	353	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.28333	-103.58333	0.6	-17.4	462	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.53333	-105.80000	0.3	-17.2	436	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.05000	-104.61667	3.0	-13.5	373	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.81667	-103.30000	2.8	-13.8	412	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.66667	-109.50000	1.7	-11.9	399	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.66667	-109.51667	1.7	-11.9	399	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.38333	-104.11667	2.0	-14.8	414	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.93333	-108.60000	1.5	-15.5	389	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.86667	-105.25000	2.9	-13.7	371	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.81667	-106.23333	1.7	-14.9	392	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.11667	-106.58333	2.9	-13.8	329	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.65000	-102.08333	1.8	-15.5	425	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.13333	-102.98333	3.3	-13.9	401	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.93333	-109.81667	3.7	-11.8	315	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.48333	-108.40000	2.4	-14.0	342	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.15000	-104.78333	0.4	-17.4	436	Canada	Garland & MacKevan 2007

Chrysopa oculata	49.16667	-101.45000	3.1	-13.9	410	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.20000	-102.01667	3.1	-13.7	397	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.06667	-103.18333	0.8	-16.3	434	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.16667	-104.43333	2.7	-14.1	386	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.53333	-103.66667	2.0	-14.9	426	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.40000	-104.28333	2.2	-14.6	401	Canada	Garland & MacKevan 2007
Chrysopa oculata	54.90000	-102.81667	-0.9	-19.9	490	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.83333	-102.28333	1.6	-15.1	441	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.75000	-103.70000	1.9	-15.2	418	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.66667	-109.53333	3.4	-11.8	343	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.65000	-104.86667	2.8	-13.9	380	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.01667	-106.01667	1.7	-14.6	401	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.33333	-109.93333	2.1	-14.1	379	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.91667	-109.48333	3.6	-11.0	336	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.86667	-104.61667	0.5	-17.0	425	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.80833	-102.41667	1.5	-15.1	442	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.36667	-104.00000	0.6	-17.3	449	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.50000	-107.05000	2.6	-14.3	342	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.23333	-102.16667	2.9	-13.8	404	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.30833	-104.21250	2.4	-14.5	401	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.89444	-106.81667	2.3	-14.9	346	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.20000	-105.76667	0.9	-16.5	409	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.45000	-104.61667	2.4	-14.3	383	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.06667	-102.80000	3.4	-13.7	398	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.33333	-104.61667	2.6	-14.2	379	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.43333	-105.86667	3.9	-11.4	343	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.11667	-106.63333	2.0	-15.2	356	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.36667	-106.00000	3.6	-11.5	342	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.63333	-109.48333	2.2	-13.8	341	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.48333	-104.68333	0.1	-17.9	456	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.58333	-102.96667	0.3	-17.6	461	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.90000	-102.38333	0.5	-17.2	440	Canada	Garland & MacKevan 2007
Chrysopa oculata	50.53333	-101.83333	2.0	-15.3	429	Canada	Garland & MacKevan 2007
Chrysopa oculata	59.56667	-108.61667	-3.3	-23.4	349	Canada	Garland & MacKevan 2007
Chrysopa oculata	49.23333	-107.73333	4.2	-10.5	318	Canada	Garland & MacKevan 2007
Chrysopa oculata	52.65000	-105.73333	1.4	-15.7	395	Canada	Garland & MacKevan 2007

Chrysopa oculata	49.66667	-103.85000	3.6	-12.5	386	Canada	Garland & MacKevan 2007
Chrysopa oculata	53.45000	-104.08333	0.5	-17.5	454	Canada	Garland & MacKevan 2007
Chrysopa oculata	51.61667	-107.75000	2.3	-14.5	354	Canada	Garland & MacKevan 2007
Chrysopa oculata	61.05000	-138.50000	-3.0	-18.4	389	Canada	Garland & MacKevan 2007
Chrysopa oculata	64.06250	-139.43056	-5.2	-26.3	314	Canada	Garland & MacKevan 2007
Chrysopa oculata	64.06250	-139.43056	-5.2	-26.3	314	Canada	Garland & MacKevan 2007
Chrysopa oculata	62.81667	-136.58333	-3.5	-23.1	276	Canada	Garland & MacKevan 2007
Chrysopa oculata	62.86667	-136.50000	-3.8	-23.3	276	Canada	Garland & MacKevan 2007
Chrysopa oculata	65.11667	-140.52500	-7.5	-26.5	274	Canada	Garland & MacKevan 2007
Chrysopa oculata	60.99583	-138.53333	-3.5	-18.3	411	Canada	Garland & MacKevan 2007
Chrysopa oculata	63.59306	-135.89583	-3.9	-23.3	300	Canada	Garland & MacKevan 2007
Chrysopa oculata	62.53611	-136.76667	-3.7	-22.9	264	Canada	Garland & MacKevan 2007
Chrysopa oculata	62.81806	-136.56944	-3.5	-23.1	276	Canada	Garland & MacKevan 2007
Chrysopa oculata	62.28889	-136.13333	-4.0	-23.5	265	Canada	Garland & MacKevan 2007
Chrysopa oculata	60.71667	-135.05000	-0.9	-15.7	272	Canada	Garland & MacKevan 2007
Chrysopa oculata	64.83333	-147.83333	-2.8	-21.1	309	Canada	Garland & MacKevan 2007
Chrysopa pleuralis	52.40000	-117.71667	-2.6	-12.5	659	USA	Garland & MacKevan 2007
Chrysopa pleuralis	49.08333	-113.86667	3.6	-6.4	569	Canada	Garland & MacKevan 2007
Chrysopa pleuralis	49.05000	-113.90000	3.6	-6.4	575	Canada	Garland & MacKevan 2007
Chrysopa pleuralis	49.73333	-116.91667	7.0	-2.7	750	Canada	Garland & MacKevan 2007
Chrysopa pleuralis	50.40000	-121.53333	3.3	-5.8	500	Canada	Garland & MacKevan 2007
Chrysopa pleuralis	51.08333	-121.58333	3.6	-6.4	403	Canada	Garland & MacKevan 2007
Chrysopa pleuralis	49.35000	-120.06667	6.1	-4.6	311	Canada	Garland & MacKevan 2007
Chrysopa pleuralis	50.68333	-121.93333	8.7	-1.8	395	Canada	Garland & MacKevan 2007
Chrysopa pleuralis	50.11250	-120.79167	7.1	-3.7	381	Canada	Garland & MacKevan 2007
Chrysopa pleuralis	50.16667	-120.66667	5.6	-4.9	341	Canada	Garland & MacKevan 2007
Chrysopa pleuralis	49.11592	-119.66916	3.8	-6.3	339	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	49.85278	-95.55278	2.0	-15.8	543	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	44.21667	-64.43333	6.4	-3.1	1356	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	45.40000	-62.21667	5.5	-5.2	1363	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	47.28333	-82.10000	2.3	-12.9	822	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	44.55000	-78.55000	5.7	-7.8	860	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	44.58333	-76.31667	6.3	-7.4	891	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	43.26667	-76.96667	8.7	-3.5	919	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	44.88333	-79.86667	6.1	-6.9	960	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	44.48333	-77.68333	6.1	-7.3	848	Canada	Garland & MacKevan 2007

Chrysopa quadripunctata	43.10000	-79.06667	8.5	-3.5	891	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	43.25000	-79.06667	8.8	-3.2	818	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	43.55000	-79.58333	8.2	-4.1	786	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	42.78333	-80.20000	8.2	-3.8	949	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	42.28333	-81.86667	9.2	-3.1	890	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	43.16667	-79.11667	8.8	-3.2	845	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	44.30000	-76.18333	6.9	-6.5	905	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	44.30000	-76.15000	6.9	-6.4	904	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	43.70000	-79.41667	8.1	-4.3	790	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	46.41500	-63.07083	5.8	-5.7	1105	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	45.01833	-73.75556	6.0	-8.0	888	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	45.38333	-73.95000	6.3	-8.1	928	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	45.58333	-73.75000	6.2	-8.4	955	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	45.68333	-76.08333	4.8	-10.3	885	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	45.55833	-73.19833	5.9	-8.7	993	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	46.43333	-74.35000	2.2	-12.7	1140	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	45.40000	-73.93333	6.3	-8.1	928	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	45.87139	-74.07917	4.8	-9.8	1005	Canada	Garland & MacKevan 2007
Chrysopa quadripunctata	50.76667	-103.80000	2.1	-15.0	410	Canada	Garland & MacKevan 2007
Chrysopa ceratina	-19.06917	34.23028	24.9	21.1	987	Mozambique	Tjeder 1966
Chrysopa ceratina	-27.98643	32.42398	21.7	17.7	943	South Africa	Tjeder 1966
Chrysopa ceratina	-27.88232	32.40980	21.7	17.8	883	South Africa	Tjeder 1966
Chrysopa ceratina	-23.85473	31.57723	23.0	17.6	494	South Africa	Tjeder 1966
Chrysopa ceratina	-23.11168	31.43202	22.8	17.6	432	South Africa	Tjeder 1966
Chrysopa ceratina	-25.76281	32.73668	23.4	20.0	816	Mozambique	Tjeder 1966
Chrysopa ceratina	-19.06917	34.23028	24.9	21.1	987	Mozambique	Tjeder 1966
Chrysopa ceratina	-19.06917	34.23028	24.9	21.1	987	Ruo Valley	Tjeder 1966
Chrysopa ducissa	-9.70463	27.22068	23.1	20.3	820	DR Congo	Tjeder 1966
Chrysopa peri	-18.16009	12.56207	17.8	15.0	128	S. W. Africa	Tjeder 1966
Chrysopa peri	-26.47259	20.61260	20.1	12.2	215	South Africa	Tjeder 1966
Chrysopa peri	-25.76796	20.00029	19.7	11.7	222	South Africa	Tjeder 1966
Chrysopa peri	-25.42136	20.59624	20.4	12.5	237	South Africa	Tjeder 1966
Chrysopa peri	-19.24954	17.71182	22.0	17.1	548	S. W. Africa	Tjeder 1966
Chrysopa peri	-19.06354	14.34857	21.5	17.3	304	S. W. Africa	Tjeder 1966
Chrysopa peri	-19.52572	17.09493	21.1	16.1	549	S. W. Africa	Tjeder 1966
Chrysopa peri	-18.18319	12.51667	18.0	15.2	106	S. W. Africa	Tjeder 1966

Chrysopa peri	-18.28321	12.66650	18.4	15.5	111	S. W. Africa	Tjeder 1966
Chrysopa michaelseni	-22.00320	15.58296	21.8	17.9	131	S. W. Africa	Tjeder 1966
Chrysopa michaelseni	-26.88846	32.27673	22.9	18.8	644	South Africa	Tjeder 1966
Chrysopa michaelseni	-22.00320	15.58296	21.8	17.9	131	S. W. Africa	Tjeder 1966
Chrysopa michaelseni	-19.12526	13.61668	23.6	19.8	111	S. W. Africa	Tjeder 1966
Chrysopa stenoptera	-19.06917	34.23028	24.9	21.1	987	Mozambique	Tjeder 1966
Chrysopa stenoptera	-33.47321	19.61008	16.0	10.6	440	South Africa	Tjeder 1966
Chrysopa stenoptera	-28.75000	31.90000	21.6	17.8	1068	South Africa	Tjeder 1966
Chrysopa stenoptera	-26.88846	32.27673	22.9	18.8	644	South Africa	Tjeder 1966
Chrysopa stenoptera	-26.60354	25.57481	17.5	10.7	520	South Africa	Tjeder 1966
Chrysopa stenoptera	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
Chrysopa stenoptera	-25.64500	28.35789	17.8	12.0	691	South Africa	Tjeder 1966
Chrysopa stenoptera	-29.21411	26.70192	15.8	8.7	617	South Africa	Tjeder 1966
Chrysopa stenoptera	-23.04238	29.91201	19.0	14.5	720	South Africa	Tjeder 1966
Chrysopa stenoptera	-23.11670	31.43330	22.8	17.6	432	South Africa	Tjeder 1966
Chrysopa stenoptera	-19.06917	34.23028	24.9	21.1	987	Mozambique.	Tjeder 1966
Chrysopa stenoptera	-18.40424	36.10394	25.3	22.1	1035	Mozambique.	Tjeder 1966
Chrysopa stenoptera	-21.16365	31.54556	22.8	18.1	538	S. Rhodesia	Tjeder 1966
Chrysopa stenoptera	-17.82896	31.05244	18.2	14.2	842	S. Rhodesia	Tjeder 1966
Chrysopa stenoptera	-19.24954	17.71182	22.0	17.1	548	S. W. Africa	Tjeder 1966
Chrysopa stenoptera	-28.44654	18.73429	20.6	13.4	103	S. W. Africa	Tjeder 1966
Chrysopa kannemeyeri	-30.21250	26.53139	14.7	7.9	507	South Africa	Tjeder 1966
Chrysopa kannemeyeri	-30.80000	27.96667	11.4	5.7	757	South Africa	Tjeder 1966
Chrysopa kannemeyeri	-31.29905	25.82260	14.1	7.5	447	South Africa	Tjeder 1966
Chrysopa kannemeyeri	-30.21250	26.53139	14.7	7.9	507	South Africa	Tjeder 1966
Chrysopa kannemeyeri	-30.30420	27.09335	14.1	7.4	684	South Africa	Tjeder 1966
Chrysopa kannemeyeri	-30.41059	27.69986	14.7	8.4	651	Basutoland	Tjeder 1966
Chrysopa kannemeyeri	-30.28201	27.89641	13.3	6.6	715	Basutoland	Tjeder 1966
Chrysopa kannemeyeri	-28.87251	28.04172	15.4	9.2	746	Basutoland	Tjeder 1966
Chrysopa kannemeyeri	-29.45274	27.72000	15.0	9.1	771	Basutoland	Tjeder 1966
Chrysopa kannemeyeri	-29.33413	28.46219	11.4	5.8	686	Basutoland	Tjeder 1966
Chrysopa kannemeyeri	-29.12578	27.83347	15.4	9.4	793	Basutoland	Tjeder 1966
Chrysopa kannemeyeri	-26.20445	28.04556	16.1	11.2	784	South Africa	Tjeder 1966
Chrysopa squamosa	-32.77405	26.63290	18.3	13.5	502	South Africa	Tjeder 1966
Chrysopa squamosa	-34.25793	19.60664	16.3	12.1	522	South Africa	Tjeder 1966
Chrysopa squamosa	-34.01162	19.35719	13.3	9.6	842	South Africa	Tjeder 1966

Chrysopa squamosa	-33.91283	25.20250	16.8	13.4	540	South Africa	Tjeder 1966
Chrysopa squamosa	-33.39960	25.44336	18.8	13.8	339	South Africa	Tjeder 1966
Chrysopa squamosa	-32.77405	26.63290	18.3	13.5	502	South Africa	Tjeder 1966
Chrysopa squamosa	-33.93264	25.56993	17.6	14.5	556	South Africa	Tjeder 1966
Chrysopa squamosa	-33.30566	26.52453	16.6	12.7	706	South Africa	Tjeder 1966
Chrysopa squamosa	-29.61667	30.38333	18.3	13.7	888	South Africa	Tjeder 1966
Chrysopa squamosa	-28.68592	28.95414	14.8	10.1	974	South Africa	Tjeder 1966
Chrysopa squamosa	-29.81490	30.84416	19.6	16.7	954	South Africa	Tjeder 1966
Chrysopa squamosa	-27.98643	32.42398	21.7	17.7	943	South Africa	Tjeder 1966
Chrysopa squamosa	-27.33804	31.99817	20.9	17.0	671	South Africa	Tjeder 1966
Chrysopa squamosa	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
Chrysopa squamosa	-25.64500	28.35789	17.8	12.0	691	South Africa	Tjeder 1966
Chrysopa squamosa	-24.29731	29.25686	18.9	13.5	544	South Africa	Tjeder 1966
Chrysopa squamosa	-23.85473	31.57723	23.0	17.6	494	South Africa	Tjeder 1966
Chrysopa squamosa	-17.82896	31.05244	18.2	14.2	842	S. Rhodesia	Tjeder 1966
Chrysopa squamosa	-17.87012	31.10801	18.0	14.1	843	S. Rhodesia	Tjeder 1966
Chrysopa squamosa	-18.40424	36.10394	25.3	22.1	1035	Mozambique	Tjeder 1966
Chrysopa squamosa	-0.13448	30.49639	20.3	20.0	1120	Congo	Tjeder 1966
Chrysopa squamosa	-2.90606	27.92908	23.7	23.3	1655	Congo	Tjeder 1966
Chrysopa parva	-26.47259	20.61260	20.1	12.2	215	South Africa	Tjeder 1966
Chrysopa parva	-26.47259	20.61260	20.1	12.2	215	South Africa	Tjeder 1966
Chrysopa parva	-25.76796	20.00029	19.7	11.7	222	South Africa	Tjeder 1966
Chrysopa jeanneli	-3.39928	38.55592	24.9	22.8	615	Kenya	Tjeder 1966
Chrysopa jeanneli	-33.92478	18.42993	16.5	12.8	962	South Africa	Tjeder 1966
Chrysopa jeanneli	-33.36668	19.31665	15.6	10.2	927	South Africa	Tjeder 1966
Chrysopa jeanneli	-33.78495	20.11722	16.6	11.0	352	South Africa	Tjeder 1966
Chrysopa jeanneli	-33.58693	22.19825	17.4	11.7	273	South Africa	Tjeder 1966
Chrysopa jeanneli	-32.35344	22.57987	17.9	12.2	224	South Africa	Tjeder 1966
Chrysopa jeanneli	-33.36161	21.41077	13.3	8.1	306	South Africa	Tjeder 1966
Chrysopa jeanneli	-33.39960	25.44336	18.8	13.8	339	South Africa	Tjeder 1966
Chrysopa jeanneli	-31.29629	25.82100	14.1	7.5	447	South Africa	Tjeder 1966
Chrysopa jeanneli	-30.21250	26.53139	14.7	7.9	507	South Africa	Tjeder 1966
Chrysopa jeanneli	-26.88846	32.27673	22.9	18.8	644	South Africa	Tjeder 1966
Chrysopa jeanneli	-26.86712	26.65802	17.0	10.4	604	South Africa	Tjeder 1966
Chrysopa jeanneli	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
Chrysopa jeanneli	-25.70350	28.21350	17.7	11.9	704	South Africa	Tjeder 1966

Chrysopa jeanneli	-25.68724	28.19136	17.8	11.9	696	South Africa	Tjeder 1966
Chrysopa jeanneli	-25.64500	28.35789	17.8	12.0	691	South Africa	Tjeder 1966
Chrysopa jeanneli	-24.99590	31.59687	21.8	16.5	641	South Africa	Tjeder 1966
Chrysopa jeanneli	-27.46662	25.59991	17.7	10.3	503	South Africa	Tjeder 1966
Chrysopa jeanneli	-20.45006	29.03581	19.5	14.5	583	S. Rhodesia	Tjeder 1966
Chrysopa jeanneli	-19.86008	28.26874	19.6	15.0	574	S. Rhodesia	Tjeder 1966
Chrysopa jeanneli	-3.39928	38.55592	24.9	22.8	615	Kenya	Tjeder 1966
Chrysopa jeanneli	-7.47863	31.67553	24.6	22.2	916	Tanganyika Terr	Tjeder 1966
Chrysopa commixta	-18.37820	31.70723	17.0	12.9	833	S. Rhodesia	Tjeder 1966
Chrysopa simillima	11.58800	43.14500	30.1	26.1	121	Fr Somaliland	Tjeder 1966
Chrysopa marchionissa	-25.97301	32.58257	22.9	19.2	760	Mozambique	Navás 1915
Chrysopa nigrivultuosa	0.31627	32.58265	21.5	20.7	1284	Uganda	W-RMCA-3
Chrysopa bequaerti	-5.38350	26.98859	25.1	24.6	1204	DR Congo	W-RMCA-1
Chrysopa clypealis	2.91034	29.41517	23.8	22.7	1745	DR Congo	W-RMCA-1
Chrysopa collarti	1.75592	30.60723	18.0	17.1	1454	DR Congo	W-RMCA-1
Chrysopa umbrosa	0.01667	37.06667	16.3	15.8	809	Kenya	W-RMCA-1
Chrysopa elongata	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Chrysopa elongata	-2.24088	-59.73327	27.1	26.7	2517	Brazil	Adams & Penny 1985
Chrysopa brasiliensis	-3.06908	-60.01903	27.4	27.0	2165	Brazil	Adams & Penny 1985
Chrysopa brasiliensis	-3.08693	-60.02300	27.5	27.0	2153	Brazil	Adams & Penny 1985
Chrysopa brasiliensis	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Chrysopa brasiliensis	-2.24088	-59.73327	27.1	26.7	2517	Brazil	Adams & Penny 1985
Chrysopa brasiliensis	-4.68697	-56.45541	27.0	26.4	2139	Brazil	Adams & Penny 1985
Chrysopa brasiliensis	-4.34277	-46.40457	26.5	26.0	1463	Brazil	Adams & Penny 1985
Chrysopa brasiliensis	-19.78050	-42.59999	23.4	20.6	1140	Brazil	Adams & Penny 1985
Chrysopa brasiliensis	-22.35764	-47.38479	20.2	16.9	1322	Brazil	Adams & Penny 1985
Chrysopa brasiliensis	-27.04846	-52.40184	18.2	14.4	2110	Brazil	Adams & Penny 1985
Chrysopa ciliata	43.11905	144.12832	5.6	-6.7	1054	Japan	Kuwayama 1962
Chrysopa ciliata	35.01974	135.76436	15.3	5.2	1725	Japan	Kuwayama 1962
Chrysopa kichijoi	43.06349	141.34386	8.3	-3.8	1149	Japan	Kuwayama 1962
Chrysopa formosana	42.96838	141.16556	5.6	-6.6	1352	Japan	Kuwayama 1962
Chrysopa formosana	43.06349	141.34386	8.3	-3.8	1149	Japan	Kuwayama 1962
Chrysopa formosana	35.16414	137.86659	13.1	3.0	2110	Japan	Kuwayama 1962
Chrysopa formosana	35.01974	135.76436	15.3	5.2	1725	Japan	Kuwayama 1962
Chrysopa formosana	34.22676	133.78673	15.5	5.9	1229	Japan	Kuwayama 1962
Chrysopa albolineata	33.84024	132.76378	15.8	6.2	1410	Japan	Kuwayama 1962

Chrysopa boninensis	34.00420	133.57574	16.0	6.5	1568	Japan	Kuwayama 1962
Chrysopa boninensis	33.84024	132.76378	15.8	6.2	1410	Japan	Kuwayama 1962
Chrysopa suzukii	35.01974	135.76436	15.3	5.2	1725	Japan	Kuwayama 1962
Chrysopa suzukii	33.84024	132.76378	15.8	6.2	1410	Japan	Kuwayama 1962
Chrysopa suzukii	35.67659	139.69828	15.4	5.9	1450	Japan	Kuwayama 1962
Chrysopa suzukii	35.01974	135.76436	15.3	5.2	1725	Japan	Kuwayama 1962
Chrysopa nipponensis	43.06349	141.34386	8.3	-3.8	1149	Japan	Kuwayama 1962
Chrysopa nipponensis	42.75801	141.81778	7.1	-5.3	1084	Japan	Kuwayama 1962
Chrysopa nipponensis	40.61097	141.20741	9.9	-1.0	1234	Japan	Kuwayama 1962
Chrysopa nipponensis	40.53986	141.56357	10.0	-0.4	1140	Japan	Kuwayama 1962
Chrysopa nipponensis	40.32605	141.46069	9.1	-1.7	1236	Japan	Kuwayama 1962
Chrysopa nipponensis	38.26723	140.87177	12.2	2.0	1268	Japan	Kuwayama 1962
Chrysopa nipponensis	38.22179	139.48630	12.5	1.9	2134	Japan	Kuwayama 1962
Chrysopa nipponensis	38.08171	138.43683	13.0	3.0	1810	Japan	Kuwayama 1962
Chrysopa nipponensis	36.50141	138.92109	11.8	1.1	1356	Japan	Kuwayama 1962
Chrysopa nipponensis	35.67659	139.69828	15.4	5.9	1450	Japan	Kuwayama 1962
Chrysopa nipponensis	35.30993	138.93632	13.1	3.5	1856	Japan	Kuwayama 1962
Chrysopa nipponensis	35.01296	138.48227	16.1	7.1	2162	Japan	Kuwayama 1962
Chrysopa nipponensis	34.82099	138.12924	15.7	6.5	2155	Japan	Kuwayama 1962
Chrysopa nipponensis	35.66455	138.57088	14.5	3.8	1253	Japan	Kuwayama 1962
Chrysopa nipponensis	36.32783	138.41802	10.7	-0.6	1116	Japan	Kuwayama 1962
Chrysopa nipponensis	35.01974	135.76436	15.3	5.2	1725	Japan	Kuwayama 1962
Chrysopa nipponensis	33.87714	133.31348	12.9	3.0	1901	Japan	Kuwayama 1962
Chrysopa nipponensis	33.84024	132.76378	15.8	6.2	1410	Japan	Kuwayama 1962
Chrysopa nipponensis	34.00420	133.57574	16.0	6.5	1568	Japan	Kuwayama 1962
Chrysopa nipponensis	32.80389	130.70680	16.4	6.3	1959	Japan	Kuwayama 1962
Chrysopa satoruna	43.06349	141.34386	8.3	-3.8	1149	Japan	Kuwayama 1962
Chrysopa cognatella	44.88790	141.74967	6.7	-4.6	1233	Japan	Kuwayama 1962
Chrysopa cognatella	42.28390	143.31920	6.5	-4.3	1319	Japan	Kuwayama 1962
Chrysopa cognatella	43.72619	142.94875	2.1	-11.3	1428	Japan	Kuwayama 1962
Chrysopa cognatella	43.06349	141.34386	8.3	-3.8	1149	Japan	Kuwayama 1962
Chrysopa cognatella	42.96838	141.16556	5.6	-6.6	1352	Japan	Kuwayama 1962
Chrysopa cognatella	41.80357	140.12046	9.4	-0.9	1265	Japan	Kuwayama 1962
Chrysopa cognatella	40.61097	141.20741	9.9	-1.0	1234	Japan	Kuwayama 1962
Chrysopa cognatella	36.82617	139.71419	10.8	0.4	1748	Japan	Kuwayama 1962
Chrysopa cognatella	36.97816	139.80524	8.9	-1.6	1774	Japan	Kuwayama 1962

Chrysopa cognatella	35.67659	139.69828	15.4	5.9	1450	Japan	Kuwayama 1962
Chrysopa cognatella	35.81032	139.09521	11.7	1.1	1442	Japan	Kuwayama 1962
Chrysopa cognatella	34.06800	139.55533	17.1	9.7	2497	Japan	Kuwayama 1962
Chrysopa cognatella	34.82099	138.12924	15.7	6.5	2155	Japan	Kuwayama 1962
Chrysopa cognatella	38.06669	139.43330	12.3	1.5	2009	Japan	Kuwayama 1962
Chrysopa cognatella	34.48169	136.84366	16.0	6.6	2195	Japan	Kuwayama 1962
Chrysopa cognatella	33.85110	132.78704	15.8	6.2	1410	Japan	Kuwayama 1962
Chrysopa cognatella	31.59779	130.55298	17.6	8.5	2340	Japan	Kuwayama 1962
Chrysopa septempunctata	43.36673	143.19054	3.1	-10.5	1464	Japan	Kuwayama 1962
Chrysopa septempunctata	43.06349	141.34386	8.3	-3.8	1149	Japan	Kuwayama 1962
Chrysopa septempunctata	42.96838	141.16556	5.6	-6.6	1352	Japan	Kuwayama 1962
Chrysopa septempunctata	40.61097	141.20741	9.9	-1.0	1234	Japan	Kuwayama 1962
Chrysopa septempunctata	40.32605	141.46069	9.1	-1.7	1236	Japan	Kuwayama 1962
Chrysopa septempunctata	36.50141	138.92109	11.8	1.1	1356	Japan	Kuwayama 1962
Chrysopa septempunctata	35.67659	139.69828	15.4	5.9	1450	Japan	Kuwayama 1962
Chrysopa septempunctata	35.80264	139.10114	11.7	1.1	1442	Japan	Kuwayama 1962
Chrysopa septempunctata	34.06800	139.55533	17.1	9.7	2497	Japan	Kuwayama 1962
Chrysopa septempunctata	38.06669	139.43330	12.3	1.5	2009	Japan	Kuwayama 1962
Chrysopa septempunctata	37.66545	139.04048	13.0	2.1	2017	Japan	Kuwayama 1962
Chrysopa septempunctata	36.69413	137.21135	13.9	3.7	2339	Japan	Kuwayama 1962
Chrysopa septempunctata	35.42150	136.76513	15.3	5.0	2008	Japan	Kuwayama 1962
Chrysopa septempunctata	35.16414	137.86659	13.1	3.0	2110	Japan	Kuwayama 1962
Chrysopa septempunctata	34.82099	138.12924	15.7	6.5	2155	Japan	Kuwayama 1962
Chrysopa septempunctata	35.01974	135.76436	15.3	5.2	1725	Japan	Kuwayama 1962
Chrysopa septempunctata	34.71405	134.86796	15.2	5.3	1300	Japan	Kuwayama 1962
Chrysopa septempunctata	34.58566	133.77130	15.2	5.2	1182	Japan	Kuwayama 1962
Chrysopa septempunctata	34.40741	131.39940	14.8	5.6	1773	Japan	Kuwayama 1962
Chrysopa septempunctata	34.22676	133.78673	15.5	5.9	1229	Japan	Kuwayama 1962
Chrysopa septempunctata	33.87714	133.31348	12.9	3.0	1901	Japan	Kuwayama 1962
Chrysopa septempunctata	33.75806	132.70241	16.2	6.7	1429	Japan	Kuwayama 1962
Chrysopa septempunctata	32.74597	129.88392	16.2	6.9	2069	Japan	Kuwayama 1962
Chrysopa septempunctata	32.80555	130.69986	16.4	6.3	1959	Japan	Kuwayama 1962
Chrysopa prasina	43.48501	144.80889	5.3	-6.6	1074	Japan	Kuwayama 1962
Chrysopa prasina	34.64943	135.47407	15.7	5.8	1486	Japan	Kuwayama 1962
Chrysopa prasina	43.06349	141.34386	8.3	-3.8	1149	Japan	Kuwayama 1962
Chrysopa prasina	42.96838	141.16556	5.6	-6.6	1352	Japan	Kuwayama 1962

Chrysopa prasina	36.71930	139.70397	11.6	1.2	1686	Japan	Kuwayama 1962
Chrysopa prasina	36.52928	138.33584	6.3	-4.8	1567	Japan	Kuwayama 1962
Chrysopa prasina	36.32783	138.41802	10.7	-0.6	1116	Japan	Kuwayama 1962
Chrysopa decorata	34.71405	134.86796	15.2	5.3	1300	Japan	Kuwayama 1962
Chrysopa matsumurae	34.06800	139.55533	17.1	9.7	2497	Japan	Kuwayama 1962
Chrysopa matsumurae	33.85110	132.78704	15.8	6.2	1410	Japan	Kuwayama 1962
Chrysopa matsumurae	33.93572	130.95146	15.9	6.9	1749	Japan	Kuwayama 1962
Chrysopa furcifera	38.06669	139.43330	12.3	1.5	2009	Japan	Kuwayama 1962
Chrysopa furcifera	34.68004	138.94247	16.0	8.0	2121	Japan	Kuwayama 1962
Chrysopa furcifera	34.82099	138.12924	15.7	6.5	2155	Japan	Kuwayama 1962
Chrysopa furcifera	35.01974	135.76436	15.3	5.2	1725	Japan	Kuwayama 1962
Chrysopa furcifera	33.84024	132.76378	15.8	6.2	1410	Japan	Kuwayama 1962
Chrysopa furcifera	28.16049	129.32320	21.2	15.1	2755	Japan	Kuwayama 1962
Chrysopa formosa	43.06349	141.34386	8.3	-3.8	1149	Japan	Kuwayama 1962
Chrysopa formosa	38.06670	139.43330	12.3	1.5	2009	Japan	Kuwayama 1962
Chrysopa formosa	38.22081	139.44774	12.6	2.0	2155	Japan	Kuwayama 1962
Chrysopa formosa	37.16494	138.24770	13.3	3.1	2578	Japan	Kuwayama 1962
Chrysopa formosa	37.92124	138.49701	11.4	1.1	1908	Japan	Kuwayama 1962
Chrysopa formosa	35.67659	139.69828	15.4	5.9	1450	Japan	Kuwayama 1962
Chrysopa formosa	34.68152	138.20092	16.3	7.4	2131	Japan	Kuwayama 1962
Chrysopa formosa	35.42150	136.76513	15.3	5.0	2008	Japan	Kuwayama 1962
Chrysopa formosa	34.77678	134.79887	15.2	5.3	1326	Japan	Kuwayama 1962
Chrysopa formosa	35.50421	134.24400	14.6	4.7	1922	Japan	Kuwayama 1962
Chrysopa formosa	34.22676	133.78673	15.5	5.9	1229	Japan	Kuwayama 1962
Chrysopa formosa	34.34188	134.04687	15.5	5.9	1177	Japan	Kuwayama 1962
Chrysopa formosa	33.85110	132.78704	15.8	6.2	1410	Japan	Kuwayama 1962
Chrysopa phyllochroma	44.88790	141.74967	6.7	-4.6	1233	Japan	Kuwayama 1962
Chrysopa phyllochroma	40.32605	141.46069	9.1	-1.7	1236	Japan	Kuwayama 1962
Chrysopa lezeyi	42.92423	143.19980	6.6	-6.6	1096	Japan	Kuwayama 1962
Chrysopa intima	43.55076	144.96650	5.5	-6.2	1027	Japan	Kuwayama 1962
Chrysopa intima	43.48501	144.80889	5.3	-6.6	1074	Japan	Kuwayama 1962
Chrysopa intima	43.11905	144.12832	5.6	-6.7	1054	Japan	Kuwayama 1962
Chrysopa intima	43.75278	143.50750	4.7	-8.8	1076	Japan	Kuwayama 1962
Chrysopa intima	44.88790	141.74967	6.7	-4.6	1233	Japan	Kuwayama 1962
Chrysopa intima	42.92423	143.19980	6.6	-6.6	1096	Japan	Kuwayama 1962
Chrysopa intima	42.28390	143.31920	6.5	-4.3	1319	Japan	Kuwayama 1962

Chrysopa intima	34.64943	135.47407	15.7	5.8	1486	Japan	Kuwayama 1962
Chrysopa intima	42.69494	143.13333	5.9	-6.6	1340	Japan	Kuwayama 1962
Chrysopa intima	43.07922	142.83118	6.1	-7.4	1798	Japan	Kuwayama 1962
Chrysopa intima	43.36673	143.19054	3.1	-10.5	1464	Japan	Kuwayama 1962
Chrysopa intima	38.15364	140.26490	11.4	0.1	1383	Japan	Kuwayama 1962
Chrysopa intima	42.96838	141.16556	5.6	-6.6	1352	Japan	Kuwayama 1962
Chrysopa intima	43.05745	141.97352	5.5	-7.4	1269	Japan	Kuwayama 1962
Chrysopa intima	42.75801	141.81778	7.1	-5.3	1084	Japan	Kuwayama 1962
Chrysopa intima	40.89346	140.86248	9.6	-1.2	1283	Japan	Kuwayama 1962
Chrysopa intima	40.61097	141.20741	9.9	-1.0	1234	Japan	Kuwayama 1962
Chrysopa intima	40.32605	141.46069	9.1	-1.7	1236	Japan	Kuwayama 1962
Chrysopa intima	36.97816	139.80524	8.9	-1.6	1774	Japan	Kuwayama 1962
Chrysopa nigra	34.06800	139.55533	17.1	9.7	2497	Japan	Kuwayama 1962
Chrysopa nigra	34.69021	135.80197	15.2	5.2	1533	Japan	Kuwayama 1962
Chrysopa traviata	-16.88694	145.69050	23.7	20.3	2222	Australia	New 1980
Chrysopa signatipennis	-17.93177	145.92293	23.8	19.8	2833	Australia	New 1980
Chrysopa australis	-32.07798	121.67966	17.3	11.2	287	Australia	New 1980
Chrysopa australis	-31.55747	121.59806	17.8	11.4	269	Australia	New 1980
Chrysopa australis	-34.96001	138.64087	15.2	10.3	711	Australia	New 1980
Chrysopa australis	-34.97209	138.64052	15.2	10.3	711	Australia	New 1980
Chrysopa triactinata	-28.99439	153.27130	19.5	14.5	1362	Australia	New 1980
Chrysopa triactinata	-26.56481	148.79870	19.8	12.3	626	Australia	New 1980
Chrysopa triactinata	-23.78640	149.76250	22.1	16.1	733	Australia	New 1980
Chrysopa edwardsi	-31.83509	115.79914	18.6	14.1	775	Australia	New 1980
Chrysopa edwardsi	-34.99513	116.81071	15.4	11.8	1158	Australia	New 1980
Chrysopa edwardsi	-32.01121	115.52839	18.5	14.8	678	Australia	New 1980
Chrysopa edwardsi	-32.05817	115.74469	18.7	14.4	748	Australia	New 1980
Chrysopa edwardsi	-34.92872	138.61666	16.4	11.4	543	Australia	New 1980
Chrysopa edwardsi	-35.12014	139.25567	16.0	11.0	342	Australia	New 1980
Chrysopa edwardsi	-42.83286	147.51549	12.6	8.7	539	Australia	New 1980
Chrysopa edwardsi	-42.02746	147.82124	9.3	5.1	864	Australia	New 1980
Chrysopa edwardsi	-42.16954	145.41411	10.9	7.7	2272	Australia	New 1980
Chrysopa edwardsi	-42.99885	146.39948	8.0	4.4	1804	Australia	New 1980
Chrysopa edwardsi	-42.88171	147.31846	11.6	7.6	759	Australia	New 1980
Chrysopa edwardsi	-41.92940	147.48672	11.5	7.0	537	Australia	New 1980
Chrysopa edwardsi	-39.93491	148.32829	13.6	10.0	794	Australia	New 1980

Chrysopa edwardsi	-35.30678	149.12023	12.9	6.2	647	Australia	New 1980
Chrysopa edwardsi	-35.27580	149.09620	12.8	6.1	667	Australia	New 1980
Chrysopa edwardsi	-33.76807	151.17444	17.3	12.1	1284	Australia	New 1980
Chrysopa edwardsi	-35.87444	148.49590	7.8	1.3	1515	Australia	New 1980
Chrysopa edwardsi	-33.77349	151.07799	17.0	11.7	1133	Australia	New 1980
Chrysopa edwardsi	-33.69196	151.30800	17.6	12.6	1276	Australia	New 1980
Chrysopa edwardsi	-33.86103	151.22210	17.6	12.6	1320	Australia	New 1980
Chrysopa edwardsi	-33.79462	151.13107	17.5	12.3	1201	Australia	New 1980
Chrysopa edwardsi	-33.88336	151.26890	17.5	12.6	1262	Australia	New 1980
Chrysopa edwardsi	-33.80601	151.25353	17.6	12.6	1297	Australia	New 1980
Chrysopa edwardsi	-34.72121	149.09368	13.1	6.4	713	Australia	New 1980
Chrysopa edwardsi	-33.66614	151.23060	17.1	11.9	1271	Australia	New 1980
Chrysopa edwardsi	-33.64893	151.27865	17.0	11.9	1293	Australia	New 1980
Chrysopa edwardsi	-36.73151	146.95986	13.0	6.7	1265	Australia	New 1980
Chrysopa edwardsi	-37.99669	145.19346	14.6	10.0	781	Australia	New 1980
Chrysopa edwardsi	-37.81481	144.98098	14.8	10.1	675	Australia	New 1980
Chrysopa edwardsi	-37.71745	145.04764	14.6	9.7	723	Australia	New 1980
Chrysopa punctithorax	-35.30678	149.12023	12.9	6.2	647	Australia	New 1980
Chrysopa ramburi	-20.73167	139.49493	24.3	17.3	424	Australia	New 1980
Chrysopa ramburi	-15.46861	145.25014	25.3	22.5	1904	Australia	New 1980
Chrysopa ramburi	-28.07617	145.67856	20.5	12.5	384	Australia	New 1980
Chrysopa ramburi	-13.94479	143.19817	25.4	22.6	1199	Australia	New 1980
Chrysopa ramburi	-28.09576	153.44675	19.8	15.1	1639	Australia	New 1980
Chrysopa ramburi	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Chrysopa ramburi	-16.88694	145.69050	23.7	20.3	2222	Australia	New 1980
Chrysopa ramburi	-27.42241	153.51293	20.1	15.7	1504	Australia	New 1980
Chrysopa ramburi	-23.38354	150.50687	22.4	17.0	885	Australia	New 1980
Chrysopa ramburi	-28.01663	153.16628	18.8	13.8	1249	Australia	New 1980
Chrysopa ramburi	-22.97216	145.24362	23.4	16.4	498	Australia	New 1980
Chrysopa ramburi	-22.82475	147.63268	22.0	15.5	656	Australia	New 1980
Chrysopa ramburi	-26.43184	147.30939	19.1	11.2	566	Australia	New 1980
Chrysopa ramburi	-26.56563	146.45796	20.3	12.3	483	Australia	New 1980
Chrysopa ramburi	-23.70742	149.97273	21.9	16.0	715	Australia	New 1980
Chrysopa ramburi	-28.96889	147.79687	20.3	12.5	450	Australia	New 1980
Chrysopa ramburi	-26.48786	147.98191	19.7	12.0	562	Australia	New 1980
Chrysopa ramburi	-27.11958	144.41160	21.8	13.4	346	Australia	New 1980

Chrysopa ramburi	-26.56481	148.79870	19.8	12.3	626	Australia	New 1980
Chrysopa ramburi	-25.37417	151.11935	20.2	13.9	736	Australia	New 1980
Chrysopa ramburi	-28.03081	151.20480	18.3	11.4	667	Australia	New 1980
Chrysopa ramburi	-23.77344	149.82395	22.1	16.1	729	Australia	New 1980
Chrysopa ramburi	-24.56833	150.66230	20.2	14.0	684	Australia	New 1980
Chrysopa ramburi	-24.11547	148.08619	20.9	14.1	730	Australia	New 1980
Chrysopa ramburi	-18.65083	146.15900	24.2	20.0	1973	Australia	New 1980
Chrysopa ramburi	-26.90000	151.60000	15.7	9.4	844	Australia	New 1980
Chrysopa ramburi	-28.60916	148.43341	20.3	12.6	496	Australia	New 1980
Chrysopa ramburi	-19.92243	138.11496	25.3	18.2	400	Australia	New 1980
Chrysopa ramburi	-17.65394	145.27681	21.3	17.2	1110	Australia	New 1980
Chrysopa ramburi	-23.52671	148.15586	22.3	15.7	675	Australia	New 1980
Chrysopa ramburi	-28.65641	151.93999	15.1	8.8	831	Australia	New 1980
Chrysopa ramburi	-26.88572	152.10006	17.8	11.7	916	Australia	New 1980
Chrysopa ramburi	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Chrysopa ramburi	-19.57666	147.39417	23.9	19.5	1084	Australia	New 1980
Chrysopa ramburi	-26.88794	152.13901	17.9	11.9	933	Australia	New 1980
Chrysopa ramburi	-27.18136	151.26030	18.9	12.2	659	Australia	New 1980
Chrysopa ramburi	-26.60447	144.31956	22.1	13.8	355	Australia	New 1980
Chrysopa ramburi	-25.38368	142.58551	23.0	14.8	282	Australia	New 1980
Chrysopa ramburi	-27.56588	152.59874	19.6	13.8	918	Australia	New 1980
Chrysopa ramburi	-15.46968	144.87905	24.9	21.9	1458	Australia	New 1980
Chrysopa ramburi	-26.56011	152.95594	20.1	15.1	1732	Australia	New 1980
Chrysopa ramburi	-26.56481	148.79870	19.8	12.3	626	Australia	New 1980
Chrysopa ramburi	-17.67003	141.07803	27.2	22.7	833	Australia	New 1980
Chrysopa ramburi	-27.56896	152.32741	19.5	13.5	846	Australia	New 1980
Chrysopa ramburi	-14.51667	132.36667	27.4	22.9	974	Australia	New 1980
Chrysopa ramburi	-19.20001	135.92643	25.8	19.1	383	Australia	New 1980
Chrysopa ramburi	-12.44762	130.83645	27.5	25.1	1680	Australia	New 1980
Chrysopa ramburi	-25.06008	135.32723	22.3	14.1	148	Australia	New 1980
Chrysopa ramburi	-15.56667	130.90000	27.8	22.9	841	Australia	New 1980
Chrysopa ramburi	-16.46667	136.15000	26.9	21.5	728	Australia	New 1980
Chrysopa ramburi	-16.80549	135.66650	26.7	21.1	652	Australia	New 1980
Chrysopa ramburi	-18.16667	130.25000	25.9	19.4	494	Australia	New 1980
Chrysopa ramburi	-17.91667	129.63333	25.9	19.6	467	Australia	New 1980
Chrysopa ramburi	-17.48333	130.71667	26.5	20.3	593	Australia	New 1980

Chrysopa ramburi	-17.49998	130.78336	26.8	20.6	586	Australia	New 1980
Chrysopa ramburi	-16.39708	131.03169	27.3	21.5	678	Australia	New 1980
Chrysopa ramburi	-17.63334	130.00000	26.0	19.8	529	Australia	New 1980
Chrysopa ramburi	-13.46670	131.41670	27.2	23.6	1278	Australia	New 1980
Chrysopa ramburi	-25.62107	131.01381	20.5	12.2	310	Australia	New 1980
Chrysopa ramburi	-23.70588	133.88359	20.8	12.6	290	Australia	New 1980
Chrysopa ramburi	-12.44762	130.83645	27.5	25.1	1680	Australia	New 1980
Chrysopa ramburi	-15.56559	136.81470	27.3	22.7	1074	Australia	New 1980
Chrysopa ramburi	-28.78934	114.60753	19.7	15.0	485	Australia	New 1980
Chrysopa ramburi	-31.55025	115.62657	18.5	14.2	725	Australia	New 1980
Chrysopa ramburi	-20.45262	115.52266	26.0	21.4	299	Australia	New 1980
Chrysopa ramburi	-23.87174	114.43867	24.2	17.7	239	Australia	New 1980
Chrysopa ramburi	-30.74483	121.48295	18.3	11.4	256	Australia	New 1980
Chrysopa ramburi	-32.01121	115.52839	18.5	14.8	678	Australia	New 1980
Chrysopa ramburi	-30.74483	121.48295	18.3	11.4	256	Australia	New 1980
Chrysopa ramburi	-29.58136	115.82390	19.7	13.1	381	Australia	New 1980
Chrysopa ramburi	-25.03619	113.78323	22.0	16.7	223	Australia	New 1980
Chrysopa ramburi	-26.05037	114.32961	22.4	15.8	202	Australia	New 1980
Chrysopa ramburi	-22.30395	117.78423	25.3	17.8	387	Australia	New 1980
Chrysopa ramburi	-31.20336	116.17608	17.5	11.6	592	Australia	New 1980
Chrysopa ramburi	-26.36015	119.82237	21.8	13.3	259	Australia	New 1980
Chrysopa ramburi	-31.98646	115.86617	18.7	14.1	793	Australia	New 1980
Chrysopa ramburi	-34.49443	116.17585	14.8	11.0	1074	Australia	New 1980
Chrysopa ramburi	-31.18221	118.09722	18.1	11.4	309	Australia	New 1980
Chrysopa ramburi	-31.07003	120.78246	17.8	11.1	279	Australia	New 1980
Chrysopa ramburi	-30.88978	116.71050	18.4	12.0	380	Australia	New 1980
Chrysopa ramburi	-32.07798	121.67966	17.3	11.2	287	Australia	New 1980
Chrysopa ramburi	-15.68603	128.68732	29.0	24.4	730	Australia	New 1980
Chrysopa ramburi	-33.09684	119.01707	16.5	10.9	349	Australia	New 1980
Chrysopa ramburi	-29.83471	116.01274	19.1	12.5	390	Australia	New 1980
Chrysopa ramburi	-15.47866	128.12132	29.4	25.1	726	Australia	New 1980
Chrysopa ramburi	-31.55747	121.59806	17.8	11.4	269	Australia	New 1980
Chrysopa ramburi	-31.28829	125.08236	17.8	12.0	226	Australia	New 1980
Chrysopa ramburi	-31.96666	124.46667	17.5	11.9	263	Australia	New 1980
Chrysopa ramburi	-32.35146	124.19467	17.3	11.9	283	Australia	New 1980
Chrysopa ramburi	-32.03443	122.76039	16.6	10.7	299	Australia	New 1980

Chrysopa ramburi	-32.08786	125.56455	17.0	12.0	295	Australia	New 1980
Chrysopa ramburi	-20.65740	116.70899	26.4	20.6	254	Australia	New 1980
Chrysopa ramburi	-21.58337	117.06672	26.4	19.5	352	Australia	New 1980
Chrysopa ramburi	-21.59052	117.07025	26.4	19.5	352	Australia	New 1980
Chrysopa ramburi	-14.64497	126.94388	27.3	23.4	1137	Australia	New 1980
Chrysopa ramburi	-31.28354	119.98283	17.5	10.7	294	Australia	New 1980
Chrysopa ramburi	-23.81632	114.01039	23.9	17.9	228	Australia	New 1980
Chrysopa ramburi	-22.74504	117.77799	24.0	16.3	386	Australia	New 1980
Chrysopa ramburi	-27.82796	114.68647	20.2	14.5	380	Australia	New 1980
Chrysopa ramburi	-18.92153	123.44473	26.5	20.7	476	Australia	New 1980
Chrysopa ramburi	-20.65740	116.70899	26.4	20.6	254	Australia	New 1980
Chrysopa ramburi	-25.11599	113.83514	22.2	16.6	218	Australia	New 1980
Chrysopa ramburi	-31.98084	115.79955	18.7	14.1	782	Australia	New 1980
Chrysopa ramburi	-22.23488	118.33720	26.3	18.7	386	Australia	New 1980
Chrysopa ramburi	-25.18330	114.66670	23.3	16.4	206	Australia	New 1980
Chrysopa ramburi	-15.47866	128.12132	29.4	25.1	726	Australia	New 1980
Chrysopa ramburi	-25.79736	113.68783	21.8	16.1	213	Australia	New 1980
Chrysopa ramburi	-33.31552	117.73937	16.0	10.6	386	Australia	New 1980
Chrysopa ramburi	-21.63330	117.60000	26.0	18.9	360	Australia	New 1980
Chrysopa ramburi	-31.77093	115.86032	18.4	13.7	773	Australia	New 1980
Chrysopa ramburi	-31.95160	116.16689	16.9	11.4	955	Australia	New 1980
Chrysopa ramburi	-28.04285	114.67386	19.5	14.0	435	Australia	New 1980
Chrysopa ramburi	-21.59052	117.07025	26.4	19.5	352	Australia	New 1980
Chrysopa ramburi	-31.90197	115.80234	18.7	14.2	774	Australia	New 1980
Chrysopa ramburi	-21.41948	117.31315	26.4	19.6	340	Australia	New 1980
Chrysopa ramburi	-29.86395	116.16345	19.1	12.4	369	Australia	New 1980
Chrysopa ramburi	-20.78907	115.46301	26.1	21.4	305	Australia	New 1980
Chrysopa ramburi	-31.91889	116.09971	17.4	12.1	871	Australia	New 1980
Chrysopa ramburi	-20.88870	120.18727	26.5	19.7	351	Australia	New 1980
Chrysopa ramburi	-31.31120	119.12549	17.7	10.8	307	Australia	New 1980
Chrysopa ramburi	-32.12579	133.73306	17.1	12.1	307	Australia	New 1980
Chrysopa ramburi	-30.61411	138.38806	19.1	11.3	170	Australia	New 1980
Chrysopa ramburi	-27.78038	135.65066	21.8	13.6	165	Australia	New 1980
Chrysopa ramburi	-31.46257	130.04887	17.4	12.4	253	Australia	New 1980
Chrysopa ramburi	-30.59165	138.39302	19.1	11.3	170	Australia	New 1980
Chrysopa ramburi	-30.59851	130.56107	18.0	12.1	190	Australia	New 1980

Chrysopa ramburi	-32.28206	135.86258	17.5	11.1	236	Australia	New 1980
Chrysopa ramburi	-35.67556	139.83731	15.6	10.9	450	Australia	New 1980
Chrysopa ramburi	-28.99633	140.74152	21.0	12.8	179	Australia	New 1980
Chrysopa ramburi	-34.92872	138.61666	16.4	11.4	543	Australia	New 1980
Chrysopa ramburi	-34.45165	140.56349	16.9	10.8	265	Australia	New 1980
Chrysopa ramburi	-35.42996	149.06293	12.9	6.2	694	Australia	New 1980
Chrysopa ramburi	-35.30678	149.12023	12.9	6.2	647	Australia	New 1980
Chrysopa ramburi	-31.53340	146.28333	18.2	10.5	447	Australia	New 1980
Chrysopa ramburi	-31.98346	147.94999	18.1	10.6	537	Australia	New 1980
Chrysopa ramburi	-35.11293	147.36424	15.8	8.7	558	Australia	New 1980
Chrysopa ramburi	-29.46017	149.84581	19.1	11.5	587	Australia	New 1980
Chrysopa ramburi	-34.51324	144.83766	17.1	10.1	391	Australia	New 1980
Chrysopa ramburi	-35.83771	150.17388	16.0	11.6	1089	Australia	New 1980
Chrysopa ramburi	-32.55310	148.94045	16.5	9.4	667	Australia	New 1980
Chrysopa ramburi	-30.02073	148.11496	19.7	11.9	512	Australia	New 1980
Chrysopa ramburi	-31.95549	141.46259	17.4	10.3	269	Australia	New 1980
Chrysopa ramburi	-31.83295	141.51259	17.7	10.4	253	Australia	New 1980
Chrysopa ramburi	-28.53912	153.55166	19.9	15.3	1829	Australia	New 1980
Chrysopa ramburi	-31.26605	149.15813	15.3	7.9	813	Australia	New 1980
Chrysopa ramburi	-30.01673	142.01654	20.2	12.1	214	Australia	New 1980
Chrysopa ramburi	-33.61926	151.32810	17.4	12.3	1263	Australia	New 1980
Chrysopa ramburi	-31.88199	149.07501	16.3	9.1	662	Australia	New 1980
Chrysopa ramburi	-33.70400	150.37320	12.3	6.4	1352	Australia	New 1980
Chrysopa ramburi	-31.40120	141.22862	18.7	11.3	204	Australia	New 1980
Chrysopa ramburi	-33.39352	151.34356	17.3	12.2	1388	Australia	New 1980
Chrysopa ramburi	-34.00492	151.07096	17.3	12.1	1194	Australia	New 1980
Chrysopa ramburi	-33.71126	151.29800	17.6	12.7	1293	Australia	New 1980
Chrysopa ramburi	-33.77349	151.07799	17.0	11.7	1133	Australia	New 1980
Chrysopa ramburi	-33.86103	151.22210	17.6	12.6	1320	Australia	New 1980
Chrysopa ramburi	-33.04231	146.18561	17.7	10.2	422	Australia	New 1980
Chrysopa ramburi	-33.81257	151.10778	17.5	12.2	1129	Australia	New 1980
Chrysopa ramburi	-33.88336	151.26890	17.5	12.6	1262	Australia	New 1980
Chrysopa ramburi	-33.53828	149.06612	12.6	6.1	890	Australia	New 1980
Chrysopa ramburi	-37.81481	144.98098	14.8	10.1	675	Australia	New 1980
Chrysopa ramburi	-34.23449	142.17520	17.0	10.4	302	Australia	New 1980
Chrysopa ramburi	-36.49596	141.74979	14.3	8.8	460	Australia	New 1980

Chrysopa ramburi	-37.64471	145.50476	14.1	8.9	1026	Australia	New 1980
Chrysopa ramburi	-36.72111	146.81812	8.3	2.1	1416	Australia	New 1980
Chrysopa ramburi	-31.53148	159.07019	19.0	16.0	1519	Australia	New 1980
Chrysopa ramburi	-12.15600	96.82304	26.7	25.8	1943	Australia	New 1980
Chrysopa atalotis	-12.40830	130.82179	27.5	25.2	1666	Australia	New 1980
Chrysopa atalotis	-19.15738	146.84395	23.5	19.1	1213	Australia	New 1980
Chrysopa atalotis	-17.52098	146.02069	23.8	20.0	3436	Australia	New 1980
Chrysopa atalotis	-28.17010	153.53815	19.9	15.3	1646	Australia	New 1980
Chrysopa atalotis	-18.65083	146.15900	24.2	20.0	1973	Australia	New 1980
Chrysopa atalotis	-28.07617	145.67856	20.5	12.5	384	Australia	New 1980
Chrysopa atalotis	-18.12279	144.81864	21.5	17.0	696	Australia	New 1980
Chrysopa atalotis	-16.88694	145.69050	23.7	20.3	2222	Australia	New 1980
Chrysopa atalotis	-19.57666	147.39417	23.9	19.5	1084	Australia	New 1980
Chrysopa atalotis	-12.41672	132.96684	27.9	25.3	1460	Australia	New 1980
Chrysopa atalotis	-11.12631	132.13847	27.4	25.3	1344	Australia	New 1980
Chrysopa atalotis	-14.64576	126.94199	27.3	23.4	1137	Australia	New 1980
Chrysopa eremita	-20.45262	115.52266	26.0	21.4	299	Australia	New 1980
Chrysopa personata	-33.86103	151.22210	17.6	12.6	1320	Australia	New 1980
Chrysopa innotata	-33.86103	151.22210	17.6	12.6	1320	Australia	New 1980
Chrysopa innotata	-27.42241	153.51293	20.1	15.7	1504	Australia	New 1980
Chrysopa innotata	-26.56481	148.79870	19.8	12.3	626	Australia	New 1980
Chrysopa innotata	-27.38939	152.77905	17.9	12.5	1272	Australia	New 1980
Chrysopa innotata	-19.25946	146.81180	24.1	19.6	1099	Australia	New 1980
Chrysopa innotata	-28.17010	153.53815	19.9	15.3	1646	Australia	New 1980
Chrysopa innotata	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Chrysopa innotata	-16.88694	145.69050	23.7	20.3	2222	Australia	New 1980
Chrysopa innotata	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Chrysopa innotata	-28.09576	153.44675	19.8	15.1	1639	Australia	New 1980
Chrysopa innotata	-27.96752	153.40083	19.9	15.2	1542	Australia	New 1980
Chrysopa innotata	-19.25946	146.81180	24.1	19.6	1099	Australia	New 1980
Chrysopa innotata	-20.00808	148.25338	24.2	20.0	991	Australia	New 1980
Chrysopa innotata	-25.60116	152.59108	21.3	16.4	1104	Australia	New 1980
Chrysopa innotata	-27.52094	153.18768	20.1	15.2	1267	Australia	New 1980
Chrysopa innotata	-21.13774	148.63295	21.9	16.8	1290	Australia	New 1980
Chrysopa innotata	-12.44762	130.83645	27.5	25.1	1680	Australia	New 1980
Chrysopa innotata	-23.68530	132.66981	21.0	12.8	292	Australia	New 1980

Chrysopa innotata	-34.82293	138.49734	16.7	11.5	448	Australia	New 1980
Chrysopa innotata	-34.45165	140.56349	16.9	10.8	265	Australia	New 1980
Chrysopa innotata	-33.77349	151.07799	17.0	11.7	1133	Australia	New 1980
Chrysopa innotata	-33.59516	151.32422	17.4	12.3	1263	Australia	New 1980
Chrysopa innotata	-37.18061	148.72516	10.9	5.5	855	Australia	New 1980
Chrysopa innotata	-37.71745	145.04764	14.6	9.7	723	Australia	New 1980
Chrysopa italotis	-12.40830	130.82179	27.5	25.2	1666	Australia	New 1980
Chrysopa italotis	-24.85388	152.33812	21.6	16.8	1100	Australia	New 1980
Chrysopa italotis	-16.99682	145.42861	22.8	19.3	1935	Australia	New 1980
Chrysopa italotis	-23.16571	150.49051	22.0	16.8	1003	Australia	New 1980
Chrysopa otalatis	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Chrysopa otalatis	-16.88694	145.69050	23.7	20.3	2222	Australia	New 1980
Chrysopa otalatis	-17.37210	145.38234	19.6	15.6	1252	Australia	New 1980
Chrysopa otalatis	-27.23153	153.09924	20.2	15.3	1279	Australia	New 1980
Chrysopa otalatis	-28.17010	153.53815	19.9	15.3	1646	Australia	New 1980
Chrysopa otalatis	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Chrysopa otalatis	-21.14031	149.17577	22.6	17.8	1727	Australia	New 1980
Chrysopa satilota	-12.40830	130.82179	27.5	25.2	1666	Australia	New 1980
Chrysopa satilota	-16.88694	145.69050	23.7	20.3	2222	Australia	New 1980
Chrysopa satilota	-10.57704	142.20950	26.5	25.1	1722	Australia	New 1980
Chrysopa satilota	-19.25946	146.81180	24.1	19.6	1099	Australia	New 1980
Chrysopa satilota	-19.15738	146.84395	23.5	19.1	1213	Australia	New 1980
Chrysopa satilota	-18.65083	146.15900	24.2	20.0	1973	Australia	New 1980
Chrysopa satilota	-12.71390	143.13164	25.5	23.2	1866	Australia	New 1980
Chrysopa satilota	-13.93418	143.21135	24.8	22.0	1225	Australia	New 1980
Chrysopa darwini	-12.40830	130.82179	27.5	25.2	1666	Australia	New 1980
Chrysopa cardaleae	-15.56667	130.90000	27.8	22.9	841	Australia	New 1980
Chrysopa cardaleae	-16.45000	131.20000	27.2	21.5	678	Australia	New 1980
Chrysopa cardaleae	-17.48333	130.71667	26.5	20.3	593	Australia	New 1980
Chrysopa cardaleae	-17.49998	130.78336	26.8	20.6	586	Australia	New 1980
Chrysopa cardaleae	-19.93333	138.15000	25.3	18.2	400	Australia	New 1980
Chrysopa dispar	-33.77349	151.07799	17.0	11.7	1133	Australia	New 1980
Chrysopa dispar	-33.39317	143.95973	17.8	10.6	316	Australia	New 1980
Chrysopa dispar	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Chrysopa basalis	-12.40830	130.82179	27.5	25.2	1666	Australia	New 1980
Chrysopa basalis	-16.81810	145.63425	23.0	19.6	2184	Australia	New 1980

Chrysopa basalis	-16.88694	145.69050	23.7	20.3	2222	Australia	New 1980
Chrysopa basalis	-27.49247	153.21446	20.2	15.3	1295	Australia	New 1980
Chrysopa basalis	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Chrysopa basalis	-10.88686	142.38723	26.4	24.9	1763	Australia	New 1980
Chrysopa basalis	-27.55508	152.27273	19.4	13.3	851	Australia	New 1980
Chrysopa basalis	-17.26733	145.47249	20.6	16.7	1675	Australia	New 1980
Chrysopa basalis	-25.23273	152.27604	21.1	16.2	1067	Australia	New 1980
Chrysopa basalis	-27.38939	152.77905	17.9	12.5	1272	Australia	New 1980
Chrysopa basalis	-18.65083	146.15900	24.2	20.0	1973	Australia	New 1980
Chrysopa basalis	-17.52098	146.02069	23.8	20.0	3436	Australia	New 1980
Chrysopa basalis	-27.96752	153.40083	19.9	15.2	1542	Australia	New 1980
Chrysopa basalis	-27.88119	153.12926	19.5	14.4	1116	Australia	New 1980
Chrysopa basalis	-30.01673	142.01654	20.2	12.1	214	Australia	New 1980
Chrysopa basalis	-38.14558	145.12833	14.5	10.1	768	Australia	New 1980
Chrysopa tripunctata	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Chrysopa tripunctata	-28.86247	151.86691	15.4	9.0	795	Australia	New 1980
Chrysopa tripunctata	-28.77588	151.97214	14.3	8.2	920	Australia	New 1980
Chrysopa tripunctata	-27.52094	153.18768	20.1	15.2	1267	Australia	New 1980
Chrysopa tripunctata	-33.64618	115.03434	16.8	13.4	860	Australia	New 1980
Chrysopa tripunctata	-34.99513	116.81071	15.4	11.8	1158	Australia	New 1980
Chrysopa tripunctata	-35.02964	117.90593	16.0	12.6	873	Australia	New 1980
Chrysopa tripunctata	-32.01121	115.52839	18.5	14.8	678	Australia	New 1980
Chrysopa tripunctata	-31.95160	116.16689	16.9	11.4	955	Australia	New 1980
Chrysopa tripunctata	-31.93791	115.78073	18.6	14.2	765	Australia	New 1980
Chrysopa tripunctata	-34.95013	138.66068	16.0	11.0	601	Australia	New 1980
Chrysopa tripunctata	-34.96022	138.64108	15.2	10.3	711	Australia	New 1980
Chrysopa tripunctata	-35.30678	149.12023	12.9	6.2	647	Australia	New 1980
Chrysopa tripunctata	-33.39352	151.34356	17.3	12.2	1388	Australia	New 1980
Chrysopa tripunctata	-32.55310	148.94045	16.5	9.4	667	Australia	New 1980
Chrysopa tripunctata	-28.99439	153.27130	19.5	14.5	1362	Australia	New 1980
Chrysopa tripunctata	-32.56921	151.15933	17.7	11.6	686	Australia	New 1980
Chrysopa tripunctata	-33.77349	151.07799	17.0	11.7	1133	Australia	New 1980
Chrysopa tripunctata	-37.71745	145.04764	14.6	9.7	723	Australia	New 1980
Chrysopa signata	-28.07617	145.67856	20.5	12.5	384	Australia	New 1980
Chrysopa signata	-19.51321	138.94910	25.3	18.8	479	Australia	New 1980
Chrysopa signata	-23.21532	144.07305	23.6	16.2	429	Australia	New 1980

Chrysopa signata	-26.41840	146.47775	20.1	12.1	503	Australia	New 1980
Chrysopa signata	-26.24804	146.02373	20.7	12.6	490	Australia	New 1980
Chrysopa signata	-28.97174	147.79416	20.3	12.5	450	Australia	New 1980
Chrysopa signata	-26.48786	147.98191	19.7	12.0	562	Australia	New 1980
Chrysopa signata	-28.99782	145.70866	20.4	12.5	356	Australia	New 1980
Chrysopa signata	-20.88396	140.35101	24.9	18.0	466	Australia	New 1980
Chrysopa signata	-27.11958	144.41160	21.8	13.4	346	Australia	New 1980
Chrysopa signata	-16.88694	145.69050	23.7	20.3	2222	Australia	New 1980
Chrysopa signata	-25.91055	144.60240	22.0	13.8	406	Australia	New 1980
Chrysopa signata	-26.56481	148.79870	19.8	12.3	626	Australia	New 1980
Chrysopa signata	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Chrysopa signata	-24.35547	143.28852	23.3	15.4	272	Australia	New 1980
Chrysopa signata	-27.37825	152.81136	18.7	13.4	1248	Australia	New 1980
Chrysopa signata	-27.46091	152.88055	19.8	14.5	1229	Australia	New 1980
Chrysopa signata	-22.59080	144.54813	23.8	16.7	482	Australia	New 1980
Chrysopa signata	-25.23273	152.27604	21.1	16.2	1067	Australia	New 1980
Chrysopa signata	-28.40000	151.91670	15.5	9.2	809	Australia	New 1980
Chrysopa signata	-26.60447	144.31956	22.1	13.8	355	Australia	New 1980
Chrysopa signata	-25.89997	139.35667	22.9	14.6	180	Australia	New 1980
Chrysopa signata	-16.56711	135.68214	26.9	21.4	686	Australia	New 1980
Chrysopa signata	-25.34554	131.36281	20.8	12.4	285	Australia	New 1980
Chrysopa signata	-23.58340	134.34997	20.9	12.8	284	Australia	New 1980
Chrysopa signata	-23.76646	134.04982	21.2	13.0	273	Australia	New 1980
Chrysopa signata	-24.96666	129.38335	21.6	13.3	288	Australia	New 1980
Chrysopa signata	-25.08333	132.35000	20.9	12.5	253	Australia	New 1980
Chrysopa signata	-24.26667	133.41667	21.0	12.8	259	Australia	New 1980
Chrysopa signata	-24.00231	133.66024	20.6	12.4	276	Australia	New 1980
Chrysopa signata	-23.70588	133.88359	20.8	12.6	290	Australia	New 1980
Chrysopa signata	-16.11638	130.42545	27.5	22.2	761	Australia	New 1980
Chrysopa signata	-16.39708	131.03169	27.3	21.5	678	Australia	New 1980
Chrysopa signata	-19.43965	135.44481	25.8	19.1	378	Australia	New 1980
Chrysopa signata	-23.76706	133.93943	21.0	12.8	280	Australia	New 1980
Chrysopa signata	-17.37140	133.41121	26.7	20.6	542	Australia	New 1980
Chrysopa signata	-24.33375	131.58332	21.1	12.7	309	Australia	New 1980
Chrysopa signata	-15.57533	133.21301	26.8	21.7	794	Australia	New 1980
Chrysopa signata	-19.65059	134.19196	25.4	18.8	399	Australia	New 1980

Chrysopa signata	-25.33487	131.03474	20.8	12.5	322	Australia	New 1980
Chrysopa signata	-23.70588	133.88359	20.8	12.6	290	Australia	New 1980
Chrysopa signata	-22.91502	138.80126	24.1	16.2	237	Australia	New 1980
Chrysopa signata	-23.68530	132.66981	21.0	12.8	292	Australia	New 1980
Chrysopa signata	-32.07798	121.67966	17.3	11.2	287	Australia	New 1980
Chrysopa signata	-30.88978	116.71050	18.4	12.0	380	Australia	New 1980
Chrysopa signata	-34.99513	116.81071	15.4	11.8	1158	Australia	New 1980
Chrysopa signata	-30.29126	115.32121	18.9	14.0	565	Australia	New 1980
Chrysopa signata	-29.61807	117.14126	19.5	12.1	294	Australia	New 1980
Chrysopa signata	-27.82796	114.68647	20.2	14.5	380	Australia	New 1980
Chrysopa signata	-26.59923	125.86543	21.5	13.2	175	Australia	New 1980
Chrysopa signata	-31.55747	121.59806	17.8	11.4	269	Australia	New 1980
Chrysopa signata	-31.10174	120.74335	17.7	11.0	286	Australia	New 1980
Chrysopa signata	-33.73413	121.84757	16.8	12.9	573	Australia	New 1980
Chrysopa signata	-28.62359	115.36066	20.3	13.8	373	Australia	New 1980
Chrysopa signata	-31.18221	118.09722	18.1	11.4	309	Australia	New 1980
Chrysopa signata	-35.02964	117.90593	16.0	12.6	873	Australia	New 1980
Chrysopa signata	-34.65982	117.89471	15.0	11.0	682	Australia	New 1980
Chrysopa signata	-33.77995	119.13836	15.7	10.9	407	Australia	New 1980
Chrysopa signata	-31.95717	115.84078	18.7	14.0	803	Australia	New 1980
Chrysopa signata	-33.64618	115.03434	16.8	13.4	860	Australia	New 1980
Chrysopa signata	-28.53751	115.51255	20.3	13.3	337	Australia	New 1980
Chrysopa signata	-26.59093	118.49386	21.8	13.6	225	Australia	New 1980
Chrysopa signata	-27.89151	117.86367	21.2	13.2	243	Australia	New 1980
Chrysopa signata	-27.60567	117.88867	21.6	13.6	229	Australia	New 1980
Chrysopa signata	-26.05037	114.32961	22.4	15.8	202	Australia	New 1980
Chrysopa signata	-27.95079	114.68118	19.8	14.2	408	Australia	New 1980
Chrysopa signata	-32.01121	115.52839	18.5	14.8	678	Australia	New 1980
Chrysopa signata	-27.27975	114.59841	20.8	14.7	304	Australia	New 1980
Chrysopa signata	-31.23335	121.46667	17.6	11.0	277	Australia	New 1980
Chrysopa signata	-31.54851	116.46814	18.0	11.8	521	Australia	New 1980
Chrysopa signata	-27.82796	114.68647	20.2	14.5	380	Australia	New 1980
Chrysopa signata	-31.11018	122.68265	18.0	11.4	241	Australia	New 1980
Chrysopa signata	-32.01299	122.76715	16.6	10.7	299	Australia	New 1980
Chrysopa signata	-32.35863	124.20870	17.3	11.9	285	Australia	New 1980
Chrysopa signata	-22.93342	114.75002	25.5	18.8	259	Australia	New 1980

Chrysopa signata	-21.59052	117.07025	26.4	19.5	352	Australia	New 1980
Chrysopa signata	-31.25126	124.11868	18.1	12.0	227	Australia	New 1980
Chrysopa signata	-18.36667	122.88333	26.4	21.3	557	Australia	New 1980
Chrysopa signata	-18.88333	123.71667	26.6	20.8	470	Australia	New 1980
Chrysopa signata	-18.81667	123.28333	26.3	20.6	500	Australia	New 1980
Chrysopa signata	-21.58980	117.06513	26.4	19.5	352	Australia	New 1980
Chrysopa signata	-15.02722	126.66517	26.7	22.8	1219	Australia	New 1980
Chrysopa signata	-26.02866	118.68995	22.2	13.8	214	Australia	New 1980
Chrysopa signata	-31.90926	116.10460	17.2	11.8	865	Australia	New 1980
Chrysopa signata	-20.78907	115.46301	26.1	21.4	305	Australia	New 1980
Chrysopa signata	-24.88430	113.66201	21.9	16.8	227	Australia	New 1980
Chrysopa signata	-33.31552	117.73937	16.0	10.6	386	Australia	New 1980
Chrysopa signata	-28.62869	122.40383	20.0	12.2	225	Australia	New 1980
Chrysopa signata	-32.01047	115.84075	18.6	14.0	798	Australia	New 1980
Chrysopa signata	-31.03716	116.04518	18.1	12.3	550	Australia	New 1980
Chrysopa signata	-21.41948	117.31315	26.4	19.6	340	Australia	New 1980
Chrysopa signata	-22.94135	116.96450	26.4	18.8	280	Australia	New 1980
Chrysopa signata	-24.99999	124.99999	23.1	14.6	184	Australia	New 1980
Chrysopa signata	-25.73329	116.99999	23.0	14.8	198	Australia	New 1980
Chrysopa signata	-28.72520	114.68297	19.3	14.4	503	Australia	New 1980
Chrysopa signata	-30.22451	115.29619	18.8	13.8	572	Australia	New 1980
Chrysopa signata	-35.00065	138.54706	16.1	11.3	560	Australia	New 1980
Chrysopa signata	-32.65000	137.53334	17.9	11.6	241	Australia	New 1980
Chrysopa signata	-32.43250	137.69189	18.6	12.1	237	Australia	New 1980
Chrysopa signata	-33.09905	136.65987	16.7	10.7	329	Australia	New 1980
Chrysopa signata	-32.85757	135.15386	16.6	11.2	335	Australia	New 1980
Chrysopa signata	-33.09905	136.65987	16.7	10.7	329	Australia	New 1980
Chrysopa signata	-26.95340	135.25331	21.6	13.4	159	Australia	New 1980
Chrysopa signata	-30.59165	138.39302	19.1	11.3	170	Australia	New 1980
Chrysopa signata	-34.92872	138.61666	16.4	11.4	543	Australia	New 1980
Chrysopa signata	-42.16954	145.41411	10.9	7.7	2272	Australia	New 1980
Chrysopa signata	-35.30678	149.12023	12.9	6.2	647	Australia	New 1980
Chrysopa signata	-35.27580	149.09620	12.8	6.1	667	Australia	New 1980
Chrysopa signata	-35.22818	149.06941	13.0	6.2	682	Australia	New 1980
Chrysopa signata	-33.69992	151.09366	16.7	11.4	1218	Australia	New 1980
Chrysopa signata	-33.41735	149.56393	12.9	6.4	694	Australia	New 1980

Chrysopa signata	-29.73760	151.73319	13.5	7.2	882	Australia	New 1980
Chrysopa signata	-30.51597	151.66490	13.1	6.8	793	Australia	New 1980
Chrysopa signata	-33.77349	151.07799	17.0	11.7	1133	Australia	New 1980
Chrysopa signata	-33.59516	151.32422	17.4	12.3	1263	Australia	New 1980
Chrysopa signata	-34.87020	150.60356	16.9	12.2	1255	Australia	New 1980
Chrysopa signata	-33.90511	150.94072	17.5	11.9	901	Australia	New 1980
Chrysopa signata	-33.91658	151.09216	17.6	12.4	1118	Australia	New 1980
Chrysopa signata	-33.29296	149.40626	13.3	6.7	731	Australia	New 1980
Chrysopa signata	-34.10488	141.86276	17.3	10.8	288	Australia	New 1980
Chrysopa signata	-33.66173	151.00681	16.7	11.1	1120	Australia	New 1980
Chrysopa signata	-33.89261	148.15728	15.6	8.5	673	Australia	New 1980
Chrysopa signata	-29.46017	149.84581	19.1	11.5	587	Australia	New 1980
Chrysopa signata	-34.51324	144.83766	17.1	10.1	391	Australia	New 1980
Chrysopa signata	-36.08053	146.91728	15.1	8.3	739	Australia	New 1980
Chrysopa signata	-30.44469	146.22061	19.8	12.1	380	Australia	New 1980
Chrysopa signata	-31.53340	146.28333	18.2	10.5	447	Australia	New 1980
Chrysopa signata	-31.37956	148.50430	17.9	10.4	572	Australia	New 1980
Chrysopa signata	-32.55310	148.94045	16.5	9.4	667	Australia	New 1980
Chrysopa signata	-29.11368	145.78842	20.4	12.5	343	Australia	New 1980
Chrysopa signata	-32.03018	147.98660	18.0	10.6	549	Australia	New 1980
Chrysopa signata	-36.14777	146.61428	14.4	7.7	715	Australia	New 1980
Chrysopa signata	-30.97409	145.89991	19.1	11.4	360	Australia	New 1980
Chrysopa signata	-30.02073	148.11496	19.7	11.9	512	Australia	New 1980
Chrysopa signata	-33.88846	149.92787	9.9	4.0	1107	Australia	New 1980
Chrysopa signata	-34.56480	145.99859	16.7	9.5	415	Australia	New 1980
Chrysopa signata	-30.45529	153.01873	18.7	13.7	1663	Australia	New 1980
Chrysopa signata	-30.95594	145.90232	19.1	11.4	361	Australia	New 1980
Chrysopa signata	-31.99619	147.93987	18.1	10.6	537	Australia	New 1980
Chrysopa signata	-33.04231	146.18561	17.7	10.2	422	Australia	New 1980
Chrysopa signata	-32.03587	146.31381	17.5	9.9	459	Australia	New 1980
Chrysopa signata	-33.91081	147.14932	16.4	9.0	501	Australia	New 1980
Chrysopa signata	-31.54611	145.24541	18.6	10.9	354	Australia	New 1980
Chrysopa signata	-31.71240	148.67088	17.3	9.9	607	Australia	New 1980
Chrysopa signata	-30.56827	151.46302	13.5	7.1	773	Australia	New 1980
Chrysopa signata	-33.53828	149.06612	12.6	6.1	890	Australia	New 1980
Chrysopa signata	-36.49596	141.74979	14.3	8.8	460	Australia	New 1980

Chrysopa signata	-36.42035	143.61149	14.6	8.5	508	Australia	New 1980
Chrysopa signata	-37.33362	142.67899	13.2	8.1	619	Australia	New 1980
Chrysopa signata	-37.61964	145.62438	12.5	7.1	1335	Australia	New 1980
Chrysopa signata	-37.48534	144.59400	12.4	7.2	826	Australia	New 1980
Chrysopa signata	-36.53664	147.37498	13.8	7.3	1010	Australia	New 1980
Chrysopa signata	-37.27972	144.72606	12.6	7.0	777	Australia	New 1980
Chrysopa signata	-37.64471	145.50476	14.1	8.9	1026	Australia	New 1980
Chrysopa signata	-37.81481	144.98098	14.8	10.1	675	Australia	New 1980
Chrysopa adamsi	-32.82998	137.97891	17.8	11.5	353	Australia	New 1980
Chrysopa adamsi	-26.48786	147.98191	19.7	12.0	562	Australia	New 1980
Chrysopa adamsi	-26.43184	147.30939	19.1	11.2	566	Australia	New 1980
Chrysopa adamsi	-32.55310	148.94045	16.5	9.4	667	Australia	New 1980
Chrysopa adamsi	-31.53340	146.28333	18.2	10.5	447	Australia	New 1980
Chrysopa maculithorax	-10.18406	142.33440	26.6	25.2	1621	Australia	New 1980
Chrysopa maculithorax	-16.21303	167.56438	24.7	23.3	2007	Australia	New 1980
Chrysopa sequens	-28.07617	145.67856	20.5	12.5	384	Australia	New 1980
Chrysoperla zastrowi	-33.05000	20.58330	14.6	8.2	180	South Africa	W-GBIF-7
Chrysoperla zastrowi	-33.35000	22.05000	12.3	7.6	442	South Africa	W-GBIF-7
Chrysoperla zastrowi	-33.16670	26.61670	18.2	14.1	554	South Africa	W-GBIF-7
Chrysoperla zastrowi	-32.58330	20.41670	14.9	8.3	158	South Africa	W-GBIF-7
Chrysoperla pudica	-32.90000	21.36670	16.4	10.1	142	South Africa	W-GBIF-7
Chrysoperla zastrowi	-32.66670	21.51670	16.7	10.0	138	South Africa	W-GBIF-7
Chrysoperla zastrowi	-32.66670	21.51670	16.7	10.0	138	South Africa	W-GBIF-7
Chrysoperla zastrowi	-32.90000	21.36670	16.4	10.1	142	South Africa	W-GBIF-7
Chrysoperla	-32.37500	22.62500	17.9	12.2	226	South Africa	W-GBIF-7
Chrysoperla pudica	-32.37500	22.62500	17.9	12.2	226	South Africa	W-GBIF-7
Chrysoperla zastrowi	-31.98330	18.78330	18.7	13.4	231	South Africa	W-GBIF-7
Chrysoperla zastrowi	-31.61670	19.35000	16.4	10.7	271	South Africa	W-GBIF-7
Chrysoperla zastrowi	-31.00000	19.35000	17.3	11.4	216	South Africa	W-GBIF-7
Chrysoperla zastrowi	-30.11670	21.53330	19.1	11.4	179	South Africa	W-GBIF-7
Chrysoperla congrua	-30.78330	27.48330	10.5	4.4	750	South Africa	W-GBIF-7
Chrysoperla zastrowi	-29.20000	18.85000	18.8	11.9	146	South Africa	W-GBIF-7
Chrysoperla zastrowi	-29.35000	18.35000	19.3	12.7	129	South Africa	W-GBIF-7
Chrysoperla zastrowi	-29.87500	20.87500	18.9	11.4	159	South Africa	W-GBIF-7
Chrysoperla congrua	-28.45000	18.73330	20.6	13.4	103	Namibia	W-GBIF-7
Chrysoperla zastrowi	-28.95000	18.11670	21.4	14.2	73	South Africa	W-GBIF-7

Chrysoperla zastrowi	-28.78330	20.61670	20.3	13.3	137	South Africa	W-GBIF-7
Chrysoperla congrua	-28.70000	30.80000	18.0	13.7	776	South Africa	W-GBIF-7
Chrysoperla congrua	-28.70000	30.80000	18.0	13.7	776	South Africa	W-GBIF-7
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla externa	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla externa	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla externa	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla externa	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla externa	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla externa	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.11594	-109.35000	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla externa	-27.11666	-109.36670	19.4	17.1	1165	Chile	W-GBIF-2
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla externa	-27.14385	-109.40340	20.1	17.8	1147	Chile	W-GBIF-2
Chrysoperla carnea Gp	-26.85000	-65.38333	17.0	11.8	1089	Argentina	W-GBIF-2
Chrysoperla congrua	-25.05000	33.80000	22.9	19.3	882	Mozambique	W-GBIF-7
Chrysoperla pudica	-24.43613	28.98333	19.4	13.8	524	South Africa	W-GBIF-2
Chrysoperla comans	-24.25000	28.26666	17.7	12.0	636	South Africa	W-GBIF-2
Chrysoperla congrua	-23.85970	35.34720	23.6	20.2	921	Mozambique	W-GBIF-7
Chrysoperla pudica	-22.25000	24.81666	20.6	14.7	373	South Africa	W-GBIF-2
Chrysoperla pudica	-22.93261	29.90000	18.3	13.7	900	South Africa	W-GBIF-2
Chrysoperla pudica	-22.93261	29.90000	18.3	13.7	900	South Africa	W-GBIF-2
Chrysoperla congrua	-19.13330	13.61670	23.6	19.8	111	Namibia	W-GBIF-7
Chrysoperla pudica	-19.13330	13.61670	23.6	19.8	111	Namibia	W-GBIF-7
Chrysoperla zastrowi	-19.13330	13.61670	23.6	19.8	111	Namibia	W-GBIF-7

Chrysoperla congrua	-19.63330	14.83330	21.0	16.7	316	Namibia	W-GBIF-7
Chrysoperla pudica	-19.63330	14.83330	21.0	16.7	316	Namibia	W-GBIF-7
Chrysoperla pudica	-19.50000	14.33330	21.6	17.6	277	Namibia	W-GBIF-7
Chrysoperla pudica	-19.85000	15.46670	21.2	16.9	331	Namibia	W-GBIF-7
Chrysoperla pudica	-18.05000	13.38330	21.3	17.9	204	Namibia	W-GBIF-7
Chrysoperla congrua	-18.23330	16.23330	22.7	17.4	459	Namibia	W-GBIF-7
Chrysoperla congrua	-19.00000	17.33330	22.7	17.8	515	Namibia	W-GBIF-7
Chrysoperla sp.	-18.48916	127.66305	26.3	20.0	409	Australia	W-GBIF-2
Chrysoperla externa	-17.61666	-149.45000	23.4	22.0	2106	Fr Polynesia	W-GBIF-2
Chrysoperla congrua	-17.50000	14.25000	22.5	18.4	340	Namibia	W-GBIF-7
Chrysoperla congrua	-17.86670	15.16670	22.7	17.8	450	Namibia	W-GBIF-7
Chrysoperla congrua	-17.91670	15.95000	22.6	17.3	467	Namibia	W-GBIF-7
Chrysoperla sp.	-17.99305	123.49777	27.4	22.3	533	Australia	W-GBIF-2
Chrysoperla sp.	-17.66972	125.26055	27.1	21.6	657	Australia	W-GBIF-2
Chrysoperla sp.	-17.57694	127.84583	26.9	21.0	621	Australia	W-GBIF-2
Chrysoperla sp.	-17.50805	127.40138	25.8	20.0	680	Australia	W-GBIF-2
Chrysoperla sp.	-17.57694	127.84583	26.9	21.0	621	Australia	W-GBIF-2
Chrysoperla sp.	-17.50805	127.40138	25.8	20.0	680	Australia	W-GBIF-2
Chrysoperla sp.	-17.57694	127.84583	26.9	21.0	621	Australia	W-GBIF-2
Chrysoperla sp.	-17.60000	128.46666	27.3	21.4	576	Australia	W-GBIF-2
Chrysoperla sp.	-17.98750	145.19055	21.5	17.1	834	Australia	W-GBIF-2
Chrysoperla sp.	-17.74951	122.20584	26.9	22.5	605	Australia	W-GBIF-2
Chrysoperla sp.	-15.92611	129.08888	28.5	23.6	768	Australia	W-GBIF-2
Chrysoperla sp.	-15.55000	131.65416	26.6	21.5	858	Australia	W-GBIF-2
Chrysoperla sp.	-14.48000	144.42361	25.6	22.8	1252	Australia	W-GBIF-2
Chrysoperla sp.	-11.58444	130.92084	26.9	24.7	1679	Australia	W-GBIF-2
Chrysoperla congrua	-4.05000	37.80000	22.9	20.4	672	Tanzania	W-GBIF-7
Chrysoperla congrua	-4.11194	38.02280	23.3	20.9	707	Tanzania	W-GBIF-7
Chrysoperla pudica	-4.23333	38.40000	23.4	21.2	739	Tanzania	W-GBIF-7
Chrysoperla congrua	-3.96667	37.80000	22.9	20.5	657	Tanzania	W-GBIF-7
Chrysoperla congrua	-3.96667	37.81670	22.9	20.5	657	Tanzania	W-GBIF-7
Chrysoperla congrua	-3.88333	37.90000	23.0	20.7	650	Tanzania	W-GBIF-7
Chrysoperla congrua	-3.90000	37.78330	22.3	19.9	716	Tanzania	W-GBIF-7
Chrysoperla carnea Gp	6.16055	-75.64695	19.2	18.7	2073	Colombia	W-GBIF-2
Chrysoperla carnea Gp	9.93333	-84.18333	22.2	21.6	1876	Costa Rica	W-GBIF-2
Chrysoperla. externa	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6

Chrysoperla carnea Gp	10.08333	-84.54971	23.8	23.1	3021	Costa Rica	W-GBIF-2
Chrysoperla carnea Gp	10.08333	-84.54971	23.8	23.1	3021	Costa Rica	W-GBIF-2
Chrysoperla sp.	14.10345	-87.00184	20.6	18.6	1099	Honduras	W-GBIF-2
Chrysoperla sp.	15.03333	-86.71667	22.6	20.5	1410	Honduras	W-GBIF-2
Chrysoperla sp.	16.97729	-96.71667	20.6	18.2	667	Mexico	W-GBIF-2
Chrysoperla sp.	17.85000	-100.45780	24.2	22.7	1260	Mexico	W-GBIF-2
Chrysoperla sp.	17.03333	-96.73334	20.5	18.0	670	Mexico	W-GBIF-2
Chrysoperla carnea Gp	18.81667	-99.23334	23.5	21.1	904	Mexico	W-GBIF-2
Chrysoperla carnea Gp	18.91861	-99.16772	21.1	19.4	1038	Mexico	W-GBIF-2
Chrysoperla carnea Gp	18.81667	-99.23334	23.5	21.1	904	Mexico	W-GBIF-2
Chrysoperla carnea Gp	18.61666	-99.30000	25.0	22.2	962	Mexico	W-GBIF-2
Chrysoperla sp.	18.38831	-97.44798	18.3	15.7	491	Mexico	W-GBIF-2
Chrysoperla sp.	18.24224	-97.14999	22.5	19.8	505	Mexico	W-GBIF-2
Chrysoperla sp.	18.38831	-97.44798	18.3	15.7	491	Mexico	W-GBIF-2
Chrysoperla sp.	18.12842	-97.64635	17.6	14.9	631	Mexico	W-GBIF-2
Chrysoperla sp.	18.94785	-96.47644	25.7	22.4	1092	Mexico	W-GBIF-2
Chrysoperla externa	18.03330	-77.50000	21.2	20.0	1961	Jamaica	W-GBIF-2
Chrysoperla carnea Gp	18.60000	-72.28989	26.5	24.9	1045	Haiti	W-GBIF-2
Chrysoperla carnea Gp	18.60000	-72.28989	26.5	24.9	1045	Haiti	W-GBIF-2
Chrysoperla sp.	18.47241	-69.90000	25.8	24.3	1536	Dominican Rep.	W-GBIF-2
Chrysoperla sp.	19.42611	-101.90820	19.3	16.8	1399	Mexico	W-GBIF-2
Chrysoperla carnea Gp	20.91675	-104.28590	17.8	14.8	860	Mexico	W-GBIF-2
Chrysoperla comanche	20.20000	-101.15000	18.4	15.1	734	Mexico	W-GBIF-2
Chrysoperla carnea Gp	20.57027	-101.47010	20.4	17.0	689	Mexico	W-GBIF-2
Chrysoperla carnea Gp	20.57027	-101.47010	20.4	17.0	689	Mexico	W-GBIF-2
Chrysoperla sp.	20.45000	-97.33209	23.9	19.3	1221	Mexico	W-GBIF-2
Chrysoperla sp.	20.45000	-97.33209	23.9	19.3	1221	Mexico	W-GBIF-2
Chrysoperla carnea Gp	21.23143	-104.78110	19.6	16.6	1071	Mexico	W-GBIF-2
Chrysoperla carnea Gp	21.23143	-104.78110	19.6	16.6	1071	Mexico	W-GBIF-2
Chrysoperla sp.	21.88334	-102.51800	17.0	13.1	655	Mexico	W-GBIF-2
Chrysoperla carnea Gp	22.02439	-102.91350	20.0	15.5	579	Mexico	W-GBIF-2
Chrysoperla carnea Gp	22.02439	-102.91350	20.0	15.5	579	Mexico	W-GBIF-2
Chrysoperla sp.	22.15000	-100.87410	18.0	14.5	361	Mexico	W-GBIF-2
Chrysoperla sp.	22.20814	-100.98200	18.0	14.4	340	Mexico	W-GBIF-2
Chrysoperla carnea Gp	22.30000	-97.85447	23.9	19.3	1098	Mexico	W-GBIF-2
Chrysoperla rufilabris	23.07667	-82.43000	24.7	21.9	1402	Cuba	W-GBIF-2

Chrysoperla sp.	24.85778	-99.80663	20.7	15.3	710	Mexico	W-GBIF-2
Chrysoperla sp.	25.87140	-111.35010	23.2	17.6	178	Mexico	W-GBIF-2
Chrysoperla sp.	25.03895	-101.03810	18.8	12.0	425	Mexico	W-GBIF-2
Chrysoperla sp.	25.55771	-100.31670	17.7	12.7	574	Mexico	W-GBIF-2
Chrysoperla plorabunda Gp	25.90175	-97.49748	23.2	16.6	687	USA	W-GBIF-2
Chrysoperla sp.	25.90175	-97.49748	23.2	16.6	687	USA	W-GBIF-2
Chrysoperla sp.	25.90175	-97.49748	23.2	16.6	687	USA	W-GBIF-2
Chrysoperla sp.	25.85200	-97.41730	23.2	16.6	691	USA	W-GBIF-2
Chrysoperla sp.	26.17313	-98.38252	23.3	15.5	566	USA	W-GBIF-2
Chrysoperla sp.	26.17313	-98.38252	23.3	15.5	566	USA	W-GBIF-2
Chrysoperla rufilabris	26.15952	-97.99084	23.1	15.7	612	USA	W-GBIF-2
Chrysoperla rufilabris	26.15952	-97.99084	23.1	15.7	612	USA	W-GBIF-2
Chrysoperla rufilabris	26.15952	-97.99084	23.1	15.7	612	USA	W-GBIF-2
Chrysoperla sp.	26.75985	-97.78917	22.5	14.9	655	USA	W-GBIF-2
Chrysoperla sp.	26.52729	-82.19022	23.3	18.1	1284	USA	W-GBIF-2
Chrysoperla sp.	27.04222	-99.43972	23.3	14.6	531	USA	W-GBIF-2
Chrysoperla sp.	27.04222	-99.43972	23.3	14.6	531	USA	W-GBIF-2
Chrysoperla sp.	27.37932	-98.67834	21.9	13.4	570	USA	W-GBIF-2
Chrysoperla sp.	27.80058	-97.39639	22.1	14.4	797	USA	W-GBIF-2
Chrysoperla sp.	27.87004	-97.43088	22.0	14.2	811	USA	W-GBIF-2
Chrysoperla sp.	27.87004	-97.43088	22.0	14.2	811	USA	W-GBIF-2
Chrysoperla sp.	27.87004	-97.43088	22.0	14.2	811	USA	W-GBIF-2
Chrysoperla sp.	27.87004	-97.43088	22.0	14.2	811	USA	W-GBIF-2
Chrysoperla sp.	27.79030	-97.66889	22.1	14.1	777	USA	W-GBIF-2
Chrysoperla rufilabris	27.49893	-82.57493	22.3	16.5	1318	USA	W-GBIF-2
Chrysoperla rufilabris	27.89131	-82.84557	22.4	16.1	1260	USA	W-GBIF-2
Chrysoperla rufilabris	27.49893	-82.57493	22.3	16.5	1318	USA	W-GBIF-2
Chrysoperla rufilabris	27.39329	-82.64056	22.5	16.6	1303	USA	W-GBIF-2
Chrysoperla rufilabris	27.89131	-82.84557	22.4	16.1	1260	USA	W-GBIF-2
Chrysoperla rufilabris	27.90947	-82.78574	22.4	16.2	1251	USA	W-GBIF-2
Chrysoperla rufilabris	27.39329	-82.64056	22.5	16.6	1303	USA	W-GBIF-2
Chrysoperla rufilabris	27.89131	-82.84557	22.4	16.1	1260	USA	W-GBIF-2
Chrysoperla rufilabris	27.49893	-82.57493	22.3	16.5	1318	USA	W-GBIF-2
Chrysoperla rufilabris	27.89131	-82.84557	22.4	16.1	1260	USA	W-GBIF-2
Chrysoperla externa	27.89131	-82.84557	22.4	16.1	1260	USA	W-GBIF-2
Chrysoperla carnea Gp	28.77854	-106.08330	17.4	9.5	403	Mexico	W-GBIF-2

Chrysoperla carnea Gp	28.77854	-106.08330	17.4	9.5	403	Mexico	W-GBIF-2
Chrysoperla comanche	28.55000	-102.05000	21.3	13.2	328	Mexico	W-GBIF-2
Chrysoperla sp.	28.55000	-102.05000	21.3	13.2	328	Mexico	W-GBIF-2
Chrysoperla sp.	28.03333	-101.73330	22.1	13.9	580	Mexico	W-GBIF-2
Chrysoperla sp.	28.11515	-98.61779	21.7	12.9	605	USA	W-GBIF-2
Chrysoperla sp.	28.11666	-97.40833	21.7	13.8	884	USA	W-GBIF-2
Chrysoperla sp.	28.03172	-97.67610	21.9	13.7	799	USA	W-GBIF-2
Chrysoperla sp.	28.02028	-97.05417	21.8	13.9	888	USA	W-GBIF-2
Chrysoperla rufilabris	28.07807	-82.75156	22.2	15.9	1286	USA	W-GBIF-2
Chrysoperla rufilabris	28.07807	-82.75156	22.2	15.9	1286	USA	W-GBIF-2
Chrysoperla carnea Gp	28.07807	-82.75156	22.2	15.9	1286	USA	W-GBIF-2
Chrysoperla rufilabris	28.98193	-81.92426	21.1	14.5	1265	USA	W-GBIF-2
Chrysoperla carnea	28.39127	-16.52343	18.3	15.2	411	Spain	W-GBIF-8
Chrysoperla carnea	28.17836	-16.47948	17.9	14.8	394	Spain	W-GBIF-8
Chrysoperla carnea	28.36824	-16.71923	16.7	13.4	463	Spain	W-GBIF-8
Chrysoperla sp.	29.49416	-104.06055	18.5	9.7	322	USA	W-GBIF-2
Chrysoperla comanche	29.32907	-103.28350	17.5	9.3	415	USA	W-GBIF-2
Chrysoperla sp.	29.55551	-103.27230	19.4	10.1	331	USA	W-GBIF-2
Chrysoperla sp.	29.51666	-103.50277	19.0	9.9	341	USA	W-GBIF-2
Chrysoperla sp.	29.88438	-100.99340	20.0	10.4	466	USA	W-GBIF-2
Chrysoperla sp.	29.88438	-100.99340	20.0	10.4	466	USA	W-GBIF-2
Chrysoperla sp.	29.88438	-100.99340	20.0	10.4	466	USA	W-GBIF-2
Chrysoperla sp.	29.94389	-99.03611	19.0	10.0	756	USA	W-GBIF-2
Chrysoperla sp.	29.23108	-99.14131	20.6	11.8	661	USA	W-GBIF-2
Chrysoperla sp.	29.70300	-98.12446	20.2	11.2	821	USA	W-GBIF-2
Chrysoperla sp.	29.09889	-98.85853	20.9	12.1	678	USA	W-GBIF-2
Chrysoperla sp.	29.70300	-98.12446	20.2	11.2	821	USA	W-GBIF-2
Chrysoperla sp.	29.09889	-98.85853	20.9	12.1	678	USA	W-GBIF-2
Chrysoperla sp.	29.01571	-98.65806	21.0	12.1	688	USA	W-GBIF-2
Chrysoperla sp.	29.48708	-98.69572	20.3	11.6	722	USA	W-GBIF-2
Chrysoperla rufilabris	29.76306	-95.36306	20.6	12.3	1156	USA	W-GBIF-2
Chrysoperla harrisii	29.13863	-83.04219	20.8	13.8	1162	USA	W-GBIF-2
Chrysoperla harrisii	29.63432	-82.37269	20.5	13.3	1330	USA	W-GBIF-2
Chrysoperla rufilabris	29.18720	-82.14009	20.9	14.1	1332	USA	W-GBIF-2
Chrysoperla harrisii	29.18220	-81.70896	20.9	14.2	1295	USA	W-GBIF-2
Chrysoperla sp.	30.97290	-115.73620	15.7	10.7	244	Mexico	W-GBIF-2

Chrysoperla sp.	30.78777	-104.98638	16.3	6.9	294	USA	W-GBIF-2
Chrysoperla sp.	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Chrysoperla sp.	30.62849	-104.08450	13.7	5.9	435	USA	W-GBIF-2
Chrysoperla sp.	30.62849	-104.08450	13.7	5.9	435	USA	W-GBIF-2
Chrysoperla sp.	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Chrysoperla sp.	30.58821	-103.89460	15.4	7.2	370	USA	W-GBIF-2
Chrysoperla plorabunda Gp	30.71017	-101.48120	18.1	8.1	444	USA	W-GBIF-2
Chrysoperla sp.	30.71017	-101.20070	18.0	8.1	492	USA	W-GBIF-2
Chrysoperla sp.	30.01084	-101.17310	19.7	10.0	449	USA	W-GBIF-2
Chrysoperla sp.	30.56685	-100.35820	18.1	8.7	580	USA	W-GBIF-2
Chrysoperla plorabunda Gp	30.64820	-99.34708	18.2	8.6	645	USA	W-GBIF-2
Chrysoperla sp.	30.91767	-99.78645	18.0	8.4	592	USA	W-GBIF-2
Chrysoperla sp.	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Chrysoperla sp.	30.07013	-99.67301	17.4	8.2	697	USA	W-GBIF-2
Chrysoperla sp.	30.00991	-99.69173	17.4	8.2	706	USA	W-GBIF-2
Chrysoperla sp.	30.07013	-99.67301	17.4	8.2	697	USA	W-GBIF-2
Chrysoperla sp.	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Chrysoperla sp.	30.04721	-99.14032	18.6	9.6	732	USA	W-GBIF-2
Chrysoperla sp.	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Chrysoperla sp.	30.65824	-99.32445	18.3	8.7	644	USA	W-GBIF-2
Chrysoperla sp.	30.54143	-98.67472	18.9	9.5	732	USA	W-GBIF-2
Chrysoperla sp.	30.88333	-98.47222	18.5	8.8	729	USA	W-GBIF-2
Chrysoperla sp.	30.50321	-98.76317	18.8	9.4	731	USA	W-GBIF-2
Chrysoperla sp.	30.54345	-98.74397	18.8	9.4	725	USA	W-GBIF-2
Chrysoperla sp.	30.41436	-98.73671	18.2	9.2	783	USA	W-GBIF-2
Chrysoperla plorabunda	30.46194	-97.87194	19.2	9.9	831	USA	W-GBIF-2
Chrysoperla sp.	30.57056	-97.40917	19.4	9.7	858	USA	W-GBIF-2
Chrysoperla sp.	30.11244	-97.26082	19.7	10.4	913	USA	W-GBIF-2
Chrysoperla plorabunda Gp	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysoperla plorabunda Gp	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Chrysoperla rufilabris	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Chrysoperla plorabunda Gp	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Chrysoperla rufilabris	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Chrysoperla plorabunda Gp	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysoperla rufilabris	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysoperla rufilabris	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2

Chrysoperla rufilabris	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Chrysoperla harrisii	30.58833	-96.25333	20.0	10.8	1014	USA	W-GBIF-2
Chrysoperla harrisii	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysoperla sp.	30.88055	-96.69305	20.0	10.9	923	USA	W-GBIF-2
Chrysoperla sp.	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Chrysoperla sp.	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Chrysoperla sp.	30.81054	-96.17475	19.8	10.7	1014	USA	W-GBIF-2
Chrysoperla sp.	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Chrysoperla sp.	30.91657	-96.63943	20.0	10.9	931	USA	W-GBIF-2
Chrysoperla sp.	30.64166	-96.52000	20.2	11.6	972	USA	W-GBIF-2
Chrysoperla sp.	30.64166	-96.52000	20.2	11.6	972	USA	W-GBIF-2
Chrysoperla sp.	30.83598	-96.56496	20.0	11.0	949	USA	W-GBIF-2
Chrysoperla sp.	30.67436	-96.36996	19.9	10.9	1001	USA	W-GBIF-2
Chrysoperla sp.	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Chrysoperla sp.	30.81083	-96.17500	19.8	10.7	1014	USA	W-GBIF-2
Chrysoperla sp.	30.35234	-95.47993	19.6	10.5	1189	USA	W-GBIF-2
Chrysoperla rufilabris	30.45000	-88.11000	19.6	11.4	1561	USA	W-GBIF-2
Chrysoperla sp.	30.64000	-88.06000	19.5	11.3	1577	USA	W-GBIF-2
Chrysoperla sp.	30.45000	-88.11000	19.6	11.4	1561	USA	W-GBIF-2
Chrysoperla sp.	30.31532	-87.73275	19.9	11.7	1541	USA	W-GBIF-2
Chrysoperla harrisii	30.42111	-87.21694	19.8	11.7	1529	USA	W-GBIF-2
Chrysoperla rufilabris	30.53000	-87.74000	19.5	11.3	1604	USA	W-GBIF-2
Chrysoperla sp.	30.42111	-87.21694	19.8	11.7	1529	USA	W-GBIF-2
Chrysoperla sp.	30.88000	-87.96000	19.3	10.9	1605	USA	W-GBIF-2
Chrysoperla sp.	30.43000	-87.43000	19.8	11.8	1511	USA	W-GBIF-2
Chrysoperla harrisii	30.18561	-85.80109	19.7	11.8	1551	USA	W-GBIF-2
Chrysoperla rufilabris	30.17361	-85.69944	19.7	11.8	1560	USA	W-GBIF-2
Chrysoperla harrisii	30.56908	-84.94770	19.3	11.3	1471	USA	W-GBIF-2
Chrysoperla rufilabris	30.69635	-81.44121	20.2	12.5	1271	USA	W-GBIF-2
Chrysoperla sp.	31.83941	-111.88130	19.6	11.1	318	USA	W-GBIF-2
Chrysoperla sp.	31.96786	-110.29450	17.2	8.5	329	USA	W-GBIF-2
Chrysoperla comanche	31.85416	-106.54111	16.4	6.9	241	USA	W-GBIF-2
Chrysoperla plorabunda Gp	31.86416	-106.54111	16.4	6.9	241	USA	W-GBIF-2
Chrysoperla sp.	31.79113	-106.47440	17.4	7.6	219	USA	W-GBIF-2
Chrysoperla sp.	31.91472	-106.50138	15.9	6.5	255	USA	W-GBIF-2
Chrysoperla sp.	31.32028	-103.37350	18.3	8.4	292	USA	W-GBIF-2

Chrysoperla sp.	31.64763	-102.82290	17.8	7.5	323	USA	W-GBIF-2
Chrysoperla sp.	31.47655	-100.22570	18.6	8.9	570	USA	W-GBIF-2
Chrysoperla sp.	31.85570	-99.02338	18.0	7.8	706	USA	W-GBIF-2
Chrysoperla sp.	31.54933	-97.14668	19.2	9.2	823	USA	W-GBIF-2
Chrysoperla plorabunda Gp	31.22359	-96.12440	18.9	9.4	1018	USA	W-GBIF-2
Chrysoperla rufilabris	31.22359	-96.12440	18.9	9.4	1018	USA	W-GBIF-2
Chrysoperla sp.	31.22359	-96.12440	18.9	9.4	1018	USA	W-GBIF-2
Chrysoperla sp.	31.19666	-96.12250	19.0	9.5	1018	USA	W-GBIF-2
Chrysoperla sp.	31.21833	-96.11888	18.9	9.4	1018	USA	W-GBIF-2
Chrysoperla harrisii	31.05972	-94.27111	18.6	9.4	1279	USA	W-GBIF-2
Chrysoperla sp.	31.38530	-93.70810	18.2	8.8	1325	USA	W-GBIF-2
Chrysoperla sp.	31.05000	-88.18000	18.7	10.2	1612	USA	W-GBIF-2
Chrysoperla rufilabris	31.60744	-81.88540	19.1	10.9	1266	USA	W-GBIF-2
Chrysoperla sp.	32.81116	-115.38030	22.6	13.2	56	USA	W-GBIF-2
Chrysoperla sp.	32.22762	-112.69040	21.2	12.6	240	USA	W-GBIF-2
Chrysoperla sp.	32.43674	-111.22540	20.8	11.6	313	USA	W-GBIF-2
Chrysoperla sp.	32.12250	-110.82611	19.7	11.2	330	USA	W-GBIF-2
Chrysoperla carnea s.l.	32.34691	-108.70240	15.4	6.0	299	USA	W-GBIF-2
Chrysoperla sp.	32.66536	-107.15310	15.1	5.4	263	USA	W-GBIF-2
Chrysoperla sp.	32.66536	-107.15310	15.1	5.4	263	USA	W-GBIF-2
Chrysoperla sp.	32.66536	-107.15310	15.1	5.4	263	USA	W-GBIF-2
Chrysoperla sp.	32.74527	-106.19666	15.8	5.7	241	USA	W-GBIF-2
Chrysoperla sp.	32.31232	-106.94920	15.2	5.8	258	USA	W-GBIF-2
Chrysoperla carnea s.l.	32.89953	-105.96030	15.9	6.3	277	USA	W-GBIF-2
Chrysoperla sp.	32.93031	-105.92380	15.0	5.8	301	USA	W-GBIF-2
Chrysoperla comanche	32.38000	-103.72166	16.5	6.8	344	USA	W-GBIF-2
Chrysoperla comanche	32.32833	-103.78166	16.9	7.1	332	USA	W-GBIF-2
Chrysoperla rufilabris	32.32833	-103.78166	16.9	7.1	332	USA	W-GBIF-2
Chrysoperla sp.	32.42067	-103.78400	16.6	6.8	342	USA	W-GBIF-2
Chrysoperla sp.	32.33000	-103.78833	16.9	7.1	332	USA	W-GBIF-2
Chrysoperla sp.	32.73344	-102.63380	16.4	6.5	423	USA	W-GBIF-2
Chrysoperla sp.	32.22070	-98.20227	17.6	7.5	802	USA	W-GBIF-2
Chrysoperla sp.	32.22070	-98.20227	17.6	7.5	802	USA	W-GBIF-2
Chrysoperla harrisii	32.82611	-95.16250	17.5	7.2	1112	USA	W-GBIF-2
Chrysoperla sp.	32.81166	-95.16777	17.5	7.2	1109	USA	W-GBIF-2
Chrysoperla sp.	32.70833	-95.41000	17.8	7.6	1066	USA	W-GBIF-2

Chrysoperla sp.	32.58847	-95.25737	17.9	7.7	1074	USA	W-GBIF-2
Chrysoperla sp.	32.61349	-95.25644	17.9	7.7	1074	USA	W-GBIF-2
Chrysoperla sp.	32.82611	-95.16250	17.5	7.2	1112	USA	W-GBIF-2
Chrysoperla harrisii	32.48333	-93.56666	18.0	8.5	1227	USA	W-GBIF-2
Chrysoperla sp.	32.82427	-80.81566	18.0	9.3	1280	USA	W-GBIF-2
Chrysoperla downesi	33.44140	-118.48400	16.4	13.5	288	USA	W-GBIF-2
Chrysoperla downesi	33.44140	-118.48400	16.4	13.5	288	USA	W-GBIF-2
Chrysoperla downesi	33.91752	-117.12300	17.1	10.7	381	USA	W-GBIF-2
Chrysoperla carnea s.l.	33.83529	-117.91450	17.8	13.5	324	USA	W-GBIF-2
Chrysoperla carnea s.l.	33.83529	-117.91450	17.8	13.5	324	USA	W-GBIF-2
Chrysoperla downesi	33.91752	-117.12300	17.1	10.7	381	USA	W-GBIF-2
Chrysoperla carnea s.l.	33.83529	-117.91450	17.8	13.5	324	USA	W-GBIF-2
Chrysoperla downesi	33.91752	-117.12300	17.1	10.7	381	USA	W-GBIF-2
Chrysoperla carnea s.l.	33.83529	-117.91450	17.8	13.5	324	USA	W-GBIF-2
Chrysoperla downesi	33.91752	-117.12300	17.1	10.7	381	USA	W-GBIF-2
Chrysoperla carnea s.l.	33.83529	-117.91450	17.8	13.5	324	USA	W-GBIF-2
Chrysoperla sp.	33.95717	-117.39630	18.0	12.4	263	USA	W-GBIF-2
Chrysoperla sp.	33.44281	-116.86500	16.0	9.5	445	USA	W-GBIF-2
Chrysoperla sp.	33.07813	-116.25480	16.5	9.0	304	USA	W-GBIF-2
Chrysoperla sp.	33.16444	-112.22638	20.6	11.2	220	USA	W-GBIF-2
Chrysoperla sp.	33.96863	-112.72960	18.7	9.8	300	USA	W-GBIF-2
Chrysoperla sp.	33.54536	-105.57220	11.0	2.3	382	USA	W-GBIF-2
Chrysoperla sp.	33.54536	-105.57220	11.0	2.3	382	USA	W-GBIF-2
Chrysoperla sp.	33.54536	-105.57220	11.0	2.3	382	USA	W-GBIF-2
Chrysoperla sp.	33.39777	-105.74944	8.3	0.3	544	USA	W-GBIF-2
Chrysoperla sp.	33.74680	-101.38770	15.4	4.9	517	USA	W-GBIF-2
Chrysoperla sp.	33.57787	-101.85520	15.5	5.3	472	USA	W-GBIF-2
Chrysoperla sp.	33.16694	-90.93666	17.5	7.2	1356	USA	W-GBIF-2
Chrysoperla sp.	33.45500	-90.92444	17.3	6.8	1335	USA	W-GBIF-2
Chrysoperla sp.	33.46222	-90.90194	17.2	6.7	1338	USA	W-GBIF-2
Chrysoperla sp.	33.47388	-90.90833	17.2	6.7	1338	USA	W-GBIF-2
Chrysoperla sp.	33.16722	-90.93666	17.5	7.2	1356	USA	W-GBIF-2
Chrysoperla sp.	33.47583	-90.90083	17.2	6.7	1338	USA	W-GBIF-2
Chrysoperla sp.	33.70027	-90.92972	17.0	6.4	1338	USA	W-GBIF-2
Chrysoperla sp.	33.16068	-90.93233	17.5	7.2	1362	USA	W-GBIF-2
Chrysoperla sp.	33.70027	-90.92972	17.0	6.4	1338	USA	W-GBIF-2

Chrysoperla harrisii	33.49305	-85.80888	14.7	5.0	1530	USA	W-GBIF-2
Chrysoperla sp.	33.81666	-84.30000	15.7	6.1	1319	USA	W-GBIF-2
Chrysoperla sp.	33.96095	-83.37793	16.2	6.7	1261	USA	W-GBIF-2
Chrysoperla sp.	33.96095	-83.37793	16.2	6.7	1261	USA	W-GBIF-2
Chrysoperla rufilabris	33.68906	-78.88669	17.3	8.3	1304	USA	W-GBIF-2
Chrysoperla downesi	34.08112	-118.17790	18.2	14.0	418	USA	W-GBIF-2
Chrysoperla downesi	34.06862	-118.02760	18.3	13.6	398	USA	W-GBIF-2
Chrysoperla downesi	34.11195	-118.19900	18.1	13.6	439	USA	W-GBIF-2
Chrysoperla downesi	34.09611	-118.10500	18.2	13.5	439	USA	W-GBIF-2
Chrysoperla downesi	34.11195	-118.19900	18.1	13.6	439	USA	W-GBIF-2
Chrysoperla mohave	34.20390	-117.76060	15.9	9.3	625	USA	W-GBIF-2
Chrysoperla comanche	34.28667	-117.40750	12.4	5.1	727	USA	W-GBIF-2
Chrysoperla carnea s.l.	34.08861	-117.27970	18.1	11.9	296	USA	W-GBIF-2
Chrysoperla carnea s.l.	34.08861	-117.27970	18.1	11.9	296	USA	W-GBIF-2
Chrysoperla downesi	34.16084	-117.90870	17.8	12.5	519	USA	W-GBIF-2
Chrysoperla downesi	34.16084	-117.90870	17.8	12.5	519	USA	W-GBIF-2
Chrysoperla carnea s.l.	34.08861	-117.27970	18.1	11.9	296	USA	W-GBIF-2
Chrysoperla downesi	34.16084	-117.90870	17.8	12.5	519	USA	W-GBIF-2
Chrysoperla downesi	34.60166	-117.85120	15.7	7.3	220	USA	W-GBIF-2
Chrysoperla downesi	34.16084	-117.90870	17.8	12.5	519	USA	W-GBIF-2
Chrysoperla sp.	34.15138	-117.71722	16.7	10.6	605	USA	W-GBIF-2
Chrysoperla sp.	34.15138	-117.71722	16.7	10.6	605	USA	W-GBIF-2
Chrysoperla comanche	34.30277	-116.22888	19.2	10.1	137	USA	W-GBIF-2
Chrysoperla comanche	34.46750	-115.93830	20.8	11.2	101	USA	W-GBIF-2
Chrysoperla sp.	34.47863	-112.49710	11.3	2.9	563	USA	W-GBIF-2
Chrysoperla sp.	34.50587	-109.18470	10.7	1.1	286	USA	W-GBIF-2
Chrysoperla rufilabris	34.18480	-101.70680	14.8	4.5	499	USA	W-GBIF-2
Chrysoperla sp.	34.07603	-101.39950	14.7	4.0	516	USA	W-GBIF-2
Chrysoperla sp.	34.22454	-101.90020	14.4	4.0	479	USA	W-GBIF-2
Chrysoperla sp.	34.94336	-101.66200	14.5	3.7	490	USA	W-GBIF-2
Chrysoperla harrisii	34.86918	-95.22153	16.1	5.2	1227	USA	W-GBIF-2
Chrysoperla harrisii	34.44650	-82.39151	15.8	6.2	1239	USA	W-GBIF-2
Chrysoperla harrisii	34.68344	-82.83736	15.8	6.2	1366	USA	W-GBIF-2
Chrysoperla rufilabris	34.65344	-82.83959	15.8	6.3	1348	USA	W-GBIF-2
Chrysoperla sp.	34.68565	-82.95320	15.4	5.9	1443	USA	W-GBIF-2
Chrysoperla sp.	34.68344	-82.83736	15.8	6.2	1366	USA	W-GBIF-2

Chrysoperla rotundata	34.51666	46.85000	12.7	1.6	490	Iran	W-GBIF-2
Chrysoperla rotundata	34.30000	46.80000	13.6	2.7	467	Iran	W-GBIF-2
Chrysoperla sp.	35.75468	-118.42540	15.3	7.2	364	USA	W-GBIF-2
Chrysoperla comanche	35.86828	-117.47510	13.8	4.7	191	USA	W-GBIF-2
Chrysoperla plorabunda	35.36829	-117.90790	18.2	8.8	105	USA	W-GBIF-2
Chrysoperla comanche	35.72387	-117.61410	18.4	8.2	86	USA	W-GBIF-2
Chrysoperla carnea s.l.	35.24945	-112.19100	8.0	-0.1	575	USA	W-GBIF-2
Chrysoperla sp.	35.22501	-112.48410	12.1	3.2	341	USA	W-GBIF-2
Chrysoperla comanche	35.23333	-111.31333	10.9	1.2	380	USA	W-GBIF-2
Chrysoperla carnea s.l.	35.19807	-111.65130	8.0	-0.8	534	USA	W-GBIF-2
Chrysoperla sp.	35.81396	-109.66780	10.4	-0.3	264	USA	W-GBIF-2
Chrysoperla sp.	35.62865	-105.24530	9.1	-0.3	406	USA	W-GBIF-2
Chrysoperla sp.	35.29116	-99.64009	15.5	3.8	623	USA	W-GBIF-2
Chrysoperla harrisii	35.21666	-93.25000	15.0	4.1	1250	USA	W-GBIF-2
Chrysoperla sp.	35.21666	-93.25000	15.0	4.1	1250	USA	W-GBIF-2
Chrysoperla rufilabris	35.05259	-83.19682	10.5	1.4	2040	USA	W-GBIF-2
Chrysoperla harrisii	35.05259	-83.19682	10.5	1.4	2040	USA	W-GBIF-2
Chrysoperla rufilabris	35.05259	-83.19682	10.5	1.4	2040	USA	W-GBIF-2
Chrysoperla sp.	35.61758	-83.79407	12.4	2.7	1473	USA	W-GBIF-2
Chrysoperla furcifera	35.50420	134.24400	14.6	4.7	1922	Japan	W-GBIF-10
Chrysoperla sp.	36.06528	-119.01580	17.7	9.1	282	USA	W-GBIF-2
Chrysoperla carnea s.l.	36.43889	-118.90360	17.0	8.8	565	USA	W-GBIF-2
Chrysoperla comanche	36.11661	-117.75650	12.6	3.8	239	USA	W-GBIF-2
Chrysoperla sp.	36.71333	-112.21630	6.7	-2.3	469	USA	W-GBIF-2
Chrysoperla downesi	37.88298	-122.23860	14.1	9.5	715	USA	W-GBIF-2
Chrysoperla sp.	37.79885	-113.92410	9.1	-1.1	282	USA	W-GBIF-2
Chrysoperla comanche	37.07416	-112.70305	9.1	-0.3	402	USA	W-GBIF-2
Chrysoperla comanche	37.14527	-112.53916	10.7	0.9	350	USA	W-GBIF-2
Chrysoperla comanche	37.03444	-112.73138	10.4	0.8	371	USA	W-GBIF-2
Chrysoperla plorabunda	37.04194	-112.67250	9.1	-0.3	402	USA	W-GBIF-2
Chrysoperla comanche	37.07416	-112.70305	9.1	-0.3	402	USA	W-GBIF-2
Chrysoperla comanche	37.14527	-112.53916	10.7	0.9	350	USA	W-GBIF-2
Chrysoperla comanche	37.34583	-112.00888	10.5	0.4	261	USA	W-GBIF-2
Chrysoperla comanche	37.11722	-112.24972	9.8	0.0	321	USA	W-GBIF-2
Chrysoperla comanche	37.07416	-112.70305	9.1	-0.3	402	USA	W-GBIF-2
Chrysoperla plorabunda	37.08859	-112.67300	9.5	0.0	391	USA	W-GBIF-2

Chrysoperla plorabunda	37.07416	-112.70305	9.1	-0.3	402	USA	W-GBIF-2
Chrysoperla plorabunda	37.07416	-112.70305	9.1	-0.3	402	USA	W-GBIF-2
Chrysoperla plorabunda	37.36138	-112.18722	8.4	-1.3	325	USA	W-GBIF-2
Chrysoperla plorabunda	37.14527	-112.53916	10.7	0.9	350	USA	W-GBIF-2
Chrysoperla comanche	37.25666	-111.90777	11.3	0.9	225	USA	W-GBIF-2
Chrysoperla plorabunda	37.40388	-111.98805	8.9	-0.9	287	USA	W-GBIF-2
Chrysoperla plorabunda	37.79944	-111.42555	10.3	-0.7	219	USA	W-GBIF-2
Chrysoperla comanche	37.07888	-111.88944	13.0	2.2	188	USA	W-GBIF-2
Chrysoperla plorabunda	37.86083	-111.35944	10.4	-0.6	216	USA	W-GBIF-2
Chrysoperla comanche	37.25666	-111.90777	11.3	0.9	225	USA	W-GBIF-2
Chrysoperla plorabunda	37.92111	-111.13916	9.6	-1.3	235	USA	W-GBIF-2
Chrysoperla plorabunda	37.40388	-111.98805	8.9	-0.9	287	USA	W-GBIF-2
Chrysoperla comanche	37.42055	-111.05850	13.3	1.4	140	USA	W-GBIF-2
Chrysoperla plorabunda	37.68750	-111.49416	10.8	-0.2	206	USA	W-GBIF-2
Chrysoperla plorabunda	37.07888	-111.88944	13.0	2.2	188	USA	W-GBIF-2
Chrysoperla plorabunda	37.47750	-111.20250	12.9	1.2	147	USA	W-GBIF-2
Chrysoperla plorabunda	37.47750	-111.20250	12.9	1.2	147	USA	W-GBIF-2
Chrysoperla plorabunda	37.47750	-111.20250	12.9	1.2	147	USA	W-GBIF-2
Chrysoperla plorabunda	37.47750	-111.20250	12.9	1.2	147	USA	W-GBIF-2
Chrysoperla comanche	37.25666	-111.90777	11.3	0.9	225	USA	W-GBIF-2
Chrysoperla comanche	37.07888	-111.88944	13.0	2.2	188	USA	W-GBIF-2
Chrysoperla comanche	37.15805	-111.52916	14.0	2.4	122	USA	W-GBIF-2
Chrysoperla plorabunda	37.47750	-111.20250	12.9	1.2	147	USA	W-GBIF-2
Chrysoperla comanche	37.25666	-111.90777	11.3	0.9	225	USA	W-GBIF-2
Chrysoperla plorabunda	37.86083	-111.35944	10.4	-0.6	216	USA	W-GBIF-2
Chrysoperla plorabunda	37.42055	-111.05850	13.3	1.4	140	USA	W-GBIF-2
Chrysoperla comanche	37.07888	-111.88944	13.0	2.2	188	USA	W-GBIF-2
Chrysoperla rufilabris	37.72727	-89.21675	13.1	0.9	1134	USA	W-GBIF-2
Chrysoperla carnea s.l.	37.72727	-89.21675	13.1	0.9	1134	USA	W-GBIF-2
Chrysoperla mohave	38.38130	-122.03830	15.6	8.4	636	USA	W-GBIF-2
Chrysoperla carnea s.l.	38.58157	-121.49440	16.0	8.4	450	USA	W-GBIF-2
Chrysoperla carnea Gp	38.02798	-121.88470	15.3	8.7	400	USA	W-GBIF-2
Chrysoperla sp.	38.89165	-121.21740	16.3	8.4	633	USA	W-GBIF-2
Chrysoperla sp.	38.25575	-119.23130	6.4	-2.2	302	USA	W-GBIF-2
Chrysoperla harrisii	38.05006	-85.54578	13.1	1.6	1181	USA	W-GBIF-2
Chrysoperla carnea s.l.	38.18867	-85.67648	13.2	1.7	1138	USA	W-GBIF-2

Chrysoperla carnea s.l.	38.18867	-85.67648	13.2	1.7	1138	USA	W-GBIF-2
Chrysoperla sp.	39.51715	-120.36740	5.4	-2.1	965	USA	W-GBIF-2
Chrysoperla sp.	39.03333	-105.10000	2.9	-6.7	494	USA	W-GBIF-2
Chrysoperla sp.	39.32924	-82.10125	11.1	-0.5	1020	USA	W-GBIF-2
Chrysoperla rufilabris	39.27205	-76.73191	12.5	1.2	1119	USA	W-GBIF-2
Chrysoperla rufilabris	39.23927	-76.98664	12.0	0.7	1092	USA	W-GBIF-2
Chrysoperla carnea s.l.	39.23927	-76.98664	12.0	0.7	1092	USA	W-GBIF-2
Chrysoperla carnea s.l.	40.73715	-114.03020	10.5	-1.4	146	USA	W-GBIF-2
Chrysoperla carnea s.l.	40.45551	-109.52880	7.3	-6.4	213	USA	W-GBIF-2
Chrysoperla harrisii	40.08743	-88.24338	10.9	-2.4	968	USA	W-GBIF-2
Chrysoperla sp.	40.75449	-86.35667	10.0	-3.2	954	USA	W-GBIF-2
Chrysoperla sp.	40.10344	-75.21239	11.9	0.4	1133	USA	W-GBIF-2
Chrysoperla carnea s.l.	40.85000	26.48333	13.8	5.2	637	Turkey	W-GBIF-2
Chrysoperla sp.	41.20321	-121.76970	7.3	-0.2	835	USA	W-GBIF-2
Chrysoperla sp.	41.56990	-117.78540	8.8	-0.8	258	USA	W-GBIF-2
Chrysoperla rufilabris	41.43333	-96.49808	10.2	-4.1	768	USA	W-GBIF-2
Chrysoperla harrisii	41.75032	-71.71951	8.9	-2.5	1245	USA	W-GBIF-2
Chrysoperla carnea s.l.	41.21667	26.35000	13.8	4.8	609	Turkey	W-GBIF-2
Chrysoperla sp.	42.09302	-102.87020	8.5	-3.1	422	USA	W-GBIF-2
Chrysoperla carnea Gp	42.44063	-76.49660	8.3	-3.6	897	USA	W-GBIF-2
Chrysoperla carnea Gp	42.44063	-76.49660	8.3	-3.6	897	USA	W-GBIF-2
Chrysoperla downesi	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Chrysoperla downesi	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Chrysoperla harrisii	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Chrysoperla harrisii	42.48090	-71.25380	9.2	-2.6	1120	USA	W-GBIF-2
Chrysoperla rufilabris	42.37510	-71.10561	9.7	-1.8	1115	USA	W-GBIF-2
Chrysoperla harrisii	42.48090	-71.25380	9.2	-2.6	1120	USA	W-GBIF-2
Chrysoperla carnea s.l.	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Chrysoperla sp.	43.21650	-123.34170	12.3	6.1	930	USA	W-GBIF-2
Chrysoperla sp.	43.17886	-103.23080	8.8	-3.8	423	USA	W-GBIF-2
Chrysoperla sp.	43.99510	5.94758	11.8	4.2	745	France	W-GBIF-13
Chrysoperla sp.	44.36692	-97.85091	7.2	-8.5	539	USA	W-GBIF-2
Chrysoperla carnea Gp	44.98334	-64.13333	6.6	-4.7	1274	Canada	W-GBIF-2
Chrysoperla carnea	44.83560	3.82195	7.1	0.1	815	France	W-GBIF-13
Chrysoperla carnea	44.14334	12.24972	13.1	4.2	686	Italy	W-GBIF-2
Chrysoperla sp.	45.60884	-121.12310	11.2	2.2	340	USA	W-GBIF-2

Chrysoperla sp.	45.59375	-121.17870	11.9	2.9	376	USA	W-GBIF-2
Chrysoperla carnea	45.44100	2.87998	6.4	-0.1	914	France	W-GBIF-13
Chrysoperla carnea	45.01667	9.66666	13.1	2.9	785	Italy	W-GBIF-2
Chrysoperla johnsoni	46.14407	-115.49150	2.9	-6.2	758	USA	W-GBIF-2
Chrysoperla carnea	46.93520	4.35131	9.5	1.6	857	France	W-GBIF-13
Chrysoperla carnea	46.86180	13.32590	5.1	-3.7	1250	Austria	W-GBIF-14
Chrysoperla sp.	46.83333	17.55000	10.7	0.5	606	Hungary	W-GBIF-2
Chrysoperla sp.	46.32166	17.22500	10.6	0.6	737	Hungary	W-GBIF-2
Chrysoperla sp.	46.21833	17.05000	10.7	0.8	765	Hungary	W-GBIF-2
Chrysoperla sp.	46.12166	17.20166	10.9	1.0	766	Hungary	W-GBIF-2
Chrysoperla sp.	46.91666	17.84833	10.9	0.5	565	Hungary	W-GBIF-2
Chrysoperla sp.	46.30666	17.21166	10.6	0.6	737	Hungary	W-GBIF-2
Chrysoperla sp.	46.93833	17.33833	10.1	-0.1	629	Hungary	W-GBIF-2
Chrysoperla sp.	46.34333	18.79000	11.3	0.8	577	Hungary	W-GBIF-2
Chrysoperla sp.	46.74000	19.75166	10.8	0.4	535	Hungary	W-GBIF-2
Chrysoperla sp.	47.26996	-110.72990	6.4	-3.7	487	USA	W-GBIF-2
Chrysoperla carnea	47.05000	-79.26600	3.0	-12.4	900	Canada	W-GBIF-12
Chrysoperla carnea	47.48060	9.69618	9.2	0.3	1154	Austria	W-GBIF-11
Chrysoperla carnea	47.77240	12.46730	7.4	-1.8	1075	Germany	W-GBIF-14
Chrysoperla sp.	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
Chrysoperla carnea	48.93600	-0.12827	10.3	4.2	709	France	W-GBIF-13
Chrysoperla carnea	48.21230	8.87695	8.2	-0.1	972	Germany	W-GBIF-14
Chrysoperla carnea	48.45860	8.92416	9.0	0.7	784	Germany	W-GBIF-14
Chrysoperla carnea	48.68970	9.76998	8.6	0.0	717	Germany	W-GBIF-14
Chrysoperla carnea	48.63270	9.53025	8.9	0.4	713	Germany	W-GBIF-14
Chrysoperla carnea	48.62360	9.52507	8.5	0.1	747	Germany	W-GBIF-14
Chrysoperla pallida	48.67580	10.80920	8.6	-0.3	754	Germany	W-GBIF-14
Chrysoperla carnea	48.49920	11.60590	7.7	-1.1	834	Germany	W-GBIF-14
Chrysoperla carnea	49.69800	-112.85700	5.5	-6.6	392	Canada	W-GBIF-12
Chrysoperla carnea	49.28090	-1.67296	11.8	6.5	830	France	W-GBIF-13
Chrysoperla lucasina/kolthoffi	49.81000	6.33000	8.9	1.5	772	Luxembourg	W-GBIF-21
Chrysoperla lucasina	49.80000	6.32000	8.9	1.5	772	Luxembourg	W-GBIF-21
Chrysoperla carnea	49.81000	6.32000	8.9	1.5	772	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.23000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla carnea	49.52000	6.28000	9.5	1.9	789	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.29000	9.5	1.9	789	Luxembourg	W-GBIF-21

Chrysoperla lucasina/kolthoffi	49.56000	6.33000	9.6	2.0	763	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.54000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.23000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla carnea	49.54000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.26000	9.5	1.9	789	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.51000	6.25000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.57000	6.32000	9.6	2.0	763	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.51000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.51000	6.23000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.51000	6.23000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.54000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.25000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.24000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.26000	9.5	1.9	789	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.54000	6.31000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.20000	9.5	1.9	798	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.23000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.51000	6.25000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.56000	6.31000	9.6	2.0	763	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.54000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.20000	9.5	1.9	798	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.54000	6.21000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.54000	6.27000	9.5	1.9	789	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.54000	6.32000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.58000	6.33000	9.6	2.0	763	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.55000	6.35000	9.7	2.2	744	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.32000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.54000	6.32000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.54000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21

Chrysoperla lucasina/kolthoffi	49.53000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.54000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.21000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.51000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.28000	9.5	1.9	789	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.35000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.53000	6.33000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.34000	9.8	2.2	742	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.52000	6.26000	9.5	1.9	789	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.56000	6.31000	9.6	2.0	763	Luxembourg	W-GBIF-21
Chrysoperla carnea	49.53000	6.32000	9.5	1.9	774	Luxembourg	W-GBIF-21
Chrysoperla lucasina/kolthoffi	49.51000	6.22000	9.5	1.9	792	Luxembourg	W-GBIF-21
Chrysoperla lucasina	49.58000	6.31000	9.6	2.0	763	Luxembourg	W-GBIF-21
Chrysoperla lucasina	49.56000	6.33000	9.6	2.0	763	Luxembourg	W-GBIF-21
Chrysoperla carnea	49.72220	6.82780	8.2	0.5	810	Germany	W-GBIF-14
Chrysoperla carnea	49.99026	8.27461	9.6	1.3	567	Germany	W-GBIF-14
Chrysoperla carnea	49.83410	8.82320	9.7	1.2	670	Germany	W-GBIF-14
Chrysoperla carnea	49.83090	8.82540	9.6	1.1	680	Germany	W-GBIF-14
Chrysoperla carnea	49.76260	8.78627	9.2	0.7	711	Germany	W-GBIF-14
Chrysoperla carnea	49.86728	10.87889	8.4	-0.2	644	Germany	W-GBIF-14
Chrysoperla carnea	49.77150	11.05290	8.6	0.2	636	Germany	W-GBIF-14
Chrysoperla carnea	49.50680	11.75180	8.0	-0.8	666	Germany	W-GBIF-14
Chrysoperla carnea	49.63350	11.24650	8.0	-0.4	699	Germany	W-GBIF-14
Chrysoperla pallida	49.07780	13.25450	6.0	-3.1	971	Germany	W-GBIF-14
Chrysoperla carnea	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
Chrysoperla carnea	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
Chrysoperla carnea	50.04200	-110.66300	5.2	-9.1	319	Canada	W-GBIF-12
Chrysoperla lucasina	50.82791	-1.22609	10.6	4.8	800	UK	W-GBIF-15

Chrysoperla carnea s.l.	50.66666	5.65000	9.6	2.6	865	Belgium	W-GBIF-2
Chrysoperla carnea s.l.	50.53333	5.73333	8.9	1.9	985	Belgium	W-GBIF-2
Chrysoperla carnea	50.43790	7.19472	8.3	0.9	811	Germany	W-GBIF-14
Chrysoperla carnea	50.59290	8.69838	9.3	0.9	694	Germany	W-GBIF-14
Chrysoperla carnea	50.30600	8.60435	8.3	0.2	769	Germany	W-GBIF-14
Chrysoperla carnea	50.62570	9.03057	8.6	0.3	732	Germany	W-GBIF-14
Chrysoperla carnea	50.26120	10.96050	8.0	-0.9	625	Germany	W-GBIF-14
Chrysoperla carnea	50.94070	10.74100	7.9	-0.4	573	Germany	W-GBIF-14
Chrysoperla carnea s.l.	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Chrysoperla carnea	50.20750	19.83350	7.3	-2.9	738	Poland	W-GBIF-14
Chrysoperla lucasina	51.89899	-1.38225	9.4	3.5	623	UK	W-GBIF-15
Chrysoperla lucasina	51.84620	-1.67334	9.0	3.1	671	UK	W-GBIF-15
Chrysoperla lucasina	51.84571	-1.52816	9.2	3.3	645	UK	W-GBIF-15
Chrysoperla lucasina	51.79217	-1.64473	9.3	3.4	639	UK	W-GBIF-15
Chrysoperla lucasina	51.17780	-0.84896	9.5	3.1	818	UK	W-GBIF-15
Chrysoperla lucasina	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Chrysoperla lucasina	51.45967	-0.20053	11.0	5.1	621	UK	W-GBIF-15
Chrysoperla lucasina	51.50060	-0.14344	11.1	5.1	628	UK	W-GBIF-15
Chrysoperla lucasina	51.57248	-0.98261	9.4	3.1	718	UK	W-GBIF-15
Chrysoperla carnea s.l.	51.31667	-0.53333	10.1	3.7	669	UK	W-GBIF-2
Chrysoperla lucasina	51.55934	0.05518	10.6	4.6	604	UK	W-GBIF-15
Chrysoperla lucasina	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
Chrysoperla carnea	51.63900	6.18748	9.9	2.6	764	Germany	W-GBIF-14
Chrysoperla carnea	51.63000	7.63810	9.5	2.2	804	Germany	W-GBIF-14
Chrysoperla carnea	51.26218	7.18812	9.1	1.7	908	Germany	W-GBIF-14
Chrysoperla carnea	51.83650	13.18660	9.2	0.4	569	Germany	W-GBIF-14
Chrysoperla carnea	51.29596	13.51619	9.1	0.4	592	Germany	W-GBIF-14
Chrysoperla carnea	51.87380	13.29630	9.2	0.3	569	Germany	W-GBIF-14
Chrysoperla carnea	51.18580	14.20000	8.2	-0.7	614	Germany	W-GBIF-14
Chrysoperla lucasina	52.58699	-2.16312	9.1	3.5	711	UK	W-GBIF-15
Chrysoperla lucasina	52.58699	-2.16312	9.1	3.5	711	UK	W-GBIF-15
Chrysoperla lucasina	52.21888	-0.07116	9.7	3.5	567	UK	W-GBIF-15
Chrysoperla lucasina	52.21697	-0.06393	9.7	3.5	567	UK	W-GBIF-15
Chrysoperla lucasina	52.21775	-0.05657	9.7	3.5	567	UK	W-GBIF-15
Chrysoperla lucasina	52.21775	-0.05657	9.7	3.5	567	UK	W-GBIF-15
Chrysoperla lucasina	52.10576	-0.41559	10.0	3.8	575	UK	W-GBIF-15

Chrysoperla carnea s.s.	52.10576	-0.41559	10.0	3.8	575	UK	W-GBIF-15
Chrysoperla lucasina	52.25163	0.71054	9.4	3.3	566	UK	W-GBIF-15
Chrysoperla carnea s.s.	52.30577	0.29938	9.7	3.6	539	UK	W-GBIF-15
Chrysoperla carnea s.s.	52.30965	0.28490	9.7	3.6	542	UK	W-GBIF-15
Chrysoperla carnea	52.28350	7.43191	9.2	1.9	792	Germany	W-GBIF-14
Chrysoperla carnea	52.24610	8.49715	8.8	1.5	832	Germany	W-GBIF-14
Chrysoperla pallida	52.51420	13.35050	9.1	0.1	572	Germany	W-GBIF-22
Chrysoperla carnea	52.56900	13.38860	9.0	0.0	574	Germany	W-GBIF-14
Chrysoperla carnea	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
Chrysoperla carnea	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
Chrysoperla carnea	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
Chrysoperla carnea	53.51700	-113.54800	2.9	-11.6	460	Canada	W-GBIF-12
Chrysoperla lucasina	53.31780	-2.69134	9.3	4.0	880	UK	W-GBIF-15
Chrysoperla lucasina	53.44053	-2.38920	10.0	4.4	906	UK	W-GBIF-15
Chrysoperla carnea s.s.	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
Chrysoperla carnea s.s.	53.35761	-2.97675	9.4	4.2	773	UK	W-GBIF-15
Chrysoperla carnea s.s.	53.62840	-2.83176	9.3	3.7	933	UK	W-GBIF-15
Chrysoperla carnea s.s.	53.44750	-2.97881	9.3	4.0	813	UK	W-GBIF-15
Chrysoperla carnea	53.05930	8.76434	8.9	1.3	729	Germany	W-GBIF-14
Chrysoperla pallida	53.70460	9.63903	8.5	0.7	763	Germany	W-GBIF-14
Chrysoperla carnea	53.64190	9.79230	8.5	0.7	757	Germany	W-GBIF-14
Chrysoperla carnea	53.69680	9.63946	8.5	0.7	763	Germany	W-GBIF-14
Chrysoperla carnea	53.31850	10.90630	8.7	0.6	612	Germany	W-GBIF-14
Chrysoperla carnea	53.44220	14.15500	8.7	-0.5	548	Germany	W-GBIF-14
Chrysoperla carnea	54.81730	8.86877	8.1	1.1	834	Germany	W-GBIF-14
Chrysoperla carnea	54.14250	11.74180	8.4	0.6	607	Germany	W-GBIF-14
Chrysoperla carnea	54.44500	13.48110	8.3	0.5	544	Germany	W-GBIF-14
Chrysoperla carnea	55.21000	-119.43000	1.9	-12.0	485	Canada	W-GBIF-12
Chrysoperla carnea	55.26600	-118.78300	1.4	-13.6	470	Canada	W-GBIF-12
Chrysoperla carnea	55.70150	13.14720	8.0	0.6	639	Sweden	W-GBIF-17
Chrysoperla carnea	56.73080	13.06610	7.1	-0.6	894	Sweden	W-GBIF-17
Chrysoperla carnea	56.39820	13.05180	7.3	-0.3	788	Sweden	W-GBIF-17
Chrysoperla carnea	56.39820	13.05180	7.3	-0.3	788	Sweden	W-GBIF-17
Chrysoperla carnea	56.70530	13.09290	7.1	-0.6	892	Sweden	W-GBIF-17
Chrysoperla carnea	56.61480	14.19880	6.8	-1.2	697	Sweden	W-GBIF-17
Chrysoperla carnea	56.11420	15.46930	7.9	0.2	556	Sweden	W-GBIF-17

Chrysoperla carnea	56.52890	16.44100	7.6	-0.5	511	Sweden	W-GBIF-17
Chrysoperla carnea	57.50550	11.98780	7.5	-0.8	766	Sweden	W-GBIF-17
Chrysoperla carnea	57.50550	11.98780	7.5	-0.8	766	Sweden	W-GBIF-17
Chrysoperla carnea	57.78230	13.42880	5.4	-3.0	803	Sweden	W-GBIF-17
Chrysoperla carnea	57.11710	13.67670	6.4	-1.7	803	Sweden	W-GBIF-17
Chrysoperla carnea	57.15850	13.65000	6.4	-1.7	807	Sweden	W-GBIF-17
Chrysoperla carnea	57.08070	13.72590	6.5	-1.6	791	Sweden	W-GBIF-17
Chrysoperla carnea	57.15400	13.63770	6.4	-1.7	807	Sweden	W-GBIF-17
Chrysoperla carnea	57.64200	14.71460	5.3	-3.1	655	Sweden	W-GBIF-17
Chrysoperla carnea	57.66890	14.68820	5.3	-3.1	652	Sweden	W-GBIF-17
Chrysoperla carnea	57.26710	16.41170	7.3	-0.8	510	Sweden	W-GBIF-17
Chrysoperla carnea	58.93084	5.86553	7.1	1.0	1538	Norway	W-GBIF-18
Chrysoperla carnea	58.11170	15.51660	6.1	-2.4	580	Sweden	W-GBIF-17
Chrysoperla carnea	58.97640	17.09720	6.6	-2.2	557	Sweden	W-GBIF-17
Chrysoperla carnea	59.30496	4.88408	7.7	2.6	1336	Norway	W-GBIF-18
Chrysoperla carnea	59.22570	9.62111	6.6	-1.8	749	Norway	W-GBIF-19
Chrysoperla carnea	59.08811	9.81756	6.6	-1.5	758	Norway	W-GBIF-19
Chrysoperla carnea	59.30228	9.97700	5.5	-2.9	780	Norway	W-GBIF-18
Chrysoperla carnea	59.55275	10.56832	6.1	-2.7	762	Norway	W-GBIF-19
Chrysoperla carnea	59.89545	10.60054	6.3	-3.3	728	Norway	W-GBIF-19
Chrysoperla carnea	59.49682	10.66111	6.8	-1.9	745	Norway	W-GBIF-19
Chrysoperla carnea	59.83632	10.43175	5.5	-4.0	754	Norway	W-GBIF-19
Chrysoperla carnea	59.89977	10.53996	6.1	-3.4	730	Norway	W-GBIF-19
Chrysoperla carnea	59.89977	10.53996	6.1	-3.4	730	Norway	W-GBIF-19
Chrysoperla carnea	59.99933	10.62528	4.5	-5.0	785	Norway	W-GBIF-19
Chrysoperla carnea	59.08384	10.41773	7.5	-0.3	720	Norway	W-GBIF-19
Chrysoperla carnea	59.91500	10.68912	6.4	-3.2	733	Norway	W-GBIF-19
Chrysoperla carnea	59.88271	10.61422	6.3	-3.3	728	Norway	W-GBIF-19
Chrysoperla carnea	59.04290	10.95771	7.3	-0.9	739	Norway	W-GBIF-19
Chrysoperla carnea	59.83638	10.50670	6.3	-3.1	726	Norway	W-GBIF-19
Chrysoperla carnea	59.89472	10.75968	6.0	-3.6	756	Norway	W-GBIF-19
Chrysoperla carnea	59.97333	10.47180	4.8	-4.8	761	Norway	W-GBIF-19
Chrysoperla carnea	59.95153	10.60834	5.7	-3.9	751	Norway	W-GBIF-19
Chrysoperla carnea	59.84246	10.42232	5.5	-4.0	754	Norway	W-GBIF-18
Chrysoperla carnea	59.97371	10.62433	5.0	-4.6	768	Norway	W-GBIF-18
Chrysoperla carnea	59.22966	10.34646	7.2	-1.0	728	Norway	W-GBIF-18

Chrysoperla carnea	59.59525	10.07902	5.5	-3.5	752	Norway	W-GBIF-18
Chrysoperla carnea	59.20881	10.40113	7.2	-0.9	728	Norway	W-GBIF-18
Chrysoperla carnea	59.84246	10.42232	5.5	-4.0	754	Norway	W-GBIF-18
Chrysoperla carnea	59.89172	10.63585	6.3	-3.2	730	Norway	W-GBIF-18
Chrysoperla carnea	59.59525	10.07902	5.5	-3.5	752	Norway	W-GBIF-18
Chrysoperla carnea	59.50629	10.13218	6.2	-2.6	741	Norway	W-GBIF-18
Chrysoperla carnea	59.53790	10.09945	6.3	-2.5	730	Norway	W-GBIF-18
Chrysoperla carnea	59.54054	10.07143	5.7	-3.1	752	Norway	W-GBIF-18
Chrysoperla carnea	59.34427	10.93350	6.7	-1.9	767	Norway	W-GBIF-18
Chrysoperla carnea	59.82348	10.43261	5.7	-3.7	747	Norway	W-GBIF-18
Chrysoperla carnea	59.30210	10.81442	7.0	-1.5	746	Norway	W-GBIF-18
Chrysoperla carnea	59.53705	10.09089	6.3	-2.5	730	Norway	W-GBIF-18
Chrysoperla carnea	59.54278	10.10228	6.3	-2.6	726	Norway	W-GBIF-18
Chrysoperla carnea	59.00215	11.07693	7.2	-1.0	748	Norway	W-GBIF-19
Chrysoperla carnea	59.59908	11.05117	5.9	-3.2	790	Norway	W-GBIF-18
Chrysoperla carnea	59.62250	11.03191	5.8	-3.3	796	Norway	W-GBIF-18
Chrysoperla carnea	59.62250	11.03191	5.8	-3.3	796	Norway	W-GBIF-18
Chrysoperla carnea	59.37600	13.44700	5.7	-3.6	647	Sweden	W-GBIF-17
Chrysoperla carnea	59.37660	13.45980	5.8	-3.5	646	Sweden	W-GBIF-17
Chrysoperla carnea	59.60390	16.60050	6.0	-3.2	566	Sweden	W-GBIF-17
Chrysoperla carnea	59.53730	16.46670	6.2	-3.0	575	Sweden	W-GBIF-17
Chrysoperla carnea	59.73340	16.53100	5.7	-3.7	589	Sweden	W-GBIF-17
Chrysoperla carnea	59.53730	16.46670	6.2	-3.0	575	Sweden	W-GBIF-17
Chrysoperla carnea	59.99750	17.86200	5.7	-3.6	558	Sweden	W-GBIF-17
Chrysoperla carnea	59.17900	17.41950	6.6	-2.2	536	Sweden	W-GBIF-17
Chrysoperla carnea	59.83300	17.58380	5.7	-3.6	556	Sweden	W-GBIF-17
Chrysoperla carnea	59.61170	17.63660	6.3	-2.9	542	Sweden	W-GBIF-17
Chrysoperla carnea	59.70640	17.29630	6.0	-3.3	555	Sweden	W-GBIF-17
Chrysoperla carnea	59.31310	17.99840	7.0	-1.9	528	Sweden	W-GBIF-17
Chrysoperla carnea	59.70650	17.29670	6.0	-3.3	555	Sweden	W-GBIF-17
Chrysoperla carnea	59.38950	17.13750	6.3	-2.7	553	Sweden	W-GBIF-17
Chrysoperla carnea	59.34900	18.16970	6.9	-1.9	524	Sweden	W-GBIF-17
Chrysoperla carnea	59.38960	18.01220	7.0	-1.9	531	Sweden	W-GBIF-17
Chrysoperla carnea	59.46700	18.23760	6.7	-2.2	530	Sweden	W-GBIF-17
Chrysoperla carnea	59.28290	18.28920	6.9	-1.8	518	Sweden	W-GBIF-17
Chrysoperla carnea	59.35150	18.16550	7.0	-1.8	525	Sweden	W-GBIF-17

Chrysoperla carnea	59.63180	18.93910	5.9	-2.7	502	Sweden	W-GBIF-17
Chrysoperla carnea	59.86260	18.80860	5.8	-3.1	518	Sweden	W-GBIF-17
Chrysoperla carnea	60.01248	10.78917	4.6	-5.0	788	Norway	W-GBIF-18
Chrysoperla carnea	60.01892	10.59134	4.8	-4.8	768	Norway	W-GBIF-18
Chrysoperla carnea	60.91029	10.74153	4.1	-6.4	589	Norway	W-GBIF-18
Chrysoperla carnea	60.25496	10.61826	3.1	-6.9	769	Norway	W-GBIF-18
Chrysoperla carnea	60.25454	10.65469	3.5	-6.5	762	Norway	W-GBIF-18
Chrysoperla carnea	60.55899	10.32942	4.4	-6.0	672	Norway	W-GBIF-18
Chrysoperla carnea	60.83484	10.07414	3.2	-7.4	657	Norway	W-GBIF-18
Chrysoperla carnea	60.22016	11.10242	4.4	-5.8	801	Norway	W-GBIF-19
Chrysoperla carnea	60.80531	11.11082	4.3	-6.2	587	Norway	W-GBIF-19
Chrysoperla carnea	60.45867	11.54480	3.2	-6.9	741	Norway	W-GBIF-18
Chrysoperla carnea	60.61480	15.63970	4.7	-5.7	622	Sweden	W-GBIF-17
Chrysoperla carnea	60.61490	15.63970	4.7	-5.7	622	Sweden	W-GBIF-17
Chrysoperla carnea	60.62080	15.71490	4.7	-5.6	623	Sweden	W-GBIF-17
Chrysoperla carnea	60.61480	15.63970	4.7	-5.7	622	Sweden	W-GBIF-17
Chrysoperla carnea	60.40870	17.57910	5.2	-4.5	587	Sweden	W-GBIF-17
Chrysoperla carnea	60.62520	23.92740	4.2	-6.0	614	Finland	W-GBIF-20
Chrysoperla carnea	61.17311	10.40610	3.3	-7.3	596	Norway	W-GBIF-18
Chrysoperla carnea	61.54943	10.00983	2.0	-8.2	628	Norway	W-GBIF-18
Chrysoperla carnea	61.24839	10.18977	3.0	-7.6	610	Norway	W-GBIF-18
Chrysoperla carnea	62.57996	7.78956	3.7	-2.7	1047	Norway	W-GBIF-18
Chrysoperla carnea	62.75063	7.26926	5.7	0.2	1280	Norway	W-GBIF-18
Chrysoperla carnea	62.93750	7.73731	5.0	-0.9	1203	Norway	W-GBIF-18
Chrysoperla carnea	62.92540	17.79650	3.5	-7.3	638	Sweden	W-GBIF-17
Chrysoperla carnea	62.86220	18.39610	3.5	-7.4	640	Sweden	W-GBIF-17
Chrysoperla carnea	63.66834	9.40410	5.5	-0.7	1123	Norway	W-GBIF-18
Chrysoperla carnea	63.24860	14.52850	3.1	-7.0	540	Sweden	W-GBIF-17
Chrysoperla carnea	63.24860	14.52850	3.1	-7.0	540	Sweden	W-GBIF-17
Chrysoperla carnea	63.24880	14.55200	2.9	-7.2	545	Sweden	W-GBIF-17
Chrysoperla carnea	63.28070	18.77700	3.0	-8.3	612	Sweden	W-GBIF-17
Chrysoperla carnea	63.46040	19.46780	2.9	-8.4	586	Sweden	W-GBIF-17
Chrysoperla carnea	63.83210	20.18340	2.7	-8.7	573	Sweden	W-GBIF-17
Chrysoperla carnea	63.83640	20.12660	2.6	-8.8	573	Sweden	W-GBIF-17
Chrysoperla carnea	63.83210	20.18340	2.7	-8.7	573	Sweden	W-GBIF-17
Chrysoperla congrua	-30.80000	27.96667	11.4	5.7	757	South Africa	Tjeder 1966

Chrysoperla congrua	-28.23334	28.30000	14.2	7.9	698	South Africa	Tjeder 1966
Chrysoperla congrua	-28.85159	30.08285	17.7	11.6	694	South Africa	Tjeder 1966
Chrysoperla congrua	-28.69031	28.91048	12.3	7.2	861	Lesotho	Tjeder 1966
Chrysoperla congrua	-29.61380	30.52332	18.7	14.3	863	South Africa	Tjeder 1966
Chrysoperla congrua	-27.84961	31.26885	16.7	13.4	900	South Africa	Tjeder 1966
Chrysoperla congrua	-28.37945	32.30849	21.6	18.0	1072	South Africa	Tjeder 1966
Chrysoperla congrua	-29.79511	30.77720	18.8	15.6	940	South Africa	Tjeder 1966
Chrysoperla congrua	-28.96667	30.38333	17.4	12.4	747	South Africa	Tjeder 1966
Chrysoperla congrua	-27.29652	32.16814	22.4	18.0	599	South Africa	Tjeder 1966
Chrysoperla congrua	-27.98643	32.42398	21.7	17.7	943	South Africa	Tjeder 1966
Chrysoperla congrua	-29.45274	27.72000	15.0	9.1	771	Lesotho	Tjeder 1966
Chrysoperla congrua	-29.12578	27.83347	15.4	9.4	793	Lesotho	Tjeder 1966
Chrysoperla congrua	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
Chrysoperla congrua	-24.99590	31.59687	21.8	16.5	641	South Africa	Tjeder 1966
Chrysoperla congrua	-23.04238	29.91201	19.0	14.5	720	South Africa	Tjeder 1966
Chrysoperla congrua	-20.15833	28.37667	18.7	14.0	566	Zimbabwe	Tjeder 1966
Chrysoperla congrua	-19.59811	29.08992	18.6	14.0	622	Zimbabwe	Tjeder 1966
Chrysoperla congrua	-17.82896	31.05244	18.2	14.2	842	Zimbabwe	Tjeder 1966
Chrysoperla congrua	-17.82977	30.50409	18.5	14.3	805	Zimbabwe	Tjeder 1966
Chrysoperla congrua	-18.36531	26.50613	24.1	19.3	582	Zimbabwe	Tjeder 1966
Chrysoperla congrua	-25.03166	33.48215	23.0	19.1	913	Mozambique	Tjeder 1966
Chrysoperla congrua	-19.83948	34.85640	24.7	21.0	1315	Mozambique	Tjeder 1966
Chrysoperla congrua	-18.40033	36.10293	25.3	22.1	1035	Mozambique	Tjeder 1966
Chrysoperla congrua	-26.81528	17.80091	21.1	15.1	107	Namibia	Tjeder 1966
Chrysoperla congrua	-22.00320	15.58296	21.8	17.9	131	Namibia	Tjeder 1966
Chrysoperla congrua	-21.98330	16.91319	20.2	14.7	368	Namibia	Tjeder 1966
Chrysoperla congrua	-19.56668	18.11666	20.7	15.8	547	Namibia	Tjeder 1966
Chrysoperla congrua	-19.64199	18.59541	21.3	15.9	446	Namibia	Tjeder 1966
Chrysoperla congrua	-18.80762	16.94029	22.9	17.9	463	Namibia	Tjeder 1966
Chrysoperla congrua	-18.98647	17.33286	22.7	17.8	515	Namibia	Tjeder 1966
Chrysoperla congrua	-17.88604	15.06636	22.7	17.9	443	Namibia	Tjeder 1966
Chrysoperla congrua	-17.90998	15.97448	22.6	17.3	473	Namibia	Tjeder 1966
Chrysoperla congrua	-17.30665	15.84238	22.7	17.8	571	Angola	Tjeder 1966
Chrysoperla congrua	-28.44620	18.73424	20.6	13.4	103	Namibia	Tjeder 1966
Chrysoperla congrua	-19.62382	14.84223	20.9	16.6	320	Namibia	Tjeder 1966
Chrysoperla congrua	-19.12526	13.61668	23.6	19.8	111	Namibia	Tjeder 1966

Chrysoperla congrua	-7.47863	31.67553	24.6	22.2	916	Tanzania	Tjeder 1966
Chrysoperla congrua	-3.17811	37.09281	19.3	17.0	1246	Tanzania	Tjeder 1966
Chrysoperla congrua	-0.60567	30.64855	20.3	19.9	943	Uganda	Tjeder 1966
Chrysoperla congrua	9.02271	38.74678	15.9	14.5	1154	Ethiopia	Tjeder 1966
Chrysoperla congrua	-5.38283	26.98806	25.1	24.6	1204	DR Congo	Tjeder 1966
Chrysoperla congrua	-5.36675	14.51677	23.1	20.5	1318	DR Congo	Tjeder 1966
Chrysoperla congrua	0.51924	25.19607	25.4	24.7	1799	DR Congo	Tjeder 1966
Chrysoperla congrua	1.75000	30.60000	18.0	17.1	1454	DR Congo	Tjeder 1966
Chrysoperla congrua	-4.26984	26.24835	25.8	25.4	1398	DR Congo	Tjeder 1966
Chrysoperla congrua	-5.92983	29.17589	23.5	21.8	1099	DR Congo	Tjeder 1966
Chrysoperla congrua	-11.66667	27.46667	20.2	16.7	1243	DR Congo	Tjeder 1966
Chrysoperla congrua	-4.76666	13.10001	24.3	21.6	1254	Congo	Tjeder 1966
Chrysoperla congrua	-4.18162	19.61238	24.9	24.5	1644	DR Congo	Tjeder 1966
Chrysoperla congrua	-6.74954	23.95292	24.2	23.9	1437	DR Congo	Tjeder 1966
Chrysoperla congrua	-0.10493	20.12577	26.2	25.3	2045	DR Congo	Tjeder 1966
Chrysoperla congrua	-7.83851	26.99375	25.1	23.8	996	DR Congo	Tjeder 1966
Chrysoperla congrua	-9.69825	22.94234	23.2	21.8	1307	DR Congo	Tjeder 1966
Chrysoperla congrua	-4.86672	12.86677	25.0	22.2	1243	DR Congo	Tjeder 1966
Chrysoperla congrua	-6.10331	23.42956	24.7	24.3	1577	DR Congo	Tjeder 1966
Chrysoperla congrua	-1.18554	29.44715	21.9	21.6	1174	DR Congo	Tjeder 1966
Chrysoperla congrua	-5.63334	12.70000	25.6	22.6	971	DR Congo	Tjeder 1966
Chrysoperla congrua	0.06752	18.28200	25.5	24.7	1676	DR Congo	Tjeder 1966
Chrysoperla congrua	-5.89694	22.44892	24.8	24.5	1657	DR Congo	Tjeder 1966
Chrysoperla congrua	-3.07309	26.04136	25.2	24.6	1675	DR Congo	Tjeder 1966
Chrysoperla congrua	-5.13718	15.10419	23.6	21.2	1413	DR Congo	Tjeder 1966
Chrysoperla congrua	4.21667	8.98333	25.7	24.6	3902	Cameroon	Tjeder 1966
Chrysoperla congrua	1.68071	7.44054	24.5	23.5	1943	São Tomé & Pr.	Tjeder 1966
Chrysoperla pudica	-27.01494	30.79489	16.6	12.3	922	South Africa	Tjeder 1966
Chrysoperla pudica	-33.47321	19.61008	16.0	10.6	440	South Africa	Tjeder 1966
Chrysoperla pudica	-33.72428	18.95592	16.0	11.5	981	South Africa	Tjeder 1966
Chrysoperla pudica	-33.93667	18.86139	16.5	12.1	790	South Africa	Tjeder 1966
Chrysoperla pudica	-25.76796	20.00029	19.7	11.7	222	South Africa	Tjeder 1966
Chrysoperla pudica	-28.77450	20.61297	20.3	13.3	137	South Africa	Tjeder 1966
Chrysoperla pudica	-29.12578	27.83347	15.4	9.4	793	Lesotho	Tjeder 1966
Chrysoperla pudica	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
Chrysoperla pudica	-25.64500	28.35789	17.8	12.0	691	South Africa	Tjeder 1966

Chrysoperla pudica	-25.65969	27.24319	18.7	12.4	663	South Africa	Tjeder 1966
Chrysoperla pudica	-24.29721	29.25673	18.9	13.5	544	South Africa	Tjeder 1966
Chrysoperla pudica	-25.40765	28.08453	18.8	12.8	625	South Africa	Tjeder 1966
Chrysoperla pudica	-23.90000	30.06670	18.8	14.2	1119	South Africa	Tjeder 1966
Chrysoperla pudica	-27.01494	30.79489	16.6	12.3	922	South Africa	Tjeder 1966
Chrysoperla pudica	-25.32188	31.02193	19.0	14.8	955	South Africa	Tjeder 1966
Chrysoperla pudica	-20.17219	28.58116	18.2	13.5	598	Zimbabwe	Tjeder 1966
Chrysoperla pudica	-20.45003	29.03577	19.5	14.5	583	Zimbabwe	Tjeder 1966
Chrysoperla pudica	-19.59811	29.08992	18.6	14.0	622	Zimbabwe	Tjeder 1966
Chrysoperla pudica	-18.19254	31.55610	16.7	12.7	898	Zimbabwe	Tjeder 1966
Chrysoperla pudica	-17.92649	25.85366	22.8	17.4	668	Zimbabwe	Tjeder 1966
Chrysoperla pudica	-21.70000	21.65000	20.7	14.6	428	Botswana	Tjeder 1966
Chrysoperla pudica	-22.67410	14.52784	15.3	13.3	10	Namibia	Tjeder 1966
Chrysoperla pudica	-20.10806	16.14585	21.4	17.6	390	Namibia	Tjeder 1966
Chrysoperla pudica	-19.84796	15.46905	21.2	16.9	331	Namibia	Tjeder 1966
Chrysoperla pudica	-19.62397	14.84286	20.9	16.6	320	Namibia	Tjeder 1966
Chrysoperla pudica	-28.52474	16.61863	16.9	14.5	48	South Africa	Tjeder 1966
Chrysoperla pudica	-19.13329	13.61670	23.6	19.8	111	Namibia	Tjeder 1966
Chrysoperla zastrowi	-33.64171	19.44729	17.3	12.1	414	South Africa	Tjeder 1966
Chrysoperla zastrowi	-33.48973	21.26626	15.0	10.2	280	South Africa	Tjeder 1966
Chrysoperla zastrowi	-33.48333	21.46666	15.5	10.8	263	South Africa	Tjeder 1966
Chrysoperla zastrowi	-29.70000	17.58330	17.4	13.1	115	South Africa	Tjeder 1966
Chrysoperla zastrowi	-33.94999	23.88334	14.7	11.4	990	South Africa	Tjeder 1966
Chrysoperla zastrowi	-30.16670	18.35000	16.0	10.5	230	South Africa	Tjeder 1966
Chrysoperla zastrowi	-33.55455	25.69444	18.5	14.3	392	South Africa	Tjeder 1966
Chrysoperla zastrowi	-33.16972	26.61902	18.2	14.1	554	South Africa	Tjeder 1966
Chrysoperla zastrowi	-30.98975	23.80165	15.0	7.8	309	South Africa	Tjeder 1966
Chrysoperla zastrowi	-29.36904	22.13106	19.4	11.9	233	South Africa	Tjeder 1966
Chrysoperla zastrowi	-28.72929	24.75404	18.0	11.0	443	South Africa	Tjeder 1966
Chrysoperla zastrowi	-29.23722	18.84088	19.5	12.5	130	South Africa	Tjeder 1966
Chrysoperla zastrowi	-28.89647	18.14587	22.0	14.8	67	Namibia	Tjeder 1966
Chrysoperla zastrowi	-29.00169	17.09935	15.6	12.3	89	South Africa	Tjeder 1966
Chrysoperla zastrowi	-28.77450	20.61297	20.3	13.3	137	South Africa	Tjeder 1966
Chrysoperla zastrowi	-29.12952	19.39360	18.5	11.6	192	South Africa	Tjeder 1966
Chrysoperla zastrowi	-28.45486	21.27459	19.3	12.1	182	South Africa	Tjeder 1966
Chrysoperla zastrowi	-27.29381	20.06547	20.1	12.7	156	Namibia	Tjeder 1966

Chrysoperla zastrowi	-30.21253	26.53130	14.7	7.9	507	South Africa	Tjeder 1966
Chrysoperla zastrowi	-29.12578	27.83347	15.4	9.4	793	Lesotho	Tjeder 1966
Chrysoperla zastrowi	-27.45934	15.39217	15.8	13.8	30	Namibia	Tjeder 1966
Chrysoperla zastrowi	-24.14932	16.36330	16.2	11.2	199	Namibia	Tjeder 1966
Chrysoperla zastrowi	-22.55579	17.07434	19.6	14.4	359	Namibia	Tjeder 1966
Chrysoperla zastrowi	-19.56667	18.11667	20.7	15.8	547	Namibia	Tjeder 1966
Chrysoperla zastrowi	-19.12526	13.61668	23.6	19.8	111	Namibia	Tjeder 1966
Chrysoperla zastrowi	-18.16009	12.56207	17.8	15.0	128	Namibia	Tjeder 1966
Chrysoperla plicata	-18.37820	31.70723	17.0	12.9	833	Zimbabwe	Tjeder 1966
Chrysoperla comans	-18.97562	32.65572	19.5	15.2	781	Zimbabwe	Tjeder 1966
Chrysoperla principissa	-29.85788	31.02758	20.9	17.4	974	South Africa	Tjeder 1966
Chrysoperla principissa	-26.88846	32.27673	22.9	18.8	644	South Africa	Tjeder 1966
Chrysoperla principissa	-25.97301	32.58257	22.9	19.2	760	Mozambique	Tjeder 1966
Chrysoperla chloris	-33.99966	23.40124	16.5	13.2	902	South Africa	Tjeder 1966
Chrysoperla chloris	-33.94999	23.88334	14.7	11.4	990	South Africa	Tjeder 1966
Chrysoperla chloris	-31.10000	19.43330	17.4	11.5	215	South Africa	Tjeder 1966
Chrysoperla chloris	-33.93481	24.29834	15.7	12.5	868	South Africa	Tjeder 1966
Chrysoperla chloris	-33.99261	22.58114	16.8	14.0	754	South Africa	Tjeder 1966
Chrysoperla chloris	-33.39960	25.44336	18.8	13.8	339	South Africa	Tjeder 1966
Chrysoperla chloris	-33.30854	26.52373	16.6	12.7	706	South Africa	Tjeder 1966
Chrysoperla chloris	-32.63000	27.17001	16.7	12.8	754	South Africa	Tjeder 1966
Chrysoperla chloris	-32.98325	27.86636	18.4	15.5	839	South Africa	Tjeder 1966
Chrysoperla chloris	-29.57033	30.34889	17.6	13.3	891	South Africa	Tjeder 1966
Chrysoperla sjoestedti	-29.85788	31.02758	20.9	17.4	974	South Africa	Tjeder 1966
Chrysoperla sjoestedti	-30.00853	30.24417	18.6	14.6	878	South Africa	Tjeder 1966
Chrysoperla sjoestedti	-25.78577	31.05122	19.5	15.6	970	South Africa	Tjeder 1966
Chrysoperla sjoestedti	-19.06917	34.23028	24.9	21.1	987	Mozambique	Tjeder 1966
Chrysoperla sjoestedti	-1.35304	36.79473	18.9	17.0	812	Kenya	Tjeder 1966
Chrysoperla sjoestedti	1.20384	34.66914	14.2	13.4	1535	Kenya	Tjeder 1966
Chrysoperla sjoestedti	-3.17811	37.09281	19.3	17.0	1246	Tanzania	Tjeder 1966
Chrysoperla handschini	-34.03002	18.33725	16.2	12.9	1080	South Africa	Tjeder 1966
Chrysoperla handschini	-34.17709	18.34362	16.0	13.0	870	South Africa	Tjeder 1966
Chrysoperla handschini	-25.01657	33.72656	23.0	19.2	877	Mozambique	Tjeder 1966
Chrysoperla handschini	-26.00832	32.93250	23.0	19.8	881	Mozambique	Tjeder 1966
Chrysoperla handschini	1.75592	30.60723	18.0	17.1	1454	DR Congo	Tjeder 1966
Chrysoperla nyassalandica	-27.42075	32.07229	22.3	18.6	577	South Africa	Tjeder 1966

Chrysoperla nyassalandica	-25.17006	31.26882	21.1	17.1	733	South Africa	Tjeder 1966
Chrysoperla nyassalandica	-25.49482	31.51063	21.7	17.2	708	South Africa	Tjeder 1966
Chrysoperla nyassalandica	-23.51667	29.70000	18.2	13.4	830	South Africa	Tjeder 1966
Chrysoperla nyassalandica	-20.37063	32.74430	18.8	15.1	1254	Mozambique	Tjeder 1966
Chrysoperla nyassalandica	-19.59811	29.08992	18.6	14.0	622	Zimbabwe	Tjeder 1966
Chrysoperla nyassalandica	-17.87012	31.10801	18.0	14.1	843	Zimbabwe	Tjeder 1966
Chrysoperla nyassalandica	-18.37820	31.70723	17.0	12.9	833	Zimbabwe	Tjeder 1966
Chrysoperla nyassalandica	-15.78611	35.00617	20.6	17.4	1099	Malawi	Tjeder 1966
Chrysoperla baronissa	-32.98325	27.86636	18.4	15.5	839	South Africa	Tjeder 1966
Chrysoperla baronissa	-30.21712	30.79762	20.5	17.4	1029	South Africa	Tjeder 1966
Chrysoperla baronissa	-29.79511	30.77720	18.8	15.6	940	South Africa	Tjeder 1966
Chrysoperla baronissa	-27.33804	31.99817	20.9	17.0	671	South Africa	Tjeder 1966
Chrysoperla baronissa	-22.95738	29.75013	18.5	13.8	748	South Africa	Tjeder 1966
Chrysoperla baronissa	-1.30860	36.72866	17.6	15.7	967	Kenya	Tjeder 1966
Chrysoperla hamata	-28.71670	31.13330	16.8	13.2	893	South Africa	Tjeder 1966
Chrysoperla hamata	-27.84961	31.26885	16.7	13.4	900	South Africa	Tjeder 1966
Chrysoperla tacta	-31.29878	25.82267	14.1	7.5	447	South Africa	Tjeder 1966
Chrysoperla tacta	-33.72428	18.95592	16.0	11.5	981	South Africa	Tjeder 1966
Chrysoperla tacta	-33.64171	19.44729	17.3	12.1	414	South Africa	Tjeder 1966
Chrysoperla tacta	-33.78082	20.12671	17.4	11.8	338	South Africa	Tjeder 1966
Chrysoperla tacta	-29.78161	17.83683	16.5	11.3	200	South Africa	Tjeder 1966
Chrysoperla tacta	-29.12952	19.39360	18.5	11.6	192	South Africa	Tjeder 1966
Chrysoperla tacta	-29.00152	17.09881	15.6	12.3	89	South Africa	Tjeder 1966
Chrysoperla tacta	-33.36161	21.41077	13.3	8.1	306	South Africa	Tjeder 1966
Chrysoperla tacta	-32.66829	21.51071	16.7	10.0	138	South Africa	Tjeder 1966
Chrysoperla tacta	-30.35000	21.81667	18.8	11.1	194	South Africa	Tjeder 1966
Chrysoperla tacta	-31.47671	19.77239	16.4	10.5	216	South Africa	Tjeder 1966
Chrysoperla tacta	-28.77130	17.62991	19.6	14.2	60	South Africa	Tjeder 1966
Chrysoperla tacta	-24.14932	16.36330	16.2	11.2	199	Namibia	Tjeder 1966
Chrysoperla tacta	-24.84710	16.97812	17.3	11.6	173	Namibia	Tjeder 1966
Chrysoperla tacta	-19.62382	14.84223	20.9	16.6	320	Namibia	Tjeder 1966
Chrysoperla tacta	-18.64953	12.66136	18.3	15.7	65	Namibia	Tjeder 1966
Chrysoperla tacta	-18.18319	12.51667	18.0	15.2	106	Namibia	Tjeder 1966
Chrysoperla tacta	-19.52572	17.09493	21.1	16.1	549	Namibia	Tjeder 1966
Chrysoperla burgeonina	-33.64171	19.44729	17.3	12.1	414	South Africa	Tjeder 1966
Chrysoperla burgeonina	-33.47321	19.61008	16.0	10.6	440	South Africa	Tjeder 1966

Chrysoperla burgeonina	-33.72428	18.95592	16.0	11.5	981	South Africa	Tjeder 1966
Chrysoperla burgeonina	-33.91673	18.95000	15.5	11.4	1048	South Africa	Tjeder 1966
Chrysoperla burgeonina	-33.29994	23.48138	15.7	10.1	389	South Africa	Tjeder 1966
Chrysoperla burgeonina	-33.46854	25.54114	18.7	14.1	357	South Africa	Tjeder 1966
Chrysoperla burgeonina	-33.39960	25.44336	18.8	13.8	339	South Africa	Tjeder 1966
Chrysoperla burgeonina	-33.93264	25.56993	17.6	14.5	556	South Africa	Tjeder 1966
Chrysoperla burgeonina	-33.30854	26.52373	16.6	12.7	706	South Africa	Tjeder 1966
Chrysoperla burgeonina	-30.21250	26.53139	14.7	7.9	507	South Africa	Tjeder 1966
Chrysoperla burgeonina	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
Chrysoperla burgeonina	-25.64500	28.35789	17.8	12.0	691	South Africa	Tjeder 1966
Chrysoperla burgeonina	-18.40424	36.10394	25.3	22.1	1035	Mozambique	Tjeder 1966
Chrysoperla burgeonina	-1.67927	29.22250	20.1	19.7	1189	DR Congo	Tjeder 1966
Chrysoperla ingae	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
Chrysoperla spissinervis	-33.93481	24.29834	15.7	12.5	868	South Africa	Tjeder 1966
Chrysoperla spissinervis	-33.99261	22.58114	16.8	14.0	754	South Africa	Tjeder 1966
Chrysoperla spissinervis	-33.39960	25.44336	18.8	13.8	339	South Africa	Tjeder 1966
Chrysoperla spissinervis	-33.36161	21.41077	13.3	8.1	306	South Africa	Tjeder 1966
Chrysoperla spissinervis	-19.88359	28.24535	19.9	15.4	562	Zimbabwe	Tjeder 1966
Chrysoperla incrassata	-33.36161	21.41077	13.3	8.1	306	South Africa	Tjeder 1966
Chrysoperla incrassata	-33.47321	19.61008	16.0	10.6	440	South Africa	Tjeder 1966
Chrysoperla perpallida	-29.12578	27.83347	15.4	9.4	793	Lesotho	Tjeder 1966
Chrysoperla perpallida	-29.29658	29.06633	10.1	4.6	667	Lesotho	Tjeder 1966
Chrysoperla luaboensis	-18.40424	36.10394	25.3	22.1	1035	Mozambique	Tjeder 1966
Chrysoperla venosella	-29.45274	27.72000	15.0	9.1	771	Lesotho	Tjeder 1966
Chrysoperla venosella	-29.12578	27.83347	15.4	9.4	793	Lesotho	Tjeder 1966
Chrysoperla venosella	-29.00715	28.33490	11.4	5.8	876	Lesotho	Tjeder 1966
Chrysoperla venosella	-26.20445	28.04556	16.1	11.2	784	South Africa	Tjeder 1966
Chrysoperla venosella	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
Chrysoperla pervenosa	-17.87133	31.11272	18.0	14.1	843	Zimbabwe	Tjeder 1966
Chrysoperla pervenosa	-20.15833	28.37667	18.7	14.0	566	Zimbabwe	Tjeder 1966
Chrysoperla pervenosa	-19.59811	29.08992	18.6	14.0	622	Zimbabwe	Tjeder 1966
Chrysoperla gunvorae	-24.99590	31.59687	21.8	16.5	641	South Africa	Tjeder 1966
Chrysoperla gunvorae	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
Chrysoperla atrosparsa	-30.53687	29.68606	14.6	10.1	889	South Africa	Tjeder 1966
Chrysoperla pulchrina	-28.89453	31.44906	19.1	16.1	1112	South Africa	Tjeder 1966
Chrysoperla pulchrina	-22.95738	29.75013	18.5	13.8	748	South Africa	Tjeder 1966

Chrysoperla pulchrina	-20.37063	32.74430	18.8	15.1	1254	Mozambique	Tjeder 1966
Chrysoperla boninensis	-32.21667	26.58333	12.1	7.4	741	South Africa	Tjeder 1966
Chrysoperla boninensis	-26.88846	32.27673	22.9	18.8	644	South Africa	Tjeder 1966
Chrysoperla boninensis	-25.64500	28.35789	17.8	12.0	691	South Africa	Tjeder 1966
Chrysoperla boninensis	-25.46521	30.98644	19.9	15.5	793	South Africa	Tjeder 1966
Chrysoperla boninensis	-20.26415	30.92455	18.9	14.5	865	Zimbabwe	Tjeder 1966
Chrysoperla boninensis	-21.16365	31.54556	22.8	18.1	538	Zimbabwe	Tjeder 1966
Chrysoperla boninensis	-19.59811	29.08992	18.6	14.0	622	Zimbabwe	Tjeder 1966
Chrysoperla boninensis	-18.40424	36.10394	25.3	22.1	1035	Mozambique	Tjeder 1966
Chrysoperla boninensis	0.06752	18.28200	25.5	24.7	1676	DR Congo	Tjeder 1966
Chrysoperla boninensis	-11.66667	27.46667	20.2	16.7	1243	DR Congo	Tjeder 1966
Chrysoperla boninensis	16.56289	-24.28110	23.1	21.1	200	Cape Verde	Tjeder 1966
Chrysoperla boninensis	14.86142	-24.69849	19.6	17.7	283	Cape Verde	Tjeder 1966
Chrysoperla boninensis	27.07297	142.19131	22.9	18.0	1338	Japan	Tjeder 1966
Chrysoperla umbrosa	-18.43568	34.00218	18.8	15.4	1855	Mozambique	Tjeder 1966
Chrysoperla umbrosa	-16.00330	35.73917	19.2	16.3	1845	Malawi	Tjeder 1966
Chrysoperla umbrosa	-1.35304	36.79473	18.9	17.0	812	Kenya	Tjeder 1966
Chrysoperla umbrosa	-0.94500	36.59500	14.3	12.4	1267	Kenya	Tjeder 1966
Chrysoperla umbrosa	-0.17418	37.14129	13.9	13.1	1228	Kenya	Tjeder 1966
Chrysoperla umbrosa	0.01667	37.06667	16.3	15.8	809	Kenya	Tjeder 1966
Chrysoperla caffer	-34.01162	19.35719	13.3	9.6	842	South Africa	Tjeder 1966
Chrysoperla caffer	-33.96670	20.70000	16.3	11.4	478	South Africa	Tjeder 1966
Chrysoperla caffer	-33.30854	26.52373	16.6	12.7	706	South Africa	Tjeder 1966
Chrysoperla zulu	-28.89453	31.44906	19.1	16.1	1112	South Africa	Tjeder 1966
Chrysoperla zulu	-27.33804	31.99817	20.9	17.0	671	South Africa	Tjeder 1966
Chrysoperla basuto	-29.20310	29.11076	11.0	5.3	683	Lesotho	Tjeder 1966
Chrysoperla aculeata	-27.47206	31.94632	22.2	18.1	567	South Africa	Tjeder 1966
Chrysoperla nyerina	-0.41703	36.95097	16.9	15.8	1071	Kenya	Navás 1933
Chrysoperla congrua	-5.38350	26.98859	25.1	24.6	1204	DR Congo	W-RMCA-1
Chrysoperla congrua	2.91034	29.41517	23.8	22.7	1745	DR Congo	W-RMCA-1
Chrysoperla commans	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Chrysoperla commans	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Chrysoperla commans	-24.19995	28.63841	16.8	11.6	657	South Africa	W-RMCA-2
Chrysoperla commans	-24.61667	28.08333	18.1	12.2	658	South Africa	W-RMCA-2
Chrysoperla congrua	5.08519	-1.35033	26.4	24.8	1214	Ghana	W-RMCA-4
Chrysoperla congrua	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2

Chrysoperla congrua	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Chrysoperla congrua	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Chrysoperla congrua	-33.59934	26.89198	18.3	15.8	581	South Africa	W-RMCA-2
Chrysoperla congrua	-2.09576	37.49884	21.7	19.7	718	Kenya	W-RMCA-2
Chrysoperla congrua	-28.96651	30.86182	15.3	11.1	900	South Africa	W-RMCA-2
Chrysoperla congrua	-24.90520	30.75185	16.3	12.3	1042	South Africa	W-RMCA-2
Chrysoperla congrua	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Chrysoperla congrua	-32.83519	28.11469	18.4	15.6	862	South Africa	W-RMCA-2
Chrysoperla congrua	-28.62235	31.08928	17.0	13.2	856	South Africa	W-RMCA-2
Chrysoperla congrua	-20.46480	16.65410	20.2	15.3	427	Namibia	W-RMCA-2
Chrysoperla congrua	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
Chrysoperla congrua	-25.06510	30.88484	18.6	14.8	1105	South Africa	W-RMCA-2
Chrysoperla congrua	-23.78398	30.15467	19.6	15.0	1041	South Africa	W-RMCA-2
Chrysoperla congrua	-25.78557	31.05128	19.5	15.6	970	South Africa	W-RMCA-2
Chrysoperla congrua	-29.34851	30.36250	17.1	12.5	853	South Africa	W-RMCA-2
Chrysoperla congrua	-23.04984	29.90003	19.0	14.5	720	South Africa	W-RMCA-2
Chrysoperla congrua	-22.45027	31.32063	24.7	19.7	405	Mozambique	W-RMCA-2
Chrysoperla congrua	-24.60428	27.36100	20.2	14.1	621	South Africa	W-RMCA-2
Chrysoperla congrua	-28.56764	28.46767	13.3	7.6	829	South Africa	W-RMCA-2
Chrysoperla congrua	-25.76401	28.26591	17.2	11.7	714	South Africa	W-RMCA-2
Chrysoperla congrua	-27.97615	32.36287	21.5	17.6	910	South Africa	W-RMCA-2
Chrysoperla congrua	-27.33802	31.99828	20.9	17.0	671	South Africa	W-RMCA-2
Chrysoperla plicata	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Chrysoperla plicata	-22.45027	31.32063	24.7	19.7	405	Mozambique	W-RMCA-2
Chrysoperla plicata	-23.97523	31.45933	22.5	17.5	526	South Africa	W-RMCA-2
Chrysoperla plicata	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Chrysoperla plicata	-28.95281	31.75766	21.6	17.9	1083	South Africa	W-RMCA-2
Chrysoperla plicata	-25.53322	26.08367	18.2	11.8	597	South Africa	W-RMCA-2
Chrysoperla plicata	-28.89482	21.98355	20.0	12.7	219	South Africa	W-RMCA-2
Chrysoperla plicata	-22.42292	31.03596	23.9	19.2	457	South Africa	W-RMCA-2
Chrysoperla plicata	-18.37820	31.70723	17.0	12.9	833	Zimbabwe	W-RMCA-2
Chrysoperla plicata	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
Chrysoperla pudica	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Chrysoperla pudica	-25.65965	27.24307	18.7	12.4	663	South Africa	W-RMCA-2
Chrysoperla pudica	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Chrysoperla pudica	-22.55000	31.08333	23.3	18.9	502	South Africa	W-RMCA-2

Chrysoperla pudica	-22.45027	31.32063	24.7	19.7	405	Mozambique	W-RMCA-2
Chrysoperla pudica	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Chrysoperla pudica	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Chrysoperla pudica	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Chrysoperla pudica	-24.19782	29.47676	18.0	12.8	621	South Africa	W-RMCA-2
Chrysoperla pudica	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Chrysoperla pudica	-22.20122	29.88291	22.7	17.0	319	South Africa	W-RMCA-2
Chrysoperla pudica	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
Chrysoperla pudica	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Chrysoperla pudica	-23.68456	30.67941	22.0	17.3	520	South Africa	W-RMCA-2
Chrysoperla pudica	-22.44000	31.24000	24.5	19.5	416	Mozambique	W-RMCA-2
Chrysoperla pudica	-22.55951	17.08543	19.3	14.2	368	Namibia	W-RMCA-2
Chrysoperla pudica	-23.88422	29.73918	16.1	11.6	866	South Africa	W-RMCA-2
Chrysoperla pudica	-26.87756	22.05211	19.7	12.2	205	South Africa	W-RMCA-2
Chrysoperla pudica	-25.42136	20.59624	20.4	12.5	237	South Africa	W-RMCA-2
Chrysoperla pudica	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2
Chrysoperla pudica	-28.01657	18.75087	18.6	11.8	125	Namibia	W-RMCA-2
Chrysoperla pudica	-22.59721	31.29954	23.0	18.5	526	Mozambique	W-RMCA-2
Chrysoperla pudica	-28.89482	21.98355	20.0	12.7	219	South Africa	W-RMCA-2
Chrysoperla pudica	-28.58833	24.51441	18.2	10.9	435	South Africa	W-RMCA-2
Chrysoperla pudica	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
Chrysoperla pudica	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Chrysoperla pudica	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Chrysoperla pudica	-23.78398	30.15467	19.6	15.0	1041	South Africa	W-RMCA-2
Chrysoperla pudica	-26.65615	28.58878	15.4	9.5	697	South Africa	W-RMCA-2
Chrysoperla pudica	-25.74445	27.89923	18.1	11.9	653	South Africa	W-RMCA-2
Chrysoperla pudica	-24.64630	28.68400	19.1	13.7	588	South Africa	W-RMCA-2
Chrysoperla pudica	-23.97523	31.45933	22.5	17.5	526	South Africa	W-RMCA-2
Chrysoperla pudica	-22.55000	31.08333	23.3	18.9	502	South Africa	W-RMCA-2
Chrysoperla pudica	-25.53322	26.08367	18.2	11.8	597	South Africa	W-RMCA-2
Chrysoperla pudica	-25.47082	30.98480	19.9	15.5	793	South Africa	W-RMCA-2
Chrysoperla ducissa	-9.70070	27.22318	23.1	20.3	820	DR Congo	W-RMCA-1
Chrysoperla externa	-29.63836	-51.39871	19.6	15.4	1419	Brazil	Adams & Penny 1985
Chrysoperla externa	-27.04846	-52.40184	18.2	14.4	2110	Brazil	Adams & Penny 1985
Chrysoperla externa	-22.35764	-47.38479	20.2	16.9	1322	Brazil	Adams & Penny 1985
Chrysoperla externa	-22.72294	-47.65974	20.8	17.4	1254	Brazil	Adams & Penny 1985

Chrysoperla externa	-19.78050	-42.59999	23.4	20.6	1140	Brazil	Adams & Penny 1985
Chrysoperla externa	-12.65633	-60.09083	20.8	20.0	1937	Brazil	Adams & Penny 1985
Chrysoperla externa	-12.73549	-60.13406	20.9	20.1	1914	Brazil	Adams & Penny 1985
Chrysoperla externa	-1.90032	-60.07918	26.7	26.4	2901	Brazil	Adams & Penny 1985
Chrysoperla externa	1.98048	-61.07096	27.2	26.4	1702	Brazil	Adams & Penny 1985
Chrysoperla externa	2.81945	-60.67116	27.2	26.3	1555	Brazil	Adams & Penny 1985
Chrysoperla defreitasi	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Chrysoperla defreitasi	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Chrysoperla externa	-21.12347	-48.45029	21.8	19.0	1335	Brazil	de Freitas & Penny 2001
Chrysoperla externa	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Chrysoperla externa	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Chrysoperla raimundoi	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Chrysoperla carnea	24.45514	46.97773	25.8	16.1	100	Saudi Arabia	Hölzel 1980a
Chrysoperla carnea	24.80333	46.48333	24.7	14.8	128	Saudi Arabia	Hölzel 1980a
Chrysoperla carnea	24.70753	46.80450	25.3	15.5	111	Saudi Arabia	Hölzel 1980a
Chrysoperla carnea	24.47273	39.32338	26.0	18.0	53	Saudi Arabia	Hölzel 1980a
Chrysoperla carnea	21.59323	39.22995	28.2	23.8	51	Saudi Arabia	Hölzel 1980a
Chrysoperla carnea	25.40034	49.59133	26.3	17.0	74	Saudi Arabia	Hölzel 1980a
Chrysoperla mutata	24.68734	46.71050	25.3	15.5	113	Saudi Arabia	Hölzel 1980a
Chrysoperla concinna	21.39911	39.48810	29.3	24.5	60	Saudi Arabia	Hölzel 1980a
Chrysoperla concinna	21.15002	41.34995	24.3	17.5	141	Saudi Arabia	Hölzel 1980a
Chrysopodes (Ch.) varicosa	8.94944	-82.83640	19.3	18.6	3002	Costa Rica	W-GBIF-6
Chrysopodes (Ch.) victoriae	9.73841	-82.96640	26.1	25.3	2698	Costa Rica	W-GBIF-6
Chrysopodes (N.) collaris	10.87410	-85.58000	25.6	24.8	1774	Costa Rica	W-GBIF-6
Chrysopodes (N.) collaris	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Chrysopodes (N.) collaris	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Chrysopodes (N.) collaris	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Chrysopodes (N.) collaris	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Chrysopodes (N.) collaris	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Chrysopodes (N.) collaris	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Chrysopodes (N.) collaris	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Chrysopodes (N.) collaris	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Chrysopodes (Ch.) varicosa	10.29840	-84.79250	18.8	18.0	2950	Costa Rica	W-GBIF-6
Chrysopodes duckei	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Chrysopodes duckei	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985

Chrysopodes pulchella	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Chrysopodes pulchella	-3.06908	-60.01903	27.4	27.0	2165	Brazil	Adams & Penny 1985
Chrysopodes pulchella	-1.54635	-60.23259	27.2	26.8	2683	Brazil	Adams & Penny 1985
Chrysopodes pulchella	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Chrysopodes pulchella	-8.76185	-63.90288	26.1	25.3	2104	Brazil	Adams & Penny 1985
Chrysopodes spinella	-5.45173	-54.36755	25.5	25.0	1953	Brazil	Adams & Penny 1985
Chrysopodes nebulosa	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Chrysopodes nebulosa	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Chrysopodes nebulosa	-3.08693	-60.02300	27.5	27.0	2153	Brazil	Adams & Penny 1985
Chrysopodes nebulosa	-3.06908	-60.01903	27.4	27.0	2165	Brazil	Adams & Penny 1985
Chrysopodes nebulosa	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Chrysopodes lineafrons	-27.04846	-52.40184	18.2	14.4	2110	Brazil	Adams & Penny 1985
Chrysopodes lineafrons	-27.04846	-52.40184	18.2	14.4	2110	Brazil	Adams & Penny 1985
Chrysopodes lineafrons	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Chrysopodes polygonica	-6.41265	-48.53803	26.3	25.9	1557	Brazil	Adams & Penny 1985
Chrysopodes polygonica	-8.25785	-49.27235	26.2	25.8	1729	Brazil	Adams & Penny 1985
Chrysopodes polygonica	-5.45173	-54.36755	25.5	25.0	1953	Brazil	Adams & Penny 1985
Chrysopodes polygonica	-2.95124	-51.86119	26.7	26.2	2067	Brazil	Adams & Penny 1985
Chrysopodes polygonica	-3.77009	-49.67551	27.1	26.7	2424	Brazil	Adams & Penny 1985
Chrysopodes polygonica	-6.07154	-49.89941	26.2	25.7	1832	Brazil	Adams & Penny 1985
Chrysopodes polygonica	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Chrysopodes polygonica	-3.06908	-60.01903	27.4	27.0	2165	Brazil	Adams & Penny 1985
Chrysopodes polygonica	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Chrysopodes polygonica	-12.73549	-60.13406	20.9	20.1	1914	Brazil	Adams & Penny 1985
Chrysopodes indentata	-2.89293	-59.95953	27.2	26.7	2192	Brazil	Adams & Penny 1985
Chrysopodes mediocris	-12.73549	-60.13406	20.9	20.1	1914	Brazil	Adams & Penny 1985
Chrysopodes mediocris	-3.10544	-60.02578	27.5	27.0	2153	Brazil	Adams & Penny 1985
Chrysopodes tetifera	-1.66268	-56.43295	26.9	26.3	2439	Brazil	Adams & Penny 1985
Chrysopodes divisa	-22.88282	-43.10322	23.3	20.9	1238	Brazil	Adams & Penny 1985
Chrysopodes divisa	-27.04846	-52.40184	18.2	14.4	2110	Brazil	Adams & Penny 1985
Chrysopodes (N.) collaris	3.41548	-76.52620	24.0	23.5	1307	Colombia	Tauber 2010
Chrysopodes (N.) collaris	23.11929	-82.38811	24.8	22.0	1318	Cuba	Tauber 2010
Chrysopodes (N.) collaris	17.54143	-88.25351	25.6	23.3	1828	Belize	Tauber 2010
Chrysopodes (N.) collaris	25.90020	-97.50582	23.2	16.6	689	USA	Tauber 2010
Chrysopodes (N.) collaris	17.48556	-88.20303	25.7	23.3	1848	Belize	Tauber 2010
Chrysopodes (N.) collaris	18.36391	-100.66764	28.6	26.5	979	Mexico	Tauber 2010

Chrysopodes (N.) collaris	26.12172	-80.14259	24.0	19.7	1521	USA	Tauber 2010
Chrysopodes (N.) collaris	25.08595	-80.44896	24.5	20.4	1236	USA	Tauber 2010
Chrysopodes (N.) collaris	25.78482	-80.22424	24.2	20.1	1290	USA	Tauber 2010
Chrysopodes (N.) collaris	26.52887	-82.19055	23.3	18.1	1284	USA	Tauber 2010
Chrysopodes (N.) collaris	30.32956	-81.64935	20.6	13.2	1263	USA	Tauber 2010
Chrysopodes (N.) collaris	27.41308	-82.65661	22.5	16.6	1303	USA	Tauber 2010
Chrysopodes (N.) collaris	24.67070	-81.35509	24.8	20.8	1067	USA	Tauber 2010
Chrysopodes (N.) collaris	24.71961	-81.07588	24.6	20.6	1106	USA	Tauber 2010
Chrysopodes (N.) collaris	24.98313	-80.54418	24.7	20.6	1161	USA	Tauber 2010
Chrysopodes (N.) collaris	25.18651	-80.53178	24.2	20.0	1298	USA	Tauber 2010
Chrysopodes (N.) collaris	28.52952	-81.38024	22.0	15.9	1251	USA	Tauber 2010
Chrysopodes (N.) collaris	27.89863	-82.84654	22.4	16.1	1260	USA	Tauber 2010
Chrysopodes (N.) collaris	27.88766	-82.83522	22.4	16.1	1260	USA	Tauber 2010
Chrysopodes (N.) collaris	27.77284	-82.63813	22.5	16.3	1233	USA	Tauber 2010
Chrysopodes (N.) collaris	25.91840	-97.40140	23.1	16.5	676	USA	Tauber 2010
Chrysopodes (N.) collaris	25.90020	-97.50582	23.2	16.6	689	USA	Tauber 2010
Chrysopodes (N.) collaris	25.99032	-97.50546	23.2	16.5	678	USA	Tauber 2010
Chrysopodes (N.) collaris	26.19938	-97.69243	23.0	16.2	672	USA	Tauber 2010
Chrysopodes (N.) collaris	26.07252	-97.48129	23.1	16.3	677	USA	Tauber 2010
Chrysopodes (N.) collaris	25.84888	-97.41649	23.2	16.6	687	USA	Tauber 2010
Chrysopodes (N.) collaris	25.84888	-97.41649	23.2	16.6	687	USA	Tauber 2010
Chrysopodes (N.) collaris	26.17208	-98.38411	23.3	15.5	566	USA	Tauber 2010
Chrysopodes (N.) collaris	26.15899	-97.99641	23.1	15.7	612	USA	Tauber 2010
Chrysopodes (N.) collaris	23.48492	-109.54718	23.7	17.9	297	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.64553	-109.68325	23.9	18.2	229	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.64553	-109.68325	23.9	18.2	229	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.44425	-110.23284	22.6	18.8	152	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.68537	-110.07331	20.4	15.6	436	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.25000	-109.72000	23.5	18.2	394	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.21851	-109.82344	21.9	17.0	425	Mexico	Tauber 2010
Chrysopodes (N.) collaris	24.23842	-109.91277	22.0	16.4	375	Mexico	Tauber 2010
Chrysopodes (N.) collaris	22.88461	-109.92318	23.6	19.3	207	Mexico	Tauber 2010
Chrysopodes (N.) collaris	24.87821	-110.56879	23.2	17.7	203	Mexico	Tauber 2010
Chrysopodes (N.) collaris	24.44008	-111.86683	21.5	18.4	40	Mexico	Tauber 2010
Chrysopodes (N.) collaris	26.20523	-112.03758	21.6	16.8	158	Mexico	Tauber 2010
Chrysopodes (N.) collaris	26.27488	-111.72149	21.5	16.5	195	Mexico	Tauber 2010

Chrysopodes (N.) collaris	27.03427	-112.02976	23.5	16.8	87	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.36015	-109.97194	19.8	15.2	422	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.34858	-110.01614	21.5	16.8	405	Mexico	Tauber 2010
Chrysopodes (N.) collaris	24.02574	-110.11819	20.6	15.5	445	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.80344	-110.10917	21.0	16.0	423	Mexico	Tauber 2010
Chrysopodes (N.) collaris	26.01171	-111.34806	24.0	18.1	132	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.71483	-110.07115	20.4	15.5	439	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.00137	-110.04448	23.2	19.0	205	Mexico	Tauber 2010
Chrysopodes (N.) collaris	22.97844	-109.93476	22.7	18.3	291	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.77291	-110.45570	22.6	18.1	201	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.47141	-109.44695	24.3	18.8	241	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.29990	-109.42916	24.1	18.8	271	Mexico	Tauber 2010
Chrysopodes (N.) collaris	17.50957	-92.13396	26.4	23.8	2847	Mexico	Tauber 2010
Chrysopodes (N.) collaris	18.72647	-110.94978	24.3	21.1	300	Mexico	Tauber 2010
Chrysopodes (N.) collaris	18.77795	-110.93948	22.9	19.8	346	Mexico	Tauber 2010
Chrysopodes (N.) collaris	18.85936	-110.98696	24.2	21.0	293	Mexico	Tauber 2010
Chrysopodes (N.) collaris	19.31976	-110.79947	24.3	20.9	259	Mexico	Tauber 2010
Chrysopodes (N.) collaris	17.29029	-99.48581	24.4	23.1	1487	Mexico	Tauber 2010
Chrysopodes (N.) collaris	18.35055	-99.53343	25.8	23.3	1007	Mexico	Tauber 2010
Chrysopodes (N.) collaris	18.00141	-99.54321	26.0	23.8	877	Mexico	Tauber 2010
Chrysopodes (N.) collaris	20.29802	-103.23321	18.3	14.9	783	Mexico	Tauber 2010
Chrysopodes (N.) collaris	19.49924	-105.04012	26.0	23.7	849	Mexico	Tauber 2010
Chrysopodes (N.) collaris	18.76615	-102.31370	27.3	25.1	758	Mexico	Tauber 2010
Chrysopodes (N.) collaris	18.82932	-99.23294	23.5	21.1	904	Mexico	Tauber 2010
Chrysopodes (N.) collaris	22.21195	-104.40292	21.6	17.6	800	Mexico	Tauber 2010
Chrysopodes (N.) collaris	22.63786	-105.33934	24.5	20.8	1416	Mexico	Tauber 2010
Chrysopodes (N.) collaris	21.36729	-104.55956	22.6	19.3	1106	Mexico	Tauber 2010
Chrysopodes (N.) collaris	25.67279	-100.31038	22.0	15.2	589	Mexico	Tauber 2010
Chrysopodes (N.) collaris	24.85983	-99.56850	22.6	15.6	808	Mexico	Tauber 2010
Chrysopodes (N.) collaris	16.55258	-94.94965	26.8	24.5	944	Mexico	Tauber 2010
Chrysopodes (N.) collaris	15.87491	-97.04253	27.6	26.4	941	Mexico	Tauber 2010
Chrysopodes (N.) collaris	18.50452	-88.30319	26.0	23.8	1180	Mexico	Tauber 2010
Chrysopodes (N.) collaris	22.36251	99.26576	22.2	17.2	1314	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.39828	-105.93061	23.7	20.0	1224	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.32521	-106.44307	24.8	20.8	792	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.08975	-106.25593	24.8	20.8	752	Mexico	Tauber 2010

Chrysopodes (N.) collaris	23.22379	-106.41183	24.7	20.7	785	Mexico	Tauber 2010
Chrysopodes (N.) collaris	22.57525	-105.59303	24.8	21.2	1002	Mexico	Tauber 2010
Chrysopodes (N.) collaris	27.06333	-109.46934	25.0	18.3	352	Mexico	Tauber 2010
Chrysopodes (N.) collaris	25.26464	-107.90907	24.2	18.9	743	Mexico	Tauber 2010
Chrysopodes (N.) collaris	26.25236	-109.04622	24.6	18.2	334	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.80676	-106.80121	25.3	20.8	614	Mexico	Tauber 2010
Chrysopodes (N.) collaris	22.74420	-98.97645	25.0	19.7	1056	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.73626	-99.14528	23.9	17.9	888	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.73626	-99.14528	23.9	17.9	888	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.64346	-99.10899	23.9	18.1	760	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.55138	-99.21350	19.0	14.4	724	Mexico	Tauber 2010
Chrysopodes (N.) collaris	23.92121	-99.00572	24.2	17.9	802	Mexico	Tauber 2010
Chrysopodes (N.) collaris	22.25980	-97.88025	24.0	19.3	1054	Mexico	Tauber 2010
Chrysopodes (N.) collaris	18.89956	-96.99841	20.6	17.7	1971	Mexico	Tauber 2010
Chrysopodes (N.) collaris	19.32979	-96.48268	25.4	22.1	1107	Mexico	Tauber 2010
Chrysopodes (N.) collaris	19.32979	-96.48268	25.4	22.1	1107	Mexico	Tauber 2010
Chrysopodes (N.) collaris	20.75322	-97.97266	24.5	19.8	1371	Mexico	Tauber 2010
Chrysopodes (N.) collaris	21.30146	-97.83708	22.8	18.1	1740	Mexico	Tauber 2010
Chrysopodes (N.) collaris	19.05773	-96.15523	25.7	22.4	1586	Mexico	Tauber 2010
Chrysopodes (N.) collaris	20.97287	-89.60005	25.8	23.0	950	Mexico	Tauber 2010
Chrysopodes (N.) collaris	20.97070	-89.62047	25.8	23.0	950	Mexico	Tauber 2010
Chrysopodes (N.) collaris	20.97070	-89.62047	25.8	23.0	950	Mexico	Tauber 2010
Chrysopodes (N.) collaris	16.34691	-86.46293	26.4	24.5	2183	Honduras	Tauber 2010
Chrysopodes (N.) collaris	10.59774	-85.00939	22.0	21.2	3290	Costa Rica	Tauber 2010
Chrysopodes (N.) collaris	10.98300	-85.53900	24.2	23.4	2032	Costa Rica	Tauber 2010
Chrysopodes (N.) collaris	10.24957	-85.05880	26.7	25.9	1931	Costa Rica	Tauber 2010
Chrysopodes (N.) collaris	10.32099	-85.04727	26.7	25.9	1951	Costa Rica	Tauber 2010
Chrysopodes (N.) collaris	10.29986	-85.21170	26.7	25.9	1775	Costa Rica	Tauber 2010
Chrysopodes (N.) collaris	10.42503	-85.08474	26.8	26.0	1666	Costa Rica	Tauber 2010
Chrysopodes (N.) collaris	10.45223	-85.13032	26.9	26.1	1613	Costa Rica	Tauber 2010
Chrysopodes (N.) collaris	9.96670	-84.73336	27.1	26.2	1862	Costa Rica	Tauber 2010
Chrysopodes (N.) collaris	13.69074	-89.19132	23.3	22.3	1869	El Salvador	Tauber 2010
Chrysopodes (N.) collaris	13.84219	-89.15844	23.8	22.9	1928	El Salvador	Tauber 2010
Chrysopodes (N.) collaris	13.71856	-89.20341	23.6	22.6	1848	El Salvador	Tauber 2010
Chrysopodes (N.) collaris	13.72368	-88.93589	22.6	21.6	2022	El Salvador	Tauber 2010
Chrysopodes (N.) collaris	13.83331	-89.26668	23.7	22.7	1818	El Salvador	Tauber 2010

Chrysopodes (N.) collaris	13.68234	-89.28262	21.8	20.8	1997	El Salvador	Tauber 2010
Chrysopodes (N.) collaris	14.94358	-89.96748	25.9	24.2	722	Guatemala	Tauber 2010
Chrysopodes (N.) collaris	14.47984	-91.79386	27.2	26.1	2040	Guatemala	Tauber 2010
Chrysopodes (N.) collaris	14.04580	-87.00076	20.1	18.2	1098	Honduras	Tauber 2010
Chrysopodes (N.) collaris	14.39978	-87.08491	22.5	20.3	1107	Honduras	Tauber 2010
Chrysopodes (N.) collaris	15.44128	-87.92454	27.0	25.0	1353	Honduras	Tauber 2010
Chrysopodes (N.) collaris	15.44128	-87.92454	27.0	25.0	1353	Honduras	Tauber 2010
Chrysopodes (N.) collaris	13.41668	-86.40000	23.8	22.7	812	Nicaragua	Tauber 2010
Chrysopodes (N.) collaris	12.20347	-86.09903	27.2	26.2	1131	Nicaragua	Tauber 2010
Chrysopodes (N.) collaris	12.43508	-86.87914	26.9	25.8	1526	Nicaragua	Tauber 2010
Chrysopodes (N.) collaris	8.95253	-79.56017	27.0	26.5	1810	Panama	Tauber 2010
Chrysopodes (N.) collaris	8.87875	-79.77133	26.8	26.2	2003	Panama	Tauber 2010
Chrysopodes (N.) collaris	9.09138	-79.53506	26.2	25.6	2098	Panama	Tauber 2010
Chrysopodes (N.) collaris	9.16553	-79.83743	26.5	25.7	2550	Panama	Tauber 2010
Chrysopodes (N.) collaris	17.11701	-61.85139	26.5	24.9	1085	Antigua	Tauber 2010
Chrysopodes (N.) collaris	17.11701	-61.85139	26.5	24.9	1085	Antigua	Tauber 2010
Chrysopodes (N.) collaris	17.14152	-61.79080	26.6	25.0	1008	Antigua	Tauber 2010
Chrysopodes (N.) collaris	25.69829	-79.28060	25.1	21.0	1194	Bahamas	Tauber 2010
Chrysopodes (N.) collaris	24.56209	-75.63522	25.3	22.6	975	Bahamas	Tauber 2010
Chrysopodes (N.) collaris	24.16615	-75.46106	25.6	22.9	948	Bahamas	Tauber 2010
Chrysopodes (N.) collaris	26.52766	-78.69546	24.4	20.5	1452	Bahamas	Tauber 2010
Chrysopodes (N.) collaris	26.54055	-76.96112	24.4	20.6	1043	Bahamas	Tauber 2010
Chrysopodes (N.) collaris	23.50848	-75.82472	25.7	23.2	972	Bahamas	Tauber 2010
Chrysopodes (N.) collaris	25.05467	-77.35132	24.6	21.5	1233	Bahamas	Tauber 2010
Chrysopodes (N.) collaris	24.05384	-74.53038	25.6	22.9	1075	Bahamas	Tauber 2010
Chrysopodes (N.) collaris	24.03613	-74.45143	25.6	22.9	1052	Bahamas	Tauber 2010
Chrysopodes (N.) collaris	21.49559	-71.52626	26.1	23.9	652	Turks & Caicos	Tauber 2010
Chrysopodes (N.) collaris	21.49019	-71.13295	26.2	24.1	604	Turks & Caicos	Tauber 2010
Chrysopodes (N.) collaris	21.49636	-71.13288	26.2	24.1	604	Turks & Caicos	Tauber 2010
Chrysopodes (N.) collaris	21.49636	-71.13288	26.2	24.1	604	Turks & Caicos	Tauber 2010
Chrysopodes (N.) collaris	18.72324	-64.38129	26.5	25.0	1051	BR Virgin Isl.	Tauber 2010
Chrysopodes (N.) collaris	18.47590	-64.57509	26.4	24.9	1149	BR Virgin Isl.	Tauber 2010
Chrysopodes (N.) collaris	18.43890	-64.56923	26.2	24.7	1160	BR Virgin Isl.	Tauber 2010
Chrysopodes (N.) collaris	18.44310	-64.65715	25.5	23.9	1188	BR Virgin Isl.	Tauber 2010
Chrysopodes (N.) collaris	18.40283	-64.66130	25.3	23.8	1204	BR Virgin Isl.	Tauber 2010
Chrysopodes (N.) collaris	18.48603	-64.40230	25.8	24.3	1130	BR Virgin Isl.	Tauber 2010

Chrysopodes (N.) collaris	21.89705	-82.77152	25.4	22.5	1405	Cuba	Tauber 2010
Chrysopodes (N.) collaris	18.34432	-70.96315	19.6	17.9	1314	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	18.43871	-71.44638	27.8	26.2	676	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	17.98298	-71.17018	24.6	23.2	1352	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	18.35000	-71.46000	27.2	25.5	695	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	18.37182	-71.52898	26.1	24.5	871	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	18.55768	-71.63383	26.3	24.6	970	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	18.33858	-68.81059	26.5	24.8	1017	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	19.37982	-69.84911	26.1	24.5	1731	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	19.70343	-71.67572	26.4	24.4	881	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	18.02868	-71.74684	27.2	25.4	505	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	18.20000	-71.56667	13.7	12.0	1612	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	17.90752	-71.66110	26.7	25.1	645	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	18.29885	-70.32803	25.6	24.1	1092	Dominican Rep.	Tauber 2010
Chrysopodes (N.) collaris	19.33454	-81.38032	26.5	24.8	1391	Grand Cayman	Tauber 2010
Chrysopodes (N.) collaris	19.32022	-81.24499	26.5	24.8	1386	Grand Cayman	Tauber 2010
Chrysopodes (N.) collaris	19.29900	-81.10986	26.5	24.7	1369	Grand Cayman	Tauber 2010
Chrysopodes (N.) collaris	19.32798	-81.36792	26.5	24.8	1408	Grand Cayman	Tauber 2010
Chrysopodes (N.) collaris	18.54106	-72.33784	25.3	23.7	1454	Haiti	Tauber 2010
Chrysopodes (N.) collaris	17.99413	-76.79290	26.2	24.9	929	Jamaica	Tauber 2010
Chrysopodes (N.) collaris	18.00994	-76.74636	23.8	22.4	1862	Jamaica	Tauber 2010
Chrysopodes (N.) collaris	17.93587	-76.87609	26.3	24.9	850	Jamaica	Tauber 2010
Chrysopodes (N.) collaris	17.98341	-77.82766	26.4	25.1	1357	Jamaica	Tauber 2010
Chrysopodes (N.) collaris	17.73954	-77.21747	26.4	25.1	1046	Jamaica	Tauber 2010
Chrysopodes (N.) collaris	17.80882	-77.24252	26.5	25.2	1069	Jamaica	Tauber 2010
Chrysopodes (N.) collaris	12.11499	-68.93464	27.4	26.2	539	Neth Antilles	Tauber 2010
Chrysopodes (N.) collaris	18.17774	-66.11324	22.9	21.1	1899	Puerto Rico	Tauber 2010
Chrysopodes (N.) collaris	18.11600	-66.57446	23.9	22.3	1657	Puerto Rico	Tauber 2010
Chrysopodes (N.) collaris	17.97962	-66.30122	26.5	25.0	907	Puerto Rico	Tauber 2010
Chrysopodes (N.) collaris	17.94815	-66.26841	26.7	25.2	914	Puerto Rico	Tauber 2010
Chrysopodes (N.) collaris	17.97207	-67.04652	25.6	24.0	1052	Puerto Rico	Tauber 2010
Chrysopodes (N.) collaris	17.89246	-66.52403	26.5	25.0	841	Puerto Rico	Tauber 2010
Chrysopodes (N.) collaris	18.08551	-67.93431	25.6	24.1	1008	Puerto Rico	Tauber 2010
Chrysopodes (N.) collaris	18.10982	-65.47924	26.1	24.5	1341	Puerto Rico	Tauber 2010
Chrysopodes (N.) collaris	17.30290	-62.71613	26.0	24.5	1330	St. Kitts	Tauber 2010
Chrysopodes (N.) collaris	17.74066	-64.70341	26.1	24.7	1054	US Virgin Isl	Tauber 2010

Chrysopodes (N.) collaris	17.73720	-64.85209	25.8	24.3	1231	US Virgin Isl	Tauber 2010
Chrysopodes (N.) collaris	8.35791	-64.74431	27.4	26.9	1094	US Virgin Isl	Tauber 2010
Chrysopodes (N.) collaris	18.35639	-64.95251	25.7	24.2	1131	US Virgin Isl	Tauber 2010
Chrysopodes (N.) collaris	10.34925	-67.69012	20.2	19.3	979	Venezuela	Tauber 2010
Chrysopodes (N.) collaris	10.30843	-70.02838	25.0	24.2	632	Venezuela	Tauber 2010
Chrysopodes (N.) collaris	10.15849	-69.90468	25.6	24.8	688	Venezuela	Tauber 2010
Chrysopodes (N.) collaris	6.52242	-75.73715	23.0	22.6	1600	Colombia	Tauber 2010
Chrysopodes (N.) figuralis	-11.94116	-76.70354	17.3	14.8	73	Peru	Tauber 2010
Chrysopodes (N.) figuralis	17.54143	-88.25351	25.6	23.3	1828	Belize	Tauber 2010
Chrysopodes (N.) figuralis	-18.45273	-70.27771	18.2	15.3	4	Chile	Tauber 2010
Chrysopodes (N.) figuralis	-18.48031	-70.23136	17.7	14.7	4	Chile	Tauber 2010
Chrysopodes (N.) figuralis	-18.48120	-70.29831	18.6	15.9	1	Chile	Tauber 2010
Chrysopodes (N.) figuralis	-18.80314	-70.16685	16.9	13.9	0	Chile	Tauber 2010
Chrysopodes (N.) figuralis	-18.51669	-70.18330	17.8	14.9	4	Chile	Tauber 2010
Chrysopodes (N.) figuralis	-20.24905	-70.12245	17.1	14.4	1	Chile	Tauber 2010
Chrysopodes (N.) figuralis	-18.48063	-70.29826	18.6	15.9	1	Chile	Tauber 2010
Chrysopodes (N.) figuralis	-18.41734	-70.10716	17.3	14.1	7	Chile	Tauber 2010
Chrysopodes (N.) figuralis	-2.20005	-80.86512	24.3	22.5	158	Ecuador	Tauber 2010
Chrysopodes (N.) figuralis	-3.94320	-79.43249	18.2	18.0	958	Ecuador	Tauber 2010
Chrysopodes (N.) figuralis	-3.65567	-79.24843	13.1	12.6	728	Ecuador	Tauber 2010
Chrysopodes (N.) figuralis	-9.21177	-78.39372	19.4	17.3	13	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-5.71826	-78.82822	22.9	22.4	792	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-11.86776	-76.64353	15.9	13.7	135	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-11.66585	-76.79464	15.0	12.9	150	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-4.83640	-80.65063	24.0	21.5	82	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-7.99080	-78.68075	15.4	13.9	295	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-8.00807	-78.79150	18.7	16.9	116	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-8.12259	-78.91472	19.1	17.2	25	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-8.06295	-78.83586	19.3	17.3	37	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-6.70887	-79.91079	22.2	19.4	21	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-6.24242	-79.71514	23.6	21.3	108	Peru	Tauber 2010
Chrysopodes (N.) figuralis	-13.07294	-76.37783	19.4	16.2	13	Peru	Tauber 2010
Chrysopodes (N.) krugii	18.20920	-63.05114	27.0	25.5	983	Anguilla	Tauber 2010
Chrysopodes (N.) krugii	15.42778	-61.43084	25.5	24.1	2108	Dominican Rep.	Tauber 2010
Chrysopodes (N.) krugii	15.58515	-61.46808	26.1	24.8	1608	Dominican Rep.	Tauber 2010
Chrysopodes (N.) krugii	15.34287	-61.37278	22.2	20.8	3211	Dominican Rep.	Tauber 2010

Chrysopodes (N.) krugii	15.99701	-61.71276	25.4	24.0	1649	Guadeloupe	Tauber 2010
Chrysopodes (N.) krugii	12.30595	-69.14433	27.3	26.0	608	Neth Antilles	Tauber 2010
Chrysopodes (N.) krugii	18.16153	-66.99781	21.7	20.1	2472	Puerto Rico	Tauber 2010
Chrysopodes (N.) krugii	18.43519	-66.01115	25.8	24.1	1627	Puerto Rico	Tauber 2010
Chrysopodes (N.) krugii	17.74705	-64.70259	26.1	24.7	1054	US Virgin Isl	Tauber 2010
Chrysopodes (N.) oswaldi	9.99162	-84.70356	26.5	25.6	2109	Costa Rica	Tauber 2010
Chrysopodes (N.) escomeli	-18.51669	-70.18330	17.8	14.9	4	Chile	Tauber 2010
Chrysopodes (N.) escomeli	-20.42634	-69.58945	16.6	13.0	0	Chile	Tauber 2010
Chrysopodes (N.) escomeli	-19.01159	-69.85973	16.4	13.2	4	Chile	Tauber 2010
Chrysopodes (N.) escomeli	-18.41759	-70.10546	17.3	14.1	7	Chile	Tauber 2010
Chrysopodes (N.) escomeli	-11.84472	-76.38611	11.0	9.3	295	Peru	Tauber 2010
Chrysopodes (N.) escomeli	-11.66535	-76.79022	15.9	13.8	131	Peru	Tauber 2010
Chrysopodes (N.) escomeli	-11.88129	-76.53664	14.6	12.6	188	Peru	Tauber 2010
Chrysopodes (N.) escomeli	-12.16193	-76.99851	18.9	15.8	23	Peru	Tauber 2010
Chrysopodes (N.) escomeli	-11.83242	-76.62418	12.7	10.8	221	Peru	Tauber 2010
Chrysopodes (N.) escomeli	-12.04400	-77.03972	18.7	15.6	16	Peru	Tauber 2010
Chrysopodes (N.) escomeli	-7.98966	-78.67198	15.4	13.9	295	Peru	Tauber 2010
Chrysopodes (N.) escomeli	-3.94277	-79.43350	18.2	18.0	958	Ecuador	Tauber 2010
Chrysopodes (N.) flavescens	-39.67647	-70.96352	8.5	3.1	573	Argentina	Tauber 2010
Chrysopodes (N.) flavescens	-39.46784	-70.81094	6.2	0.7	525	Argentina	Tauber 2010
Chrysopodes (N.) flavescens	-38.95699	-68.13518	14.4	6.9	165	Argentina	Tauber 2010
Chrysopodes (N.) flavescens	-40.15584	-71.35687	8.8	3.6	976	Argentina	Tauber 2010
Chrysopodes (N.) flavescens	-37.80352	-72.70407	12.7	8.1	1062	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-27.29813	-70.41067	15.8	12.1	28	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-28.03977	-69.99379	11.4	7.7	31	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-28.03977	-69.99379	11.4	7.7	31	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-28.87616	-70.28253	10.5	6.8	41	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-28.56790	-70.77826	16.2	12.9	54	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-37.24854	-73.32462	13.4	10.3	1399	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-38.00496	-73.22553	12.2	8.5	1661	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-37.67820	-71.73718	10.8	5.9	1841	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-36.80017	-71.73079	10.6	5.5	1362	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-36.84120	-71.79865	11.5	6.4	1328	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-37.66176	-72.01716	11.8	6.9	1419	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-30.13962	-70.69123	10.5	6.7	80	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-29.98466	-70.55005	12.6	8.7	70	Chile	Tauber 2010

Chrysopodes (N.) flavescens	-29.97776	-70.56062	12.6	8.7	70	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-29.98199	-70.93587	14.6	11.1	81	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-30.36420	-71.43765	15.8	12.7	105	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-31.90787	-71.50158	17.0	13.2	211	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-32.11729	-71.50018	16.7	13.0	254	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-30.37047	-70.92002	12.8	9.1	103	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-30.35526	-71.62447	15.6	12.6	109	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-30.91807	-71.03634	13.0	9.1	172	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-35.10928	-71.68545	14.7	9.2	774	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-34.03528	-70.57109	12.2	6.7	763	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-34.06324	-70.73051	14.7	8.9	516	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-33.37731	-70.64812	14.8	9.3	349	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-33.55948	-70.66875	14.8	9.0	364	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-33.58807	-70.39471	11.7	6.5	614	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-33.34330	-70.69340	14.8	9.2	335	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-33.42482	-70.55957	14.4	8.9	397	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-33.44988	-70.54907	14.4	8.9	397	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-32.98510	-70.76917	13.8	8.9	342	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-33.51686	-70.77814	14.9	9.2	366	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-33.51880	-70.77860	14.9	9.2	366	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-33.04975	-71.61616	13.6	10.7	560	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-32.55940	-70.70028	15.3	10.3	293	Chile	Tauber 2010
Chrysopodes (N.) flavescens	-32.91051	-70.30073	8.8	3.8	386	Chile	Tauber 2010
Chrysopodes (N.) nigripilosus	-0.65643	-90.39704	20.7	18.7	1043	Ecuador	Tauber 2010
Chrysopodes (N.) nigripilosus	-0.67721	-90.42842	22.5	20.4	660	Ecuador	Tauber 2010
Chrysopodes (N.) nigripilosus	0.58149	-90.76569	22.7	21.1	923	Ecuador	Tauber 2010
Chrysopodes (N.) nigripilosus	-0.45966	-90.27140	24.1	22.3	244	Ecuador	Tauber 2010
Chrysopodes (N.) nigripilosus	-0.74254	-90.31013	23.2	21.1	460	Ecuador	Tauber 2010
Chrysopodes (N.) nigripilosus	-0.95562	-90.96598	23.9	22.1	309	Ecuador	Tauber 2010
Chrysopodes (N.) nigripilosus	0.05436	-91.27944	24.2	22.5	778	Ecuador	Tauber 2010
Chrysopodes (N.) porterinus	-31.73641	-71.25729	15.7	11.5	213	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-27.35249	-70.34976	15.7	12.0	36	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-39.67647	-70.96352	8.5	3.1	573	Argentina	Tauber 2010
Chrysopodes (N.) porterinus	-39.46784	-70.81094	6.2	0.7	525	Argentina	Tauber 2010
Chrysopodes (N.) porterinus	-38.95678	-68.13532	14.4	6.9	165	Argentina	Tauber 2010
Chrysopodes (N.) porterinus	-40.15482	-71.35639	8.8	3.6	976	Argentina	Tauber 2010

Chrysopodes (N.) porterinus	-40.56398	-70.63823	10.2	4.2	530	Argentina	Tauber 2010
Chrysopodes (N.) porterinus	-25.37374	-70.44012	17.7	14.4	14	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-25.25172	-70.42839	17.9	14.6	21	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-23.57070	-70.35741	16.6	13.6	2	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-23.58188	-70.37191	16.6	13.6	2	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-23.67116	-70.39591	17.4	14.4	3	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-27.37578	-70.33004	15.8	12.0	32	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-27.32264	-70.54173	15.6	12.1	29	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-27.29801	-70.41092	15.8	12.1	28	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-27.51937	-70.05160	11.0	7.8	27	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-27.51937	-70.05160	11.0	7.8	27	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-28.45599	-71.18685	17.7	14.2	41	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-28.57648	-70.76918	16.2	12.9	54	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-28.08776	-71.14067	17.4	14.0	37	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-28.03977	-69.99379	11.4	7.7	31	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-28.26034	-70.69511	15.8	12.3	41	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-27.32346	-70.73279	15.5	12.3	33	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-27.38892	-70.30519	15.8	12.0	32	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-37.26056	-72.71827	13.3	8.9	1289	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-36.80017	-71.73079	10.6	5.5	1362	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-29.70514	-70.83440	10.9	7.5	64	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-31.18196	-71.00528	11.9	8.0	197	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-29.97776	-70.56062	12.6	8.7	70	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-30.25078	-71.49568	16.0	13.0	100	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-30.60061	-71.20462	15.5	11.9	132	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-30.13962	-70.69123	10.5	6.7	80	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-30.09392	-70.70358	11.1	7.3	77	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-30.02471	-70.71751	14.9	11.0	79	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-30.05601	-70.72799	14.1	10.2	80	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-31.90909	-71.50207	17.0	13.2	211	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-31.78035	-70.96804	15.1	10.5	230	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-35.00930	-70.73872	10.4	4.7	1115	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-35.04886	-70.52553	8.7	3.0	896	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-34.06324	-70.73051	14.7	8.9	516	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-34.03534	-70.57353	12.2	6.7	763	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-33.40762	-70.71503	14.5	9.0	341	Chile	Tauber 2010

Chrysopodes (N.) porterinus	-33.55948	-70.66875	14.8	9.0	364	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-33.64510	-70.35451	11.8	6.6	635	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-33.44954	-70.76343	14.6	8.9	348	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-33.42482	-70.55957	14.4	8.9	397	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-33.82682	-70.06401	7.5	2.1	607	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-33.31855	-70.67593	14.5	9.1	338	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-33.28525	-70.87968	13.9	8.8	372	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-32.91051	-70.30073	8.8	3.8	386	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-32.55995	-70.69865	15.3	10.3	293	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-32.13450	-71.53129	16.6	12.9	264	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-33.39205	-71.25664	13.2	8.7	512	Chile	Tauber 2010
Chrysopodes (N.) porterinus	-32.69046	-71.20996	14.7	10.7	368	Chile	Tauber 2010
Chrysopodes (N.) karinae	-21.25556	-48.32240	21.7	18.9	1340	Brazil	Tauber 2010
Chrysopodes lineafrons	-3.11037	-60.02985	27.5	27.0	2153	Brazil	de Freitas & Penny 2001
Chrysopodes lineafrons	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Chrysopodes polygonica	-3.06908	-60.01903	27.4	27.0	2165	Brazil	de Freitas & Penny 2001
Chrysopodes polygonica	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Chrysopodes polygonica	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Chrysopodes spinella	-5.41738	-54.37736	25.6	25.1	1961	Brazil	de Freitas & Penny 2001
Chrysopodes spinella	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Chrysopodes adynatos	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Chrysopodes copia	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Chrysopodes copia	-21.17092	-47.84399	21.6	18.7	1496	Brazil	de Freitas & Penny 2001
Chrysopodes copia	-20.94534	-48.47503	22.3	19.5	1339	Brazil	de Freitas & Penny 2001
Chrysopodes copia	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Chrysopodes crocinus	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Chrysopodes delicata	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Chrysopodes elongata	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Chrysopodes nigropicta	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Chrysopodes divisa	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Chrysopodes divisa	-23.44001	-46.71396	18.1	15.3	1367	Brazil	de Freitas & Penny 2001
Chrysopodes divisa	-20.55747	-48.56852	22.8	20.0	1309	Brazil	de Freitas & Penny 2001
Chrysopodes divisa	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Chrysopodes divisa	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Chrysopodes divisa	-21.16977	-49.11126	22.6	19.6	1273	Brazil	de Freitas & Penny 2001
Chrysopodes karinae	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001

Chrysopodes crassinervis	8.79668	-82.95064	21.4	20.6	3471	Costa Rica	Penny 1998
Chrysopodes crassinervis	8.79042	-82.96931	20.2	19.5	3289	Costa Rica	Penny 1998
Chrysopodes crassinervis	10.51020	-83.49784	26.3	25.4	4658	Costa Rica	Penny 1998
Chyrsopodes victoriae	9.74177	-82.96662	26.1	25.3	2698	Costa Rica	Penny 1998
Cintameva collartinus	0.51924	25.19607	25.4	24.7	1799	DR Congo	W-RMCA-1
Crassochrysa aculeata	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
Crassochrysa aculeata	-23.83631	28.22934	18.9	13.1	557	South Africa	W-RMCA-2
Crassochrysa aculeata	-22.44000	31.24000	24.5	19.5	416	South Africa	W-RMCA-2
Crassochrysa aculeata	-24.27210	29.22563	17.0	12.1	623	South Africa	W-RMCA-2
Crassochrysa aculeata	-24.54972	30.81331	19.0	14.9	912	South Africa	W-RMCA-2
Cunctochrysa kannemeyri	-28.56764	28.46767	13.3	7.6	829	South Africa	W-RMCA-2
Cunctochrysa kannemeyri	-30.48510	26.25408	15.2	8.3	475	South Africa	W-RMCA-2
Dichochrysa	-18.16940	177.48500	24.9	23.2	2078	Fiji	W-GBIF-23
Dichochrysa	-18.16940	177.48500	24.9	23.2	2078	Fiji	W-GBIF-23
Dichochrysa	-18.05750	178.42600	23.8	22.0	3101	Fiji	W-GBIF-23
Dichochrysa	-17.66670	177.55000	21.7	19.9	2573	Fiji	W-GBIF-23
Dichochrysa	-16.84330	-179.96600	21.1	19.5	3152	Fiji	W-GBIF-23
Dichochrysa prasina	16.73222	-62.20734	24.2	22.7	1937	West Indies	W-GBIF-2
Oxythryea funesta	39.05170	-0.74664	16.0	9.4	434	Spain	W-GBIF-8
Oxythryea funesta	39.05170	-0.74664	16.0	9.4	434	Spain	W-GBIF-8
Oxythryea funesta	39.05170	-0.74664	16.0	9.4	434	Spain	W-GBIF-8
Dichochrysa ventralis	40.42030	-3.70570	13.6	5.5	453	Spain	W-GBIF-2
Dichochrysa ventralis	41.81667	2.10000	12.4	5.8	754	Spain	W-GBIF-2
Dichochrysa prasina	41.51667	26.95000	13.8	4.8	615	Turkey	W-GBIF-2
Dichochrysa zelleri	41.60000	26.68333	13.5	4.2	610	Turkey	W-GBIF-2
Dichochrysa ventralis	42.56667	-0.54999	9.7	2.9	775	Spain	W-GBIF-2
Dichochrysa ventralis	42.56667	-0.54999	9.7	2.9	775	Spain	W-GBIF-2
Dichochrysa ventralis	43.55035	10.34687	14.9	7.9	846	Italy	W-GBIF-2
Dichochrysa ventralis	46.61667	9.74999	-0.3	-6.6	1441	Switzerland	W-GBIF-2
Dichochrysa prasina	46.32166	17.22500	10.6	0.6	737	Hungary	W-GBIF-2
Dichochrysa prasina	46.21833	17.05000	10.7	0.8	765	Hungary	W-GBIF-2
Dichochrysa prasina	46.83333	17.55000	10.7	0.5	606	Hungary	W-GBIF-2
Dichochrysa prasina	46.91666	17.84833	10.9	0.5	565	Hungary	W-GBIF-2
Dichochrysa prasina	46.83333	17.55000	10.7	0.5	606	Hungary	W-GBIF-2
Dichochrysa prasina	46.32166	17.22500	10.6	0.6	737	Hungary	W-GBIF-2
Dichochrysa prasina	46.83333	17.55000	10.7	0.5	606	Hungary	W-GBIF-2

Dichochrysa ventralis	46.93833	17.33833	10.1	-0.1	629	Hungary	W-GBIF-2
Dichochrysa prasina	46.34333	18.79000	11.3	0.8	577	Hungary	W-GBIF-2
Dichochrysa sp.	47.19540	9.66962	8.1	-0.6	1132	Austria	W-GBIF-11
Dichochrysa sp.	47.05190	9.60729	1.1	-5.5	1523	Austria	W-GBIF-11
Dichochrysa sp.	47.19540	9.66962	8.1	-0.6	1132	Austria	W-GBIF-11
Dichochrysa flavifrons	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
Dichochrysa prasina	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
Dichochrysa flavifrons	49.91438	-6.30855	11.2	7.0	1096	UK	W-GBIF-15
Dichochrysa flavifrons	49.94863	-6.33114	11.2	7.0	1102	UK	W-GBIF-15
Dichochrysa flavifrons	49.91431	-6.29809	11.2	7.0	1096	UK	W-GBIF-15
Dichochrysa prasina	49.82000	6.33000	8.9	1.5	772	Luxemburg	W-GBIF-21
Dichochrysa ventralis	49.80000	6.32000	8.9	1.5	772	Luxemburg	W-GBIF-21
Dichochrysa flavifrons	49.80000	6.32000	8.9	1.5	772	Luxemburg	W-GBIF-21
Dichochrysa flavifrons	50.17162	-5.15133	9.7	4.8	1100	UK	W-GBIF-15
Dichochrysa flavifrons	50.37343	-5.12460	10.1	5.1	1054	UK	W-GBIF-15
Dichochrysa ventralis	50.37343	-5.12460	10.1	5.1	1054	UK	W-GBIF-15
Dichochrysa ventralis	50.01119	-5.25949	9.9	5.3	1062	UK	W-GBIF-15
Dichochrysa flavifrons	50.20617	-5.40946	10.0	5.3	1068	UK	W-GBIF-15
Dichochrysa flavifrons	50.81751	-4.48462	10.4	5.2	993	UK	W-GBIF-15
Dichochrysa ventralis	50.81751	-4.48462	10.4	5.2	993	UK	W-GBIF-15
Dichochrysa flavifrons	50.37384	-4.18003	10.5	6.0	991	UK	W-GBIF-15
Dichochrysa flavifrons	50.37384	-4.18003	10.5	6.0	991	UK	W-GBIF-15
Dichochrysa prasina	50.56283	-3.62387	10.0	4.9	880	UK	W-GBIF-15
Dichochrysa ventralis	50.75111	-3.42976	9.7	4.4	863	UK	W-GBIF-15
Dichochrysa flavifrons	50.56078	-3.76501	8.5	3.2	1166	UK	W-GBIF-15
Dichochrysa ventralis	50.56078	-3.76501	8.5	3.2	1166	UK	W-GBIF-15
Dichochrysa prasina	50.56078	-3.76501	8.5	3.2	1166	UK	W-GBIF-15
Dichochrysa flavifrons	50.62940	-3.45294	9.8	4.5	832	UK	W-GBIF-15
Dichochrysa flavifrons	50.62940	-3.45294	9.8	4.5	832	UK	W-GBIF-15
Dichochrysa flavifrons	50.62940	-3.45294	9.8	4.5	832	UK	W-GBIF-15
Dichochrysa flavifrons	50.65462	-3.48555	9.8	4.6	844	UK	W-GBIF-15
Dichochrysa flavifrons	50.65462	-3.48555	9.8	4.6	844	UK	W-GBIF-15
Dichochrysa ventralis	50.59616	-3.71475	9.3	4.1	1038	UK	W-GBIF-15
Dichochrysa flavifrons	50.59616	-3.71475	9.3	4.1	1038	UK	W-GBIF-15
Dichochrysa flavifrons	50.56283	-3.62387	10.0	4.9	880	UK	W-GBIF-15
Dichochrysa flavifrons	50.59616	-3.71475	9.3	4.1	1038	UK	W-GBIF-15

Dichochrysa prasina	50.59616	-3.71475	9.3	4.1	1038	UK	W-GBIF-15
Dichochrysa ventralis	50.59616	-3.71475	9.3	4.1	1038	UK	W-GBIF-15
Dichochrysa flavifrons	50.59616	-3.71475	9.3	4.1	1038	UK	W-GBIF-15
Dichochrysa prasina	50.56283	-3.62387	10.0	4.9	880	UK	W-GBIF-15
Dichochrysa flavifrons	50.56283	-3.62387	10.0	4.9	880	UK	W-GBIF-15
Dichochrysa flavifrons	50.56283	-3.62387	10.0	4.9	880	UK	W-GBIF-15
Dichochrysa flavifrons	50.69027	-3.11146	9.2	3.9	888	UK	W-GBIF-15
Dichochrysa flavifrons	50.37877	-3.89892	9.6	4.7	1037	UK	W-GBIF-15
Dichochrysa ventralis	50.66390	-2.21226	9.7	4.5	831	UK	W-GBIF-15
Dichochrysa ventralis	50.75401	-2.07089	9.8	4.4	808	UK	W-GBIF-15
Dichochrysa prasina	50.75401	-2.07089	9.8	4.4	808	UK	W-GBIF-15
Dichochrysa ventralis	50.75349	-2.35444	9.5	4.1	821	UK	W-GBIF-15
Dichochrysa prasina	50.66390	-2.21226	9.7	4.5	831	UK	W-GBIF-15
Dichochrysa flavifrons	50.66856	-2.07784	10.1	4.8	795	UK	W-GBIF-15
Dichochrysa flavifrons	50.75401	-2.07089	9.8	4.4	808	UK	W-GBIF-15
Dichochrysa ventralis	50.75401	-2.07089	9.8	4.4	808	UK	W-GBIF-15
Dichochrysa ventralis	50.67757	-2.04954	10.1	4.8	795	UK	W-GBIF-15
Dichochrysa prasina	50.67757	-2.04954	10.1	4.8	795	UK	W-GBIF-15
Dichochrysa ventralis	50.95627	-2.16375	9.1	3.6	838	UK	W-GBIF-15
Dichochrysa flavifrons	50.67757	-2.04954	10.1	4.8	795	UK	W-GBIF-15
Dichochrysa prasina	50.67757	-2.04954	10.1	4.8	795	UK	W-GBIF-15
Dichochrysa flavifrons	50.66390	-2.21226	9.7	4.5	831	UK	W-GBIF-15
Dichochrysa prasina	50.66390	-2.21226	9.7	4.5	831	UK	W-GBIF-15
Dichochrysa flavifrons	50.66390	-2.21226	9.7	4.5	831	UK	W-GBIF-15
Dichochrysa prasina	50.67725	-2.27601	9.9	4.7	797	UK	W-GBIF-15
Dichochrysa flavifrons	50.66356	-2.35376	9.7	4.5	829	UK	W-GBIF-15
Dichochrysa ventralis	50.84343	-2.35512	9.3	3.8	827	UK	W-GBIF-15
Dichochrysa flavifrons	50.88640	-2.85434	9.0	3.5	884	UK	W-GBIF-15
Dichochrysa prasina	50.88196	-1.23941	10.4	4.7	798	UK	W-GBIF-15
Dichochrysa ventralis	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Dichochrysa prasina	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Dichochrysa ventralis	50.93336	-1.64420	9.8	4.1	795	UK	W-GBIF-15
Dichochrysa prasina	50.93336	-1.64420	9.8	4.1	795	UK	W-GBIF-15
Dichochrysa flavifrons	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
Dichochrysa ventralis	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
Dichochrysa prasina	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15

Dichochrysa ventralis	50.84394	-1.92898	9.8	4.4	792	UK	W-GBIF-15
Dichochrysa prasina	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Dichochrysa ventralis	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
Dichochrysa prasina	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
Dichochrysa flavifrons	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
Dichochrysa prasina	50.75401	-1.92911	9.9	4.6	804	UK	W-GBIF-15
Dichochrysa ventralis	50.65226	-1.45052	10.2	4.8	836	UK	W-GBIF-15
Dichochrysa prasina	50.81216	-1.72319	9.9	4.5	806	UK	W-GBIF-15
Dichochrysa prasina	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Dichochrysa ventralis	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Dichochrysa ventralis	50.86548	-1.52391	10.4	4.9	776	UK	W-GBIF-15
Dichochrysa ventralis	50.66725	-1.44101	10.4	4.9	812	UK	W-GBIF-15
Dichochrysa ventralis	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15
Dichochrysa prasina	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15
Dichochrysa prasina	50.82791	-1.22609	10.6	4.8	800	UK	W-GBIF-15
Dichochrysa ventralis	50.65959	-1.96463	9.9	4.7	825	UK	W-GBIF-15
Dichochrysa ventralis	50.77651	-1.97872	9.8	4.5	805	UK	W-GBIF-15
Dichochrysa flavifrons	50.84885	-1.52621	10.4	4.9	776	UK	W-GBIF-15
Dichochrysa flavifrons	50.81100	-1.41091	10.5	5.0	792	UK	W-GBIF-15
Dichochrysa ventralis	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Dichochrysa ventralis	50.96094	-0.98179	9.5	3.4	876	UK	W-GBIF-15
Dichochrysa prasina	50.83910	-0.93473	10.3	4.3	834	UK	W-GBIF-15
Dichochrysa flavifrons	50.87610	0.01147	10.1	4.4	694	UK	W-GBIF-15
Dichochrysa ventralis	50.99269	0.03076	10.1	4.3	687	UK	W-GBIF-15
Dichochrysa flavifrons	50.99091	0.13044	10.0	4.2	708	UK	W-GBIF-15
Dichochrysa prasina	50.92767	0.96732	10.4	4.6	665	UK	W-GBIF-15
Dichochrysa flavifrons	50.98730	0.92124	10.4	4.5	667	UK	W-GBIF-15
Dichochrysa ventralis	50.85717	0.52226	10.3	4.5	713	UK	W-GBIF-15
Dichochrysa ventralis	50.50164	4.47767	9.7	2.4	850	Belgium	W-GBIF-2
Dichochrysa prasina	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Dichochrysa prasina	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Dichochrysa prasina	50.35000	18.96667	8.5	-2.0	673	Poland	W-GBIF-2
Dichochrysa prasina	50.66666	18.68333	8.3	-1.6	635	Poland	W-GBIF-2
Dichochrysa ventralis	51.70325	-5.15029	9.9	4.8	876	UK	W-GBIF-15
Dichochrysa flavifrons	51.70325	-5.15029	9.9	4.8	876	UK	W-GBIF-15
Dichochrysa ventralis	51.63631	-4.24728	10.8	5.4	1043	UK	W-GBIF-15

Dichochrysa ventralis	51.09280	-4.21368	11.0	5.8	1012	UK	W-GBIF-15
Dichochrysa prasina	51.09280	-4.21368	11.0	5.8	1012	UK	W-GBIF-15
Dichochrysa flavifrons	51.09280	-4.21368	11.0	5.8	1012	UK	W-GBIF-15
Dichochrysa flavifrons	51.57183	-4.16111	10.5	4.9	1132	UK	W-GBIF-15
Dichochrysa ventralis	51.57183	-4.16111	10.5	4.9	1132	UK	W-GBIF-15
Dichochrysa prasina	51.67334	-4.30914	10.6	5.4	1017	UK	W-GBIF-15
Dichochrysa flavifrons	51.50821	-3.16007	10.1	4.4	996	UK	W-GBIF-15
Dichochrysa flavifrons	51.46709	-3.22382	10.2	4.6	1008	UK	W-GBIF-15
Dichochrysa ventralis	51.50821	-3.16007	10.1	4.4	996	UK	W-GBIF-15
Dichochrysa flavifrons	51.19002	-3.78895	8.5	3.0	1372	UK	W-GBIF-15
Dichochrysa ventralis	51.13915	-3.19368	9.0	3.6	1043	UK	W-GBIF-15
Dichochrysa prasina	51.54955	-3.80302	10.4	5.0	1123	UK	W-GBIF-15
Dichochrysa prasina	51.57396	-2.82981	10.0	4.5	861	UK	W-GBIF-15
Dichochrysa flavifrons	51.60681	-2.22024	9.2	3.7	767	UK	W-GBIF-15
Dichochrysa flavifrons	51.11008	-2.92862	9.8	4.3	845	UK	W-GBIF-15
Dichochrysa flavifrons	51.92307	-2.07272	9.6	4.0	683	UK	W-GBIF-15
Dichochrysa flavifrons	51.56320	-2.21642	9.4	3.8	757	UK	W-GBIF-15
Dichochrysa ventralis	51.56320	-2.21642	9.4	3.8	757	UK	W-GBIF-15
Dichochrysa prasina	51.82007	-2.47520	9.3	3.9	802	UK	W-GBIF-15
Dichochrysa flavifrons	51.65277	-2.36141	9.4	3.9	781	UK	W-GBIF-15
Dichochrysa ventralis	51.24906	-2.10389	9.0	3.4	800	UK	W-GBIF-15
Dichochrysa prasina	51.79178	-2.56771	9.4	3.9	824	UK	W-GBIF-15
Dichochrysa flavifrons	51.32095	-2.14998	9.6	4.0	743	UK	W-GBIF-15
Dichochrysa prasina	51.32095	-2.14998	9.6	4.0	743	UK	W-GBIF-15
Dichochrysa flavifrons	51.74305	-2.21728	9.5	3.9	741	UK	W-GBIF-15
Dichochrysa flavifrons	51.79217	-1.64473	9.3	3.4	639	UK	W-GBIF-15
Dichochrysa prasina	51.79217	-1.64473	9.3	3.4	639	UK	W-GBIF-15
Dichochrysa ventralis	51.09027	-1.63799	9.6	3.7	767	UK	W-GBIF-15
Dichochrysa flavifrons	51.09027	-1.63799	9.6	3.7	767	UK	W-GBIF-15
Dichochrysa ventralis	51.11322	-1.64282	9.6	3.7	767	UK	W-GBIF-15
Dichochrysa prasina	51.11322	-1.64282	9.6	3.7	767	UK	W-GBIF-15
Dichochrysa flavifrons	51.11200	-1.35708	9.9	4.1	774	UK	W-GBIF-15
Dichochrysa ventralis	51.06378	-1.65033	9.9	4.1	755	UK	W-GBIF-15
Dichochrysa flavifrons	51.10199	-1.26080	10.0	4.1	777	UK	W-GBIF-15
Dichochrysa flavifrons	51.61002	-1.18398	9.9	4.0	656	UK	W-GBIF-15
Dichochrysa prasina	51.61002	-1.18398	9.9	4.0	656	UK	W-GBIF-15

Dichochrysa flavifrons	51.61002	-1.18398	9.9	4.0	656	UK	W-GBIF-15
Dichochrysa prasina	51.69673	-1.48992	9.7	3.8	623	UK	W-GBIF-15
Dichochrysa flavifrons	51.08385	-1.39103	9.9	4.1	768	UK	W-GBIF-15
Dichochrysa ventralis	51.08385	-1.39103	9.9	4.1	768	UK	W-GBIF-15
Dichochrysa ventralis	51.82720	-1.41226	9.6	3.8	618	UK	W-GBIF-15
Dichochrysa flavifrons	51.04516	-1.47927	10.0	4.2	766	UK	W-GBIF-15
Dichochrysa flavifrons	51.07951	-1.19335	9.9	4.0	802	UK	W-GBIF-15
Dichochrysa ventralis	51.07951	-1.19335	9.9	4.0	802	UK	W-GBIF-15
Dichochrysa flavifrons	51.66334	-1.09626	9.9	3.9	656	UK	W-GBIF-15
Dichochrysa flavifrons	51.68319	-1.38519	9.8	3.9	633	UK	W-GBIF-15
Dichochrysa prasina	51.79217	-1.64473	9.3	3.4	639	UK	W-GBIF-15
Dichochrysa flavifrons	51.79217	-1.64473	9.3	3.4	639	UK	W-GBIF-15
Dichochrysa prasina	51.79217	-1.64473	9.3	3.4	639	UK	W-GBIF-15
Dichochrysa flavifrons	51.59224	-1.21317	9.9	4.1	657	UK	W-GBIF-15
Dichochrysa prasina	51.59425	-1.61740	9.6	3.7	638	UK	W-GBIF-15
Dichochrysa flavifrons	51.91786	-1.58557	9.1	3.3	647	UK	W-GBIF-15
Dichochrysa ventralis	51.99838	-1.48286	9.0	3.2	650	UK	W-GBIF-15
Dichochrysa ventralis	51.82589	-1.12856	9.9	4.0	622	UK	W-GBIF-15
Dichochrysa ventralis	51.19737	-0.78334	9.6	3.2	805	UK	W-GBIF-15
Dichochrysa ventralis	51.19737	-0.78334	9.6	3.2	805	UK	W-GBIF-15
Dichochrysa flavifrons	51.19737	-0.78334	9.6	3.2	805	UK	W-GBIF-15
Dichochrysa flavifrons	51.38570	-0.86531	9.8	3.1	733	UK	W-GBIF-15
Dichochrysa flavifrons	51.18704	-0.78433	9.6	3.2	805	UK	W-GBIF-15
Dichochrysa prasina	51.18704	-0.78433	9.6	3.2	805	UK	W-GBIF-15
Dichochrysa ventralis	51.18704	-0.78433	9.6	3.2	805	UK	W-GBIF-15
Dichochrysa flavifrons	51.37859	-0.92225	9.9	3.4	726	UK	W-GBIF-15
Dichochrysa flavifrons	51.77056	-0.68900	9.2	2.7	699	UK	W-GBIF-15
Dichochrysa ventralis	51.19933	-0.38749	9.4	3.3	702	UK	W-GBIF-15
Dichochrysa prasina	51.73580	-0.80297	9.4	3.0	680	UK	W-GBIF-15
Dichochrysa prasina	51.16537	-0.73412	9.4	3.1	817	UK	W-GBIF-15
Dichochrysa flavifrons	51.16537	-0.73412	9.4	3.1	817	UK	W-GBIF-15
Dichochrysa ventralis	51.63466	-0.60187	9.7	3.2	677	UK	W-GBIF-15
Dichochrysa ventralis	51.37190	-0.34766	10.3	4.2	644	UK	W-GBIF-15
Dichochrysa ventralis	51.68397	-0.74792	9.3	2.8	695	UK	W-GBIF-15
Dichochrysa flavifrons	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Dichochrysa ventralis	51.15964	-0.66348	9.6	3.3	775	UK	W-GBIF-15

Dichochrysa prasina	51.15964	-0.66348	9.6	3.3	775	UK	W-GBIF-15
Dichochrysa prasina	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Dichochrysa ventralis	51.55489	-0.62452	9.9	3.4	667	UK	W-GBIF-15
Dichochrysa prasina	51.28873	-0.62818	9.8	3.4	732	UK	W-GBIF-15
Dichochrysa ventralis	51.28873	-0.62818	9.8	3.4	732	UK	W-GBIF-15
Dichochrysa flavifrons	51.52466	-0.82149	9.8	3.2	693	UK	W-GBIF-15
Dichochrysa ventralis	51.37719	-0.77858	9.6	2.8	741	UK	W-GBIF-15
Dichochrysa flavifrons	51.37719	-0.77858	9.6	2.8	741	UK	W-GBIF-15
Dichochrysa flavifrons	51.14769	-0.76320	9.5	3.2	821	UK	W-GBIF-15
Dichochrysa prasina	51.23690	-0.37328	9.8	3.7	674	UK	W-GBIF-15
Dichochrysa prasina	51.44569	-0.88469	9.9	3.3	708	UK	W-GBIF-15
Dichochrysa flavifrons	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Dichochrysa prasina	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Dichochrysa ventralis	51.20903	-0.61838	9.7	3.3	732	UK	W-GBIF-15
Dichochrysa prasina	51.20903	-0.61838	9.7	3.3	732	UK	W-GBIF-15
Dichochrysa flavifrons	51.52466	-0.82149	9.8	3.2	693	UK	W-GBIF-15
Dichochrysa ventralis	51.52466	-0.82149	9.8	3.2	693	UK	W-GBIF-15
Dichochrysa ventralis	51.19579	-0.64025	9.7	3.4	760	UK	W-GBIF-15
Dichochrysa flavifrons	51.19579	-0.64025	9.7	3.4	760	UK	W-GBIF-15
Dichochrysa ventralis	51.19579	-0.64025	9.7	3.4	760	UK	W-GBIF-15
Dichochrysa flavifrons	51.19579	-0.64025	9.7	3.4	760	UK	W-GBIF-15
Dichochrysa ventralis	51.63230	-0.79414	9.5	3.0	684	UK	W-GBIF-15
Dichochrysa flavifrons	51.63230	-0.79414	9.5	3.0	684	UK	W-GBIF-15
Dichochrysa ventralis	51.10746	-0.78571	9.2	2.9	853	UK	W-GBIF-15
Dichochrysa ventralis	51.10746	-0.78571	9.2	2.9	853	UK	W-GBIF-15
Dichochrysa prasina	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Dichochrysa ventralis	51.28728	-0.78097	9.5	3.0	792	UK	W-GBIF-15
Dichochrysa flavifrons	51.17780	-0.84896	9.5	3.1	818	UK	W-GBIF-15
Dichochrysa ventralis	51.17780	-0.84896	9.5	3.1	818	UK	W-GBIF-15
Dichochrysa prasina	51.37384	-0.49129	10.3	3.9	648	UK	W-GBIF-15
Dichochrysa ventralis	51.37384	-0.49129	10.3	3.9	648	UK	W-GBIF-15
Dichochrysa flavifrons	51.37384	-0.49129	10.3	3.9	648	UK	W-GBIF-15
Dichochrysa ventralis	51.75509	-0.75465	9.6	3.2	656	UK	W-GBIF-15
Dichochrysa prasina	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Dichochrysa ventralis	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Dichochrysa ventralis	51.82509	-0.62138	9.4	2.9	684	UK	W-GBIF-15

Dichochrysa flavifrons	51.53906	-0.65528	10.1	3.5	658	UK	W-GBIF-15
Dichochrysa prasina	51.35354	-0.67149	9.7	3.0	736	UK	W-GBIF-15
Dichochrysa ventralis	51.63373	-0.59901	9.7	3.2	677	UK	W-GBIF-15
Dichochrysa prasina	51.75311	-0.30843	9.7	3.5	665	UK	W-GBIF-15
Dichochrysa prasina	51.75311	-0.30843	9.7	3.5	665	UK	W-GBIF-15
Dichochrysa flavifrons	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Dichochrysa flavifrons	51.56574	-0.48278	10.2	3.8	637	UK	W-GBIF-15
Dichochrysa flavifrons	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
Dichochrysa ventralis	51.38099	-0.59668	10.0	3.4	689	UK	W-GBIF-15
Dichochrysa ventralis	51.32195	-0.31357	10.1	4.1	661	UK	W-GBIF-15
Dichochrysa flavifrons	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
Dichochrysa flavifrons	51.19881	-0.51849	9.8	3.5	699	UK	W-GBIF-15
Dichochrysa prasina	51.19881	-0.51849	9.8	3.5	699	UK	W-GBIF-15
Dichochrysa prasina	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15
Dichochrysa prasina	51.17327	-0.67596	9.7	3.3	772	UK	W-GBIF-15
Dichochrysa ventralis	51.55363	-0.48535	10.2	3.8	637	UK	W-GBIF-15
Dichochrysa prasina	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Dichochrysa ventralis	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Dichochrysa flavifrons	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Dichochrysa prasina	51.54404	-0.54552	10.0	3.5	660	UK	W-GBIF-15
Dichochrysa flavifrons	51.32673	-0.68662	9.6	3.0	755	UK	W-GBIF-15
Dichochrysa prasina	51.39338	-0.37205	10.4	4.4	630	UK	W-GBIF-15
Dichochrysa flavifrons	51.36039	-0.52980	10.2	3.7	662	UK	W-GBIF-15
Dichochrysa ventralis	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Dichochrysa flavifrons	51.50477	-0.72546	10.0	3.4	670	UK	W-GBIF-15
Dichochrysa ventralis	51.50477	-0.72546	10.0	3.4	670	UK	W-GBIF-15
Dichochrysa prasina	51.56702	-0.47769	10.2	3.8	637	UK	W-GBIF-15
Dichochrysa flavifrons	51.34438	-0.65740	9.9	3.2	711	UK	W-GBIF-15
Dichochrysa ventralis	51.34438	-0.65740	9.9	3.2	711	UK	W-GBIF-15
Dichochrysa ventralis	51.10886	-0.92854	9.4	3.2	846	UK	W-GBIF-15
Dichochrysa flavifrons	51.17780	-0.84896	9.5	3.1	818	UK	W-GBIF-15
Dichochrysa prasina	51.17780	-0.84896	9.5	3.1	818	UK	W-GBIF-15
Dichochrysa ventralis	51.17780	-0.84896	9.5	3.1	818	UK	W-GBIF-15
Dichochrysa ventralis	51.17327	-0.67596	9.7	3.3	772	UK	W-GBIF-15
Dichochrysa flavifrons	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Dichochrysa ventralis	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15

Dichochrysa ventralis	51.73680	-0.76891	9.2	2.7	701	UK	W-GBIF-15
Dichochrysa flavifrons	51.19579	-0.64025	9.7	3.4	760	UK	W-GBIF-15
Dichochrysa prasina	51.55363	-0.48535	10.2	3.8	637	UK	W-GBIF-15
Dichochrysa ventralis	51.55363	-0.48535	10.2	3.8	637	UK	W-GBIF-15
Dichochrysa prasina	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Dichochrysa prasina	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Dichochrysa ventralis	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Dichochrysa flavifrons	51.05854	-0.41807	9.9	3.8	663	UK	W-GBIF-15
Dichochrysa flavifrons	51.73580	-0.80297	9.4	3.0	680	UK	W-GBIF-15
Dichochrysa ventralis	51.73580	-0.80297	9.4	3.0	680	UK	W-GBIF-15
Dichochrysa prasina	51.73580	-0.80297	9.4	3.0	680	UK	W-GBIF-15
Dichochrysa prasina	51.29014	-0.38574	9.9	3.7	669	UK	W-GBIF-15
Dichochrysa prasina	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Dichochrysa flavifrons	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Dichochrysa prasina	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Dichochrysa prasina	51.82373	-0.16066	10.0	3.8	639	UK	W-GBIF-15
Dichochrysa ventralis	51.32400	-0.29986	10.1	4.1	661	UK	W-GBIF-15
Dichochrysa prasina	51.32400	-0.29986	10.1	4.1	661	UK	W-GBIF-15
Dichochrysa ventralis	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
Dichochrysa prasina	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
Dichochrysa flavifrons	51.50819	-0.70951	10.0	3.4	670	UK	W-GBIF-15
Dichochrysa flavifrons	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Dichochrysa ventralis	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Dichochrysa flavifrons	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Dichochrysa ventralis	51.29555	-0.38699	10.2	4.0	648	UK	W-GBIF-15
Dichochrysa flavifrons	51.37384	-0.49129	10.3	3.9	648	UK	W-GBIF-15
Dichochrysa ventralis	51.37384	-0.49129	10.3	3.9	648	UK	W-GBIF-15
Dichochrysa prasina	51.43161	-0.27861	10.5	4.7	633	UK	W-GBIF-15
Dichochrysa ventralis	51.43161	-0.27861	10.5	4.7	633	UK	W-GBIF-15
Dichochrysa ventralis	51.31052	-0.18126	10.0	4.0	695	UK	W-GBIF-15
Dichochrysa flavifrons	51.15837	-0.71072	9.4	3.1	817	UK	W-GBIF-15
Dichochrysa prasina	51.56062	-0.57673	10.0	3.5	660	UK	W-GBIF-15
Dichochrysa prasina	51.14257	-0.34872	9.8	3.8	655	UK	W-GBIF-15
Dichochrysa flavifrons	51.19737	-0.78334	9.6	3.2	805	UK	W-GBIF-15
Dichochrysa ventralis	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Dichochrysa ventralis	51.33130	-0.82072	9.6	2.9	775	UK	W-GBIF-15

Dichochrysa prasina	51.21207	-0.68774	9.6	3.1	778	UK	W-GBIF-15
Dichochrysa flavifrons	51.38271	-0.16762	10.8	4.9	639	UK	W-GBIF-15
Dichochrysa flavifrons	51.38271	-0.16762	10.8	4.9	639	UK	W-GBIF-15
Dichochrysa prasina	51.38271	-0.16762	10.8	4.9	639	UK	W-GBIF-15
Dichochrysa flavifrons	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
Dichochrysa prasina	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
Dichochrysa prasina	51.54023	-0.32643	10.3	4.5	627	UK	W-GBIF-15
Dichochrysa ventralis	51.22466	-0.43172	9.5	3.3	702	UK	W-GBIF-15
Dichochrysa ventralis	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Dichochrysa flavifrons	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Dichochrysa prasina	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Dichochrysa flavifrons	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Dichochrysa prasina	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Dichochrysa prasina	51.44555	-0.87030	9.9	3.2	709	UK	W-GBIF-15
Dichochrysa ventralis	51.08282	-0.59359	9.9	3.7	755	UK	W-GBIF-15
Dichochrysa ventralis	51.36750	-0.06046	10.3	4.4	678	UK	W-GBIF-15
Dichochrysa ventralis	51.09396	-0.58540	9.8	3.6	750	UK	W-GBIF-15
Dichochrysa ventralis	51.09396	-0.58540	9.8	3.6	750	UK	W-GBIF-15
Dichochrysa flavifrons	51.09396	-0.58540	9.8	3.6	750	UK	W-GBIF-15
Dichochrysa prasina	51.09396	-0.58540	9.8	3.6	750	UK	W-GBIF-15
Dichochrysa prasina	51.26026	-0.30795	9.9	3.9	674	UK	W-GBIF-15
Dichochrysa prasina	51.44555	-0.87030	9.9	3.2	709	UK	W-GBIF-15
Dichochrysa flavifrons	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
Dichochrysa ventralis	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
Dichochrysa prasina	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
Dichochrysa ventralis	51.33822	-0.19811	10.4	4.5	666	UK	W-GBIF-15
Dichochrysa ventralis	51.16505	-0.70552	9.5	3.2	796	UK	W-GBIF-15
Dichochrysa ventralis	51.55540	-0.62955	9.9	3.3	671	UK	W-GBIF-15
Dichochrysa flavifrons	51.28394	-0.49424	10.0	3.7	674	UK	W-GBIF-15
Dichochrysa flavifrons	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15
Dichochrysa flavifrons	51.32861	-0.65427	9.9	3.3	723	UK	W-GBIF-15
Dichochrysa flavifrons	51.10746	-0.78571	9.2	2.9	853	UK	W-GBIF-15
Dichochrysa ventralis	51.10746	-0.78571	9.2	2.9	853	UK	W-GBIF-15
Dichochrysa ventralis	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
Dichochrysa ventralis	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
Dichochrysa ventralis	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15

Dichochrysa prasina	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15
Dichochrysa flavifrons	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15
Dichochrysa ventralis	51.37719	-0.77858	9.6	2.8	741	UK	W-GBIF-15
Dichochrysa flavifrons	51.37719	-0.77858	9.6	2.8	741	UK	W-GBIF-15
Dichochrysa ventralis	51.27176	-0.29462	9.9	3.9	674	UK	W-GBIF-15
Dichochrysa prasina	51.27176	-0.29462	9.9	3.9	674	UK	W-GBIF-15
Dichochrysa ventralis	51.29458	-0.38128	10.2	4.0	648	UK	W-GBIF-15
Dichochrysa ventralis	51.41630	-0.27575	10.5	4.7	636	UK	W-GBIF-15
Dichochrysa prasina	51.41630	-0.27575	10.5	4.7	636	UK	W-GBIF-15
Dichochrysa flavifrons	51.42340	-0.85081	9.9	3.2	709	UK	W-GBIF-15
Dichochrysa prasina	51.33200	-0.70955	9.5	2.9	769	UK	W-GBIF-15
Dichochrysa flavifrons	51.33200	-0.70955	9.5	2.9	769	UK	W-GBIF-15
Dichochrysa prasina	51.99875	-0.31812	10.0	3.8	601	UK	W-GBIF-15
Dichochrysa prasina	51.95961	-0.41420	10.0	3.7	601	UK	W-GBIF-15
Dichochrysa flavifrons	51.95961	-0.41420	10.0	3.7	601	UK	W-GBIF-15
Dichochrysa ventralis	51.83363	-0.54637	9.6	3.2	665	UK	W-GBIF-15
Dichochrysa ventralis	51.83363	-0.54637	9.6	3.2	665	UK	W-GBIF-15
Dichochrysa ventralis	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Dichochrysa ventralis	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Dichochrysa ventralis	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Dichochrysa prasina	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Dichochrysa flavifrons	51.32100	-0.47365	10.2	3.9	656	UK	W-GBIF-15
Dichochrysa prasina	51.32412	-0.47139	10.2	3.9	656	UK	W-GBIF-15
Dichochrysa flavifrons	51.32100	-0.47365	10.2	3.9	656	UK	W-GBIF-15
Dichochrysa flavifrons	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Dichochrysa prasina	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Dichochrysa prasina	51.61589	0.78084	10.1	4.0	545	UK	W-GBIF-15
Dichochrysa prasina	51.85304	0.27186	9.7	3.4	599	UK	W-GBIF-15
Dichochrysa ventralis	51.88895	0.83401	9.8	3.7	543	UK	W-GBIF-15
Dichochrysa flavifrons	51.77170	0.82883	9.9	3.9	538	UK	W-GBIF-15
Dichochrysa flavifrons	51.82315	0.76456	9.8	3.7	547	UK	W-GBIF-15
Dichochrysa flavifrons	51.88082	0.15773	9.7	3.4	612	UK	W-GBIF-15
Dichochrysa prasina	51.43047	0.80482	10.1	4.1	591	UK	W-GBIF-15
Dichochrysa flavifrons	51.43047	0.80482	10.1	4.1	591	UK	W-GBIF-15
Dichochrysa ventralis	51.43047	0.80482	10.1	4.1	591	UK	W-GBIF-15
Dichochrysa flavifrons	51.09280	0.21368	9.9	4.1	699	UK	W-GBIF-15

Dichochrysa prasina	51.09280	0.21368	9.9	4.1	699	UK	W-GBIF-15
Dichochrysa ventralis	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15
Dichochrysa flavifrons	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15
Dichochrysa flavifrons	51.83326	0.81237	9.9	3.8	537	UK	W-GBIF-15
Dichochrysa prasina	51.54476	0.09131	10.6	4.6	601	UK	W-GBIF-15
Dichochrysa ventralis	51.08060	0.78430	10.3	4.4	676	UK	W-GBIF-15
Dichochrysa flavifrons	51.08060	0.78430	10.3	4.4	676	UK	W-GBIF-15
Dichochrysa ventralis	51.45225	0.23103	10.4	4.4	618	UK	W-GBIF-15
Dichochrysa flavifrons	51.81766	0.16922	9.9	3.6	605	UK	W-GBIF-15
Dichochrysa flavifrons	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15
Dichochrysa prasina	51.43780	0.28069	10.3	4.3	621	UK	W-GBIF-15
Dichochrysa flavifrons	51.54476	0.09131	10.6	4.6	601	UK	W-GBIF-15
Dichochrysa flavifrons	51.90421	0.10797	9.8	3.5	617	UK	W-GBIF-15
Dichochrysa flavifrons	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
Dichochrysa prasina	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
Dichochrysa ventralis	51.67545	0.07563	10.2	4.1	633	UK	W-GBIF-15
Dichochrysa ventralis	51.45225	0.23103	10.4	4.4	618	UK	W-GBIF-15
Dichochrysa flavifrons	51.45225	0.23103	10.4	4.4	618	UK	W-GBIF-15
Dichochrysa prasina	51.52594	0.06233	10.7	4.8	602	UK	W-GBIF-15
Dichochrysa ventralis	51.77109	0.25397	9.9	3.6	600	UK	W-GBIF-15
Dichochrysa prasina	51.77109	0.25397	9.9	3.6	600	UK	W-GBIF-15
Dichochrysa prasina	51.46217	0.41150	10.3	4.3	599	UK	W-GBIF-15
Dichochrysa ventralis	51.34042	0.63487	10.1	4.1	621	UK	W-GBIF-15
Dichochrysa ventralis	51.56562	0.43212	10.0	4.0	597	UK	W-GBIF-15
Dichochrysa flavifrons	51.26809	0.93400	9.9	4.0	659	UK	W-GBIF-15
Dichochrysa prasina	51.71896	0.38894	9.9	3.8	583	UK	W-GBIF-15
Dichochrysa flavifrons	51.71896	0.38894	9.9	3.8	583	UK	W-GBIF-15
Dichochrysa flavifrons	51.71896	0.38894	9.9	3.8	583	UK	W-GBIF-15
Dichochrysa prasina	51.71896	0.38894	9.9	3.8	583	UK	W-GBIF-15
Dichochrysa ventralis	51.25809	0.27178	9.8	3.9	686	UK	W-GBIF-15
Dichochrysa prasina	51.86329	0.15762	9.9	3.6	611	UK	W-GBIF-15
Dichochrysa prasina	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
Dichochrysa flavifrons	51.06480	0.86116	10.3	4.4	676	UK	W-GBIF-15
Dichochrysa flavifrons	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15
Dichochrysa ventralis	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15
Dichochrysa flavifrons	51.95079	0.86193	9.7	3.6	547	UK	W-GBIF-15

Dichochrysa flavifrons	51.30738	0.89130	10.2	4.2	626	UK	W-GBIF-15
Dichochrysa flavifrons	51.07711	0.92689	10.4	4.5	664	UK	W-GBIF-15
Dichochrysa prasina	51.07711	0.92689	10.4	4.5	664	UK	W-GBIF-15
Dichochrysa flavifrons	51.73746	0.42975	9.9	3.9	570	UK	W-GBIF-15
Dichochrysa flavifrons	51.71224	0.88810	10.0	4.1	538	UK	W-GBIF-15
Dichochrysa flavifrons	51.73746	0.42975	9.9	3.9	570	UK	W-GBIF-15
Dichochrysa ventralis	51.73746	0.42975	9.9	3.9	570	UK	W-GBIF-15
Dichochrysa prasina	51.73746	0.42975	9.9	3.9	570	UK	W-GBIF-15
Dichochrysa flavifrons	51.45225	0.23103	10.4	4.4	618	UK	W-GBIF-15
Dichochrysa flavifrons	51.84941	0.79522	9.8	3.7	541	UK	W-GBIF-15
Dichochrysa ventralis	51.25674	0.93830	9.9	4.0	659	UK	W-GBIF-15
Dichochrysa ventralis	51.06480	0.86116	10.3	4.4	676	UK	W-GBIF-15
Dichochrysa flavifrons	51.42881	0.28024	10.3	4.3	621	UK	W-GBIF-15
Dichochrysa ventralis	51.67442	0.05750	10.2	4.1	633	UK	W-GBIF-15
Dichochrysa prasina	51.57926	0.40326	10.1	4.1	595	UK	W-GBIF-15
Dichochrysa ventralis	51.77385	0.55857	9.8	3.8	553	UK	W-GBIF-15
Dichochrysa ventralis	51.27039	0.93200	9.9	4.0	659	UK	W-GBIF-15
Dichochrysa prasina	51.53927	0.37951	10.2	4.2	595	UK	W-GBIF-15
Dichochrysa ventralis	51.53927	0.37951	10.2	4.2	595	UK	W-GBIF-15
Dichochrysa prasina	51.89063	0.56520	9.6	3.6	542	UK	W-GBIF-15
Dichochrysa flavifrons	51.88537	0.97914	9.9	3.9	548	UK	W-GBIF-15
Dichochrysa ventralis	51.45225	0.23103	10.4	4.4	618	UK	W-GBIF-15
Dichochrysa flavifrons	51.49840	0.39900	10.3	4.3	599	UK	W-GBIF-15
Dichochrysa ventralis	51.68795	0.36560	9.8	3.7	602	UK	W-GBIF-15
Dichochrysa flavifrons	51.89077	0.94316	9.9	3.8	543	UK	W-GBIF-15
Dichochrysa prasina	51.55307	0.34200	10.3	4.2	590	UK	W-GBIF-15
Dichochrysa prasina	51.78621	0.93416	10.0	4.0	540	UK	W-GBIF-15
Dichochrysa ventralis	51.47894	0.47000	10.3	4.3	590	UK	W-GBIF-15
Dichochrysa ventralis	51.91398	0.72651	9.6	3.6	546	UK	W-GBIF-15
Dichochrysa ventralis	51.27516	0.07904	9.8	4.0	697	UK	W-GBIF-15
Dichochrysa ventralis	51.28158	0.44505	10.0	4.1	652	UK	W-GBIF-15
Dichochrysa flavifrons	51.28158	0.44505	10.0	4.1	652	UK	W-GBIF-15
Dichochrysa flavifrons	51.44036	0.12035	10.5	4.5	628	UK	W-GBIF-15
Dichochrysa prasina	51.52386	0.47243	10.2	4.2	584	UK	W-GBIF-15
Dichochrysa ventralis	51.45490	0.08720	10.5	4.5	628	UK	W-GBIF-15
Dichochrysa ventralis	51.32016	0.73420	9.9	4.0	645	UK	W-GBIF-15

Dichochrysa flavifrons	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
Dichochrysa prasina	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
Dichochrysa prasina	51.52191	0.11189	10.6	4.7	603	UK	W-GBIF-15
Dichochrysa prasina	51.67703	0.85693	10.0	4.0	543	UK	W-GBIF-15
Dichochrysa ventralis	51.52147	0.06069	10.7	4.8	602	UK	W-GBIF-15
Dichochrysa flavifrons	51.40920	0.15536	10.3	4.4	641	UK	W-GBIF-15
Dichochrysa ventralis	51.34503	1.12421	10.2	4.3	600	UK	W-GBIF-15
Dichochrysa ventralis	51.33757	1.13375	10.1	4.3	597	UK	W-GBIF-15
Dichochrysa flavifrons	51.87766	1.26930	10.3	4.5	551	UK	W-GBIF-15
Dichochrysa prasina	51.28783	1.11028	10.1	4.3	625	UK	W-GBIF-15
Dichochrysa flavifrons	51.81154	1.06932	10.1	4.2	543	UK	W-GBIF-15
Dichochrysa prasina	51.81154	1.06932	10.1	4.2	543	UK	W-GBIF-15
Dichochrysa prasina	51.07735	1.17113	10.3	4.5	643	UK	W-GBIF-15
Dichochrysa flavifrons	51.92326	1.06239	10.0	4.0	548	UK	W-GBIF-15
Dichochrysa flavifrons	51.33015	1.00545	10.0	4.1	635	UK	W-GBIF-15
Dichochrysa ventralis	51.97139	1.13048	10.0	4.1	554	UK	W-GBIF-15
Dichochrysa prasina	51.97139	1.13048	10.0	4.1	554	UK	W-GBIF-15
Dichochrysa ventralis	51.28517	1.10866	10.1	4.3	625	UK	W-GBIF-15
Dichochrysa ventralis	51.84998	1.12931	10.1	4.2	549	UK	W-GBIF-15
Dichochrysa ventralis	51.24517	1.36754	10.3	4.5	590	UK	W-GBIF-15
Dichochrysa ventralis	51.24517	1.36754	10.3	4.5	590	UK	W-GBIF-15
Dichochrysa flavifrons	51.88274	1.13231	10.0	4.2	553	UK	W-GBIF-15
Dichochrysa flavifrons	51.34503	1.12421	10.2	4.3	600	UK	W-GBIF-15
Dichochrysa flavifrons	51.32779	1.02683	10.0	4.1	635	UK	W-GBIF-15
Dichochrysa flavifrons	51.32779	1.02683	10.0	4.1	635	UK	W-GBIF-15
Dichochrysa prasina	51.07346	1.06946	10.2	4.3	663	UK	W-GBIF-15
Dichochrysa prasina	52.36083	-6.36307	10.1	6.0	924	Ireland	W-GBIF-15
Dichochrysa prasina	52.85988	-6.07705	9.9	5.6	903	Ireland	W-GBIF-15
Dichochrysa ventralis	52.36120	-6.36401	10.1	6.0	924	Ireland	W-GBIF-16
Dichochrysa ventralis	52.86020	-6.07803	9.9	5.6	903	Ireland	W-GBIF-16
Dichochrysa prasina	52.31465	-4.06212	8.9	3.9	1256	UK	W-GBIF-15
Dichochrysa flavifrons	52.76347	-4.08253	8.7	3.6	1188	UK	W-GBIF-15
Dichochrysa flavifrons	52.82688	-4.05587	8.9	3.8	1146	UK	W-GBIF-15
Dichochrysa flavifrons	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa ventralis	52.86177	-4.11695	9.5	4.5	1037	UK	W-GBIF-15
Dichochrysa prasina	52.80983	-4.13001	9.9	5.0	972	UK	W-GBIF-15

Dichochrysa ventralis	52.97936	-4.07800	9.4	4.4	1029	UK	W-GBIF-15
Dichochrysa ventralis	52.89515	-4.00706	8.2	3.0	1245	UK	W-GBIF-15
Dichochrysa ventralis	52.94016	-4.25474	9.6	4.8	992	UK	W-GBIF-15
Dichochrysa ventralis	52.07621	-4.44519	9.6	4.9	999	UK	W-GBIF-15
Dichochrysa flavifrons	52.09551	-4.63462	9.7	5.1	891	UK	W-GBIF-15
Dichochrysa flavifrons	52.03602	-4.38758	9.7	4.9	1008	UK	W-GBIF-15
Dichochrysa ventralis	52.90589	-4.16372	9.9	5.0	964	UK	W-GBIF-15
Dichochrysa ventralis	52.88305	-4.41529	9.7	5.1	952	UK	W-GBIF-15
Dichochrysa ventralis	52.79862	-4.12872	9.9	5.0	972	UK	W-GBIF-15
Dichochrysa flavifrons	52.92331	-4.19434	9.6	4.7	1009	UK	W-GBIF-15
Dichochrysa ventralis	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa flavifrons	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa ventralis	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa flavifrons	52.76347	-4.08253	8.7	3.6	1188	UK	W-GBIF-15
Dichochrysa flavifrons	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa ventralis	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa ventralis	52.97936	-4.07800	9.4	4.4	1029	UK	W-GBIF-15
Dichochrysa flavifrons	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa ventralis	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa ventralis	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa ventralis	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa flavifrons	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Dichochrysa ventralis	52.89255	-4.15562	9.9	5.0	964	UK	W-GBIF-15
Dichochrysa flavifrons	52.82688	-4.05587	8.9	3.8	1146	UK	W-GBIF-15
Dichochrysa flavifrons	52.18465	-3.38971	8.6	2.9	1285	UK	W-GBIF-15
Dichochrysa ventralis	52.18465	-3.38971	8.6	2.9	1285	UK	W-GBIF-15
Dichochrysa flavifrons	52.08880	-3.82468	8.5	3.1	1476	UK	W-GBIF-15
Dichochrysa ventralis	52.08880	-3.82468	8.5	3.1	1476	UK	W-GBIF-15
Dichochrysa ventralis	52.08880	-3.82468	8.5	3.1	1476	UK	W-GBIF-15
Dichochrysa flavifrons	52.08880	-3.82468	8.5	3.1	1476	UK	W-GBIF-15
Dichochrysa flavifrons	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
Dichochrysa ventralis	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
Dichochrysa ventralis	52.09823	-3.82579	8.5	3.1	1476	UK	W-GBIF-15
Dichochrysa flavifrons	52.56808	-3.27637	8.4	2.7	1074	UK	W-GBIF-15
Dichochrysa ventralis	52.21693	-3.43537	8.7	3.0	1303	UK	W-GBIF-15
Dichochrysa ventralis	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15

Dichochrysa ventralis	52.49583	-3.34573	8.2	2.6	1201	UK	W-GBIF-15
Dichochrysa flavifrons	52.49583	-3.34573	8.2	2.6	1201	UK	W-GBIF-15
Dichochrysa flavifrons	52.09823	-3.82579	8.5	3.1	1476	UK	W-GBIF-15
Dichochrysa ventralis	52.28382	-3.86127	8.5	3.2	1474	UK	W-GBIF-15
Dichochrysa flavifrons	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
Dichochrysa ventralis	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
Dichochrysa ventralis	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
Dichochrysa flavifrons	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
Dichochrysa flavifrons	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
Dichochrysa flavifrons	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
Dichochrysa flavifrons	52.90371	-3.41261	6.3	0.7	1380	UK	W-GBIF-15
Dichochrysa ventralis	52.90371	-3.41261	6.3	0.7	1380	UK	W-GBIF-15
Dichochrysa prasina	52.93854	-3.09378	8.1	2.5	950	UK	W-GBIF-15
Dichochrysa flavifrons	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Dichochrysa ventralis	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Dichochrysa flavifrons	52.26617	-3.97852	8.7	3.6	1368	UK	W-GBIF-15
Dichochrysa flavifrons	52.37264	-2.07345	9.2	3.6	692	UK	W-GBIF-15
Dichochrysa flavifrons	52.36467	-2.71309	8.9	3.3	756	UK	W-GBIF-15
Dichochrysa prasina	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Dichochrysa ventralis	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Dichochrysa flavifrons	52.01298	-2.07286	9.7	4.1	668	UK	W-GBIF-15
Dichochrysa ventralis	52.86227	-2.30453	9.0	3.3	733	UK	W-GBIF-15
Dichochrysa flavifrons	52.58699	-2.16312	9.1	3.5	711	UK	W-GBIF-15
Dichochrysa ventralis	52.38409	-2.40923	9.1	3.4	699	UK	W-GBIF-15
Dichochrysa ventralis	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15
Dichochrysa prasina	52.90371	-2.77990	8.7	3.1	744	UK	W-GBIF-15
Dichochrysa flavifrons	52.72349	-2.83887	8.9	3.1	740	UK	W-GBIF-15
Dichochrysa prasina	52.72950	-2.81455	8.8	3.1	731	UK	W-GBIF-15
Dichochrysa flavifrons	52.72950	-2.81455	8.8	3.1	731	UK	W-GBIF-15
Dichochrysa flavifrons	52.72950	-2.81455	8.8	3.1	731	UK	W-GBIF-15
Dichochrysa prasina	52.72950	-2.81455	8.8	3.1	731	UK	W-GBIF-15
Dichochrysa flavifrons	52.72349	-2.83887	8.9	3.1	740	UK	W-GBIF-15
Dichochrysa prasina	52.72349	-2.83887	8.9	3.1	740	UK	W-GBIF-15
Dichochrysa ventralis	52.78174	-2.03707	9.1	3.4	772	UK	W-GBIF-15
Dichochrysa flavifrons	52.37082	-2.66104	9.0	3.3	735	UK	W-GBIF-15
Dichochrysa ventralis	52.37082	-2.66104	9.0	3.3	735	UK	W-GBIF-15

Dichochrysa ventralis	52.37082	-2.66104	9.0	3.3	735	UK	W-GBIF-15
Dichochrysa ventralis	52.37706	-2.35921	9.3	3.6	680	UK	W-GBIF-15
Dichochrysa ventralis	52.90929	-2.81792	8.8	3.1	750	UK	W-GBIF-15
Dichochrysa flavifrons	52.12503	-2.63621	9.4	3.9	714	UK	W-GBIF-15
Dichochrysa ventralis	52.90329	-2.84085	8.7	3.1	765	UK	W-GBIF-15
Dichochrysa ventralis	52.37209	-2.36725	9.1	3.4	706	UK	W-GBIF-15
Dichochrysa prasina	52.37209	-2.36725	9.1	3.4	706	UK	W-GBIF-15
Dichochrysa flavifrons	52.10109	-2.65704	9.6	4.1	701	UK	W-GBIF-15
Dichochrysa flavifrons	52.19263	-2.21946	9.8	4.2	647	UK	W-GBIF-15
Dichochrysa ventralis	52.82163	-2.37103	9.1	3.4	708	UK	W-GBIF-15
Dichochrysa flavifrons	52.08872	-2.83567	9.2	3.6	830	UK	W-GBIF-15
Dichochrysa ventralis	52.73209	-2.22216	9.2	3.5	711	UK	W-GBIF-15
Dichochrysa ventralis	52.73209	-2.22216	9.2	3.5	711	UK	W-GBIF-15
Dichochrysa ventralis	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Dichochrysa ventralis	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Dichochrysa prasina	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Dichochrysa flavifrons	52.01298	-1.92714	9.6	3.9	650	UK	W-GBIF-15
Dichochrysa prasina	52.37607	-1.49315	9.5	3.6	627	UK	W-GBIF-15
Dichochrysa flavifrons	52.64284	-1.07694	9.5	3.4	633	UK	W-GBIF-15
Dichochrysa flavifrons	52.66486	-1.94824	9.1	3.5	739	UK	W-GBIF-15
Dichochrysa flavifrons	52.82929	-1.25261	9.8	3.7	641	UK	W-GBIF-15
Dichochrysa ventralis	52.82929	-1.25261	9.8	3.7	641	UK	W-GBIF-15
Dichochrysa flavifrons	52.82929	-1.25261	9.8	3.7	641	UK	W-GBIF-15
Dichochrysa ventralis	52.82929	-1.25261	9.8	3.7	641	UK	W-GBIF-15
Dichochrysa ventralis	52.91190	-1.77692	9.5	3.8	753	UK	W-GBIF-15
Dichochrysa prasina	52.91190	-1.77692	9.5	3.8	753	UK	W-GBIF-15
Dichochrysa prasina	52.64237	-1.92610	9.1	3.5	739	UK	W-GBIF-15
Dichochrysa ventralis	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
Dichochrysa prasina	52.18285	-0.72957	9.6	3.4	625	UK	W-GBIF-15
Dichochrysa prasina	52.08645	-0.02944	9.9	3.7	566	UK	W-GBIF-15
Dichochrysa ventralis	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.16422	-0.75349	9.7	3.5	617	UK	W-GBIF-15
Dichochrysa prasina	52.16422	-0.75349	9.7	3.5	617	UK	W-GBIF-15
Dichochrysa flavifrons	52.22154	-0.73139	9.8	3.6	611	UK	W-GBIF-15
Dichochrysa ventralis	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Dichochrysa prasina	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15

Dichochrysa flavifrons	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Dichochrysa ventralis	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Dichochrysa prasina	52.16325	-0.83394	9.5	3.3	631	UK	W-GBIF-15
Dichochrysa prasina	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa prasina	52.63408	-0.59609	9.5	3.2	606	UK	W-GBIF-15
Dichochrysa flavifrons	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa ventralis	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Dichochrysa flavifrons	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.66772	-0.58983	9.5	3.2	607	UK	W-GBIF-15
Dichochrysa prasina	52.66772	-0.58983	9.5	3.2	607	UK	W-GBIF-15
Dichochrysa ventralis	52.21113	-0.68485	9.7	3.5	609	UK	W-GBIF-15
Dichochrysa flavifrons	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa prasina	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Dichochrysa prasina	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Dichochrysa ventralis	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
Dichochrysa flavifrons	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
Dichochrysa flavifrons	52.21697	-0.06393	9.7	3.5	567	UK	W-GBIF-15
Dichochrysa flavifrons	52.35840	-0.16423	9.8	3.6	547	UK	W-GBIF-15
Dichochrysa ventralis	52.35840	-0.16423	9.8	3.6	547	UK	W-GBIF-15
Dichochrysa prasina	52.35840	-0.16423	9.8	3.6	547	UK	W-GBIF-15
Dichochrysa flavifrons	52.21888	-0.07116	9.7	3.5	567	UK	W-GBIF-15
Dichochrysa ventralis	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Dichochrysa flavifrons	52.97853	-0.45833	9.7	3.6	577	UK	W-GBIF-15
Dichochrysa flavifrons	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Dichochrysa flavifrons	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa ventralis	52.00487	-0.61586	9.8	3.5	626	UK	W-GBIF-15
Dichochrysa ventralis	52.00109	-0.32459	10.0	3.7	591	UK	W-GBIF-15
Dichochrysa ventralis	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
Dichochrysa flavifrons	52.21775	-0.05657	9.7	3.5	567	UK	W-GBIF-15
Dichochrysa prasina	52.06041	-0.71554	9.8	3.6	614	UK	W-GBIF-15
Dichochrysa flavifrons	52.06041	-0.71554	9.8	3.6	614	UK	W-GBIF-15

Dichochrysa flavifrons	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Dichochrysa ventralis	52.15226	-0.81376	9.6	3.3	631	UK	W-GBIF-15
Dichochrysa ventralis	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Dichochrysa prasina	52.03723	-0.30501	10.0	3.7	591	UK	W-GBIF-15
Dichochrysa prasina	52.04245	-0.38867	9.8	3.5	595	UK	W-GBIF-15
Dichochrysa prasina	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa prasina	52.02729	-0.50074	9.8	3.5	619	UK	W-GBIF-15
Dichochrysa ventralis	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa ventralis	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa ventralis	52.08606	-0.32360	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa ventralis	52.11577	-0.26406	10.0	3.8	571	UK	W-GBIF-15
Dichochrysa ventralis	52.11577	-0.26406	10.0	3.8	571	UK	W-GBIF-15
Dichochrysa ventralis	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa ventralis	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa prasina	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa flavifrons	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.08606	-0.32360	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa flavifrons	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.08606	-0.32360	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa flavifrons	52.08606	-0.32360	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa flavifrons	52.05417	-0.26426	10.0	3.8	579	UK	W-GBIF-15
Dichochrysa flavifrons	52.08606	-0.32360	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa flavifrons	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.08606	-0.32360	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa flavifrons	52.12871	-0.16858	9.8	3.6	575	UK	W-GBIF-15
Dichochrysa flavifrons	52.18465	-0.61029	9.8	3.6	599	UK	W-GBIF-15
Dichochrysa ventralis	52.00487	-0.61586	9.8	3.5	626	UK	W-GBIF-15
Dichochrysa ventralis	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Dichochrysa ventralis	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa ventralis	52.00109	-0.32459	10.0	3.7	591	UK	W-GBIF-15
Dichochrysa ventralis	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Dichochrysa prasina	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15
Dichochrysa prasina	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Dichochrysa flavifrons	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Dichochrysa flavifrons	52.08880	-0.17532	9.9	3.7	576	UK	W-GBIF-15
Dichochrysa flavifrons	52.09097	-0.32122	10.0	3.8	574	UK	W-GBIF-15

Dichochrysa ventralis	52.71795	0.56906	9.5	3.2	598	UK	W-GBIF-15
Dichochrysa ventralis	52.71795	0.56906	9.5	3.2	598	UK	W-GBIF-15
Dichochrysa flavifrons	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Dichochrysa prasina	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Dichochrysa ventralis	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Dichochrysa prasina	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Dichochrysa prasina	52.60737	0.88020	9.5	3.4	626	UK	W-GBIF-15
Dichochrysa flavifrons	52.08447	0.64565	9.4	3.3	553	UK	W-GBIF-15
Dichochrysa ventralis	52.62366	0.66476	9.4	3.1	607	UK	W-GBIF-15
Dichochrysa flavifrons	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
Dichochrysa ventralis	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
Dichochrysa prasina	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
Dichochrysa ventralis	52.07200	0.69964	9.5	3.5	541	UK	W-GBIF-15
Dichochrysa prasina	52.81856	0.88673	9.7	3.6	629	UK	W-GBIF-15
Dichochrysa flavifrons	52.95379	0.85478	9.8	3.8	628	UK	W-GBIF-15
Dichochrysa prasina	52.34144	0.71603	9.3	3.2	584	UK	W-GBIF-15
Dichochrysa flavifrons	52.71009	0.29467	9.6	3.5	581	UK	W-GBIF-15
Dichochrysa flavifrons	52.71009	0.29467	9.6	3.5	581	UK	W-GBIF-15
Dichochrysa prasina	52.71009	0.29467	9.6	3.5	581	UK	W-GBIF-15
Dichochrysa prasina	52.35074	0.27601	9.7	3.6	543	UK	W-GBIF-15
Dichochrysa flavifrons	52.24182	0.08731	9.7	3.6	552	UK	W-GBIF-15
Dichochrysa flavifrons	52.07200	0.69964	9.5	3.5	541	UK	W-GBIF-15
Dichochrysa prasina	52.96401	0.82195	9.9	3.8	617	UK	W-GBIF-15
Dichochrysa ventralis	52.33077	0.59060	9.4	3.4	551	UK	W-GBIF-15
Dichochrysa ventralis	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
Dichochrysa prasina	52.74295	0.29270	9.6	3.5	581	UK	W-GBIF-15
Dichochrysa flavifrons	52.25163	0.71054	9.4	3.3	566	UK	W-GBIF-15
Dichochrysa prasina	52.25163	0.71054	9.4	3.3	566	UK	W-GBIF-15
Dichochrysa flavifrons	52.97007	0.75530	9.8	3.8	615	UK	W-GBIF-15
Dichochrysa prasina	52.89790	0.56483	9.4	3.3	617	UK	W-GBIF-15
Dichochrysa ventralis	52.74295	0.29270	9.6	3.5	581	UK	W-GBIF-15
Dichochrysa flavifrons	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
Dichochrysa ventralis	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
Dichochrysa prasina	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
Dichochrysa flavifrons	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
Dichochrysa ventralis	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15

Dichochrysa prasina	52.43125	0.72156	9.5	3.3	592	UK	W-GBIF-15
Dichochrysa flavifrons	52.93065	0.91875	9.9	3.9	630	UK	W-GBIF-15
Dichochrysa prasina	52.43454	0.57461	9.4	3.3	557	UK	W-GBIF-15
Dichochrysa flavifrons	52.90710	0.49174	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa prasina	52.35074	0.27601	9.7	3.6	543	UK	W-GBIF-15
Dichochrysa prasina	52.35074	0.27601	9.7	3.6	543	UK	W-GBIF-15
Dichochrysa flavifrons	52.35074	0.27601	9.7	3.6	543	UK	W-GBIF-15
Dichochrysa flavifrons	52.35074	0.27601	9.7	3.6	543	UK	W-GBIF-15
Dichochrysa ventralis	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
Dichochrysa flavifrons	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa prasina	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa flavifrons	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa flavifrons	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa flavifrons	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa flavifrons	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa prasina	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa flavifrons	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa flavifrons	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa flavifrons	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa prasina	52.90846	0.49108	9.6	3.4	599	UK	W-GBIF-15
Dichochrysa ventralis	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Dichochrysa prasina	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Dichochrysa flavifrons	52.45617	0.67377	9.4	3.2	593	UK	W-GBIF-15
Dichochrysa ventralis	52.86092	0.93784	9.7	3.7	640	UK	W-GBIF-15
Dichochrysa ventralis	52.65512	0.94990	9.6	3.5	627	UK	W-GBIF-15
Dichochrysa flavifrons	52.71360	0.93089	9.7	3.7	625	UK	W-GBIF-15
Dichochrysa ventralis	52.67240	0.59598	9.4	3.2	600	UK	W-GBIF-15
Dichochrysa ventralis	52.46240	0.67710	9.4	3.2	603	UK	W-GBIF-15
Dichochrysa ventralis	52.46240	0.67710	9.4	3.2	603	UK	W-GBIF-15
Dichochrysa prasina	52.46240	0.67710	9.4	3.2	603	UK	W-GBIF-15
Dichochrysa flavifrons	52.71446	0.93243	9.7	3.7	625	UK	W-GBIF-15
Dichochrysa flavifrons	52.71446	0.93243	9.7	3.7	625	UK	W-GBIF-15
Dichochrysa prasina	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
Dichochrysa flavifrons	52.82763	0.48645	9.5	3.3	597	UK	W-GBIF-15
Dichochrysa prasina	52.82763	0.48645	9.5	3.3	597	UK	W-GBIF-15
Dichochrysa prasina	52.82642	0.91472	9.7	3.6	629	UK	W-GBIF-15

Dichochrysa flavifrons	52.82642	0.91472	9.7	3.6	629	UK	W-GBIF-15
Dichochrysa ventralis	52.82642	0.91472	9.7	3.6	629	UK	W-GBIF-15
Dichochrysa flavifrons	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
Dichochrysa ventralis	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
Dichochrysa prasina	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
Dichochrysa prasina	52.92674	0.47725	9.6	3.5	603	UK	W-GBIF-15
Dichochrysa ventralis	52.43454	0.57461	9.4	3.3	557	UK	W-GBIF-15
Dichochrysa prasina	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
Dichochrysa flavifrons	52.69716	0.88611	9.6	3.5	625	UK	W-GBIF-15
Dichochrysa ventralis	52.29705	0.42067	9.5	3.5	541	UK	W-GBIF-15
Dichochrysa ventralis	52.29705	0.42067	9.5	3.5	541	UK	W-GBIF-15
Dichochrysa flavifrons	52.29705	0.42067	9.5	3.5	541	UK	W-GBIF-15
Dichochrysa prasina	52.44688	0.62685	9.3	3.2	584	UK	W-GBIF-15
Dichochrysa ventralis	52.44688	0.62685	9.3	3.2	584	UK	W-GBIF-15
Dichochrysa ventralis	52.34472	0.56939	9.4	3.3	550	UK	W-GBIF-15
Dichochrysa prasina	52.43454	0.57461	9.4	3.3	557	UK	W-GBIF-15
Dichochrysa prasina	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
Dichochrysa flavifrons	52.77311	0.51300	9.5	3.3	598	UK	W-GBIF-15
Dichochrysa ventralis	52.77311	0.51300	9.5	3.3	598	UK	W-GBIF-15
Dichochrysa prasina	52.77311	0.51300	9.5	3.3	598	UK	W-GBIF-15
Dichochrysa flavifrons	52.26066	0.56819	9.3	3.2	557	UK	W-GBIF-15
Dichochrysa flavifrons	52.26066	0.56819	9.3	3.2	557	UK	W-GBIF-15
Dichochrysa flavifrons	52.17106	0.26682	9.6	3.6	548	UK	W-GBIF-15
Dichochrysa prasina	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
Dichochrysa prasina	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
Dichochrysa flavifrons	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
Dichochrysa flavifrons	52.31017	0.28126	9.7	3.6	542	UK	W-GBIF-15
Dichochrysa flavifrons	52.21181	0.66200	9.2	3.1	568	UK	W-GBIF-15
Dichochrysa flavifrons	52.83087	1.43702	10.5	4.5	632	UK	W-GBIF-15
Dichochrysa ventralis	52.83087	1.43702	10.5	4.5	632	UK	W-GBIF-15
Dichochrysa ventralis	52.66362	1.61620	10.1	4.4	607	UK	W-GBIF-15
Dichochrysa prasina	52.76142	1.65396	10.2	4.5	615	UK	W-GBIF-15
Dichochrysa ventralis	52.71879	1.18304	10.2	4.1	635	UK	W-GBIF-15
Dichochrysa prasina	52.71839	1.69258	10.1	4.5	613	UK	W-GBIF-15
Dichochrysa ventralis	52.81915	1.21338	10.4	4.3	638	UK	W-GBIF-15
Dichochrysa ventralis	52.76104	1.04675	9.9	3.8	637	UK	W-GBIF-15

Dichochrysa prasina	52.31793	1.59526	9.8	4.1	591	UK	W-GBIF-15
Dichochrysa ventralis	52.76489	1.22421	10.3	4.2	638	UK	W-GBIF-15
Dichochrysa flavifrons	52.73896	1.50387	10.3	4.5	619	UK	W-GBIF-15
Dichochrysa flavifrons	52.56041	1.13539	9.9	3.8	624	UK	W-GBIF-15
Dichochrysa prasina	52.61065	1.44706	10.2	4.3	614	UK	W-GBIF-15
Dichochrysa ventralis	52.77936	1.18820	10.2	4.1	642	UK	W-GBIF-15
Dichochrysa ventralis	52.72200	1.14698	10.1	4.0	631	UK	W-GBIF-15
Dichochrysa ventralis	52.68129	1.47705	10.3	4.4	618	UK	W-GBIF-15
Dichochrysa flavifrons	52.94482	1.22270	10.4	4.2	652	UK	W-GBIF-15
Dichochrysa prasina	52.94482	1.22270	10.4	4.2	652	UK	W-GBIF-15
Dichochrysa prasina	52.74151	1.08911	10.1	4.0	625	UK	W-GBIF-15
Dichochrysa ventralis	52.74151	1.08911	10.1	4.0	625	UK	W-GBIF-15
Dichochrysa flavifrons	52.62020	1.16996	10.0	3.9	630	UK	W-GBIF-15
Dichochrysa flavifrons	52.40023	1.69755	9.9	4.3	592	UK	W-GBIF-15
Dichochrysa ventralis	52.89276	1.10060	10.1	4.0	651	UK	W-GBIF-15
Dichochrysa flavifrons	52.69582	1.45674	10.3	4.4	624	UK	W-GBIF-15
Dichochrysa ventralis	52.69582	1.45674	10.3	4.4	624	UK	W-GBIF-15
Dichochrysa prasina	52.69582	1.45674	10.3	4.4	624	UK	W-GBIF-15
Dichochrysa ventralis	52.45544	1.65800	9.9	4.2	595	UK	W-GBIF-15
Dichochrysa flavifrons	52.06117	1.13676	9.9	4.0	560	UK	W-GBIF-15
Dichochrysa flavifrons	52.83143	1.17494	10.3	4.1	642	UK	W-GBIF-15
Dichochrysa prasina	52.76530	1.20941	10.3	4.2	638	UK	W-GBIF-15
Dichochrysa ventralis	52.76530	1.20941	10.3	4.2	638	UK	W-GBIF-15
Dichochrysa flavifrons	52.93940	1.08831	10.2	4.1	643	UK	W-GBIF-15
Dichochrysa prasina	52.93940	1.08831	10.2	4.1	643	UK	W-GBIF-15
Dichochrysa ventralis	52.92965	1.11738	10.2	4.1	643	UK	W-GBIF-15
Dichochrysa flavifrons	52.23673	1.29565	9.7	3.8	595	UK	W-GBIF-15
Dichochrysa flavifrons	52.77265	1.58074	10.3	4.5	618	UK	W-GBIF-15
Dichochrysa flavifrons	52.72415	1.69529	10.1	4.5	613	UK	W-GBIF-15
Dichochrysa prasina	52.72415	1.69529	10.1	4.5	613	UK	W-GBIF-15
Dichochrysa prasina	52.71518	1.69453	10.1	4.5	613	UK	W-GBIF-15
Dichochrysa ventralis	52.66453	1.54156	10.1	4.3	614	UK	W-GBIF-15
Dichochrysa flavifrons	52.10840	1.06524	9.7	3.6	567	UK	W-GBIF-15
Dichochrysa flavifrons	53.80070	-9.51087	9.4	5.4	1203	Ireland	W-GBIF-16
Dichochrysa prasina	53.38176	-6.11373	9.8	5.5	801	Ireland	W-GBIF-15
Dichochrysa flavifrons	53.25190	-4.17365	9.3	4.4	1005	UK	W-GBIF-15

Dichochrysa flavifrons	53.19436	-4.09812	9.0	4.0	1069	UK	W-GBIF-15
Dichochrysa flavifrons	53.23220	-4.01530	8.9	3.8	1048	UK	W-GBIF-15
Dichochrysa prasina	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Dichochrysa prasina	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Dichochrysa ventralis	53.24907	-4.32342	9.8	5.1	926	UK	W-GBIF-15
Dichochrysa flavifrons	53.17184	-4.10001	9.0	4.0	1069	UK	W-GBIF-15
Dichochrysa flavifrons	53.21977	-4.20947	9.5	4.7	985	UK	W-GBIF-15
Dichochrysa ventralis	53.22059	-4.16457	9.5	4.6	994	UK	W-GBIF-15
Dichochrysa ventralis	53.22059	-4.16457	9.5	4.6	994	UK	W-GBIF-15
Dichochrysa flavifrons	53.16241	-4.38607	9.9	5.3	919	UK	W-GBIF-15
Dichochrysa ventralis	53.30951	-4.09475	9.3	4.4	980	UK	W-GBIF-15
Dichochrysa prasina	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Dichochrysa ventralis	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Dichochrysa ventralis	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Dichochrysa flavifrons	53.22617	-4.12964	9.5	4.6	994	UK	W-GBIF-15
Dichochrysa ventralis	53.22617	-4.12964	9.5	4.6	994	UK	W-GBIF-15
Dichochrysa flavifrons	53.26727	-4.55464	9.9	5.5	870	UK	W-GBIF-15
Dichochrysa flavifrons	53.29977	-4.25863	9.3	4.5	984	UK	W-GBIF-15
Dichochrysa flavifrons	53.25190	-4.17365	9.3	4.4	1005	UK	W-GBIF-15
Dichochrysa flavifrons	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Dichochrysa flavifrons	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Dichochrysa ventralis	53.22059	-4.16457	9.5	4.6	994	UK	W-GBIF-15
Dichochrysa ventralis	53.22269	-3.46578	8.9	3.5	874	UK	W-GBIF-15
Dichochrysa flavifrons	53.11806	-3.84556	8.4	3.1	1108	UK	W-GBIF-15
Dichochrysa flavifrons	53.26132	-3.57432	9.0	3.6	871	UK	W-GBIF-15
Dichochrysa flavifrons	53.26132	-3.57432	9.0	3.6	871	UK	W-GBIF-15
Dichochrysa prasina	53.40144	-3.15300	9.4	4.0	756	UK	W-GBIF-15
Dichochrysa flavifrons	53.40144	-3.15300	9.4	4.0	756	UK	W-GBIF-15
Dichochrysa flavifrons	53.05295	-3.33542	8.3	2.8	966	UK	W-GBIF-15
Dichochrysa ventralis	53.35886	-3.31491	9.3	4.0	771	UK	W-GBIF-15
Dichochrysa ventralis	53.05295	-3.33542	8.3	2.8	966	UK	W-GBIF-15
Dichochrysa flavifrons	53.25924	-3.72418	8.5	3.1	994	UK	W-GBIF-15
Dichochrysa flavifrons	53.26274	-3.79180	9.4	4.2	871	UK	W-GBIF-15
Dichochrysa flavifrons	53.25924	-3.72418	8.5	3.1	994	UK	W-GBIF-15
Dichochrysa prasina	53.35172	-3.13438	9.2	3.9	766	UK	W-GBIF-15
Dichochrysa flavifrons	53.12774	-3.80113	9.2	4.0	947	UK	W-GBIF-15

Dichochrysa flavifrons	53.18690	-3.41442	9.2	3.8	823	UK	W-GBIF-15
Dichochrysa ventralis	53.32878	-3.82965	9.4	4.1	872	UK	W-GBIF-15
Dichochrysa flavifrons	53.18451	-3.82221	9.2	3.9	939	UK	W-GBIF-15
Dichochrysa flavifrons	53.29891	-3.77830	9.3	4.1	858	UK	W-GBIF-15
Dichochrysa prasina	53.28308	-3.62762	9.0	3.7	879	UK	W-GBIF-15
Dichochrysa flavifrons	53.34683	-3.87796	9.4	4.3	878	UK	W-GBIF-15
Dichochrysa ventralis	53.11021	-3.77051	8.7	3.4	1031	UK	W-GBIF-15
Dichochrysa ventralis	53.14502	-3.84671	8.1	2.8	1138	UK	W-GBIF-15
Dichochrysa ventralis	53.23336	-3.28109	8.4	3.0	900	UK	W-GBIF-15
Dichochrysa prasina	53.28287	-3.64262	9.0	3.7	879	UK	W-GBIF-15
Dichochrysa flavifrons	53.28287	-3.64262	9.0	3.7	879	UK	W-GBIF-15
Dichochrysa flavifrons	53.11806	-3.84556	8.4	3.1	1108	UK	W-GBIF-15
Dichochrysa flavifrons	53.26274	-3.79180	9.4	4.2	871	UK	W-GBIF-15
Dichochrysa flavifrons	53.29891	-3.77830	9.3	4.1	858	UK	W-GBIF-15
Dichochrysa ventralis	53.11760	-3.87543	8.2	2.9	1163	UK	W-GBIF-15
Dichochrysa flavifrons	53.34683	-3.87796	9.4	4.3	878	UK	W-GBIF-15
Dichochrysa ventralis	53.31867	-3.78058	9.3	4.1	858	UK	W-GBIF-15
Dichochrysa ventralis	53.15919	-2.18697	9.1	3.5	884	UK	W-GBIF-15
Dichochrysa ventralis	53.36754	-2.63954	9.5	4.2	900	UK	W-GBIF-15
Dichochrysa prasina	53.42574	-2.49893	9.8	4.3	922	UK	W-GBIF-15
Dichochrysa ventralis	53.23857	-2.54171	9.4	3.9	842	UK	W-GBIF-15
Dichochrysa ventralis	53.36754	-2.63954	9.5	4.2	900	UK	W-GBIF-15
Dichochrysa ventralis	53.20694	-2.57575	9.3	3.8	818	UK	W-GBIF-15
Dichochrysa ventralis	53.00143	-2.37257	9.1	3.5	773	UK	W-GBIF-15
Dichochrysa prasina	53.34428	-2.77139	9.5	4.3	852	UK	W-GBIF-15
Dichochrysa prasina	53.40365	-2.76644	9.4	4.0	889	UK	W-GBIF-15
Dichochrysa ventralis	53.43708	-2.47423	9.8	4.3	922	UK	W-GBIF-15
Dichochrysa ventralis	53.23821	-2.69680	9.0	3.6	876	UK	W-GBIF-15
Dichochrysa prasina	53.21174	-2.60652	9.2	3.8	856	UK	W-GBIF-15
Dichochrysa ventralis	53.21174	-2.60652	9.2	3.8	856	UK	W-GBIF-15
Dichochrysa prasina	53.35875	-2.82650	9.5	4.3	835	UK	W-GBIF-15
Dichochrysa ventralis	53.41833	-1.36045	9.7	4.1	684	UK	W-GBIF-15
Dichochrysa ventralis	53.45353	-1.30495	9.6	3.9	685	UK	W-GBIF-15
Dichochrysa ventralis	53.37330	-1.34609	9.6	4.0	700	UK	W-GBIF-15
Dichochrysa flavifrons	53.79063	-1.16428	9.5	3.9	604	UK	W-GBIF-15
Dichochrysa ventralis	53.71714	-1.01494	9.5	3.9	599	UK	W-GBIF-15

Dichochrysa ventralis	53.41220	-1.48768	9.5	4.0	758	UK	W-GBIF-15
Dichochrysa ventralis	53.35875	-1.17350	9.4	3.7	675	UK	W-GBIF-15
Dichochrysa prasina	53.89901	-1.31508	9.4	3.8	637	UK	W-GBIF-15
Dichochrysa ventralis	53.43970	-1.40756	9.5	4.0	719	UK	W-GBIF-15
Dichochrysa ventralis	53.52068	-1.12585	9.7	4.0	612	UK	W-GBIF-15
Dichochrysa ventralis	53.89901	-1.31508	9.4	3.8	637	UK	W-GBIF-15
Dichochrysa ventralis	53.41767	-1.17913	9.3	3.6	672	UK	W-GBIF-15
Dichochrysa prasina	53.41767	-1.17913	9.3	3.6	672	UK	W-GBIF-15
Dichochrysa ventralis	53.39850	-1.43821	9.6	4.1	728	UK	W-GBIF-15
Dichochrysa prasina	53.41781	-1.27017	9.3	3.6	702	UK	W-GBIF-15
Dichochrysa ventralis	53.33633	-1.18144	9.4	3.7	675	UK	W-GBIF-15
Dichochrysa flavifrons	53.53937	-1.22960	9.4	3.8	662	UK	W-GBIF-15
Dichochrysa ventralis	53.80990	-1.46842	9.3	3.8	701	UK	W-GBIF-15
Dichochrysa flavifrons	53.52044	-1.09418	9.7	4.0	608	UK	W-GBIF-15
Dichochrysa prasina	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
Dichochrysa prasina	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
Dichochrysa ventralis	53.20284	-1.06196	9.6	3.6	652	UK	W-GBIF-15
Dichochrysa prasina	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
Dichochrysa ventralis	53.40834	-1.19511	9.4	3.7	673	UK	W-GBIF-15
Dichochrysa ventralis	53.44958	-1.32233	9.6	3.9	685	UK	W-GBIF-15
Dichochrysa ventralis	53.61420	-1.12997	9.6	4.0	608	UK	W-GBIF-15
Dichochrysa ventralis	53.57138	-1.05533	9.6	4.0	600	UK	W-GBIF-15
Dichochrysa ventralis	53.20284	-1.06196	9.6	3.6	652	UK	W-GBIF-15
Dichochrysa ventralis	53.57138	-1.05533	9.6	4.0	600	UK	W-GBIF-15
Dichochrysa ventralis	53.71714	-1.01494	9.5	3.9	599	UK	W-GBIF-15
Dichochrysa prasina	53.00180	-1.77646	9.2	3.5	850	UK	W-GBIF-15
Dichochrysa ventralis	53.50771	-0.96627	9.7	3.9	586	UK	W-GBIF-15
Dichochrysa ventralis	53.49585	-0.94545	9.7	3.9	587	UK	W-GBIF-15
Dichochrysa flavifrons	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
Dichochrysa ventralis	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
Dichochrysa flavifrons	53.26320	-0.57557	9.4	3.6	603	UK	W-GBIF-15
Dichochrysa prasina	53.26320	-0.57557	9.4	3.6	603	UK	W-GBIF-15
Dichochrysa ventralis	53.58519	-0.54890	9.5	3.8	625	UK	W-GBIF-15
Dichochrysa flavifrons	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
Dichochrysa prasina	53.26840	-0.52215	9.4	3.6	603	UK	W-GBIF-15
Dichochrysa prasina	53.77666	-0.30780	9.6	3.9	668	UK	W-GBIF-15

Dichochrysa flavifrons	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
Dichochrysa ventralis	53.63156	-0.99425	9.6	4.0	595	UK	W-GBIF-15
Dichochrysa ventralis	53.57890	-0.64215	9.4	3.7	619	UK	W-GBIF-15
Dichochrysa flavifrons	53.58190	-0.94416	9.6	3.9	591	UK	W-GBIF-15
Dichochrysa ventralis	53.61250	0.14602	9.7	3.8	660	UK	W-GBIF-15
Dichochrysa prasina	53.40735	0.20339	9.7	3.7	629	UK	W-GBIF-15
Dichochrysa flavifrons	53.25190	0.17365	9.7	3.6	616	UK	W-GBIF-15
Dichochrysa ventralis	54.35900	-6.63866	8.9	4.2	894	Ireland	W-GBIF-16
Dichochrysa ventralis	54.97389	-3.17183	8.7	3.3	931	UK	W-GBIF-15
Dichochrysa ventralis	54.97389	-3.17183	8.7	3.3	931	UK	W-GBIF-15
Dichochrysa prasina	54.12355	-3.26248	8.8	3.0	951	UK	W-GBIF-15
Dichochrysa ventralis	54.12355	-3.26248	8.8	3.0	951	UK	W-GBIF-15
Dichochrysa flavifrons	54.85585	-2.75556	8.2	2.5	884	UK	W-GBIF-15
Dichochrysa flavifrons	54.91732	-2.95955	8.6	2.9	827	UK	W-GBIF-15
Dichochrysa flavifrons	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
Dichochrysa prasina	54.88763	-2.70159	7.5	1.8	991	UK	W-GBIF-15
Dichochrysa flavifrons	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
Dichochrysa ventralis	54.63070	-1.62896	8.4	3.0	713	UK	W-GBIF-15
Dichochrysa ventralis	54.07664	-1.00645	9.3	3.8	636	UK	W-GBIF-15
Dichochrysa ventralis	54.70988	-1.92239	7.6	2.2	840	UK	W-GBIF-15
Dichochrysa ventralis	54.67524	-1.87205	7.9	2.5	798	UK	W-GBIF-15
Dichochrysa ventralis	54.67524	-1.87205	7.9	2.5	798	UK	W-GBIF-15
Dichochrysa ventralis	54.67524	-1.87205	7.9	2.5	798	UK	W-GBIF-15
Dichochrysa ventralis	54.70789	-1.30152	8.5	3.3	690	UK	W-GBIF-15
Dichochrysa prasina	54.91868	-1.78702	8.1	2.8	697	UK	W-GBIF-15
Dichochrysa ventralis	54.91868	-1.78702	8.1	2.8	697	UK	W-GBIF-15
Dichochrysa ventralis	54.61941	-1.61280	8.5	3.1	700	UK	W-GBIF-15
Dichochrysa ventralis	54.88943	-1.76613	8.2	2.9	694	UK	W-GBIF-15
Dichochrysa ventralis	54.88943	-1.76613	8.2	2.9	694	UK	W-GBIF-15
Dichochrysa ventralis	54.30474	-0.65897	8.5	3.2	832	UK	W-GBIF-15
Dichochrysa ventralis	54.41386	-0.53519	8.6	3.4	868	UK	W-GBIF-15
Dichochrysa ventralis	54.27497	-0.61001	8.6	3.2	832	UK	W-GBIF-15
Dichochrysa ventralis	54.40757	-0.53542	8.6	3.4	868	UK	W-GBIF-15
Dichochrysa prasina	54.41386	-0.53519	8.6	3.4	868	UK	W-GBIF-15
Dichochrysa ventralis	54.27050	-0.91963	9.0	3.6	700	UK	W-GBIF-15
Dichochrysa ventralis	54.42151	-0.57346	8.8	3.6	837	UK	W-GBIF-15

Dichochrysa prasina	54.42151	-0.57346	8.8	3.6	837	UK	W-GBIF-15
Dichochrysa ventralis	54.03752	-0.90124	9.3	3.9	643	UK	W-GBIF-15
Dichochrysa prasina	54.43139	-0.53534	9.1	3.9	828	UK	W-GBIF-15
Dichochrysa ventralis	54.29507	-0.80911	8.5	3.2	780	UK	W-GBIF-15
Dichochrysa ventralis	54.29507	-0.80911	8.5	3.2	780	UK	W-GBIF-15
Dichochrysa ventralis	54.41386	-0.53519	8.6	3.4	868	UK	W-GBIF-15
Dichochrysa ventralis	54.80397	18.21667	7.5	-1.2	595	Poland	W-GBIF-2
Dichochrysa ventralis	55.05830	-3.64405	8.6	3.3	1047	UK	W-GBIF-15
Dichochrysa ventralis	55.23564	-2.57795	7.2	1.6	940	UK	W-GBIF-15
Dichochrysa prasina	55.55400	13.85610	7.7	0.3	627	Sweden	W-GBIF-17
Dichochrysa ventralis	56.47077	-3.15828	7.7	2.2	749	UK	W-GBIF-15
Dichochrysa ventralis	56.50502	-2.73117	8.0	2.6	688	UK	W-GBIF-15
Dichochrysa ventralis	56.43719	-2.80285	8.3	2.8	663	UK	W-GBIF-15
Dichochrysa ventralis	56.42777	-2.86752	8.3	2.8	665	UK	W-GBIF-15
Dichochrysa ventralis	57.92102	-4.44826	7.8	2.8	894	UK	W-GBIF-15
Dichochrysa ventralis	57.48321	-4.18779	7.9	2.2	741	UK	W-GBIF-15
Dichochrysa ventralis	57.61676	-4.67311	7.4	2.0	1116	UK	W-GBIF-15
Dichochrysa ventralis	57.48321	-4.18779	7.9	2.2	741	UK	W-GBIF-15
Dichochrysa ventralis	57.57529	-3.58867	7.6	2.0	702	UK	W-GBIF-15
Dichochrysa ventralis	59.38060	18.01350	7.0	-1.9	531	Sweden	W-GBIF-15
Dichochrysa ventralis	63.87490	20.28380	2.5	-8.9	582	Sweden	W-GBIF-15
Dichochrysa duplicata	-13.41349	48.30608	25.8	23.9	2068	Madagascar	W-RMCA-2
Dichochrysa gunvorae	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Dichochrysa gunvorae	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Dichochrysa gunvorae	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Dichochrysa gunvorae	-25.76374	28.26682	17.2	11.7	714	South Africa	W-RMCA-2
Dichochrysa gunvorae	-24.51470	30.80075	20.1	15.8	797	South Africa	W-RMCA-2
Dichochrysa gunvorae	-22.45027	31.32063	24.7	19.7	405	South Africa	W-RMCA-2
Dichochrysa gunvorae	-26.88846	32.27673	22.9	18.8	644	South Africa	W-RMCA-2
Dichochrysa handschini	-24.05357	31.73322	22.9	17.6	512	South Africa	W-RMCA-2
Dichochrysa handschini	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Dichochrysa handschini	-25.13989	27.80803	19.9	13.8	585	South Africa	W-RMCA-2
Dichochrysa handschini	-24.19782	29.47676	18.0	12.8	621	South Africa	W-RMCA-2
Dichochrysa handschini	-28.99108	29.23542	14.1	9.9	1045	South Africa	W-RMCA-2
Dichochrysa handschini	-25.65965	27.24307	18.7	12.4	663	South Africa	W-RMCA-2
Dichochrysa handschini	-24.67015	30.32847	18.8	13.8	767	South Africa	W-RMCA-2

Dichochrysa handschini	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Dichochrysa handschini	-24.60428	27.36100	20.2	14.1	621	South Africa	W-RMCA-2
Dichochrysa handschini	-28.12014	32.05639	20.6	17.2	879	South Africa	W-RMCA-2
Dichochrysa handschini	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Dichochrysa handschini	-34.16356	24.82602	17.0	14.6	683	South Africa	W-RMCA-2
Dichochrysa handschini	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Dichochrysa handschini	-23.78398	30.15467	19.6	15.0	1041	South Africa	W-RMCA-2
Dichochrysa handschini	-24.64630	28.68400	19.1	13.7	588	South Africa	W-RMCA-2
Dichochrysa handschini	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Dichochrysa handschini	-24.19995	28.63841	16.8	11.6	657	South Africa	W-RMCA-2
Dichochrysa handschini	-25.06510	30.88484	18.6	14.8	1105	South Africa	W-RMCA-2
Dichochrysa handschini	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
Dichochrysa handschini	-25.47082	30.98480	19.9	15.5	793	South Africa	W-RMCA-2
Dichochrysa handschini	-24.64630	28.68400	19.1	13.7	588	South Africa	W-RMCA-2
Dichochrysa handschini	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Dichochrysa handschini	-24.47916	30.61234	18.6	14.2	885	South Africa	W-RMCA-2
Dichochrysa handschini	-25.47082	30.98480	19.9	15.5	793	South Africa	W-RMCA-2
Dichochrysa handschini	-25.26111	27.10083	19.0	12.9	646	South Africa	W-RMCA-2
Dichochrysa handschini	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Dichochrysa nicolaina	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
Dichochrysa nicolaina	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Dichochrysa nicolaina	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Dichochrysa nicolaina	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Dichochrysa nicolaina	-24.67015	30.32847	18.8	13.8	767	South Africa	W-RMCA-2
Dichochrysa nicolaina	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Dichochrysa nicolaina	-22.45027	31.32063	24.7	19.7	405	South Africa	W-RMCA-2
Dichochrysa nicolaina	-23.97523	31.45933	22.5	17.5	526	South Africa	W-RMCA-2
Dichochrysa nicolaina	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
Dichochrysa nicolaina	-24.05357	31.73322	22.9	17.6	512	South Africa	W-RMCA-2
Dichochrysa nicolaina	-24.47916	30.61234	18.6	14.2	885	South Africa	W-RMCA-2
Dichochrysa nicolaina	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2
Dichochrysa nicolaina	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Dichochrysa nicolaina	-24.43332	30.73332	18.1	14.0	954	South Africa	W-RMCA-2
Dichochrysa nicolaina	-25.53322	26.08367	18.2	11.8	597	South Africa	W-RMCA-2
Dichochrysa nicolaina	-24.60428	27.36100	20.2	14.1	621	South Africa	W-RMCA-2
Dichochrysa nicolaina	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2

Dichochrysa nicolaina	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Dichochrysa nicolaina	-26.88846	32.27673	22.9	18.8	644	South Africa	W-RMCA-2
Dichochrysa nicolaina	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2
Dichochrysa nicolaina	-25.13989	27.80803	19.9	13.8	585	South Africa	W-RMCA-2
Dichochrysa nicolaina	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Dichochrysa nicolaina	-22.55951	17.08543	19.3	14.2	368	Namibia	W-RMCA-2
Dichochrysa nicolaina	-28.28453	29.13266	13.5	7.6	729	South Africa	W-RMCA-2
Dichochrysa nicolaina	-23.68456	30.67941	22.0	17.3	520	South Africa	W-RMCA-2
Dichochrysa nyassalandica	-23.68456	30.67941	22.0	17.3	520	South Africa	W-RMCA-2
Dichochrysa perpallidus	-28.56764	28.46767	13.3	7.6	829	South Africa	W-RMCA-2
Dichochrysa pulchrina	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
Dichochrysa pulchrina	-29.60740	30.38573	18.3	13.7	888	South Africa	W-RMCA-2
Dichochrysa pulchrina	-28.89596	31.45276	19.1	16.1	1112	South Africa	W-RMCA-2
Dichochrysa rubicundus	-26.01571	27.73408	16.6	10.6	694	South Africa	W-RMCA-2
Dichochrysa rubicundus	-28.56764	28.46767	13.3	7.6	829	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-24.67015	30.32847	18.8	13.8	767	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-25.44877	30.71209	19.1	14.6	851	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-25.09929	31.08369	20.4	16.4	828	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-24.61667	28.08333	18.1	12.2	658	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-25.65965	27.24307	18.7	12.4	663	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-33.48387	26.83407	17.8	14.8	643	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-23.68456	30.67941	22.0	17.3	520	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-33.59934	26.89198	18.3	15.8	581	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-24.19995	28.63841	16.8	11.6	657	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-31.62298	29.54000	19.7	17.3	1081	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-24.60428	27.36100	20.2	14.1	621	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-26.88846	32.27673	22.9	18.8	644	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-32.83519	28.11469	18.4	15.6	862	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-28.89596	31.45276	19.1	16.1	1112	South Africa	W-RMCA-2
Dichochrysa sjoestedti	-29.21142	31.41991	21.2	17.7	1027	South Africa	W-RMCA-2
Dichochrysa tacta	-23.56679	15.04798	21.0	18.4	22	Namibia	W-RMCA-2
Dichochrysa tacta	-32.35344	22.57987	17.9	12.2	224	South Africa	W-RMCA-2
Dichochrysa tacta	-29.00169	17.09935	15.6	12.3	89	South Africa	W-RMCA-2

Dichochrysa tacta	-22.55951	17.08543	19.3	14.2	368	Namibia	W-RMCA-2
Dichochrysa tacta	-23.10469	15.52925	19.6	16.0	123	Namibia	W-RMCA-2
Dichochrysa tacta	-22.67526	14.52535	15.3	13.3	10	Namibia	W-RMCA-2
Dichochrysa tacta	-29.75000	22.71667	18.2	10.2	264	South Africa	W-RMCA-2
Dichochrysa tacta	-26.01571	27.73408	16.6	10.6	694	South Africa	W-RMCA-2
Dichochrysa tacta	-22.94851	17.65694	19.1	13.4	322	Namibia	W-RMCA-2
Dichochrysa tacta	-27.95061	22.73553	17.4	10.0	346	South Africa	W-RMCA-2
Dichochrysa tacta	-32.18330	18.88330	19.4	13.3	226	South Africa	W-RMCA-2
Dichochrysa tacta	-29.26480	17.73740	16.7	11.4	140	South Africa	W-RMCA-2
Dichochrysa tacta	-25.42136	20.59624	20.4	12.5	237	South Africa	W-RMCA-2
Dichochrysa tacta	-25.88889	16.82237	16.4	10.7	172	Namibia	W-RMCA-2
Dichochrysa tacta	-29.53914	17.94515	16.7	11.2	186	South Africa	W-RMCA-2
Dichochrysa tacta	-33.90691	20.71900	16.4	11.3	434	South Africa	W-RMCA-2
Dichochrysa tacta	-32.39185	20.65587	11.6	5.7	262	South Africa	W-RMCA-2
Dichochrysa tacta	-28.89482	21.98355	20.0	12.7	219	South Africa	W-RMCA-2
Dichochrysa tacta	-32.31670	22.43330	15.6	9.6	252	South Africa	W-RMCA-2
Dichochrysa tacta	-31.47262	19.77129	16.4	10.5	216	South Africa	W-RMCA-2
Dichochrysa tacta	-28.43817	20.01078	21.3	14.2	117	South Africa	W-RMCA-2
Dichochrysa venosella	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Dichochrysa venosella	-25.76401	28.26591	17.2	11.7	714	South Africa	W-RMCA-2
Dichochrysa venosella	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Dichochrysa venosella	-24.63719	26.40206	20.6	14.0	448	South Africa	W-RMCA-2
Dichochrysa venosella	-24.54972	30.81331	19.0	14.9	912	South Africa	W-RMCA-2
Dichochrysa venosella	-25.26111	27.10083	19.0	12.9	646	South Africa	W-RMCA-2
Dichochrysa venosella	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Dichochrysa venosella	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Dichochrysa handschini	1.75592	30.60723	18.0	17.1	1454	DR Congo	W-RMCA-1
Dichochrysa baronissa	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
Dichochrysa baronissa	-24.19995	28.63841	16.8	11.6	657	South Africa	W-RMCA-2
Dichochrysa baronissa	-31.62298	29.54000	19.7	17.3	1081	South Africa	W-RMCA-2
Dichochrysa baronissa	-24.19782	29.47676	18.0	12.8	621	South Africa	W-RMCA-2
Dichochrysa baronissa	-23.04984	29.90003	19.0	14.5	720	South Africa	W-RMCA-2
Dichochrysa baronissa	-33.98090	23.55536	16.5	13.3	928	South Africa	W-RMCA-2
Dichochrysa baronissa	-34.16356	24.82602	17.0	14.6	683	Namibia	W-RMCA-2
Dichochrysa bibens	-22.68694	16.95121	17.3	12.3	381	South Africa	W-RMCA-1
Dichochrysa chloris	-24.19995	28.63841	16.8	11.6	657	South Africa	W-RMCA-1

Dichochrysa chloris	-24.05000	30.10000	15.4	11.4	1100	South Africa	W-RMCA-1
Dichochrysa hamata	-25.08883	30.77457	17.8	13.7	1043	South Africa	W-RMCA-2
Dichochrysa karooensis	-26.01571	27.73408	16.6	10.6	694	South Africa	W-RMCA-2
Dichochrysa karooensis	-33.41418	22.27702	15.8	10.9	363	South Africa	W-RMCA-2
Dichochrysa karooensis	-28.89482	21.98355	20.0	12.7	219	South Africa	W-RMCA-2
Dichochrysa karooensis	-32.35344	22.57987	17.9	12.2	224	South Africa	W-RMCA-2
Dichochrysa namibensis	-23.63737	15.18165	20.6	17.8	33	Namibia	W-RMCA-2
Dichochrysa bibens	-22.68694	16.95121	17.3	12.3	381	Namibia	W-RMCA-1
Dysochrysa furcata	-25.73137	28.21829	17.6	11.9	708	South Africa	Tjeder 1966
Dysochrysa furcata	-25.88333	30.65000	18.5	14.0	926	South Africa	Tjeder 1966
Dysochrysa reflexa	-29.85788	31.02758	20.9	17.4	974	South Africa	Tjeder 1966
Dysochrysa alliumolens	-22.68694	16.95121	17.3	12.3	381	Namibia	W-RMCA-1
Dysochrysa furcata	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
Dysochrysa furcata	-25.73001	28.24980	17.6	11.9	708	South Africa	W-RMCA-2
Dysochrysa furcata	-25.76374	28.26682	17.2	11.7	714	South Africa	W-RMCA-2
Dysochrysa furcata	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
Dysochrysa furcata	-25.74855	28.23823	17.6	11.9	708	South Africa	W-RMCA-2
Dysochrysa furcata	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Dysochrysa furcata	-25.76007	28.31410	17.2	11.6	709	South Africa	W-RMCA-2
Dysochrysa furcata	-25.74855	28.23823	17.6	11.9	708	South Africa	W-RMCA-2
Dysochrysa furcata	-24.70124	28.40575	18.3	12.4	635	South Africa	W-RMCA-2
Dysochrysa furcata	7.58425	-5.01989	26.7	25.2	1106	Côte d'Ivoire	W-RMCA-1
Dysochrysa gunvorae	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-1
Dysochrysa karooensis	-32.31670	22.43330	15.6	9.6	252	South Africa	W-RMCA-1
Dysochrysa reflexa	-11.66667	27.46667	20.2	16.7	1243	DR Congo	W-RMCA-1
Dysochrysa alliumolens	-22.68694	16.95121	17.3	12.3	381	Namibia	W-RMCA-1
Dysochrysa furcata	7.58425	-5.01989	26.7	25.2	1106	Côte d'Ivoire	W-RMCA-1
Dysochrysa gunvorae	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-1
Dysochrysa karooensis	-32.31670	22.43330	15.6	9.6	252	South Africa	W-RMCA-1
Dysochrysa reflexa	-11.66667	27.46667	20.2	16.7	1243	DR Congo	W-RMCA-1
Glenochrysa conradina	3.75505	8.77020	25.4	24.5	2359	Equat. Guinea	Navás 1910
Glenochrysa principissa	-25.97301	32.58257	22.9	19.2	760	Mozambique	Navás 1915
Glenochrysa conradina	4.35031	18.55039	26.0	25.2	1524	Cent. Afric. Rep.	Esben-Petersen 1920
Glenochrysa conradina	7.39611	3.91402	26.5	24.7	1307	Nigeria	Esben-Petersen 1920
Glenochrysa ohmi	-34.02045	23.90527	15.7	12.8	1090	South Africa	W-RMCA-5
Glenochrysa ohmi	-31.62298	29.54000	19.7	17.3	1081	South Africa	W-RMCA-2

Glenochrysa principissa	-28.95281	31.75766	21.6	17.9	1083	South Africa	W-RMCA-2
Glenochrysa principissa	-27.01667	32.85000	22.4	19.1	920	South Africa	W-RMCA-2
Glenochrysa principissa	-27.53534	32.67100	22.3	18.7	932	South Africa	W-RMCA-2
Glenochrysa principissa	-26.88846	32.27673	22.9	18.8	644	South Africa	W-RMCA-2
Glenochrysa principissa	-25.08883	30.77457	17.8	13.7	1043	South Africa	W-RMCA-2
Glenochrysa principissa	-27.91667	32.36667	21.5	17.6	894	South Africa	W-RMCA-2
Glenochrysa principissa	-28.20611	32.41514	21.3	17.5	1033	South Africa	W-RMCA-2
Glenochrysa principissa	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Glenochrysa principissa	-28.11167	32.43117	21.5	17.6	1003	South Africa	W-RMCA-2
Glenochrysa principissa	-22.45027	31.32063	24.7	19.7	405	South Africa	W-RMCA-2
Glenochrysa principissa	-27.33537	32.66277	22.4	18.8	881	South Africa	W-RMCA-2
Glenochrysa franzeni	-19.15738	146.84395	23.5	19.1	1213	Australia	New 1980
Glenochrysa franzeni	-20.00808	148.25338	24.2	20.0	991	Australia	New 1980
Glenochrysa franzeni	-19.57666	147.39417	23.9	19.5	1084	Australia	New 1980
Glenochrysa franzeni	-16.91771	145.75279	24.7	21.3	2421	Australia	New 1980
Glenochrysa franzeni	-18.66861	146.31722	24.2	20.0	1987	Australia	New 1980
Glenochrysa franzeni	-22.84492	150.64828	22.2	17.3	1148	Australia	New 1980
Glenochrysa regularis	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Glenochrysa regularis	-15.03333	126.91667	27.0	23.0	1141	Australia	New 1980
Glenochrysa tillyardi	-17.08412	145.78511	24.0	20.5	2963	Australia	New 1980
Glenochrysa opposita	-27.34769	153.10712	20.2	15.3	1211	Australia	New 1980
Glenochrysa opposita	-20.73918	145.15826	22.7	16.7	614	Australia	New 1980
Glenochrysa opposita	-17.08412	145.78511	24.0	20.5	2963	Australia	New 1980
Glenochrysa opposita	-24.11547	148.08619	20.9	14.1	730	Australia	New 1980
Glenochrysa opposita	-23.36933	148.14117	22.1	15.7	660	Australia	New 1980
Glenochrysa opposita	-26.56481	148.79870	19.8	12.3	626	Australia	New 1980
Italochrysa gigantea	-32.50782	28.31907	17.7	14.8	925	South Africa	Tjeder 1966
Italochrysa gigantea	-29.20000	31.28333	20.2	16.8	1000	South Africa	Tjeder 1966
Italochrysa gigantea	-29.48908	30.22912	16.5	11.7	864	South Africa	Tjeder 1966
Italochrysa gigantea	-30.26499	29.91926	17.5	13.1	753	South Africa	Tjeder 1966
Italochrysa neurodes	-33.92479	18.42992	16.5	12.8	962	South Africa	Tjeder 1966
Italochrysa neurodes	-33.36667	19.31667	15.6	10.2	927	South Africa	Tjeder 1966
Italochrysa neurodes	-33.47321	19.61008	16.0	10.6	440	South Africa	Tjeder 1966
Italochrysa peringueyi	-33.46854	25.54114	18.7	14.1	357	South Africa	Tjeder 1966
Italochrysa peringueyi	-29.66667	17.88333	17.5	12.1	176	South Africa	Tjeder 1966
Italochrysa peringueyi	-31.47500	19.77278	16.4	10.5	216	South Africa	Tjeder 1966

Italochrysa peringueyi	-33.16972	26.61902	18.2	14.1	554	South Africa	Tjeder 1966
Italochrysa peringueyi	-33.30566	26.52453	16.6	12.7	706	South Africa	Tjeder 1966
Italochrysa peringueyi	-33.33273	26.33325	16.7	12.7	638	South Africa	Tjeder 1966
Italochrysa peringueyi	-18.37820	31.70723	17.0	12.9	833	Zimbabwe	Tjeder 1966
Italochrysa peringueyi	-17.87012	31.10801	18.0	14.1	843	Zimbabwe	Tjeder 1966
Italochrysa zulu	-27.29652	32.16814	22.4	18.0	599	South Africa	Tjeder 1966
Italochrysa vansoni	-25.68724	28.19136	17.8	11.9	696	South Africa	Tjeder 1966
Italochrysa vansoni	-29.66667	17.88333	17.5	12.1	176	South Africa	Tjeder 1966
Italochrysa vansoni	-27.33333	31.86667	22.2	17.9	570	South Africa	Tjeder 1966
Italochrysa vansoni	-25.70350	28.21350	17.7	11.9	704	South Africa	Tjeder 1966
Italochrysa vansoni	-25.64500	28.35789	17.8	12.0	691	South Africa	Tjeder 1966
Italochrysa fulvicornis	-25.78571	31.05142	19.5	15.6	970	South Africa	Tjeder 1966
Italochrysa fulvicornis	-25.68724	28.19136	17.8	11.9	696	South Africa	Tjeder 1966
Italochrysa fulvicornis	-24.99590	31.59687	21.8	16.5	641	South Africa	Tjeder 1966
Italochrysa fulvicornis	-17.87012	31.10801	18.0	14.1	843	Zimbabwe	Tjeder 1966
Italochrysa fulvicornis	-5.09935	38.63297	21.4	19.1	1619	Tanzania	Tjeder 1966
Italochrysa lyrata	-17.87012	31.10801	18.0	14.1	843	Zimbabwe	Tjeder 1966
Italochrysa falcata	-29.61667	30.38333	18.3	13.7	888	South Africa	Tjeder 1966
Italochrysa falcata	-26.88846	32.27673	22.9	18.8	644	South Africa	Tjeder 1966
Italochrysa serrata	-19.56667	18.11667	20.7	15.8	547	Namibia	Tjeder 1966
Italochrysa variegata	-12.25000	44.41667	20.8	19.1	1805	Comores	Tjeder 1966
Italochrysa variegata	-27.98643	32.42398	21.7	17.7	943	South Africa	Tjeder 1966
Italochrysa variegata	-27.90348	32.39592	21.7	17.8	883	South Africa	Tjeder 1966
Italochrysa variegata	-27.98643	32.42398	21.7	17.7	943	South Africa	Tjeder 1966
Italochrysa variegata	-26.88846	32.27673	22.9	18.8	644	South Africa	Tjeder 1966
Italochrysa variegata	-25.96667	32.58333	22.9	19.2	760	Mozambique	Tjeder 1966
Italochrysa variegata	-26.01667	32.95000	23.0	19.8	881	Mozambique	Tjeder 1966
Italochrysa variegata	-25.03166	33.48215	23.0	19.1	913	Mozambique	Tjeder 1966
Italochrysa variegata	-18.40424	36.10394	25.3	22.1	1035	Mozambique	Tjeder 1966
Italochrysa variegata	-18.97562	32.65572	19.5	15.2	781	Zimbabwe	Tjeder 1966
Italochrysa variegata	-12.20370	44.51772	25.1	23.4	1744	Comores	Tjeder 1966
Italochrysa mozambica	-27.29652	32.16814	22.4	18.0	599	South Africa	Tjeder 1966
Italochrysa exilis	-25.03166	33.48215	23.0	19.1	913	Mozambique	Tjeder 1966
Italochrysa exilis	-26.88846	32.27673	22.9	18.8	644	South Africa	Tjeder 1966
Italochrysa okavangoensis	-18.01667	21.38335	21.7	16.9	592	South Africa	Tjeder 1966

Italochrysa rufostigma	-29.57588	31.11760	20.9	17.5	949	South Africa	Tjeder 1966
Italochrysa similis	-26.96379	24.73097	18.0	10.6	477	South Africa	Tjeder 1966
Italochrysa similis	-29.12578	27.83347	15.4	9.4	793	South Africa	Tjeder 1966
Italochrysa similis	-25.70350	28.21350	17.7	11.9	704	South Africa	Tjeder 1966
Italochrysa similis	-25.68724	28.19136	17.8	11.9	696	South Africa	Tjeder 1966
Italochrysa similis	-25.77534	28.21847	17.1	11.6	717	South Africa	Tjeder 1966
Italochrysa similis	-25.77441	29.46736	15.5	9.4	680	South Africa	Tjeder 1966
Italochrysa impar	-19.59811	29.08992	18.6	14.0	622	Zimbabwe	Tjeder 1966
Italochrysa impar	-17.46537	30.91447	17.7	13.5	886	Zimbabwe	Tjeder 1966
Italochrysa impar	-17.82896	31.05244	18.2	14.2	842	Zimbabwe	Tjeder 1966
Italochrysa impar	-15.40819	28.28717	20.4	16.8	833	Zambia	Tjeder 1966
Italochrysa impar	-12.54323	27.85766	19.4	15.6	1291	Zambia	Tjeder 1966
Italochrysa turneri	-26.66547	16.26051	13.7	8.6	132	Namibia	Tjeder 1966
Italochrysa turneri	-21.03031	14.48584	21.6	18.6	77	Namibia	Tjeder 1966
Italochrysa impar	-17.46537	30.91447	17.7	13.5	886	Zimbabwe	Navás 1912
Italochrysa temerata	-9.70070	27.22318	23.1	20.3	820	DR Congo	Navás 1914
Italochrysa variegata	-12.20370	44.51772	25.1	23.4	1744	Comores	Burmeister 1839
Italochrysa amplipennis	-33.98090	23.55536	16.5	13.3	928	South Africa	W-RMCA-2
Italochrysa amplipennis	-33.97137	23.88016	15.5	12.5	1095	South Africa	W-RMCA-2
Italochrysa amplipennis	-33.94940	23.15684	15.8	12.7	963	South Africa	W-RMCA-2
Italochrysa conspicua	5.35098	-3.88402	26.4	24.8	1822	Côte d'Ivoire	W-RMCA-1
Italochrysa exilis	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
Italochrysa exilis	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2
Italochrysa exilis	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Italochrysa exilis	-23.68456	30.67941	22.0	17.3	520	South Africa	W-RMCA-2
Italochrysa exilis	-25.53322	26.08367	18.2	11.8	597	South Africa	W-RMCA-2
Italochrysa exilis	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Italochrysa exilis	-26.10897	31.11325	17.1	13.2	1323	South Africa	W-RMCA-2
Italochrysa exilis	-24.64630	28.68400	19.1	13.7	588	South Africa	W-RMCA-2
Italochrysa exilis	-20.64980	26.63986	20.8	15.4	385	Botswana	W-RMCA-2
Italochrysa exilis	-28.02903	32.33560	21.5	17.6	924	South Africa	W-RMCA-2
Italochrysa exilis	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Italochrysa exilis	-23.58332	27.45001	20.8	14.4	431	South Africa	W-RMCA-2
Italochrysa exilis	-25.44242	29.25543	19.2	13.6	650	South Africa	W-RMCA-2
Italochrysa exilis	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
Italochrysa exilis	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2

Italochrysa exilis	-24.05357	31.73322	22.9	17.6	512	South Africa	W-RMCA-2
Italochrysa exilis	-24.65411	25.90874	20.2	13.5	460	South Africa	W-RMCA-2
Italochrysa exilis	-25.46661	28.63336	17.6	12.0	668	South Africa	W-RMCA-2
Italochrysa gigantea	-28.56764	28.46767	13.3	7.6	829	South Africa	W-RMCA-2
Italochrysa gigantea	-23.04984	29.90003	19.0	14.5	720	South Africa	W-RMCA-2
Italochrysa gigantea	-31.58575	28.78983	17.2	12.6	701	South Africa	W-RMCA-2
Italochrysa illustris	0.04166	18.33564	25.5	24.8	1703	DR Congo	W-RMCA-1
Italochrysa impar	-23.97523	31.45933	22.5	17.5	526	South Africa	W-RMCA-1
Italochrysa impar	-22.61078	30.16918	22.6	18.2	496	South Africa	W-RMCA-1
Italochrysa impar	-22.61086	30.37837	22.5	18.3	586	South Africa	W-RMCA-1
Italochrysa impar	-12.45379	33.53336	19.2	15.9	937	Malawi	W-RMCA-1
Italochrysa lyrata	-25.40827	28.09270	18.8	12.8	625	South Africa	W-RMCA-2
Italochrysa lyrata	-22.61086	30.37837	22.5	18.3	586	South Africa	W-RMCA-2
Italochrysa neurodes	-29.56291	30.29448	16.5	12.2	885	South Africa	W-RMCA-6
Italochrysa neurodes	-31.47421	25.02889	15.0	8.7	369	South Africa	W-RMCA-2
Italochrysa neurodes	-33.92564	18.42763	16.5	12.8	962	South Africa	W-RMCA-2
Italochrysa neurodes	-33.19787	24.99917	18.3	12.3	282	South Africa	W-RMCA-2
Italochrysa neurodes	-34.54480	20.02925	16.5	12.9	500	South Africa	W-RMCA-2
Italochrysa neurodes	-32.31670	22.43330	15.6	9.6	252	South Africa	W-RMCA-2
Italochrysa neurodes	-34.38872	19.27092	15.5	12.1	661	South Africa	W-RMCA-2
Italochrysa nobilis	5.35098	-3.88402	26.4	24.8	1822	Côte d'Ivoire	W-RMCA-1
Italochrysa peringueyi	-28.12014	32.05639	20.6	17.2	879	South Africa	W-RMCA-2
Italochrysa peringueyi	-33.30260	26.52623	16.6	12.7	706	South Africa	W-RMCA-2
Italochrysa peringueyi	-25.44683	30.74624	19.1	14.6	851	South Africa	W-RMCA-2
Italochrysa peringueyi	-28.20611	32.41514	21.3	17.5	1033	South Africa	W-RMCA-2
Italochrysa peringueyi	-32.50958	27.98040	18.5	15.2	714	South Africa	W-RMCA-2
Italochrysa peringueyi	-27.53534	32.67100	22.3	18.7	932	South Africa	W-RMCA-2
Italochrysa rufostigma	-26.10897	31.11325	17.1	13.2	1323	South Africa	W-RMCA-2
Italochrysa rufostigma	-29.46371	29.53032	13.0	7.2	1049	South Africa	W-RMCA-2
Italochrysa rufostigma	-29.79190	29.49399	14.2	8.7	984	South Africa	W-RMCA-2
Italochrysa serrata	-22.61086	30.37837	22.5	18.3	586	South Africa	W-RMCA-2
Italochrysa similis	-24.15645	29.13057	17.5	12.5	580	South Africa	W-RMCA-2
Italochrysa similis	-24.63719	26.40206	20.6	14.0	448	South Africa	W-RMCA-2
Italochrysa similis	-24.28821	28.79048	18.7	13.4	547	South Africa	W-RMCA-2
Italochrysa similis	-22.84410	29.23123	20.5	15.3	400	South Africa	W-RMCA-2
Italochrysa similis	-25.76170	29.31452	16.0	10.0	676	South Africa	W-RMCA-2

Italochrysa similis	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Italochrysa similis	-25.76007	28.31410	17.2	11.6	709	South Africa	W-RMCA-2
Italochrysa similis	-25.75053	28.95222	16.6	10.8	680	South Africa	W-RMCA-2
Italochrysa similis	-24.43290	30.62099	20.7	16.0	683	South Africa	W-RMCA-2
Italochrysa similis	-24.02880	29.15166	17.5	12.5	571	South Africa	W-RMCA-2
Italochrysa similis	-31.47421	25.02889	15.0	8.7	369	South Africa	W-RMCA-2
Italochrysa turneri	-25.88889	16.82237	16.4	10.7	172	Namibia	W-RMCA-2
Italochrysa turneri	-18.16009	12.56207	17.8	15.0	128	Namibia	W-RMCA-2
Italochrysa turneri	-18.26808	13.43768	21.2	17.7	210	Namibia	W-RMCA-2
Italochrysa turneri	-21.78933	15.62732	20.6	16.4	227	Namibia	W-RMCA-2
Italochrysa turneri	-19.37956	17.74093	20.4	15.7	601	Namibia	W-RMCA-7
Italochrysa turneri	-18.24315	12.64464	18.2	15.4	122	Namibia	W-RMCA-2
Italochrysa vansoni	-19.37956	17.74093	20.4	15.7	601	Namibia	W-RMCA-7
Italochrysa variegata	-27.77629	32.35129	21.8	17.8	818	South Africa	W-RMCA-6
Italochrysa variegata	-27.91667	32.36667	21.5	17.6	894	South Africa	W-RMCA-2
Italochrysa variegata	-28.12578	32.55779	21.4	17.7	1080	South Africa	W-RMCA-2
Italochrysa variegata	-25.74245	28.20970	17.6	11.9	708	South Africa	W-RMCA-2
Italochrysa variegata	-27.63334	32.24998	21.9	17.7	696	South Africa	W-RMCA-2
Italochrysa variegata	-26.88846	32.27673	22.9	18.8	644	South Africa	W-RMCA-8
Italochrysa variegata	-26.00832	32.93250	23.0	19.8	881	Mozambique	W-RMCA-9
Italochrysa variegata	-28.20611	32.41514	21.3	17.5	1033	South Africa	W-RMCA-2
Italochrysa variegata	-23.85363	31.57590	23.0	17.6	494	South Africa	W-RMCA-2
Italochrysa variegata	-26.92347	32.83084	22.4	19.1	898	South Africa	W-RMCA-2
Italochrysa variegata	-27.04731	32.42007	22.6	18.8	737	South Africa	W-RMCA-2
Italochrysa variegata	-23.97522	31.45934	22.5	17.5	526	South Africa	W-RMCA-2
Italochrysa variegata	-25.78557	31.05128	19.5	15.6	970	South Africa	W-RMCA-2
Italochrysa variegata	-24.54972	30.81331	19.0	14.9	912	South Africa	W-RMCA-2
Italochrysa variegata	-3.63903	39.85035	26.0	24.4	1077	Kenya	W-RMCA-2
Italochrysa variegata	-27.97615	32.36287	21.5	17.6	910	South Africa	W-RMCA-8
Italochrysa variegata	-27.33537	32.66277	22.4	18.8	881	South Africa	W-RMCA-2
Italochrysa variegata	-25.44683	30.74624	19.1	14.6	851	South Africa	W-RMCA-2
Italochrysa variegata	-25.28630	33.25202	22.7	19.0	923	South Africa	W-RMCA-2
Italochrysa zulu	-25.71671	27.18333	17.0	11.2	713	South Africa	W-RMCA-2
Italochrysa zulu	-21.78933	15.62732	20.6	16.4	227	Namibia	W-RMCA-2
Italochrysa zulu	-23.89279	29.44317	17.7	12.6	560	South Africa	W-RMCA-2
Italochrysa zulu	-23.74436	27.80750	20.9	14.8	458	South Africa	W-RMCA-2

Italochrysa zulu	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Italochrysa zulu	-24.05357	31.73322	22.9	17.6	512	South Africa	W-RMCA-2
Italochrysa zulu	-25.64500	28.35788	17.8	12.0	691	South Africa	W-RMCA-2
Italochrysa zulu	-22.03693	19.96042	19.9	13.7	374	Namibia	W-RMCA-7
Italochrysa zulu	-23.63737	15.18165	20.6	17.8	33	Namibia	W-RMCA-2
Italochrysa zulu	-22.41378	26.74769	19.2	13.3	447	Botswana	W-RMCA-2
Italochrysa zulu	-22.61086	30.37837	22.5	18.3	586	Botswana	W-RMCA-2
Italochrysa zulu	-24.94621	16.37157	14.8	10.0	156	Namibia	W-RMCA-2
Italochrysa zulu	-29.01381	30.41360	16.6	11.7	788	South Africa	W-RMCA-2
Italochrysa sectoria	-6.00990	12.40123	25.8	22.7	812	DR Congo	W-RMCA-1
Italochrysa falcata	-26.88846	32.27673	22.9	18.8	644	South Africa	W-RMCA-8
Italochrysa falcata	-29.60740	30.38573	18.3	13.7	888	South Africa	W-RMCA-10
Italochrysa fulvicornis	-25.78557	31.05128	19.5	15.6	970	South Africa	W-RMCA-3
Italochrysa fulvicornis	-5.09935	38.63297	21.4	19.1	1619	Tanzania	W-RMCA-3
Italochrysa fulvicornis	-25.74855	28.23823	17.6	11.9	708	South Africa	W-RMCA-11
Italochrysa fulvicornis	-25.68724	28.19136	17.8	11.9	696	South Africa	W-RMCA-9
Italochrysa fulvicornis	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-9
Italochrysa temerata	-9.70070	27.22318	23.1	20.3	820	DR Congo	W-RMCA-1
Italochrysa conspicua	5.35098	-3.88402	26.4	24.8	1822	Côte d'Ivoire	W-RMCA-1
Italochrysa illustris	0.04166	18.33564	25.5	24.8	1703	DR Congo	W-RMCA-1
Italochrysa nobilis	5.35098	-3.88402	26.4	24.8	1822	Côte d'Ivoire	W-RMCA-1
Italochrysa nobilis	6.38041	-3.88626	26.7	25.2	1319	Côte d'Ivoire	W-RMCA-1
Italochrysa temerata	-9.70070	27.22318	23.1	20.3	820	DR Congo	W-RMCA-1
Italochrysa sectoria	-6.00990	12.40123	25.8	22.7	812	DR Congo	W-RMCA-1
Italochrysa japonica	35.42150	136.76513	15.3	5.0	2008	Japan	Kuwayama 1962
Italochrysa japonica	33.56075	133.53015	16.8	7.4	2459	Japan	Kuwayama 1962
Italochrysa japonica	34.20248	129.28691	14.1	4.8	2153	Japan	Kuwayama 1962
Italochrysa japonica	32.80555	130.69986	16.4	6.3	1959	Japan	Kuwayama 1962
Italochrysa insignis	-11.15281	142.35539	26.5	24.9	1730	Australia	New 1980
Italochrysa insignis	-28.13124	145.97784	20.5	12.5	377	Australia	New 1980
Italochrysa insignis	-26.87867	151.45695	18.1	11.5	665	Australia	New 1980
Italochrysa insignis	-26.43184	147.30939	19.1	11.2	566	Australia	New 1980
Italochrysa insignis	-19.25946	146.81180	24.1	19.6	1099	Australia	New 1980
Italochrysa insignis	-19.92243	138.11496	25.3	18.2	400	Australia	New 1980
Italochrysa insignis	-16.88694	145.69050	23.7	20.3	2222	Australia	New 1980
Italochrysa insignis	-27.42241	153.51293	20.1	15.7	1504	Australia	New 1980

Italochrysa insignis	-28.09576	153.44675	19.8	15.1	1639	Australia	New 1980
Italochrysa insignis	-28.09576	153.44675	19.8	15.1	1639	Australia	New 1980
Italochrysa insignis	-28.09576	153.44675	19.8	15.1	1639	Australia	New 1980
Italochrysa insignis	-22.82475	147.63268	22.0	15.5	656	Australia	New 1980
Italochrysa insignis	-28.07617	145.67856	20.5	12.5	384	Australia	New 1980
Italochrysa insignis	-16.10879	144.77580	24.0	20.7	1348	Australia	New 1980
Italochrysa insignis	-20.00649	138.57443	24.8	17.8	401	Australia	New 1980
Italochrysa insignis	-20.03152	137.55792	25.2	18.1	369	Australia	New 1980
Italochrysa insignis	-20.73167	139.49493	24.3	17.3	424	Australia	New 1980
Italochrysa insignis	-23.95061	132.76847	21.2	13.0	272	Australia	New 1980
Italochrysa insignis	-19.00918	130.23814	25.3	18.4	458	Australia	New 1980
Italochrysa insignis	-15.56667	130.90000	27.8	22.9	841	Australia	New 1980
Italochrysa insignis	-17.06666	130.41667	26.5	20.6	636	Australia	New 1980
Italochrysa insignis	-23.76186	134.31619	21.4	13.2	263	Australia	New 1980
Italochrysa insignis	-23.70588	133.88359	20.8	12.6	290	Australia	New 1980
Italochrysa insignis	-18.88333	123.71667	26.6	20.8	470	Australia	New 1980
Italochrysa insignis	-18.40752	128.15773	26.8	20.5	488	Australia	New 1980
Italochrysa insignis	-27.72762	140.74835	22.0	13.7	176	Australia	New 1980
Italochrysa insignis	-42.86858	147.35795	12.3	8.3	596	Australia	New 1980
Italochrysa insignis	-42.13712	148.30982	12.3	8.7	760	Australia	New 1980
Italochrysa insignis	-42.88171	147.31846	11.6	7.6	759	Australia	New 1980
Italochrysa insignis	-35.30678	149.12023	12.9	6.2	647	Australia	New 1980
Italochrysa insignis	-35.27580	149.09620	12.8	6.1	667	Australia	New 1980
Italochrysa insignis	-31.43697	152.90652	17.9	13.2	1548	Australia	New 1980
Italochrysa insignis	-33.75808	151.28276	17.5	12.5	1301	Australia	New 1980
Italochrysa insignis	-34.00492	151.07096	17.3	12.1	1194	Australia	New 1980
Italochrysa insignis	-33.86103	151.22210	17.6	12.6	1320	Australia	New 1980
Italochrysa insignis	-33.69992	151.09366	16.7	11.4	1218	Australia	New 1980
Italochrysa insignis	-31.63254	152.70373	17.8	12.8	1476	Australia	New 1980
Italochrysa insignis	-34.87020	150.60356	16.9	12.2	1255	Australia	New 1980
Italochrysa insignis	-33.90511	150.94072	17.5	11.9	901	Australia	New 1980
Italochrysa insignis	-32.25786	148.58953	17.2	9.9	641	Australia	New 1980
Italochrysa insignis	-31.26605	149.15813	15.3	7.9	813	Australia	New 1980
Italochrysa insignis	-34.06851	151.01686	16.8	11.6	1274	Australia	New 1980
Italochrysa insignis	-33.82853	151.18300	17.3	12.2	1298	Australia	New 1980
Italochrysa insignis	-33.96138	151.13072	17.7	12.6	1191	Australia	New 1980

Italochrysa insignis	-33.80601	151.25353	17.6	12.6	1297	Australia	New 1980
Italochrysa insignis	-37.71745	145.04764	14.6	9.7	723	Australia	New 1980
Italochrysa insignis	-37.81481	144.98098	14.8	10.1	675	Australia	New 1980
Italochrysa insignis	-37.83775	145.10356	14.6	9.8	799	Australia	New 1980
Italochrysa insignis	-38.39173	145.08471	14.4	10.2	840	Australia	New 1980
Italochrysa insignis	-37.64471	145.50476	14.1	8.9	1026	Australia	New 1980
Italochrysa insignis	-38.63554	145.72875	13.9	9.9	950	Australia	New 1980
Italochrysa insignis	-38.14752	146.48056	13.2	8.5	819	Australia	New 1980
Italochrysa insignis	-26.85863	146.07185	20.6	12.6	430	Australia	New 1980
Italochrysa insignis	-16.41590	136.08349	27.0	21.7	731	Australia	New 1980
Italochrysa insignis	-16.41590	136.08349	27.0	21.7	731	Australia	New 1980
Italochrysa insignis	-11.12631	132.13847	27.4	25.3	1344	Australia	New 1980
Italochrysa insignis	-16.46397	136.07081	27.0	21.6	710	Australia	New 1980
Italochrysa insignis	-16.80549	135.66650	26.7	21.1	652	Australia	New 1980
Italochrysa insignis	-16.50970	136.04128	27.0	21.6	702	Australia	New 1980
Italochrysa insignis	-16.27161	136.08095	26.9	21.6	762	Australia	New 1980
Italochrysa insignis	-21.66672	133.74901	23.6	16.0	324	Australia	New 1980
Italochrysa insignis	-14.81666	126.81667	27.4	23.5	1151	Australia	New 1980
Italochrysa insignis	-15.03333	126.91667	27.0	23.0	1141	Australia	New 1980
Italochrysa insignis	-17.91667	122.21667	26.9	22.3	596	Australia	New 1980
Italochrysa insignis	-21.59052	117.07025	26.4	19.5	352	Australia	New 1980
Italochrysa facialis	-12.40830	130.82179	27.5	25.2	1666	Australia	New 1980
Italochrysa facialis	-27.46193	153.01862	20.3	15.2	1163	Australia	New 1980
Italochrysa facialis	-26.43184	147.30939	19.1	11.2	566	Australia	New 1980
Italochrysa facialis	-25.50480	151.93204	20.1	14.6	906	Australia	New 1980
Italochrysa facialis	-24.85388	152.33812	21.6	16.8	1100	Australia	New 1980
Italochrysa facialis	-15.08581	133.12295	27.1	22.3	805	Australia	New 1980
Italochrysa facialis	-12.28087	133.21656	27.4	24.8	1404	Australia	New 1980
Italochrysa facialis	-17.96583	122.28331	26.9	22.2	591	Australia	New 1980
Italochrysb nigrinervis	-29.95930	146.86885	20.1	12.3	441	Australia	New 1980
Italochrysa punctistigma	-21.58002	117.09211	26.4	19.6	352	Australia	New 1980
Italochrysa punctistigma	-21.58259	117.07068	26.4	19.6	351	Australia	New 1980
Italochrysa punctistigma	-21.59226	117.06800	26.4	19.5	352	Australia	New 1980
Italochrysa punctistigma	-17.96583	122.28331	26.9	22.2	591	Australia	New 1980
Italochrysa chloromelas	-9.59665	143.77452	26.4	25.1	1235	Australia	New 1980
Italochrysa lata	-12.40830	130.82179	27.5	25.2	1666	Australia	New 1980

Italochrysa lata	-13.98340	143.54998	26.3	23.5	1417	Australia	New 1980
Italochrysa luddemanni	-33.86103	151.22210	17.6	12.6	1320	Australia	New 1980
Italochrysa banksi	-12.41672	132.96684	27.9	25.3	1460	Australia	New 1980
Italochrysa banksi	-12.38333	132.93333	27.9	25.4	1463	Australia	New 1980
Italochrysa banksi	-16.46397	136.07081	27.0	21.6	710	Australia	New 1980
Italochrysa banksi	-12.28332	133.33332	27.3	24.7	1381	Australia	New 1980
Italochrysa banksi	-12.58335	132.86666	28.0	25.2	1468	Australia	New 1980
Italochrysa froggatti	-16.91771	145.75279	24.7	21.3	2421	Australia	New 1980
Italochrysa froggatti	-12.71390	143.13164	25.5	23.2	1866	Australia	New 1980
Italochrysa froggatti	-19.25946	146.81180	24.1	19.6	1099	Australia	New 1980
Italochrysa froggatti	-13.93690	143.21963	24.8	22.0	1225	Australia	New 1980
Italochrysa froggatti	-19.15738	146.84395	23.5	19.1	1213	Australia	New 1980
Italochrysa froggatti	-14.46805	142.84067	25.9	22.8	1202	Australia	New 1980
Italochrysa froggatti	-15.49911	145.24195	25.6	22.8	1900	Australia	New 1980
Kimochrysa africana	-31.69939	19.30682	16.6	10.9	269	South Africa	W-RMCA-2
Kimochrysa impar	-33.98090	23.55536	16.5	13.3	928	South Africa	W-RMCA-12
Kimochrysa impar	-33.96331	19.00967	11.9	8.3	968	South Africa	W-RMCA-2
Leucochrysa sp.	-27.05000	-52.40000	18.2	14.4	2110	Brazil	W-GBIF-2
Leucochrysa sp.	-27.05000	-52.40000	18.2	14.4	2110	Brazil	W-GBIF-2
Leucochrysa sp.	-26.85000	-65.38333	17.0	11.8	1089	Argentina	W-GBIF-2
Leucochrysa magnifica	-26.81666	-52.38333	17.5	13.7	2323	Brazil	W-GBIF-2
Leucochrysa sp.	-9.30000	-75.98334	23.7	23.3	2549	Peru	W-GBIF-2
Leucochrysa sp.	6.16055	-75.64695	19.2	18.7	2073	Colombia	W-GBIF-2
Leucochrysa sp.	6.16055	-75.64695	19.2	18.7	2073	Colombia	W-GBIF-2
Leucochrysa sp.	6.16055	-75.64695	19.2	18.7	2073	Colombia	W-GBIF-2
Leucochrysa (N.) lenora	8.48017	-83.59130	26.2	25.4	4452	Costa Rica	W-GBIF-6
Leucochrysa caucella	8.85000	-82.58333	14.9	14.0	2371	Panama	W-GBIF-2
Leucochrysa sp.	8.85000	-82.58333	14.9	14.0	2371	Panama	W-GBIF-2
Leucochrysa sp.	8.85000	-82.56667	14.9	14.0	2371	Panama	W-GBIF-2
Leucochrysa sp.	8.77908	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
Leucochrysa adamsi	8.77908	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
Leucochrysa caucella	8.85544	-82.74417	18.5	17.8	2721	Panama	W-GBIF-2
Leucochrysa sp.	8.64095	-82.18333	18.2	17.6	2538	Panama	W-GBIF-2
Leucochrysa magnifica	8.93754	-79.61667	26.7	26.2	1941	Panama	W-GBIF-2
Leucochrysa (N.) virginiae	9.67104	-83.02610	25.6	24.7	2843	Costa Rica	W-GBIF-6
Leucochrysa laertes	9.90000	-83.68333	22.1	21.2	2808	Costa Rica	W-GBIF-2

Leucochrysa sp.	9.31574	-79.80000	26.4	25.7	3189	Panama	W-GBIF-2
Leucochrysa sp.	9.65514	-69.65166	20.6	19.9	1115	Venezuela	W-GBIF-2
Leucochrysa (N.) sp.G	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Leucochrysa (N.) sp.	10.88970	-85.39890	23.0	22.2	2664	Costa Rica	W-GBIF-6
Leucochrysa (N.) sp.	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Leucochrysa (N.) sp.	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Leucochrysa (N.) oenops	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Leucochrysa (N.) raflur	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Leucochrysa	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Leucochrysa (N.) mexicana	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Leucochrysa (N.) oenops	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Leucochrysa (L.) clara	10.26930	-84.08590	20.7	20.0	3455	Costa Rica	W-GBIF-6
Leucochrysa (L.) clara	10.26930	-84.08590	20.7	20.0	3455	Costa Rica	W-GBIF-6
Leucochrysa (N.) sp.	10.43200	-84.00820	26.0	25.2	3980	Costa Rica	W-GBIF-6
Leucochrysa sp.	10.35818	-84.01667	25.3	24.5	4239	Costa Rica	W-GBIF-2
Leucochrysa sp.	14.83330	-89.15000	22.5	20.6	1416	Honduras	W-GBIF-2
Leucochrysa sp.	15.03333	-86.71667	22.6	20.5	1410	Honduras	W-GBIF-2
Leucochrysa sp.	15.71035	-86.93990	26.4	24.4	2519	Honduras	W-GBIF-2
Leucochrysa sp.	15.71702	-86.92093	26.4	24.4	2519	Honduras	W-GBIF-2
Leucochrysa sp.	16.86454	-92.58333	14.5	12.7	1322	Mexico	W-GBIF-2
Leucochrysa sp.	17.75292	-99.68322	22.3	20.5	859	Mexico	W-GBIF-2
Leucochrysa arizonica	17.03333	-96.73334	20.5	18.0	670	Mexico	W-GBIF-2
Leucochrysa sp.	17.01916	-93.78611	24.2	21.8	1646	Mexico	W-GBIF-2
Leucochrysa arizonica	18.91861	-99.16772	21.1	19.4	1038	Mexico	W-GBIF-2
Leucochrysa sp.	18.96518	-99.28471	17.7	15.5	976	Mexico	W-GBIF-2
Leucochrysa arizonica	19.40919	-103.65460	20.5	18.2	823	Mexico	W-GBIF-2
Leucochrysa arizonica	20.54592	-103.34620	19.9	16.5	903	Mexico	W-GBIF-2
Leucochrysa sp.	22.30000	-97.85447	23.9	19.3	1098	Mexico	W-GBIF-2
Leucochrysa adamsi	22.97000	-82.38695	24.4	21.5	1560	Cuba	W-GBIF-2
Leucochrysa compar	22.97000	-82.38695	24.4	21.5	1560	Cuba	W-GBIF-2
Leucochrysa dimidia	22.97000	-82.38695	24.4	21.5	1560	Cuba	W-GBIF-2
Leucochrysa vinesi	22.97000	-82.38695	24.4	21.5	1560	Cuba	W-GBIF-2
Leucochrysa insularis	23.31667	-99.01667	25.4	19.8	791	Mexico	W-GBIF-2
Leucochrysa sp.	23.31667	-99.01667	25.4	19.8	791	Mexico	W-GBIF-2
Leucochrysa sp.	23.31667	-99.01667	25.4	19.8	791	Mexico	W-GBIF-2
Leucochrysa insularis	23.67483	-99.21329	20.8	15.7	632	Mexico	W-GBIF-2

Leucochrysa insularis	23.79813	-99.21329	21.2	15.8	706	Mexico	W-GBIF-2
Leucochrysa americana	23.79813	-99.21329	21.2	15.8	706	Mexico	W-GBIF-2
Leucochrysa americana	24.51667	-98.95000	21.1	15.2	815	Mexico	W-GBIF-2
Leucochrysa sp.	25.66667	-100.31670	22.0	15.2	589	Mexico	W-GBIF-2
Leucochrysa sp.	25.66667	-100.31670	22.0	15.2	589	Mexico	W-GBIF-2
Leucochrysa arizonica	25.66667	-100.31670	22.0	15.2	589	Mexico	W-GBIF-2
Leucochrysa pavida	25.62639	-80.30556	24.0	19.9	1364	USA	W-GBIF-2
Leucochrysa pavida	27.33611	-82.53083	22.4	16.6	1331	USA	W-GBIF-2
Leucochrysa floridana	27.18866	-81.33757	22.3	16.6	1249	USA	W-GBIF-2
Leucochrysa floridana	27.47143	-81.54146	22.3	16.6	1226	USA	W-GBIF-2
Leucochrysa floridana	27.18866	-81.33757	22.3	16.6	1249	USA	W-GBIF-2
Leucochrysa callota	27.29310	-81.36285	22.3	16.7	1216	USA	W-GBIF-2
Leucochrysa pavida	27.21556	-81.85861	22.3	16.7	1309	USA	W-GBIF-2
Leucochrysa floridana	27.18866	-81.33757	22.3	16.6	1249	USA	W-GBIF-2
Leucochrysa callota	27.29310	-81.36285	22.3	16.7	1216	USA	W-GBIF-2
Leucochrysa floridana	27.18866	-81.33757	22.3	16.6	1249	USA	W-GBIF-2
Leucochrysa pavida	27.18866	-81.33757	22.3	16.6	1249	USA	W-GBIF-2
Leucochrysa insularis	27.18866	-81.33757	22.3	16.6	1249	USA	W-GBIF-2
Leucochrysa callota	28.11666	-97.40833	21.7	13.8	884	USA	W-GBIF-2
Leucochrysa explorata	28.11666	-97.40833	21.7	13.8	884	USA	W-GBIF-2
Leucochrysa explorata	28.11666	-97.40833	21.7	13.8	884	USA	W-GBIF-2
Leucochrysa americana	29.88438	-100.99340	20.0	10.4	466	USA	W-GBIF-2
Leucochrysa americana	29.31210	-100.41780	20.3	11.0	551	USA	W-GBIF-2
Leucochrysa americana	29.48708	-98.69572	20.3	11.6	722	USA	W-GBIF-2
Leucochrysa pavida	29.73550	-94.97742	20.4	12.0	1266	USA	W-GBIF-2
Leucochrysa pavida	29.18720	-82.14009	20.9	14.1	1332	USA	W-GBIF-2
Leucochrysa callota	29.83219	-81.95287	20.3	13.2	1312	USA	W-GBIF-2
Leucochrysa callota	29.83219	-81.95287	20.3	13.2	1312	USA	W-GBIF-2
Leucochrysa nigrinervis	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Leucochrysa texana	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Leucochrysa nigrinervis	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Leucochrysa americana	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Leucochrysa americana	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Leucochrysa insularis	30.88611	-98.96388	18.3	8.5	685	USA	W-GBIF-2
Leucochrysa pavida	30.46194	-97.87194	19.2	9.9	831	USA	W-GBIF-2
Leucochrysa americana	30.18808	-97.31528	19.8	10.6	886	USA	W-GBIF-2

Leucochrysa callota	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa pavida	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa pavida	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa callota	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa callota	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa americana	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa pavida	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa pavida	30.91657	-96.63943	20.0	10.9	931	USA	W-GBIF-2
Leucochrysa explorata	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa americana	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa callota	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa callota	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa pavida	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa pavida	30.81054	-96.17475	19.8	10.7	1014	USA	W-GBIF-2
Leucochrysa callota	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa pavida	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa pavida	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa americana	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa pavida	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa pavida	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa pavida	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa pavida	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa pavida	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa americana	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa pavida	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa pavida	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa pavida	30.59477	-96.29311	19.9	10.9	1010	USA	W-GBIF-2
Leucochrysa pavida	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa americana	30.51666	-96.38333	20.2	11.1	999	USA	W-GBIF-2
Leucochrysa americana	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa americana	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa americana	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa pavida	30.53138	-96.28111	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa pavida	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa americana	30.53333	-96.28333	19.9	10.8	1022	USA	W-GBIF-2
Leucochrysa americana	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2

Leucochrysa americana	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa americana	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa americana	30.57054	-96.21826	19.9	10.8	1024	USA	W-GBIF-2
Leucochrysa insularis	30.45000	-88.11000	19.6	11.4	1561	USA	W-GBIF-2
Leucochrysa floridana	30.73000	-87.80000	19.2	11.0	1639	USA	W-GBIF-2
Leucochrysa callota	30.17361	-85.69944	19.7	11.8	1560	USA	W-GBIF-2
Leucochrysa insularis	30.81408	-85.23326	19.2	11.0	1433	USA	W-GBIF-2
Leucochrysa insularis	30.81408	-85.23326	19.2	11.0	1433	USA	W-GBIF-2
Leucochrysa callota	30.56325	-84.60268	19.3	11.3	1467	USA	W-GBIF-2
Leucochrysa arizonica	31.71313	-110.87980	15.2	7.5	548	USA	W-GBIF-2
Leucochrysa sp.	31.85570	-99.02338	18.0	7.8	706	USA	W-GBIF-2
Leucochrysa texana	31.02824	-96.20774	19.4	10.1	1009	USA	W-GBIF-2
Leucochrysa texana	31.02824	-96.20774	19.4	10.1	1009	USA	W-GBIF-2
Leucochrysa pavida	31.02824	-96.20774	19.4	10.1	1009	USA	W-GBIF-2
Leucochrysa americana	31.02824	-96.20774	19.4	10.1	1009	USA	W-GBIF-2
Leucochrysa insularis	31.38530	-93.70810	18.2	8.8	1325	USA	W-GBIF-2
Leucochrysa insularis	31.38530	-93.70810	18.2	8.8	1325	USA	W-GBIF-2
Leucochrysa insularis	31.74674	-92.44514	18.5	9.1	1457	USA	W-GBIF-2
Leucochrysa insularis	31.74674	-92.44514	18.5	9.1	1457	USA	W-GBIF-2
Leucochrysa pavida	31.74674	-92.44514	18.5	9.1	1457	USA	W-GBIF-2
Leucochrysa insularis	31.28333	-88.58333	18.2	9.5	1573	USA	W-GBIF-2
Leucochrysa pavida	31.28333	-88.58333	18.2	9.5	1573	USA	W-GBIF-2
Leucochrysa pavida	31.31666	-88.51666	18.3	9.5	1567	USA	W-GBIF-2
Leucochrysa pavida	31.28333	-88.58333	18.2	9.5	1573	USA	W-GBIF-2
Leucochrysa insularis	31.28333	-88.58333	18.2	9.5	1573	USA	W-GBIF-2
Leucochrysa americana	32.02814	-110.03870	15.6	7.4	373	USA	W-GBIF-2
Leucochrysa insularis	33.46222	-90.90222	17.2	6.7	1338	USA	W-GBIF-2
Leucochrysa insularis	33.70388	-90.92777	17.0	6.4	1338	USA	W-GBIF-2
Leucochrysa insularis	33.70388	-90.92777	17.0	6.4	1338	USA	W-GBIF-2
Leucochrysa insularis	33.70388	-90.92777	17.0	6.4	1338	USA	W-GBIF-2
Leucochrysa insularis	33.70388	-90.92777	17.0	6.4	1338	USA	W-GBIF-2
Leucochrysa callota	33.46222	-90.90194	17.2	6.7	1338	USA	W-GBIF-2
Leucochrysa insularis	33.70388	-90.92777	17.0	6.4	1338	USA	W-GBIF-2
Leucochrysa insularis	33.46222	-90.90222	17.2	6.7	1338	USA	W-GBIF-2
Leucochrysa callota	33.16694	-90.93666	17.5	7.2	1356	USA	W-GBIF-2
Leucochrysa callota	33.45500	-90.92444	17.3	6.8	1335	USA	W-GBIF-2

Leucochrysa callota	33.16694	-90.93666	17.5	7.2	1356	USA	W-GBIF-2
Leucochrysa pavida	33.47388	-90.90833	17.2	6.7	1338	USA	W-GBIF-2
Leucochrysa insularis	33.45500	-90.92444	17.3	6.8	1335	USA	W-GBIF-2
Leucochrysa pavida	33.45500	-90.92444	17.3	6.8	1335	USA	W-GBIF-2
Leucochrysa insularis	33.45500	-90.92444	17.3	6.8	1335	USA	W-GBIF-2
Leucochrysa insularis	33.45500	-90.92444	17.3	6.8	1335	USA	W-GBIF-2
Leucochrysa insularis	33.45500	-90.92444	17.3	6.8	1335	USA	W-GBIF-2
Leucochrysa insularis	33.16722	-90.93666	17.5	7.2	1356	USA	W-GBIF-2
Leucochrysa callota	33.47166	-90.92444	17.2	6.7	1334	USA	W-GBIF-2
Leucochrysa callota	33.47166	-90.92444	17.2	6.7	1334	USA	W-GBIF-2
Leucochrysa insularis	33.47166	-90.92444	17.2	6.7	1334	USA	W-GBIF-2
Leucochrysa insularis	33.47166	-90.92444	17.2	6.7	1334	USA	W-GBIF-2
Leucochrysa insularis	34.86972	-83.10222	14.0	4.8	1686	USA	W-GBIF-2
Leucochrysa pavida	35.84228	-90.70432	15.7	4.2	1214	USA	W-GBIF-2
Leucochrysa insularis	35.99403	-78.89862	14.9	4.8	1144	USA	W-GBIF-2
Leucochrysa insularis	36.63229	-93.63435	13.3	1.8	1116	USA	W-GBIF-2
Leucochrysa insularis	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Leucochrysa pavida	36.67500	-76.56027	15.0	5.0	1196	USA	W-GBIF-2
Leucochrysa americana	37.01000	-117.50638	15.5	4.8	111	USA	W-GBIF-2
Leucochrysa americana	37.01000	-117.50638	15.5	4.8	111	USA	W-GBIF-2
Leucochrysa americana	37.01000	-117.50638	15.5	4.8	111	USA	W-GBIF-2
Leucochrysa americana	37.01000	-117.50638	15.5	4.8	111	USA	W-GBIF-2
Leucochrysa americana	37.01000	-117.50638	15.5	4.8	111	USA	W-GBIF-2
Leucochrysa americana	37.56139	-89.43889	13.2	1.1	1170	USA	W-GBIF-2
Leucochrysa americana	37.56139	-89.43889	13.2	1.1	1170	USA	W-GBIF-2
Leucochrysa americana	37.56139	-89.43889	13.2	1.1	1170	USA	W-GBIF-2
Leucochrysa americana	37.56139	-89.43889	13.2	1.1	1170	USA	W-GBIF-2
Leucochrysa americana	37.56139	-89.43889	13.2	1.1	1170	USA	W-GBIF-2
Leucochrysa americana	37.56139	-89.43889	13.2	1.1	1170	USA	W-GBIF-2
Leucochrysa americana	37.56139	-89.43889	13.2	1.1	1170	USA	W-GBIF-2
Leucochrysa insularis	37.68750	-89.40639	13.1	0.9	1150	USA	W-GBIF-2
Leucochrysa insularis	38.91666	-78.81666	9.5	-1.3	1000	USA	W-GBIF-2
Leucochrysa insularis	38.91666	-78.81666	9.5	-1.3	1000	USA	W-GBIF-2
Leucochrysa pavida	38.99091	-77.19237	12.7	1.5	1021	USA	W-GBIF-2
Leucochrysa pavida	38.99091	-77.19237	12.7	1.5	1021	USA	W-GBIF-2
Leucochrysa insularis	38.97205	-77.04636	12.7	1.5	1050	USA	W-GBIF-2

Leucochrysa pavida	38.99091	-77.19237	12.7	1.5	1021	USA	W-GBIF-2
Leucochrysa insularis	38.97205	-77.04636	12.7	1.5	1050	USA	W-GBIF-2
Leucochrysa pavida	38.98066	-76.93692	12.9	1.8	1057	USA	W-GBIF-2
Leucochrysa americana	39.18361	-96.57166	12.2	-1.2	857	USA	W-GBIF-2
Leucochrysa americana	39.18361	-96.57166	12.2	-1.2	857	USA	W-GBIF-2
Leucochrysa americana	39.23927	-76.98664	12.0	0.7	1092	USA	W-GBIF-2
Leucochrysa insularis	39.23927	-76.98664	12.0	0.7	1092	USA	W-GBIF-2
Leucochrysa americana	39.23927	-76.98664	12.0	0.7	1092	USA	W-GBIF-2
Leucochrysa ampla	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa boxi	-28.28802	-49.93595	14.0	10.7	1679	Brazil	de Freitas & Penny 2001
Leucochrysa pretiosa	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa varia	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa varia	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa walkerina	-22.90412	-47.06331	19.3	16.1	1315	Brazil	de Freitas & Penny 2001
Leucochrysa bruneola	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa catarinae	-23.58195	-46.51518	18.2	15.3	1348	Brazil	de Freitas & Penny 2001
Leucochrysa camposi	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa camposi	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Leucochrysa camposi	-21.13383	-48.96732	22.6	19.8	1304	Brazil	de Freitas & Penny 2001
Leucochrysa camposi	-21.07218	-48.41145	21.9	19.1	1342	Brazil	de Freitas & Penny 2001
Leucochrysa camposi	-22.70835	-46.98715	19.5	16.3	1323	Brazil	de Freitas & Penny 2001
Leucochrysa camposi	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa clepsydra	5.20340	-75.13464	17.3	17.0	2782	Colombia	de Freitas & Penny 2001
Leucochrysa clepsydra	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Leucochrysa cruentata	-22.70835	-46.98715	19.5	16.3	1323	Brazil	de Freitas & Penny 2001
Leucochrysa gossei	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa gossei	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Leucochrysa heriocles	5.84549	-55.16981	26.8	26.1	2069	Surinam	de Freitas & Penny 2001
Leucochrysa heriocles	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa intermedia	-28.28802	-49.93595	14.0	10.7	1679	Brazil	de Freitas & Penny 2001
Leucochrysa lancala	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa lancala	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa lateralis	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa marginalis	-20.29458	-47.32764	21.2	18.7	1489	Brazil	de Freitas & Penny 2001
Leucochrysa marquezi	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa marquezi	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001

Leucochrysa melanocera	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa rodriguezi	-22.70835	-46.98715	19.5	16.3	1323	Brazil	de Freitas & Penny 2001
Leucochrysa rodriguezi	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Leucochrysa rodriguezi	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa rodriguezi	-9.43848	-40.50544	24.9	22.6	419	Brazil	de Freitas & Penny 2001
Leucochrysa afflnis	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa afflnis	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochtysa barrei	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa confusa	-27.01968	-50.92312	15.2	11.3	1754	Brazil	de Freitas & Penny 2001
Leucochrysa cornuta	-20.33017	-48.31474	23.3	20.5	1374	Brazil	de Freitas & Penny 2001
Leucochrysa forciformis	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa forciformis	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa furcata	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa guataparensis	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Leucochrysa guataparensis	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa guataparensis	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa ictericus	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Leucochrysa ictericus	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa ictericus	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Leucochrysa ictericus	-21.77756	-48.56055	21.5	18.5	1310	Brazil	de Freitas & Penny 2001
Leucochrysa incognita	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa interata	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa lineata	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Leucochrysa maculosa	-21.40464	-48.50367	21.9	19.0	1329	Brazil	de Freitas & Penny 2001
Leucochrysa michelini	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa parallela	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa retusa	-20.29458	-47.32764	21.2	18.7	1489	Brazil	de Freitas & Penny 2001
Leucochrysa robusta	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa robusta	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa robusta	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Leucochrysa robusta	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa santini	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Leucochrysa santini	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Leucochrysa santini	-19.80951	-43.94727	21.4	18.9	1375	Brazil	de Freitas & Penny 2001
Leucochrysa scomparini	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa squamisetosa	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001

Leucochrysa tabacinus	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa tenuis	-21.54950	-47.70670	20.9	17.9	1438	Brazil	de Freitas & Penny 2001
Leucochrysa vignisi	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Leucochrysa forcipata	9.84750	-84.16208	15.5	14.8	2087	Costa Rica	Penny 1998
Leucochrysa virginiae	9.66528	-83.03536	24.2	23.4	2730	Costa Rica	Penny 1998
Leucochrysa (L.) arizonica	18.93469	-99.16106	21.3	19.6	1003	Mexico	Tauber 2004
Leucochrysa (L.) arizonica	17.43151	-99.56119	18.8	17.6	1486	Mexico	Tauber 2004
Leucochrysa (L.) arizonica	17.06769	-96.71950	20.1	17.7	674	Mexico	Tauber 2004
Leucochrysa (N.) americana	20.96466	-97.40412	24.3	19.7	1218	Mexico	Tauber 2004
Leucochrysa (N.) americana	35.60126	-108.13681	7.9	-1.9	347	USA	Tauber 2004
Leucochrysa (N.) americana	30.26021	-97.74099	20.1	10.9	813	USA	Tauber 2004
Leucochrysa (N.) americana	31.72303	-110.65667	15.7	7.7	473	USA	Tauber 2004
Leucochrysa (N.) americana	31.38977	-111.07435	16.3	8.4	467	USA	Tauber 2004
Leucochrysa (N.) americana	38.38604	-122.06210	15.0	8.2	725	USA	Tauber 2004
Leucochrysa (N.) americana	23.74279	-99.13565	23.9	17.9	888	Mexico	Tauber 2004
Leucochrysa (N.) americana	30.53139	-96.28111	19.9	10.8	1022	USA	Tauber 2004
Leucochrysa (N.) americana	32.22466	-98.19794	17.6	7.5	802	USA	Tauber 2004
Leucochrysa (N.) americana	23.74279	-99.13565	23.9	17.9	888	Mexico	Tauber 2004
Leucochrysa (N.) americana	24.61548	-98.91631	21.4	15.3	819	Mexico	Tauber 2004
Leucochrysa (N.) americana	25.25382	-99.67808	22.7	15.2	750	Mexico	Tauber 2004
Leucochrysa (N.) explorata	12.50920	-86.66111	25.7	24.7	1394	Nicaragua	Tauber 2004
Leucochrysa (N.) explorata	12.50920	-86.66111	25.7	24.7	1394	Nicaragua	Tauber 2004
Leucochrysa (N.) floridana	18.54495	-72.34910	26.7	25.1	1209	Haiti	Tauber 2004
Leucochrysa (N.) floridana	18.07072	-93.17373	26.6	23.6	1937	Mexico	Tauber 2004
Leucochrysa (N.) floridana	23.74279	-99.13565	23.9	17.9	888	Mexico	Tauber 2004
Leucochrysa (N.) pavida	30.54613	-83.87546	19.3	11.4	1416	USA	Tauber 2004
Leucochrysa (N.) pavida	29.94317	-89.99447	20.3	12.3	1541	USA	Tauber 2004
Leucochrysa (N.) pavida	38.98181	-77.23972	12.7	1.4	1019	USA	Tauber 2004
Leucochrysa (N.) pavida	35.22961	-80.84307	15.5	5.5	1144	USA	Tauber 2004
Leucochrysa (N.) pavida	36.60813	-76.49648	15.2	5.3	1211	USA	Tauber 2004
Leucochrysa (N.) pavida	36.73617	-76.11149	15.4	5.7	1157	USA	Tauber 2004
Leucochrysa (N.) pavida	36.91332	-76.01755	15.3	5.5	1124	USA	Tauber 2004
Mallada desjardinsi	-24.99581	31.59265	21.8	16.5	641	South Africa	W-RMCA-2
Mallada desjardinsi	-22.42292	31.03596	23.9	19.2	457	Mozambique	W-RMCA-2
Mallada desjardinsi	-25.74047	28.21202	17.6	11.9	708	South Africa	W-RMCA-2
Mallada desjardinsi	-28.01657	18.75087	18.6	11.8	125	Namibia	W-RMCA-2

Mallada desjardinsi	-25.44877	30.71209	19.1	14.6	851	South Africa	W-RMCA-2
Mallada desjardinsi	-4.68267	55.48040	24.9	24.2	2281	Seyshelles	W-RMCA-2
Mallada desjardinsi	-23.68456	30.67941	22.0	17.3	520	South Africa	W-RMCA-2
Mallada desjardinsi	-26.87756	22.05211	19.7	12.2	205	South Africa	W-RMCA-2
Mallada desjardinsi	-22.55951	17.08543	19.3	14.2	368	Namibia	W-RMCA-2
Mallada desjardinsi	-22.55000	31.08333	23.3	18.9	502	Mozambique	W-RMCA-2
Mallada desjardinsi	-23.78398	30.15467	19.6	15.0	1041	South Africa	W-RMCA-2
Mallada desjardinsi	-22.45027	31.32063	24.7	19.7	405	Mozambique	W-RMCA-2
Mallada desjardinsi	-24.43332	30.73332	18.1	14.0	954	South Africa	W-RMCA-2
Mallada desjardinsi	-24.27210	29.22563	17.0	12.1	623	South Africa	W-RMCA-2
Mallada desjardinsi	-25.47082	30.98480	19.9	15.5	793	South Africa	W-RMCA-2
Mallada desjardinsi	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
Mallada desjardinsi	-28.56764	28.46767	13.3	7.6	829	South Africa	W-RMCA-2
Mallada luaboensis	4.00000	29.25000	24.6	23.5	1559	DR Congo	W-RMCA-1
Mallada sjoestedti	-1.18331	29.44876	21.9	21.6	1174	DR Congo	W-RMCA-1
Mallada collartinus	0.51924	25.19607	25.4	24.7	1799	DR Congo	W-RMCA-1
Mallada luaboensis	4.00000	29.25000	24.6	23.5	1559	DR Congo	W-RMCA-1
Mallada sjoestedti	-1.18331	29.44876	21.9	21.6	1174	DR Congo	W-RMCA-1
Meleoma sp.	8.77908	-82.96770	20.2	19.5	3289	Costa Rica	W-GBIF-2
Meleoma titschaki	10.93010	-85.47040	21.8	21.0	2691	Costa Rica	W-GBIF-6
Meleoma dolicharthra	19.83759	-102.05000	16.9	13.6	1056	Mexico	W-GBIF-2
Meleoma hageni	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Meleoma furcata	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma sp.	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Meleoma sp.	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma furcata	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Meleoma sp.	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma furcata	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma furcata	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Meleoma sp.	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma furcata	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma tezcucana	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Meleoma hageni	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Meleoma furcata	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Meleoma furcata	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma furcata	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2

Meleoma furcata	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Meleoma furcata	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma hageni	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Meleoma furcata	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma hageni	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma furcata	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma hageni	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Meleoma sp.	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Meleoma furcata	31.90055	-109.22750	12.3	4.3	525	USA	W-GBIF-2
Meleoma furcata	31.90055	-109.22750	12.3	4.3	525	USA	W-GBIF-2
Meleoma sp.	31.91369	-109.22650	12.3	4.3	525	USA	W-GBIF-2
Meleoma furcata	31.90055	-109.22750	12.3	4.3	525	USA	W-GBIF-2
Meleoma sp.	31.90055	-109.22750	12.3	4.3	525	USA	W-GBIF-2
Meleoma tezcucana	31.90055	-109.22750	12.3	4.3	525	USA	W-GBIF-2
Meleoma hageni	31.93342	-109.26340	10.4	2.9	601	USA	W-GBIF-2
Meleoma hageni	31.93342	-109.26340	10.4	2.9	601	USA	W-GBIF-2
Meleoma emuncta	31.90333	-109.27500	9.1	1.9	660	USA	W-GBIF-2
Meleoma schwarzi	32.65444	-109.86361	8.0	0.7	728	USA	W-GBIF-2
Meleoma emuncta	33.39777	-105.74944	8.3	0.3	544	USA	W-GBIF-2
Meleoma dolicharthra	34.01999	-119.72560	14.4	11.6	474	USA	W-GBIF-2
Meleoma dolicharthra	34.01999	-119.72560	14.4	11.6	474	USA	W-GBIF-2
Meleoma pinalena	34.47863	-112.49710	11.3	2.9	563	USA	W-GBIF-2
Meleoma pinalena	34.47863	-112.49710	11.3	2.9	563	USA	W-GBIF-2
Meleoma schwarzi	34.14506	-107.84370	7.9	-1.1	347	USA	W-GBIF-2
Meleoma signoretii	35.91922	-82.21207	10.7	1.3	1372	USA	W-GBIF-2
Meleoma schwarzi	36.19500	-117.72250	7.9	0.3	382	USA	W-GBIF-2
Meleoma schwarzi	36.17688	-117.69230	9.2	1.2	330	USA	W-GBIF-2
Meleoma dolicharthra	37.88298	-122.23860	14.1	9.5	715	USA	W-GBIF-2
Meleoma emuncta	37.88298	-122.23860	14.1	9.5	715	USA	W-GBIF-2
Meleoma emuncta	37.88298	-122.23860	14.1	9.5	715	USA	W-GBIF-2
Meleoma emuncta	37.88298	-122.23860	14.1	9.5	715	USA	W-GBIF-2
Meleoma dolicharthra	37.88298	-122.23860	14.1	9.5	715	USA	W-GBIF-2
Meleoma emuncta	37.88298	-122.23860	14.1	9.5	715	USA	W-GBIF-2
Meleoma dolicharthra	37.88298	-122.23860	14.1	9.5	715	USA	W-GBIF-2
Meleoma kennethi	37.55107	-118.69410	6.5	-0.9	347	USA	W-GBIF-2
Meleoma schwarzi	37.55107	-118.69410	6.5	-0.9	347	USA	W-GBIF-2

Meleoma kennethi	37.55107	-118.69410	6.5	-0.9	347	USA	W-GBIF-2
Meleoma emuncta	37.90886	-111.42340	9.0	-1.6	254	USA	W-GBIF-2
Meleoma furcata	37.61668	-111.89360	7.1	-2.8	297	USA	W-GBIF-2
Meleoma furcata	37.29277	-111.16694	9.1	-1.3	260	USA	W-GBIF-2
Meleoma emuncta	37.60277	-105.57083	3.7	-7.0	371	USA	W-GBIF-2
Meleoma sp.	37.60277	-105.57083	3.7	-7.0	371	USA	W-GBIF-2
Meleoma hageni Banks	38.91666	-78.81666	9.5	-1.3	1000	USA	W-GBIF-2
Meleoma sp.	38.50068	-78.44972	8.6	-2.1	1218	USA	W-GBIF-2
Meleoma dolicharthra	41.73549	-111.83440	8.9	-3.0	465	USA	W-GBIF-2
Meleoma sp.	41.73549	-111.83440	8.9	-3.0	465	USA	W-GBIF-2
Meleoma emuncta	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Meleoma signoretii	42.51619	-74.13792	6.4	-6.0	1062	USA	W-GBIF-2
Meleoma emuncta	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Meleoma emuncta	42.48090	-71.25380	9.2	-2.6	1120	USA	W-GBIF-2
Meleoma signoretii	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Meleoma signoretii	42.37510	-71.10561	9.7	-1.8	1115	USA	W-GBIF-2
Meleoma signoretii	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Meleoma signoretii	42.27926	-71.41617	9.3	-2.5	1151	USA	W-GBIF-2
Meleoma signoretii	42.48090	-71.25380	9.2	-2.6	1120	USA	W-GBIF-2
Meleoma signoretii	42.37510	-71.10561	9.7	-1.8	1115	USA	W-GBIF-2
Meleoma signoretii	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Meleoma signoretii	42.37510	-71.10561	9.7	-1.8	1115	USA	W-GBIF-2
Meleoma signoretii	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Meleoma signoretii	42.44732	-71.22449	9.2	-2.5	1140	USA	W-GBIF-2
Meleoma emuncta	43.41313	-74.54765	5.2	-7.6	1292	USA	W-GBIF-2
Meleoma signoretii	45.46885	-92.51975	5.6	-10.6	798	USA	W-GBIF-2
Meleoma emuncta	45.60000	-76.48334	5.2	-9.8	841	Canada	W-GBIF-2
Meleoma emuncta	45.60000	-76.48334	5.2	-9.8	841	Canada	W-GBIF-2
Meleoma emuncta	45.60000	-76.48334	5.2	-9.8	841	Canada	W-GBIF-2
Meleoma emuncta	46.73238	-116.98680	8.1	-0.7	615	USA	W-GBIF-2
Meleoma emuncta	46.73238	-116.98680	8.1	-0.7	615	USA	W-GBIF-2
Meleoma emuncta	47.68148	-122.20870	11.1	5.4	971	USA	W-GBIF-2
Meleoma emuncta	47.68148	-122.20870	11.1	5.4	971	USA	W-GBIF-2
Nacarina sp.	4.29694	-52.38027	25.4	24.9	3682	Fr Guiana	W-GBIF-2
Nacarina megaptera	8.75939	-83.28310	26.2	25.4	4840	Costa Rica	W-GBIF-6
Nacarina cordillera	8.48017	-83.59130	26.2	25.4	4452	Costa Rica	W-GBIF-6

Nacarina megaptera	8.75939	-83.28310	26.2	25.4	4840	Costa Rica	W-GBIF-6
Nacarina megaptera	8.75939	-83.28310	26.2	25.4	4840	Costa Rica	W-GBIF-6
Nacarina cordillera	8.75939	-83.28310	26.2	25.4	4840	Costa Rica	W-GBIF-6
Nacarina megaptera	8.75939	-83.28310	26.2	25.4	4840	Costa Rica	W-GBIF-6
Nacarina megaptera	8.75939	-83.28310	26.2	25.4	4840	Costa Rica	W-GBIF-6
Nacarina megaptera	8.75939	-83.28310	26.2	25.4	4840	Costa Rica	W-GBIF-6
Nacarina megaptera	8.75939	-83.28310	26.2	25.4	4840	Costa Rica	W-GBIF-6
Nacarina cordillera	8.67910	-83.56670	25.3	24.4	3826	Costa Rica	W-GBIF-6
Nacarina megaptera	8.75939	-83.28310	26.2	25.4	4840	Costa Rica	W-GBIF-6
Nacarina megaptera	8.76885	-83.25680	26.2	25.4	4840	Costa Rica	W-GBIF-6
Nacarina cordillera	8.68068	-83.24780	25.4	24.6	3699	Costa Rica	W-GBIF-6
Nacarina megaptera	8.67910	-83.56670	25.3	24.4	3826	Costa Rica	W-GBIF-6
Nacarina cordillera	8.67910	-83.56670	25.3	24.4	3826	Costa Rica	W-GBIF-6
Nacarina cordillera	8.67910	-83.56670	25.3	24.4	3826	Costa Rica	W-GBIF-6
Nacarina cordillera	8.89863	-82.76020	18.7	18.0	2825	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.76525	-84.52520	25.2	24.4	2952	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.76745	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
Nacarina megaptera	9.76745	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
Nacarina cordillera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina cordillera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina cordillera	9.77423	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38774	-84.12370	26.6	25.7	3813	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38774	-84.12370	26.6	25.7	3813	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.77423	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6

Nacarina megaptera	9.77423	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
Nacarina megaptera	9.76745	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.77423	-84.60810	26.3	25.5	2587	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina megaptera	9.38773	-84.13280	26.4	25.5	3758	Costa Rica	W-GBIF-6
Nacarina cordillera	9.67538	-83.02680	25.6	24.7	2843	Costa Rica	W-GBIF-6
Nacarina titan	9.67177	-83.02770	25.6	24.7	2843	Costa Rica	W-GBIF-6
Nacarina cordillera	9.02566	-82.96270	18.7	18.0	3004	Costa Rica	W-GBIF-6
Nacarina megaptera	10.77680	-85.35190	22.0	21.2	2649	Costa Rica	W-GBIF-6
Nacarina cordillera	10.77680	-85.35190	22.0	21.2	2649	Costa Rica	W-GBIF-6
Nacarina cordillera	10.90190	-85.73100	25.5	24.6	1660	Costa Rica	W-GBIF-6
Nacarina cordillera	10.16820	-85.37370	25.6	24.8	2020	Costa Rica	W-GBIF-6
Nacarina cordillera	10.16820	-85.37370	25.6	24.8	2020	Costa Rica	W-GBIF-6
Nacarina cordillera	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.87410	-85.58000	25.6	24.8	1774	Costa Rica	W-GBIF-6
Nacarina cordillera	10.90190	-85.73100	25.5	24.6	1660	Costa Rica	W-GBIF-6
Nacarina cordillera	10.77680	-85.35190	22.0	21.2	2649	Costa Rica	W-GBIF-6
Nacarina cordillera	10.17010	-85.35080	25.6	24.8	2020	Costa Rica	W-GBIF-6
Nacarina cordillera	10.77680	-85.35190	22.0	21.2	2649	Costa Rica	W-GBIF-6
Nacarina cordillera	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
Nacarina cordillera	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.85810	-85.62840	24.8	24.0	1702	Costa Rica	W-GBIF-6
Nacarina cordillera	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6

Nacarina cordillera	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Nacarina cordillera	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
Nacarina cordillera	10.34910	-85.35230	26.5	25.6	1832	Costa Rica	W-GBIF-6
Nacarina cordillera	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
Nacarina cordillera	10.40130	-84.05020	25.5	24.7	4132	Costa Rica	W-GBIF-6
Nacarina megaptera	10.40130	-84.04930	25.5	24.7	4132	Costa Rica	W-GBIF-6
Nacarina cordillera	10.64400	-83.74200	26.1	25.2	5031	Costa Rica	W-GBIF-6
Nacarina cordillera	10.59430	-83.71650	25.7	24.9	4986	Costa Rica	W-GBIF-6
Nacarina megaptera	10.64400	-83.74200	26.1	25.2	5031	Costa Rica	W-GBIF-6
Nacarina cordillera	10.58480	-83.52920	26.3	25.4	5033	Costa Rica	W-GBIF-6
Nacarina cordillera	10.53950	-83.50650	26.3	25.4	4701	Costa Rica	W-GBIF-6
Nacarina cordillera	10.53950	-83.50650	26.3	25.4	4701	Costa Rica	W-GBIF-6
Nacarina cordillera	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
Nacarina megaptera	11.03370	-85.57700	24.8	24.0	1961	Costa Rica	W-GBIF-6
Nacarina sp.	19.53333	-105.06670	26.4	24.1	747	Mexico	W-GBIF-2
Nacarina panchlora	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Nacarina panchlora	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Nacarina aculeata	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Nacarina gladius	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Nacarina lavrasana	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Nacarina lavrasana	-21.97113	-46.80363	20.1	16.9	1478	Brazil	de Freitas & Penny 2001
Nacarina lavrasana	-21.24801	-44.99763	20.1	17.4	1492	Brazil	de Freitas & Penny 2001
Nacarina sagitta	-21.75353	-48.82249	21.8	18.6	1236	Brazil	de Freitas & Penny 2001
Nesochrysa virgata	-27.33537	32.66277	22.4	18.8	881	South Africa	W-RMCA-2
Nesochrysa virgata	-27.28147	32.74073	22.2	18.8	913	South Africa	W-RMCA-2
Nesochrysa macrostigma	-5.26413	12.94843	25.2	22.3	1188	DR Congo	W-RMCA-1
Nesochrysa macrostigma	-9.69778	22.94111	23.2	21.8	1307	DR Congo	W-RMCA-1
Nesochrysa ruficeps	-18.37820	31.70723	17.0	12.9	833	Zimbabwe	W-RMCA-13
Nineta vittata	24.97000	121.76833	19.7	14.0	3556	Taiwan	W-GBIF-2
Nineta vittata	24.97000	121.76833	19.7	14.0	3556	Taiwan	W-GBIF-2
Nineta vittata	24.97000	121.76833	19.7	14.0	3556	Taiwan	W-GBIF-2
Nineta nanina	33.39777	-105.74944	8.3	0.3	544	USA	W-GBIF-2
Nineta vittata	46.88000	13.28000	6.3	-2.8	1226	Austria	W-GBIF-3
Nineta vittata	46.86180	13.32590	5.1	-3.7	1250	Austria	W-GBIF-14
Nineta flava	46.83333	17.55000	10.7	0.5	606	Hungary	W-GBIF-2
Nineta sp.	46.93833	17.33833	10.1	-0.1	629	Hungary	W-GBIF-2

Nineta flava	47.90780	9.77990	7.7	-0.9	1013	Germany	W-GBIF-14
Nineta sp.	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
Nineta sp.	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
Nineta sp.	47.47908	19.12934	11.0	0.6	542	Hungary	W-GBIF-2
Nineta flava	48.67580	10.80920	8.6	-0.3	754	Germany	W-GBIF-14
Nineta vittata	50.00491	-5.16135	9.8	5.0	1089	UK	W-GBIF-15
Nineta flava	50.43287	-4.69047	10.2	5.2	1031	UK	W-GBIF-15
Nineta vittata	50.24246	-4.97293	10.3	5.3	1047	UK	W-GBIF-15
Nineta flava	50.26152	-4.78465	10.3	5.4	1032	UK	W-GBIF-15
Nineta flava	50.43369	-4.10532	10.0	5.2	1042	UK	W-GBIF-15
Nineta flava	50.43369	-4.10532	10.0	5.2	1042	UK	W-GBIF-15
Nineta vittata	50.91205	-4.01302	10.1	4.9	1091	UK	W-GBIF-15
Nineta vittata	50.59616	-3.71475	9.3	4.1	1038	UK	W-GBIF-15
Nineta flava	50.59616	-3.71475	9.3	4.1	1038	UK	W-GBIF-15
Nineta vittata	50.69331	-2.04177	10.1	4.8	795	UK	W-GBIF-15
Nineta vittata	50.69331	-2.04177	10.1	4.8	795	UK	W-GBIF-15
Nineta vittata	50.68639	-2.20528	10.0	4.7	796	UK	W-GBIF-15
Nineta vittata	50.93388	-2.07116	9.4	4.0	804	UK	W-GBIF-15
Nineta flava	50.93388	-2.07116	9.4	4.0	804	UK	W-GBIF-15
Nineta vittata	50.84813	-2.27702	9.0	3.6	861	UK	W-GBIF-15
Nineta vittata	50.67757	-2.04954	10.1	4.8	795	UK	W-GBIF-15
Nineta flava	50.66356	-2.35376	9.7	4.5	829	UK	W-GBIF-15
Nineta vittata	50.93336	-1.64420	9.8	4.1	795	UK	W-GBIF-15
Nineta flava	50.93336	-1.64420	9.8	4.1	795	UK	W-GBIF-15
Nineta flava	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
Nineta flava	50.69222	-1.50850	10.5	5.1	794	UK	W-GBIF-15
Nineta vittata	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
Nineta flava	50.84377	-1.78693	10.0	4.5	789	UK	W-GBIF-15
Nineta vittata	50.78672	-1.82195	10.0	4.7	801	UK	W-GBIF-15
Nineta vittata	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Nineta flava	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Nineta flava	50.84343	-1.64488	10.1	4.6	790	UK	W-GBIF-15
Nineta flava	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15
Nineta vittata	50.84291	-1.50284	10.4	4.9	776	UK	W-GBIF-15
Nineta flava	50.77651	-1.97872	9.8	4.5	805	UK	W-GBIF-15
Nineta flava	50.95745	0.85527	10.4	4.5	678	UK	W-GBIF-15

Nineta flava	50.99269	0.03076	10.1	4.3	687	UK	W-GBIF-15
Nineta flava	50.35000	18.96667	8.5	-2.0	673	Poland	W-GBIF-2
Nineta flava	50.53333	20.53333	7.9	-3.3	640	Poland	W-GBIF-2
Nineta flava	51.89539	-8.31236	10.4	6.4	1037	Ireland	W-GBIF-15
Nineta flava	51.89539	-8.31236	10.4	6.4	1037	Ireland	W-GBIF-15
Nineta flava	51.89580	-8.31304	10.4	6.4	1037	Ireland	W-GBIF-16
Nineta vittata	51.70325	-5.15029	9.9	4.8	876	UK	W-GBIF-15
Nineta flava	51.74077	-4.48643	10.5	5.4	949	UK	W-GBIF-15
Nineta vittata	51.88430	-4.85916	9.3	4.3	938	UK	W-GBIF-15
Nineta vittata	51.88430	-4.85916	9.3	4.3	938	UK	W-GBIF-15
Nineta flava	51.57003	-4.16102	10.5	4.9	1132	UK	W-GBIF-15
Nineta flava	51.57609	-4.09996	10.6	5.0	1133	UK	W-GBIF-15
Nineta vittata	51.57183	-4.16111	10.5	4.9	1132	UK	W-GBIF-15
Nineta flava	51.73916	-4.49866	10.5	5.4	949	UK	W-GBIF-15
Nineta flava	51.69369	-4.18572	10.3	4.9	1111	UK	W-GBIF-15
Nineta flava	51.69369	-4.18572	10.3	4.9	1111	UK	W-GBIF-15
Nineta flava	51.88466	-4.01767	9.9	4.6	1184	UK	W-GBIF-15
Nineta vittata	51.57183	-4.16111	10.5	4.9	1132	UK	W-GBIF-15
Nineta flava	51.57003	-4.16102	10.5	4.9	1132	UK	W-GBIF-15
Nineta flava	51.90672	-3.96268	10.0	4.7	1176	UK	W-GBIF-15
Nineta vittata	51.50849	-3.13125	10.1	4.4	996	UK	W-GBIF-15
Nineta flava	51.50849	-3.13125	10.1	4.4	996	UK	W-GBIF-15
Nineta vittata	51.19002	-3.78895	8.5	3.0	1372	UK	W-GBIF-15
Nineta vittata	51.40003	-3.18608	10.1	4.7	972	UK	W-GBIF-15
Nineta flava	51.40003	-3.18608	10.1	4.7	972	UK	W-GBIF-15
Nineta flava	51.37719	-3.22142	10.2	4.9	968	UK	W-GBIF-15
Nineta vittata	51.45353	-3.23065	10.1	4.6	997	UK	W-GBIF-15
Nineta flava	51.50821	-3.16007	10.1	4.4	996	UK	W-GBIF-15
Nineta flava	51.46709	-3.22382	10.2	4.6	1008	UK	W-GBIF-15
Nineta flava	51.55841	-3.08200	9.9	4.2	977	UK	W-GBIF-15
Nineta flava	51.52590	-3.18935	10.1	4.4	1016	UK	W-GBIF-15
Nineta vittata	51.55358	-3.11794	10.0	4.2	992	UK	W-GBIF-15
Nineta vittata	51.55167	-3.65884	9.6	4.0	1219	UK	W-GBIF-15
Nineta vittata	51.90124	-3.40275	7.9	2.1	1403	UK	W-GBIF-15
Nineta vittata	51.53436	-3.28258	9.9	4.2	1054	UK	W-GBIF-15
Nineta flava	51.53429	-3.24725	10.1	4.4	1035	UK	W-GBIF-15

Nineta vittata	51.53429	-3.24725	10.1	4.4	1035	UK	W-GBIF-15
Nineta vittata	51.98197	-3.41984	8.6	2.8	1328	UK	W-GBIF-15
Nineta flava	51.42686	-3.20116	10.2	4.7	980	UK	W-GBIF-15
Nineta vittata	51.97982	-3.41176	8.8	3.0	1267	UK	W-GBIF-15
Nineta flava	51.40003	-3.18608	10.1	4.7	972	UK	W-GBIF-15
Nineta flava	51.42686	-3.20116	10.2	4.7	980	UK	W-GBIF-15
Nineta vittata	51.45353	-3.23065	10.1	4.6	997	UK	W-GBIF-15
Nineta vittata	51.45353	-3.23065	10.1	4.6	997	UK	W-GBIF-15
Nineta vittata	51.45353	-3.23065	10.1	4.6	997	UK	W-GBIF-15
Nineta vittata	51.55167	-3.65884	9.6	4.0	1219	UK	W-GBIF-15
Nineta vittata	51.55358	-3.11794	10.0	4.2	992	UK	W-GBIF-15
Nineta vittata	51.53429	-3.24725	10.1	4.4	1035	UK	W-GBIF-15
Nineta vittata	51.40003	-3.18608	10.1	4.7	972	UK	W-GBIF-15
Nineta flava	51.53429	-3.24725	10.1	4.4	1035	UK	W-GBIF-15
Nineta flava	51.74305	-2.21728	9.5	3.9	741	UK	W-GBIF-15
Nineta vittata	51.60681	-2.22024	9.2	3.7	767	UK	W-GBIF-15
Nineta flava	51.60681	-2.22024	9.2	3.7	767	UK	W-GBIF-15
Nineta vittata	51.60681	-2.22024	9.2	3.7	767	UK	W-GBIF-15
Nineta flava	51.60681	-2.22024	9.2	3.7	767	UK	W-GBIF-15
Nineta vittata	51.60681	-2.22024	9.2	3.7	767	UK	W-GBIF-15
Nineta flava	51.70829	-2.90464	10.0	4.4	886	UK	W-GBIF-15
Nineta vittata	51.15463	-2.80153	9.6	4.1	838	UK	W-GBIF-15
Nineta flava	51.66497	-2.65794	9.9	4.4	822	UK	W-GBIF-15
Nineta flava	51.56320	-2.21642	9.4	3.8	757	UK	W-GBIF-15
Nineta vittata	51.70102	-2.64399	9.3	3.8	882	UK	W-GBIF-15
Nineta vittata	51.82867	-2.03628	8.8	3.1	756	UK	W-GBIF-15
Nineta flava	51.60093	-2.83030	9.9	4.3	881	UK	W-GBIF-15
Nineta vittata	51.68261	-2.71606	9.1	3.5	935	UK	W-GBIF-15
Nineta flava	51.60093	-2.83030	9.9	4.3	881	UK	W-GBIF-15
Nineta flava	51.79217	-1.64473	9.3	3.4	639	UK	W-GBIF-15
Nineta vittata	51.79217	-1.64473	9.3	3.4	639	UK	W-GBIF-15
Nineta flava	51.74323	-1.92757	9.3	3.5	690	UK	W-GBIF-15
Nineta vittata	51.91776	-1.55649	9.1	3.2	653	UK	W-GBIF-15
Nineta vittata	51.37983	-1.06593	9.7	3.5	733	UK	W-GBIF-15
Nineta flava	51.07096	-1.33553	9.9	4.1	791	UK	W-GBIF-15
Nineta flava	51.97200	-1.64331	9.2	3.4	640	UK	W-GBIF-15

Nineta vittata	51.83207	-1.49202	9.5	3.6	623	UK	W-GBIF-15
Nineta flava	51.99832	-1.46829	9.0	3.2	650	UK	W-GBIF-15
Nineta vittata	51.96339	-1.80349	8.7	2.9	720	UK	W-GBIF-15
Nineta vittata	51.83207	-1.49202	9.5	3.6	623	UK	W-GBIF-15
Nineta vittata	51.84972	-1.52013	9.2	3.3	645	UK	W-GBIF-15
Nineta vittata	51.84343	-1.52020	9.2	3.3	645	UK	W-GBIF-15
Nineta vittata	51.84343	-1.52020	9.2	3.3	645	UK	W-GBIF-15
Nineta vittata	51.38089	-1.20962	9.7	3.7	717	UK	W-GBIF-15
Nineta flava	51.84343	-1.52020	9.2	3.3	645	UK	W-GBIF-15
Nineta vittata	51.99927	-1.75963	8.7	2.9	709	UK	W-GBIF-15
Nineta vittata	51.35908	-1.31772	9.6	3.7	727	UK	W-GBIF-15
Nineta flava	51.93410	-1.23630	9.5	3.5	617	UK	W-GBIF-15
Nineta flava	51.77287	-1.34049	9.8	4.0	620	UK	W-GBIF-15
Nineta flava	51.04427	-1.30809	10.2	4.3	771	UK	W-GBIF-15
Nineta flava	51.99838	-1.48286	9.0	3.2	650	UK	W-GBIF-15
Nineta vittata	51.84571	-1.52816	9.2	3.3	645	UK	W-GBIF-15
Nineta flava	51.91786	-1.58557	9.1	3.3	647	UK	W-GBIF-15
Nineta flava	51.02207	-1.35833	10.2	4.4	780	UK	W-GBIF-15
Nineta vittata	51.18704	-0.78433	9.6	3.2	805	UK	W-GBIF-15
Nineta flava	51.19933	-0.38749	9.4	3.3	702	UK	W-GBIF-15
Nineta vittata	51.18495	-0.84449	9.5	3.1	818	UK	W-GBIF-15
Nineta flava	51.40046	-0.15253	10.8	5.0	639	UK	W-GBIF-15
Nineta flava	51.35262	-0.22842	10.4	4.5	659	UK	W-GBIF-15
Nineta flava	51.68397	-0.74792	9.3	2.8	695	UK	W-GBIF-15
Nineta flava	51.33686	-0.11201	10.5	4.6	664	UK	W-GBIF-15
Nineta vittata	51.31197	-0.47108	10.2	3.9	656	UK	W-GBIF-15
Nineta flava	51.00602	-0.84894	9.7	3.5	857	UK	W-GBIF-15
Nineta vittata	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Nineta flava	51.28873	-0.62818	9.8	3.4	732	UK	W-GBIF-15
Nineta vittata	51.33940	-0.18729	10.4	4.5	666	UK	W-GBIF-15
Nineta flava	51.52466	-0.82149	9.8	3.2	693	UK	W-GBIF-15
Nineta flava	51.52466	-0.82149	9.8	3.2	693	UK	W-GBIF-15
Nineta flava	51.55167	-0.34116	10.1	4.1	639	UK	W-GBIF-15
Nineta vittata	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Nineta vittata	51.17452	-0.74818	9.6	3.2	796	UK	W-GBIF-15
Nineta flava	51.75509	-0.75465	9.6	3.2	656	UK	W-GBIF-15

Nineta flava	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Nineta vittata	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Nineta flava	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Nineta vittata	51.27382	-0.92112	9.7	3.3	776	UK	W-GBIF-15
Nineta flava	51.31176	-0.20273	10.0	4.0	695	UK	W-GBIF-15
Nineta flava	51.38099	-0.59668	10.0	3.4	689	UK	W-GBIF-15
Nineta flava	51.63943	-0.19342	10.2	4.2	655	UK	W-GBIF-15
Nineta vittata	51.91498	-0.61863	9.8	3.4	635	UK	W-GBIF-15
Nineta flava	51.91498	-0.61863	9.8	3.4	635	UK	W-GBIF-15
Nineta vittata	51.36216	-0.01041	10.3	4.4	672	UK	W-GBIF-15
Nineta vittata	51.50477	-0.72546	10.0	3.4	670	UK	W-GBIF-15
Nineta flava	51.28201	-0.35089	9.9	3.8	671	UK	W-GBIF-15
Nineta vittata	51.17780	-0.84896	9.5	3.1	818	UK	W-GBIF-15
Nineta vittata	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15
Nineta vittata	51.46179	-0.34442	10.3	4.3	625	UK	W-GBIF-15
Nineta flava	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Nineta flava	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Nineta vittata	51.11127	-0.72131	9.1	2.8	850	UK	W-GBIF-15
Nineta vittata	51.01755	-0.78806	9.6	3.5	852	UK	W-GBIF-15
Nineta vittata	51.65585	-0.56941	9.7	3.3	670	UK	W-GBIF-15
Nineta flava	51.54955	-0.19698	10.6	4.6	649	UK	W-GBIF-15
Nineta vittata	51.96444	-0.65714	9.5	3.2	651	UK	W-GBIF-15
Nineta vittata	51.33130	-0.82072	9.6	2.9	775	UK	W-GBIF-15
Nineta flava	51.33130	-0.82072	9.6	2.9	775	UK	W-GBIF-15
Nineta flava	51.88920	-0.32948	9.7	3.4	652	UK	W-GBIF-15
Nineta vittata	51.28570	-0.63760	9.8	3.4	732	UK	W-GBIF-15
Nineta flava	51.38271	-0.16762	10.8	4.9	639	UK	W-GBIF-15
Nineta flava	51.19579	-0.64025	9.7	3.4	760	UK	W-GBIF-15
Nineta flava	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Nineta vittata	51.35575	-0.08466	10.5	4.6	664	UK	W-GBIF-15
Nineta vittata	51.33144	-0.19622	10.0	4.0	695	UK	W-GBIF-15
Nineta vittata	51.42918	-0.26647	10.5	4.7	633	UK	W-GBIF-15
Nineta flava	51.83343	-0.60444	9.7	3.3	652	UK	W-GBIF-15
Nineta flava	51.42041	-0.28118	10.5	4.7	633	UK	W-GBIF-15
Nineta flava	51.54955	-0.19698	10.6	4.6	649	UK	W-GBIF-15
Nineta vittata	51.75036	-0.77579	9.6	3.2	656	UK	W-GBIF-15

Nineta flava	51.44555	-0.87030	9.9	3.2	709	UK	W-GBIF-15
Nineta vittata	51.96442	-0.65569	9.5	3.2	651	UK	W-GBIF-15
Nineta flava	51.82315	-0.36530	9.7	3.5	668	UK	W-GBIF-15
Nineta flava	51.54955	-0.19698	10.6	4.6	649	UK	W-GBIF-15
Nineta flava	51.37719	-0.77858	9.6	2.8	741	UK	W-GBIF-15
Nineta vittata	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15
Nineta flava	51.37560	-0.63493	9.8	3.2	707	UK	W-GBIF-15
Nineta vittata	51.26469	-0.07125	9.8	3.9	704	UK	W-GBIF-15
Nineta vittata	51.26469	-0.07125	9.8	3.9	704	UK	W-GBIF-15
Nineta flava	51.26977	-0.78358	9.5	3.0	792	UK	W-GBIF-15
Nineta flava	51.37190	-0.34766	10.3	4.2	644	UK	W-GBIF-15
Nineta vittata	51.64156	-0.33788	9.8	3.6	666	UK	W-GBIF-15
Nineta flava	51.45967	-0.20053	11.0	5.1	621	UK	W-GBIF-15
Nineta flava	51.50620	-0.27236	10.5	4.7	628	UK	W-GBIF-15
Nineta flava	51.50620	-0.27236	10.5	4.7	628	UK	W-GBIF-15
Nineta vittata	51.94511	-0.50857	9.7	3.4	640	UK	W-GBIF-15
Nineta vittata	51.85809	-0.38800	9.7	3.4	667	UK	W-GBIF-15
Nineta vittata	51.83706	-0.49763	9.5	3.1	676	UK	W-GBIF-15
Nineta flava	51.85809	-0.38800	9.7	3.4	667	UK	W-GBIF-15
Nineta vittata	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Nineta vittata	51.91319	-0.47328	9.6	3.3	659	UK	W-GBIF-15
Nineta vittata	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Nineta vittata	51.91498	-0.61863	9.8	3.4	635	UK	W-GBIF-15
Nineta flava	51.82133	-0.33127	9.7	3.5	663	UK	W-GBIF-15
Nineta flava	51.82330	-0.47632	9.5	3.2	678	UK	W-GBIF-15
Nineta flava	51.91498	-0.61863	9.8	3.4	635	UK	W-GBIF-15
Nineta flava	51.32412	-0.47139	10.2	3.9	656	UK	W-GBIF-15
Nineta flava	51.32412	-0.47139	10.2	3.9	656	UK	W-GBIF-15
Nineta	51.32100	-0.47365	10.2	3.9	656	UK	W-GBIF-15
Nineta flava	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Nineta vittata	51.31017	-0.47114	10.2	3.9	656	UK	W-GBIF-15
Nineta flava	51.85304	0.27186	9.7	3.4	599	UK	W-GBIF-15
Nineta flava	51.81435	0.10377	10.0	3.8	615	UK	W-GBIF-15
Nineta flava	51.53927	0.37951	10.2	4.2	595	UK	W-GBIF-15
Nineta flava	51.85992	0.24170	9.7	3.4	607	UK	W-GBIF-15
Nineta vittata	51.39661	0.07735	10.4	4.4	649	UK	W-GBIF-15

Nineta vittata	51.27253	0.22231	9.7	3.8	693	UK	W-GBIF-15
Nineta flava	51.67262	0.05742	10.2	4.1	633	UK	W-GBIF-15
Nineta vittata	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15
Nineta flava	51.54476	0.09131	10.6	4.6	601	UK	W-GBIF-15
Nineta vittata	51.54476	0.09131	10.6	4.6	601	UK	W-GBIF-15
Nineta flava	51.65492	0.46293	9.9	3.8	585	UK	W-GBIF-15
Nineta vittata	51.39898	0.42255	9.9	4.0	639	UK	W-GBIF-15
Nineta flava	51.60130	0.07296	10.5	4.5	611	UK	W-GBIF-15
Nineta flava	51.62252	0.04214	10.5	4.5	611	UK	W-GBIF-15
Nineta flava	51.52594	0.06233	10.7	4.8	602	UK	W-GBIF-15
Nineta vittata	51.77109	0.25397	9.9	3.6	600	UK	W-GBIF-15
Nineta flava	51.77109	0.25397	9.9	3.6	600	UK	W-GBIF-15
Nineta vittata	51.32560	0.49046	10.2	4.3	629	UK	W-GBIF-15
Nineta flava	51.00555	0.06696	9.9	4.1	704	UK	W-GBIF-15
Nineta flava	51.48633	0.25934	10.4	4.5	603	UK	W-GBIF-15
Nineta flava	51.86329	0.15762	9.9	3.6	611	UK	W-GBIF-15
Nineta flava	51.86329	0.15762	9.9	3.6	611	UK	W-GBIF-15
Nineta vittata	51.86329	0.15762	9.9	3.6	611	UK	W-GBIF-15
Nineta flava	51.71284	0.02015	10.3	4.2	622	UK	W-GBIF-15
Nineta flava	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
Nineta vittata	51.63462	0.09544	10.4	4.3	612	UK	W-GBIF-15
Nineta vittata	51.06480	0.86116	10.3	4.4	676	UK	W-GBIF-15
Nineta flava	51.55934	0.05518	10.6	4.6	604	UK	W-GBIF-15
Nineta flava	51.07613	0.83901	10.3	4.4	676	UK	W-GBIF-15
Nineta flava	51.90421	0.10797	9.8	3.5	617	UK	W-GBIF-15
Nineta vittata	51.77069	0.25178	9.9	3.6	600	UK	W-GBIF-15
Nineta flava	51.54476	0.09131	10.6	4.6	601	UK	W-GBIF-15
Nineta flava	51.30763	0.48949	10.2	4.3	629	UK	W-GBIF-15
Nineta flava	51.89237	0.68886	9.6	3.5	547	UK	W-GBIF-15
Nineta flava	51.59374	0.28633	10.1	4.0	610	UK	W-GBIF-15
Nineta flava	51.55071	0.18463	10.4	4.4	600	UK	W-GBIF-15
Nineta flava	51.71240	0.01941	10.3	4.2	622	UK	W-GBIF-15
Nineta flava	51.67442	0.05750	10.2	4.1	633	UK	W-GBIF-15
Nineta vittata	51.91457	0.27569	9.6	3.2	598	UK	W-GBIF-15
Nineta flava	51.56853	0.04405	10.6	4.6	604	UK	W-GBIF-15
Nineta flava	51.26809	0.93400	9.9	4.0	659	UK	W-GBIF-15

Nineta vittata	51.26809	0.93400	9.9	4.0	659	UK	W-GBIF-15
Nineta flava	51.62529	0.13908	10.2	4.2	612	UK	W-GBIF-15
Nineta flava	51.56868	0.03540	10.7	4.7	606	UK	W-GBIF-15
Nineta vittata	51.12546	0.15092	10.0	4.2	686	UK	W-GBIF-15
Nineta flava	51.69723	0.35161	9.8	3.7	602	UK	W-GBIF-15
Nineta vittata	51.25723	0.05028	9.8	4.0	697	UK	W-GBIF-15
Nineta inpunctata	51.86965	0.27342	9.7	3.4	599	UK	W-GBIF-15
Nineta flava	51.54243	0.44459	10.0	4.0	597	UK	W-GBIF-15
Nineta flava	51.43588	0.01798	10.7	4.8	627	UK	W-GBIF-15
Nineta flava	51.68096	0.26396	10.0	3.8	604	UK	W-GBIF-15
Nineta vittata	51.09280	0.21368	9.9	4.1	699	UK	W-GBIF-15
Nineta flava	51.43588	0.01798	10.7	4.8	627	UK	W-GBIF-15
Nineta flava	51.63196	0.23984	10.1	4.0	612	UK	W-GBIF-15
Nineta flava	51.86285	0.15687	9.9	3.6	611	UK	W-GBIF-15
Nineta flava	51.52147	0.06069	10.7	4.8	602	UK	W-GBIF-15
Nineta flava	51.85992	0.24170	9.7	3.4	607	UK	W-GBIF-15
Nineta flava	51.86150	0.22944	9.7	3.4	607	UK	W-GBIF-15
Nineta flava	51.32958	1.07936	9.9	4.1	630	UK	W-GBIF-15
Nineta vittata	51.97139	1.13048	10.0	4.1	554	UK	W-GBIF-15
Nineta vittata	51.84998	1.12931	10.1	4.2	549	UK	W-GBIF-15
Nineta flava	51.15539	1.36100	9.9	4.2	630	UK	W-GBIF-15
Nineta flava	51.71000	10.52870	5.6	-2.2	1157	Germany	W-GBIF-14
Nineta vittata	51.71000	10.52870	5.6	-2.2	1157	Germany	W-GBIF-14
Nineta flava	51.10000	17.03333	8.4	-0.9	552	Poland	W-GBIF-2
Nineta flava	52.00722	-9.52931	10.3	6.4	1317	Ireland	W-GBIF-15
Nineta vittata	52.00722	-9.52931	10.3	6.4	1317	Ireland	W-GBIF-15
Nineta flava	52.00760	-9.52985	10.3	6.4	1317	Ireland	W-GBIF-16
Nineta flava	52.00760	-9.52985	10.3	6.4	1317	Ireland	W-GBIF-16
Nineta flava	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
Nineta vittata	52.43335	-4.01028	9.3	4.5	1121	UK	W-GBIF-15
Nineta flava	52.82529	-4.61622	9.6	5.1	942	UK	W-GBIF-15
Nineta flava	52.94470	-4.00191	9.2	4.1	1066	UK	W-GBIF-15
Nineta vittata	52.83586	-4.05629	8.8	3.7	1149	UK	W-GBIF-15
Nineta flava	52.31465	-4.06212	8.9	3.9	1256	UK	W-GBIF-15
Nineta vittata	52.97936	-4.07800	9.4	4.4	1029	UK	W-GBIF-15
Nineta flava	52.97936	-4.07800	9.4	4.4	1029	UK	W-GBIF-15

Nineta vittata	52.07621	-4.44519	9.6	4.9	999	UK	W-GBIF-15
Nineta vittata	52.80271	-4.15117	9.9	5.0	972	UK	W-GBIF-15
Nineta vittata	52.09551	-4.63462	9.7	5.1	891	UK	W-GBIF-15
Nineta flava	52.98860	-4.06354	9.4	4.4	1029	UK	W-GBIF-15
Nineta vittata	52.99084	-4.42130	8.8	4.1	1079	UK	W-GBIF-15
Nineta vittata	52.98500	-4.01122	8.1	2.9	1225	UK	W-GBIF-15
Nineta vittata	52.92163	-4.28353	9.6	4.8	992	UK	W-GBIF-15
Nineta vittata	52.85331	-4.54734	9.7	5.2	937	UK	W-GBIF-15
Nineta flava	52.88976	-4.30416	9.8	5.2	945	UK	W-GBIF-15
Nineta vittata	52.94209	-4.15064	9.4	4.4	1040	UK	W-GBIF-15
Nineta vittata	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Nineta vittata	52.98239	-4.16009	8.2	3.1	1220	UK	W-GBIF-15
Nineta vittata	52.99084	-4.42130	8.8	4.1	1079	UK	W-GBIF-15
Nineta vittata	52.71906	-4.05079	8.9	3.8	1163	UK	W-GBIF-15
Nineta vittata	52.76347	-4.08253	8.7	3.6	1188	UK	W-GBIF-15
Nineta vittata	52.95312	-4.00900	9.2	4.1	1066	UK	W-GBIF-15
Nineta vittata	52.43415	-4.01620	9.3	4.5	1121	UK	W-GBIF-15
Nineta vittata	52.99084	-4.42130	8.8	4.1	1079	UK	W-GBIF-15
Nineta vittata	52.95312	-4.00900	9.2	4.1	1066	UK	W-GBIF-15
Nineta flava	52.18465	-3.38971	8.6	2.9	1285	UK	W-GBIF-15
Nineta vittata	52.18465	-3.38971	8.6	2.9	1285	UK	W-GBIF-15
Nineta vittata	52.08880	-3.82468	8.5	3.1	1476	UK	W-GBIF-15
Nineta flava	52.08880	-3.82468	8.5	3.1	1476	UK	W-GBIF-15
Nineta vittata	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
Nineta flava	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
Nineta flava	52.74043	-3.84437	8.4	3.0	1260	UK	W-GBIF-15
Nineta flava	52.92870	-3.18281	7.7	2.1	1045	UK	W-GBIF-15
Nineta flava	52.66758	-3.22011	8.3	2.6	1024	UK	W-GBIF-15
Nineta vittata	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Nineta vittata	52.47775	-3.35401	8.2	2.6	1201	UK	W-GBIF-15
Nineta flava	52.99676	-3.11761	8.3	2.8	902	UK	W-GBIF-15
Nineta vittata	52.92870	-3.18281	7.7	2.1	1045	UK	W-GBIF-15
Nineta flava	52.35603	-3.98254	9.2	4.2	1211	UK	W-GBIF-15
Nineta vittata	52.72040	-3.32524	8.1	2.5	1073	UK	W-GBIF-15
Nineta flava	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Nineta vittata	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15

Nineta flava	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Nineta vittata	52.26617	-3.97852	8.7	3.6	1368	UK	W-GBIF-15
Nineta flava	52.88646	-3.66847	8.1	2.7	1183	UK	W-GBIF-15
Nineta flava	52.09823	-3.82579	8.5	3.1	1476	UK	W-GBIF-15
Nineta vittata	52.35603	-3.98254	9.2	4.2	1211	UK	W-GBIF-15
Nineta flava	52.35603	-3.98254	9.2	4.2	1211	UK	W-GBIF-15
Nineta vittata	52.60305	-3.36600	8.3	2.7	1128	UK	W-GBIF-15
Nineta vittata	52.56243	-3.34039	8.3	2.6	1154	UK	W-GBIF-15
Nineta vittata	52.71545	-3.99880	9.1	4.0	1129	UK	W-GBIF-15
Nineta vittata	52.31898	-3.85541	8.4	3.2	1495	UK	W-GBIF-15
Nineta vittata	52.49583	-3.34573	8.2	2.6	1201	UK	W-GBIF-15
Nineta flava	52.49583	-3.34573	8.2	2.6	1201	UK	W-GBIF-15
Nineta flava	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Nineta vittata	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
Nineta vittata	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
Nineta vittata	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Nineta vittata	52.21693	-3.43537	8.7	3.0	1303	UK	W-GBIF-15
Nineta vittata	52.08188	-3.77696	8.9	3.5	1390	UK	W-GBIF-15
Nineta flava	52.44589	-3.98657	9.0	4.1	1213	UK	W-GBIF-15
Nineta vittata	52.21675	-3.45000	8.7	3.0	1303	UK	W-GBIF-15
Nineta vittata	52.21675	-3.45000	8.7	3.0	1303	UK	W-GBIF-15
Nineta vittata	52.21675	-3.45000	8.7	3.0	1303	UK	W-GBIF-15
Nineta flava	52.08099	-3.77692	8.9	3.5	1390	UK	W-GBIF-15
Nineta flava	52.66758	-3.22011	8.3	2.6	1024	UK	W-GBIF-15
Nineta flava	52.90371	-3.41261	6.3	0.7	1380	UK	W-GBIF-15
Nineta vittata	52.93854	-3.09378	8.1	2.5	950	UK	W-GBIF-15
Nineta vittata	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Nineta flava	52.23877	-3.92237	8.9	3.8	1342	UK	W-GBIF-15
Nineta vittata	52.90696	-2.39406	8.7	3.1	766	UK	W-GBIF-15
Nineta vittata	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Nineta vittata	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Nineta flava	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Nineta flava	52.99723	-2.26077	8.9	3.2	800	UK	W-GBIF-15
Nineta vittata	52.99723	-2.26077	8.9	3.2	800	UK	W-GBIF-15
Nineta vittata	52.91595	-2.39415	8.7	3.1	766	UK	W-GBIF-15
Nineta flava	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15

Nineta flava	52.72950	-2.81455	8.8	3.1	731	UK	W-GBIF-15
Nineta vittata	52.72349	-2.83887	8.9	3.1	740	UK	W-GBIF-15
Nineta flava	52.72349	-2.83887	8.9	3.1	740	UK	W-GBIF-15
Nineta vittata	52.78174	-2.03707	9.1	3.4	772	UK	W-GBIF-15
Nineta flava	52.37082	-2.66104	9.0	3.3	735	UK	W-GBIF-15
Nineta flava	52.37706	-2.35921	9.3	3.6	680	UK	W-GBIF-15
Nineta vittata	52.37209	-2.36725	9.1	3.4	706	UK	W-GBIF-15
Nineta flava	52.19263	-2.21946	9.8	4.2	647	UK	W-GBIF-15
Nineta vittata	52.19263	-2.21946	9.8	4.2	647	UK	W-GBIF-15
Nineta vittata	52.82200	-2.22262	9.1	3.4	735	UK	W-GBIF-15
Nineta vittata	52.82218	-2.07421	9.3	3.6	746	UK	W-GBIF-15
Nineta flava	52.82218	-2.07421	9.3	3.6	746	UK	W-GBIF-15
Nineta vittata	52.91190	-2.22308	9.1	3.5	753	UK	W-GBIF-15
Nineta flava	52.91190	-2.22308	9.1	3.5	753	UK	W-GBIF-15
Nineta vittata	52.91209	-2.07436	9.0	3.3	819	UK	W-GBIF-15
Nineta flava	52.91209	-2.07436	9.0	3.3	819	UK	W-GBIF-15
Nineta vittata	52.91209	-2.07436	9.0	3.3	819	UK	W-GBIF-15
Nineta flava	52.82163	-2.37103	9.1	3.4	708	UK	W-GBIF-15
Nineta vittata	52.73228	-2.07405	9.1	3.5	742	UK	W-GBIF-15
Nineta flava	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Nineta vittata	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Nineta flava	52.82218	-2.07421	9.3	3.6	746	UK	W-GBIF-15
Nineta vittata	52.91153	-2.37180	8.8	3.1	771	UK	W-GBIF-15
Nineta vittata	52.41170	-1.41922	9.5	3.6	629	UK	W-GBIF-15
Nineta vittata	52.28164	-1.48689	9.5	3.7	611	UK	W-GBIF-15
Nineta vittata	52.00773	-1.57017	9.2	3.4	634	UK	W-GBIF-15
Nineta flava	52.64284	-1.07694	9.5	3.4	633	UK	W-GBIF-15
Nineta flava	52.89745	-1.47222	9.7	3.8	690	UK	W-GBIF-15
Nineta flava	52.00521	-1.11853	9.5	3.4	625	UK	W-GBIF-15
Nineta flava	52.44906	-1.91906	9.1	3.5	705	UK	W-GBIF-15
Nineta flava	52.55246	-1.92625	9.1	3.5	722	UK	W-GBIF-15
Nineta flava	52.94990	-1.20364	9.9	3.7	639	UK	W-GBIF-15
Nineta flava	52.46255	-1.92640	9.1	3.5	715	UK	W-GBIF-15
Nineta vittata	52.39440	-1.58112	9.3	3.6	647	UK	W-GBIF-15
Nineta flava	52.34883	-1.43473	9.4	3.6	623	UK	W-GBIF-15
Nineta vittata	52.37581	-1.43438	9.5	3.6	629	UK	W-GBIF-15

Nineta vittata	52.00767	-1.55560	9.2	3.4	634	UK	W-GBIF-15
Nineta vittata	52.64182	-1.63049	9.5	3.8	677	UK	W-GBIF-15
Nineta flava	52.64182	-1.63049	9.5	3.8	677	UK	W-GBIF-15
Nineta flava	52.19227	-1.63423	9.6	3.9	605	UK	W-GBIF-15
Nineta vittata	52.82929	-1.25261	9.8	3.7	641	UK	W-GBIF-15
Nineta vittata	52.99751	-1.94785	9.0	3.3	874	UK	W-GBIF-15
Nineta flava	52.39440	-1.58112	9.3	3.6	647	UK	W-GBIF-15
Nineta flava	52.41177	-1.43392	9.5	3.6	629	UK	W-GBIF-15
Nineta flava	52.82200	-1.77738	9.3	3.6	756	UK	W-GBIF-15
Nineta vittata	52.82200	-1.77738	9.3	3.6	756	UK	W-GBIF-15
Nineta flava	52.82218	-1.92579	9.4	3.7	747	UK	W-GBIF-15
Nineta flava	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Nineta vittata	52.21412	-0.63060	9.6	3.4	617	UK	W-GBIF-15
Nineta flava	52.66772	-0.58983	9.5	3.2	607	UK	W-GBIF-15
Nineta vittata	52.41869	-0.28674	9.8	3.7	548	UK	W-GBIF-15
Nineta vittata	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
Nineta vittata	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
Nineta flava	52.00012	-0.59416	9.8	3.5	626	UK	W-GBIF-15
Nineta flava	52.18084	-0.31784	9.9	3.8	564	UK	W-GBIF-15
Nineta flava	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Nineta vittata	52.40220	-0.23519	9.6	3.6	556	UK	W-GBIF-15
Nineta vittata	52.03182	-0.43352	9.9	3.6	599	UK	W-GBIF-15
Nineta flava	52.03542	-0.50338	9.8	3.5	619	UK	W-GBIF-15
Nineta flava	52.10576	-0.41559	10.0	3.8	575	UK	W-GBIF-15
Nineta flava	52.29527	-0.43157	9.7	3.5	580	UK	W-GBIF-15
Nineta flava	52.00766	-0.47735	9.9	3.6	605	UK	W-GBIF-15
Nineta flava	52.00487	-0.61586	9.8	3.5	626	UK	W-GBIF-15
Nineta flava	52.03214	-0.52827	9.8	3.5	619	UK	W-GBIF-15
Nineta vittata	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Nineta flava	52.18084	-0.31784	9.9	3.8	564	UK	W-GBIF-15
Nineta flava	52.27272	-0.46095	9.7	3.5	589	UK	W-GBIF-15
Nineta flava	52.00307	-0.47022	9.9	3.6	605	UK	W-GBIF-15
Nineta flava	52.00487	-0.61586	9.8	3.5	626	UK	W-GBIF-15
Nineta flava	52.60737	0.88020	9.5	3.4	626	UK	W-GBIF-15
Nineta vittata	52.46079	0.80436	9.5	3.4	603	UK	W-GBIF-15
Nineta flava	52.69321	0.86365	9.5	3.4	628	UK	W-GBIF-15

Nineta flava	52.04007	0.29665	9.4	3.2	578	UK	W-GBIF-15
Nineta flava	52.69716	0.88611	9.6	3.5	625	UK	W-GBIF-15
Nineta flava	52.01397	0.25159	9.4	3.2	585	UK	W-GBIF-15
Nineta vittata	52.46240	0.67710	9.4	3.2	603	UK	W-GBIF-15
Nineta flava	52.51008	0.61588	9.4	3.2	585	UK	W-GBIF-15
Nineta flava	52.77311	0.51300	9.5	3.3	598	UK	W-GBIF-15
Nineta vittata	52.51008	0.61588	9.4	3.2	585	UK	W-GBIF-15
Nineta flava	52.60737	0.88020	9.5	3.4	626	UK	W-GBIF-15
Nineta flava	52.21181	0.66200	9.2	3.1	568	UK	W-GBIF-15
Nineta flava	52.60565	1.44889	10.2	4.3	614	UK	W-GBIF-15
Nineta vittata	52.60565	1.44889	10.2	4.3	614	UK	W-GBIF-15
Nineta flava	52.59578	1.32255	10.1	4.1	628	UK	W-GBIF-15
Nineta vittata	52.68129	1.47705	10.3	4.4	618	UK	W-GBIF-15
Nineta vittata	52.68129	1.47705	10.3	4.4	618	UK	W-GBIF-15
Nineta flava	52.06117	1.13676	9.9	4.0	560	UK	W-GBIF-15
Nineta vittata	52.87303	1.04642	10.0	3.9	644	UK	W-GBIF-15
Nineta vittata	52.22820	1.58800	9.8	4.1	589	UK	W-GBIF-15
Nineta vittata	52.94300	1.20280	10.4	4.2	651	UK	W-GBIF-15
Nineta flava	52.86504	1.34311	10.6	4.4	643	UK	W-GBIF-15
Nineta vittata	52.72415	1.69529	10.1	4.5	613	UK	W-GBIF-15
Nineta vittata	52.21407	1.60882	9.8	4.1	589	UK	W-GBIF-15
Nineta vittata	52.69211	1.42980	10.3	4.4	624	UK	W-GBIF-15
Nineta flava	52.59155	1.46993	10.1	4.3	614	UK	W-GBIF-15
Nineta vittata	52.59155	1.46993	10.1	4.3	614	UK	W-GBIF-15
Nineta flava	52.48746	1.62603	9.9	4.3	594	UK	W-GBIF-15
Nineta vittata	53.57660	-10.06104	9.7	5.9	1226	Ireland	W-GBIF-15
Nineta vittata	53.57680	-10.06150	9.7	5.9	1226	Ireland	W-GBIF-16
Nineta vittata	53.18621	-6.25699	8.0	3.5	1115	Ireland	W-GBIF-15
Nineta flava	53.28502	-6.25298	9.1	4.7	890	Ireland	W-GBIF-15
Nineta flava	53.35217	-6.53487	9.4	4.9	810	Ireland	W-GBIF-15
Nineta vittata	53.19408	-6.18185	9.1	4.7	953	Ireland	W-GBIF-15
Nineta flava	53.28588	-6.31293	9.1	4.7	877	Ireland	W-GBIF-15
Nineta flava	53.62983	-6.49578	9.3	4.9	837	Ireland	W-GBIF-15
Nineta flava	53.35240	-6.53580	9.4	4.9	810	Ireland	W-GBIF-16
Nineta flava	53.28610	-6.31389	9.1	4.7	877	Ireland	W-GBIF-16
Nineta flava	53.28530	-6.25394	9.1	4.7	890	Ireland	W-GBIF-16

Nineta flava	53.63000	-6.49672	9.3	4.9	837	Ireland	W-GBIF-16
Nineta vittata	53.18650	-6.25796	8.0	3.5	1115	Ireland	W-GBIF-16
Nineta vittata	53.19430	-6.18282	9.1	4.7	953	Ireland	W-GBIF-16
Nineta vittata	53.02348	-4.12486	8.7	3.6	1141	UK	W-GBIF-15
Nineta vittata	53.01606	-4.03503	7.9	2.7	1253	UK	W-GBIF-15
Nineta flava	53.19346	-4.09807	9.0	4.0	1069	UK	W-GBIF-15
Nineta flava	53.06942	-4.31374	9.7	5.0	963	UK	W-GBIF-15
Nineta flava	53.06942	-4.31374	9.7	5.0	963	UK	W-GBIF-15
Nineta flava	53.22450	-4.12207	9.6	4.6	967	UK	W-GBIF-15
Nineta vittata	53.43420	-4.44117	9.6	5.0	892	UK	W-GBIF-15
Nineta flava	53.08390	-4.26224	9.6	4.8	985	UK	W-GBIF-15
Nineta flava	53.25453	-4.02385	9.7	4.7	912	UK	W-GBIF-15
Nineta vittata	53.22059	-4.16457	9.5	4.6	994	UK	W-GBIF-15
Nineta vittata	53.30818	-4.28910	9.3	4.5	984	UK	W-GBIF-15
Nineta flava	53.30818	-4.28910	9.3	4.5	984	UK	W-GBIF-15
Nineta flava	53.22113	-4.13463	9.5	4.6	994	UK	W-GBIF-15
Nineta flava	53.25190	-4.17365	9.3	4.4	1005	UK	W-GBIF-15
Nineta flava	53.39801	-4.29392	9.3	4.6	954	UK	W-GBIF-15
Nineta vittata	53.22032	-4.17954	9.5	4.7	986	UK	W-GBIF-15
Nineta flava	53.22617	-4.12964	9.5	4.6	994	UK	W-GBIF-15
Nineta vittata	53.16206	-4.16910	9.1	4.1	1068	UK	W-GBIF-15
Nineta flava	53.24781	-4.15095	9.5	4.6	994	UK	W-GBIF-15
Nineta flava	53.25190	-4.17365	9.3	4.4	1005	UK	W-GBIF-15
Nineta vittata	53.34468	-4.26101	9.5	4.7	944	UK	W-GBIF-15
Nineta flava	53.18741	-4.23251	9.7	4.9	966	UK	W-GBIF-15
Nineta flava	53.15925	-4.31857	9.9	5.2	930	UK	W-GBIF-15
Nineta flava	53.22059	-4.16457	9.5	4.6	994	UK	W-GBIF-15
Nineta flava	53.22059	-4.16457	9.5	4.6	994	UK	W-GBIF-15
Nineta vittata	53.25169	-4.10992	9.4	4.4	995	UK	W-GBIF-15
Nineta flava	53.26132	-3.57432	9.0	3.6	871	UK	W-GBIF-15
Nineta flava	53.16939	-3.72057	8.1	2.7	1090	UK	W-GBIF-15
Nineta vittata	53.12629	-3.20317	8.0	2.5	970	UK	W-GBIF-15
Nineta vittata	53.17297	-3.69004	8.5	3.1	1008	UK	W-GBIF-15
Nineta flava	53.35307	-3.42743	9.4	4.0	785	UK	W-GBIF-15
Nineta vittata	53.00974	-3.17011	7.4	1.9	1077	UK	W-GBIF-15
Nineta flava	53.20998	-3.05201	9.5	4.3	740	UK	W-GBIF-15

Nineta vittata	53.05295	-3.33542	8.3	2.8	966	UK	W-GBIF-15
Nineta flava	53.05295	-3.33542	8.3	2.8	966	UK	W-GBIF-15
Nineta flava	53.30682	-3.75987	9.3	4.1	858	UK	W-GBIF-15
Nineta flava	53.35172	-3.13438	9.2	3.9	766	UK	W-GBIF-15
Nineta flava	53.16939	-3.72057	8.1	2.7	1090	UK	W-GBIF-15
Nineta flava	53.16713	-3.87011	8.6	3.3	1056	UK	W-GBIF-15
Nineta flava	53.55033	-3.09365	9.2	3.6	818	UK	W-GBIF-15
Nineta vittata	53.28863	-3.00143	9.3	4.1	767	UK	W-GBIF-15
Nineta vittata	53.07359	-3.81379	8.5	3.2	1089	UK	W-GBIF-15
Nineta flava	53.23779	-3.55172	8.5	3.1	954	UK	W-GBIF-15
Nineta flava	53.38709	-3.19547	9.3	4.0	758	UK	W-GBIF-15
Nineta vittata	53.18165	-3.80338	9.2	3.9	939	UK	W-GBIF-15
Nineta vittata	53.01902	-3.14055	7.1	1.5	1125	UK	W-GBIF-15
Nineta flava	53.10986	-3.03836	9.0	3.8	788	UK	W-GBIF-15
Nineta flava	53.28287	-3.64262	9.0	3.7	879	UK	W-GBIF-15
Nineta flava	53.10986	-3.03836	9.0	3.8	788	UK	W-GBIF-15
Nineta flava	53.36140	-2.22542	9.8	4.2	888	UK	W-GBIF-15
Nineta flava	53.36140	-2.22542	9.8	4.2	888	UK	W-GBIF-15
Nineta flava	53.56546	-2.61081	9.1	3.6	1052	UK	W-GBIF-15
Nineta flava	53.33579	-2.69013	9.5	4.2	885	UK	W-GBIF-15
Nineta flava	53.33579	-2.69013	9.5	4.2	885	UK	W-GBIF-15
Nineta vittata	53.18517	-2.61587	9.2	3.8	828	UK	W-GBIF-15
Nineta vittata	53.36754	-2.63954	9.5	4.2	900	UK	W-GBIF-15
Nineta flava	53.54137	-2.07546	9.3	3.6	1083	UK	W-GBIF-15
Nineta flava	53.39267	-2.30830	10.0	4.5	878	UK	W-GBIF-15
Nineta vittata	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Nineta flava	53.45091	-2.37649	10.0	4.4	906	UK	W-GBIF-15
Nineta flava	53.36140	-2.22542	9.8	4.2	888	UK	W-GBIF-15
Nineta flava	53.36140	-2.22542	9.8	4.2	888	UK	W-GBIF-15
Nineta flava	53.18240	-2.96528	9.5	4.4	726	UK	W-GBIF-15
Nineta flava	53.45517	-2.44430	9.9	4.4	915	UK	W-GBIF-15
Nineta vittata	53.01665	-2.21542	9.0	3.4	812	UK	W-GBIF-15
Nineta flava	53.47862	-2.84616	9.3	3.9	884	UK	W-GBIF-15
Nineta vittata	53.00143	-2.37257	9.1	3.5	773	UK	W-GBIF-15
Nineta flava	53.00143	-2.37257	9.1	3.5	773	UK	W-GBIF-15
Nineta flava	53.45129	-2.22590	10.4	4.7	897	UK	W-GBIF-15

Nineta flava	53.27150	-2.22495	9.5	3.9	889	UK	W-GBIF-15
Nineta flava	53.44414	-2.89065	9.4	4.1	843	UK	W-GBIF-15
Nineta flava	53.33508	-2.98375	9.4	4.2	773	UK	W-GBIF-15
Nineta flava	53.44864	-2.82824	9.2	3.9	908	UK	W-GBIF-15
Nineta vittata	53.33824	-2.86591	9.4	4.2	832	UK	W-GBIF-15
Nineta flava	53.33824	-2.86591	9.4	4.2	832	UK	W-GBIF-15
Nineta vittata	53.42797	-2.50423	9.7	4.2	937	UK	W-GBIF-15
Nineta vittata	53.35124	-2.08188	9.2	3.6	1029	UK	W-GBIF-15
Nineta vittata	53.34950	-2.65129	9.5	4.2	900	UK	W-GBIF-15
Nineta flava	53.32116	-2.00751	8.6	2.9	1135	UK	W-GBIF-15
Nineta vittata	53.22939	-2.66669	9.0	3.6	876	UK	W-GBIF-15
Nineta flava	53.43708	-2.47423	9.8	4.3	922	UK	W-GBIF-15
Nineta vittata	53.23821	-2.69680	9.0	3.6	876	UK	W-GBIF-15
Nineta flava	53.36158	-2.07514	9.2	3.6	1029	UK	W-GBIF-15
Nineta flava	53.63108	-2.22686	8.4	2.8	1288	UK	W-GBIF-15
Nineta flava	53.53690	-2.00755	9.1	3.4	1092	UK	W-GBIF-15
Nineta flava	53.21150	-2.65144	9.1	3.7	861	UK	W-GBIF-15
Nineta vittata	53.34370	-2.29969	9.8	4.3	870	UK	W-GBIF-15
Nineta flava	53.34751	-2.38309	9.7	4.2	881	UK	W-GBIF-15
Nineta vittata	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Nineta flava	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Nineta flava	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Nineta vittata	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Nineta vittata	53.00143	-2.37257	9.1	3.5	773	UK	W-GBIF-15
Nineta vittata	53.09170	-2.22401	8.9	3.3	881	UK	W-GBIF-15
Nineta vittata	53.00199	-2.07451	8.6	3.0	934	UK	W-GBIF-15
Nineta flava	53.00199	-2.07451	8.6	3.0	934	UK	W-GBIF-15
Nineta vittata	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Nineta flava	53.00180	-2.22354	9.0	3.4	812	UK	W-GBIF-15
Nineta flava	53.86877	-1.58174	9.0	3.5	762	UK	W-GBIF-15
Nineta flava	53.60898	-1.73623	9.1	3.5	917	UK	W-GBIF-15
Nineta flava	53.49833	-1.20848	9.5	3.8	661	UK	W-GBIF-15
Nineta flava	53.49823	-1.19341	9.5	3.8	653	UK	W-GBIF-15
Nineta flava	53.48141	-1.38964	9.4	3.9	721	UK	W-GBIF-15
Nineta vittata	53.43067	-1.11114	9.7	4.0	610	UK	W-GBIF-15
Nineta flava	53.47257	-1.41991	9.4	3.9	742	UK	W-GBIF-15

Nineta flava	53.54023	-1.47180	9.4	3.9	756	UK	W-GBIF-15
Nineta flava	53.33888	-1.75217	8.8	3.2	1014	UK	W-GBIF-15
Nineta flava	53.42809	-1.52587	9.0	3.5	840	UK	W-GBIF-15
Nineta vittata	53.42809	-1.52587	9.0	3.5	840	UK	W-GBIF-15
Nineta vittata	53.52476	-1.07146	9.6	4.0	602	UK	W-GBIF-15
Nineta flava	53.52476	-1.07146	9.6	4.0	602	UK	W-GBIF-15
Nineta flava	53.71714	-1.01494	9.5	3.9	599	UK	W-GBIF-15
Nineta flava	53.34657	-1.39157	9.3	3.7	756	UK	W-GBIF-15
Nineta vittata	53.43039	-1.34748	9.7	4.1	684	UK	W-GBIF-15
Nineta flava	53.31865	-1.22682	9.3	3.5	703	UK	W-GBIF-15
Nineta vittata	53.38260	-1.31964	9.5	3.9	696	UK	W-GBIF-15
Nineta flava	53.53852	-1.17000	9.6	3.9	637	UK	W-GBIF-15
Nineta vittata	53.43970	-1.40756	9.5	4.0	719	UK	W-GBIF-15
Nineta flava	53.88745	-1.91631	8.6	3.0	1030	UK	W-GBIF-15
Nineta vittata	53.36045	-1.47403	9.4	3.9	779	UK	W-GBIF-15
Nineta flava	53.48141	-1.38964	9.4	3.9	721	UK	W-GBIF-15
Nineta flava	53.42950	-1.34749	9.7	4.1	684	UK	W-GBIF-15
Nineta flava	53.86541	-1.89278	8.9	3.3	1004	UK	W-GBIF-15
Nineta vittata	53.86541	-1.89278	8.9	3.3	1004	UK	W-GBIF-15
Nineta vittata	53.34319	-1.53808	9.1	3.5	840	UK	W-GBIF-15
Nineta flava	53.42880	-1.76670	7.9	2.3	1137	UK	W-GBIF-15
Nineta vittata	53.20081	-1.03206	9.6	3.6	639	UK	W-GBIF-15
Nineta vittata	53.52068	-1.12585	9.7	4.0	612	UK	W-GBIF-15
Nineta flava	53.56817	-1.60661	9.2	3.7	838	UK	W-GBIF-15
Nineta flava	53.16742	-1.26620	9.2	3.2	745	UK	W-GBIF-15
Nineta flava	53.40979	-1.45085	9.6	4.1	728	UK	W-GBIF-15
Nineta vittata	53.84994	-1.47779	9.0	3.5	734	UK	W-GBIF-15
Nineta flava	53.44864	-1.17176	9.3	3.6	672	UK	W-GBIF-15
Nineta flava	53.80990	-1.46842	9.3	3.8	701	UK	W-GBIF-15
Nineta flava	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
Nineta flava	53.49486	-1.04196	9.7	4.0	602	UK	W-GBIF-15
Nineta flava	53.20284	-1.06196	9.6	3.6	652	UK	W-GBIF-15
Nineta vittata	53.04958	-1.12348	9.6	3.4	671	UK	W-GBIF-15
Nineta flava	53.36350	-1.21098	9.4	3.6	692	UK	W-GBIF-15
Nineta flava	53.44205	-1.53249	9.0	3.5	840	UK	W-GBIF-15
Nineta vittata	53.49359	-1.10983	9.7	4.0	604	UK	W-GBIF-15

Nineta vittata	53.84994	-1.47779	9.0	3.5	734	UK	W-GBIF-15
Nineta vittata	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
Nineta flava	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
Nineta vittata	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
Nineta flava	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
Nineta flava	53.54274	-1.07106	9.6	4.0	600	UK	W-GBIF-15
Nineta vittata	53.47150	-1.16302	9.6	3.9	627	UK	W-GBIF-15
Nineta vittata	53.35875	-1.17350	9.4	3.7	675	UK	W-GBIF-15
Nineta flava	53.27569	-1.51931	9.0	3.4	853	UK	W-GBIF-15
Nineta flava	53.54023	-1.47180	9.4	3.9	756	UK	W-GBIF-15
Nineta flava	53.84994	-1.47779	9.0	3.5	734	UK	W-GBIF-15
Nineta vittata	53.53562	-1.55259	9.0	3.5	843	UK	W-GBIF-15
Nineta vittata	53.38326	-1.55644	9.0	3.4	873	UK	W-GBIF-15
Nineta flava	53.52109	-1.18467	9.6	3.9	637	UK	W-GBIF-15
Nineta vittata	53.37362	-1.40622	9.3	3.7	756	UK	W-GBIF-15
Nineta flava	53.52678	-1.47951	9.4	3.9	756	UK	W-GBIF-15
Nineta flava	53.56807	-1.57641	9.4	3.9	782	UK	W-GBIF-15
Nineta flava	53.63108	-1.77314	9.5	3.9	873	UK	W-GBIF-15
Nineta vittata	53.09170	-1.77599	8.5	2.8	992	UK	W-GBIF-15
Nineta flava	53.97653	-1.55017	8.8	3.3	767	UK	W-GBIF-15
Nineta flava	53.71714	-1.01494	9.5	3.9	599	UK	W-GBIF-15
Nineta flava	53.34037	-1.50957	9.1	3.5	840	UK	W-GBIF-15
Nineta vittata	53.34037	-1.50957	9.1	3.5	840	UK	W-GBIF-15
Nineta flava	53.73053	-1.84765	9.0	3.4	990	UK	W-GBIF-15
Nineta vittata	53.00180	-1.77646	9.2	3.5	850	UK	W-GBIF-15
Nineta vittata	53.09170	-1.77599	8.5	2.8	992	UK	W-GBIF-15
Nineta flava	53.09189	-1.92533	8.2	2.5	1080	UK	W-GBIF-15
Nineta vittata	53.00199	-1.92549	8.8	3.2	917	UK	W-GBIF-15
Nineta flava	53.71062	-0.40896	9.6	3.9	655	UK	W-GBIF-15
Nineta flava	53.89145	-0.85333	9.4	3.9	627	UK	W-GBIF-15
Nineta vittata	53.48056	-0.34975	9.4	3.5	630	UK	W-GBIF-15
Nineta vittata	53.85177	-0.24775	9.6	3.9	700	UK	W-GBIF-15
Nineta vittata	53.61737	-0.86531	9.6	4.0	596	UK	W-GBIF-15
Nineta vittata	53.77799	-0.66216	9.5	3.9	634	UK	W-GBIF-15
Nineta vittata	53.90219	-0.25326	9.6	4.0	703	UK	W-GBIF-15
Nineta flava	53.26320	-0.57557	9.4	3.6	603	UK	W-GBIF-15

Nineta flava	53.90165	-0.21674	9.6	4.0	708	UK	W-GBIF-15
Nineta vittata	53.18026	-0.10687	9.4	3.3	615	UK	W-GBIF-15
Nineta flava	53.81829	-0.91306	9.5	3.8	611	UK	W-GBIF-15
Nineta flava	53.91396	-0.85729	9.4	3.9	627	UK	W-GBIF-15
Nineta flava	53.78512	-0.57844	9.0	3.3	696	UK	W-GBIF-15
Nineta flava	53.75368	-0.36865	9.6	3.9	664	UK	W-GBIF-15
Nineta flava	53.29721	-0.80704	9.7	3.8	593	UK	W-GBIF-15
Nineta flava	53.77202	-0.39525	9.6	3.9	659	UK	W-GBIF-15
Nineta flava	53.81572	-0.36928	9.6	4.0	673	UK	W-GBIF-15
Nineta flava	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
Nineta vittata	53.62678	-0.91043	9.6	4.0	596	UK	W-GBIF-15
Nineta flava	53.19595	-0.62945	9.6	3.7	586	UK	W-GBIF-15
Nineta flava	53.61250	0.14602	9.7	3.8	660	UK	W-GBIF-15
Nineta flava	53.40735	0.20339	9.7	3.7	629	UK	W-GBIF-15
Nineta vittata	54.68615	-6.65161	8.5	3.6	969	Ireland	W-GBIF-15
Nineta flava	54.08079	-4.64872	8.8	4.1	899	UK	W-GBIF-15
Nineta flava	54.23059	-4.68517	8.7	3.9	931	UK	W-GBIF-15
Nineta flava	54.31970	-4.51410	8.3	3.3	970	UK	W-GBIF-15
Nineta flava	54.16975	-4.52568	8.3	3.4	961	UK	W-GBIF-15
Nineta vittata	54.91932	-4.19239	7.7	2.4	1269	UK	W-GBIF-15
Nineta vittata	54.14412	-4.52641	8.5	3.7	936	UK	W-GBIF-15
Nineta flava	54.14412	-4.52641	8.5	3.7	936	UK	W-GBIF-15
Nineta vittata	54.88057	-4.17235	8.3	3.0	1146	UK	W-GBIF-15
Nineta flava	54.43474	-3.15639	6.2	0.6	1374	UK	W-GBIF-15
Nineta vittata	54.88543	-3.01336	8.5	2.9	858	UK	W-GBIF-15
Nineta flava	54.43612	-3.00223	8.2	2.4	1072	UK	W-GBIF-15
Nineta flava	54.25558	-3.08996	8.3	2.6	1061	UK	W-GBIF-15
Nineta vittata	54.19020	-2.83533	8.7	2.9	1101	UK	W-GBIF-15
Nineta vittata	54.19020	-2.83533	8.7	2.9	1101	UK	W-GBIF-15
Nineta vittata	54.97457	-2.33592	7.9	2.4	832	UK	W-GBIF-15
Nineta vittata	54.99294	-2.13287	8.1	2.7	757	UK	W-GBIF-15
Nineta flava	54.95572	-2.00859	8.0	2.6	744	UK	W-GBIF-15
Nineta vittata	54.91207	-2.11700	7.6	2.1	840	UK	W-GBIF-15
Nineta vittata	54.91885	-2.74114	8.2	2.5	865	UK	W-GBIF-15
Nineta vittata	54.10186	-2.02218	8.1	2.5	1111	UK	W-GBIF-15
Nineta vittata	54.98372	-2.27349	8.0	2.4	804	UK	W-GBIF-15

Nineta flava	54.25755	-2.84437	8.3	2.6	1150	UK	W-GBIF-15
Nineta vittata	54.92069	-2.31987	7.7	2.1	864	UK	W-GBIF-15
Nineta flava	54.10186	-2.02218	8.1	2.5	1111	UK	W-GBIF-15
Nineta flava	54.89948	-2.94353	8.6	2.8	825	UK	W-GBIF-15
Nineta vittata	54.85585	-2.75556	8.2	2.5	884	UK	W-GBIF-15
Nineta flava	54.61882	-2.54207	8.2	2.5	992	UK	W-GBIF-15
Nineta flava	54.91732	-2.95955	8.6	2.9	827	UK	W-GBIF-15
Nineta vittata	54.18142	-2.80451	8.8	3.0	1108	UK	W-GBIF-15
Nineta flava	54.90078	-2.75640	8.3	2.5	870	UK	W-GBIF-15
Nineta flava	54.90078	-2.75640	8.3	2.5	870	UK	W-GBIF-15
Nineta flava	54.88138	-2.95869	8.5	2.8	835	UK	W-GBIF-15
Nineta flava	54.87264	-2.92731	8.4	2.7	863	UK	W-GBIF-15
Nineta vittata	54.63703	-2.88398	7.4	1.8	1098	UK	W-GBIF-15
Nineta flava	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
Nineta flava	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
Nineta flava	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
Nineta flava	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
Nineta flava	54.88291	-2.74048	8.0	2.3	901	UK	W-GBIF-15
Nineta vittata	54.95664	-2.32016	7.7	2.1	864	UK	W-GBIF-15
Nineta vittata	54.78386	-2.76977	8.0	2.3	947	UK	W-GBIF-15
Nineta flava	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
Nineta flava	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
Nineta flava	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
Nineta flava	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
Nineta flava	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
Nineta flava	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
Nineta vittata	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
Nineta vittata	54.89190	-2.74064	8.0	2.3	901	UK	W-GBIF-15
Nineta vittata	54.20094	-2.90378	8.6	2.8	1099	UK	W-GBIF-15
Nineta vittata	54.18663	-2.68966	8.2	2.5	1251	UK	W-GBIF-15
Nineta vittata	54.92339	-2.73342	8.2	2.5	865	UK	W-GBIF-15
Nineta vittata	54.36495	-2.90814	8.1	2.4	1138	UK	W-GBIF-15
Nineta flava	54.25755	-2.84437	8.3	2.6	1150	UK	W-GBIF-15
Nineta vittata	54.77942	-2.76191	8.0	2.3	947	UK	W-GBIF-15
Nineta vittata	54.18565	-2.84291	8.7	2.9	1101	UK	W-GBIF-15
Nineta flava	54.90391	-2.95143	8.6	2.8	825	UK	W-GBIF-15

Nineta flava	54.94155	-2.70252	8.0	2.3	901	UK	W-GBIF-15
Nineta vittata	54.27435	-2.99830	8.3	2.5	1110	UK	W-GBIF-15
Nineta vittata	54.74807	-1.33423	8.4	3.1	695	UK	W-GBIF-15
Nineta vittata	54.74807	-1.33423	8.4	3.1	695	UK	W-GBIF-15
Nineta vittata	54.16708	-1.01883	9.1	3.6	672	UK	W-GBIF-15
Nineta flava	54.08757	-1.55890	8.9	3.4	733	UK	W-GBIF-15
Nineta vittata	54.88509	-1.86749	8.2	2.8	703	UK	W-GBIF-15
Nineta vittata	54.88509	-1.86749	8.2	2.8	703	UK	W-GBIF-15
Nineta vittata	54.91185	-1.74260	7.9	2.6	729	UK	W-GBIF-15
Nineta vittata	54.91185	-1.74260	7.9	2.6	729	UK	W-GBIF-15
Nineta flava	54.91185	-1.74260	7.9	2.6	729	UK	W-GBIF-15
Nineta flava	54.63070	-1.62896	8.4	3.0	713	UK	W-GBIF-15
Nineta flava	54.24423	-1.17892	8.1	2.7	760	UK	W-GBIF-15
Nineta vittata	54.91192	-1.77380	8.2	2.9	694	UK	W-GBIF-15
Nineta flava	54.24821	-1.04761	8.9	3.5	688	UK	W-GBIF-15
Nineta vittata	54.95695	-1.83602	7.9	2.5	734	UK	W-GBIF-15
Nineta flava	54.95695	-1.83602	7.9	2.5	734	UK	W-GBIF-15
Nineta flava	54.92090	-1.77375	8.1	2.8	697	UK	W-GBIF-15
Nineta flava	54.91197	-1.80500	8.1	2.7	714	UK	W-GBIF-15
Nineta vittata	54.91194	-1.78940	8.2	2.9	694	UK	W-GBIF-15
Nineta flava	54.11146	-1.57930	8.9	3.4	733	UK	W-GBIF-15
Nineta vittata	54.92976	-1.71127	8.4	3.1	672	UK	W-GBIF-15
Nineta vittata	54.84018	-1.89878	7.9	2.5	749	UK	W-GBIF-15
Nineta vittata	54.93874	-1.71121	8.4	3.1	672	UK	W-GBIF-15
Nineta vittata	54.93874	-1.71121	8.4	3.1	672	UK	W-GBIF-15
Nineta flava	54.93874	-1.71121	8.4	3.1	672	UK	W-GBIF-15
Nineta vittata	54.67524	-1.87205	7.9	2.5	798	UK	W-GBIF-15
Nineta vittata	54.89406	-1.85187	8.2	2.8	703	UK	W-GBIF-15
Nineta vittata	54.89406	-1.85187	8.2	2.8	703	UK	W-GBIF-15
Nineta flava	54.89406	-1.85187	8.2	2.8	703	UK	W-GBIF-15
Nineta vittata	54.90293	-1.77385	8.2	2.9	694	UK	W-GBIF-15
Nineta flava	54.01236	-1.51926	9.1	3.6	714	UK	W-GBIF-15
Nineta vittata	54.67524	-1.87205	7.9	2.5	798	UK	W-GBIF-15
Nineta vittata	54.83120	-1.89880	7.4	1.9	837	UK	W-GBIF-15
Nineta flava	54.13814	-1.50249	9.2	3.7	679	UK	W-GBIF-15
Nineta flava	54.13814	-1.50249	9.2	3.7	679	UK	W-GBIF-15

Nineta vittata	54.93878	-1.72682	8.4	3.1	672	UK	W-GBIF-15
Nineta flava	54.93878	-1.72682	8.4	3.1	672	UK	W-GBIF-15
Nineta flava	54.18326	-1.54793	9.1	3.6	695	UK	W-GBIF-15
Nineta flava	54.70789	-1.30152	8.5	3.3	690	UK	W-GBIF-15
Nineta vittata	54.70789	-1.30152	8.5	3.3	690	UK	W-GBIF-15
Nineta vittata	54.67832	-1.82163	8.2	2.8	745	UK	W-GBIF-15
Nineta vittata	54.89394	-1.77390	8.2	2.9	694	UK	W-GBIF-15
Nineta flava	54.89394	-1.77390	8.2	2.9	694	UK	W-GBIF-15
Nineta vittata	54.97498	-1.88282	8.4	3.0	681	UK	W-GBIF-15
Nineta vittata	54.92090	-1.77375	8.1	2.8	697	UK	W-GBIF-15
Nineta vittata	54.25290	-1.13270	8.4	3.0	724	UK	W-GBIF-15
Nineta vittata	54.74855	-1.33966	8.4	3.1	695	UK	W-GBIF-15
Nineta vittata	54.89397	-1.78949	8.2	2.9	694	UK	W-GBIF-15
Nineta flava	54.14311	-1.50932	9.2	3.7	679	UK	W-GBIF-15
Nineta vittata	54.14311	-1.50932	9.2	3.7	679	UK	W-GBIF-15
Nineta vittata	54.28814	-1.03977	8.7	3.3	715	UK	W-GBIF-15
Nineta vittata	54.90305	-1.85183	8.2	2.8	703	UK	W-GBIF-15
Nineta flava	54.90305	-1.85183	8.2	2.8	703	UK	W-GBIF-15
Nineta vittata	54.90305	-1.85183	8.2	2.8	703	UK	W-GBIF-15
Nineta vittata	54.90305	-1.85183	8.2	2.8	703	UK	W-GBIF-15
Nineta flava	54.90305	-1.85183	8.2	2.8	703	UK	W-GBIF-15
Nineta flava	54.98347	-1.63275	8.4	3.2	667	UK	W-GBIF-15
Nineta vittata	54.83111	-1.82096	7.9	2.5	753	UK	W-GBIF-15
Nineta vittata	54.83111	-1.82096	7.9	2.5	753	UK	W-GBIF-15
Nineta vittata	54.89345	-1.58679	8.7	3.4	645	UK	W-GBIF-15
Nineta vittata	54.25207	-1.02526	8.7	3.3	715	UK	W-GBIF-15
Nineta flava	54.49085	-1.04198	8.1	2.8	773	UK	W-GBIF-15
Nineta flava	54.98352	-1.64837	8.4	3.2	667	UK	W-GBIF-15
Nineta vittata	54.89404	-1.83627	8.2	2.8	703	UK	W-GBIF-15
Nineta vittata	54.89404	-1.83627	8.2	2.8	703	UK	W-GBIF-15
Nineta vittata	54.98391	-1.83591	8.4	3.1	674	UK	W-GBIF-15
Nineta flava	54.98391	-1.83591	8.4	3.1	674	UK	W-GBIF-15
Nineta vittata	54.84020	-1.91435	7.9	2.5	749	UK	W-GBIF-15
Nineta vittata	54.99286	-1.80461	8.5	3.2	661	UK	W-GBIF-15
Nineta flava	54.99286	-1.80461	8.5	3.2	661	UK	W-GBIF-15
Nineta vittata	54.97495	-1.85157	8.4	3.1	674	UK	W-GBIF-15

Nineta flava	54.97495	-1.85157	8.4	3.1	674	UK	W-GBIF-15
Nineta flava	54.25588	-1.11037	8.4	3.0	738	UK	W-GBIF-15
Nineta flava	54.98342	-1.61712	8.6	3.4	654	UK	W-GBIF-15
Nineta flava	54.97457	-1.66408	8.4	3.2	667	UK	W-GBIF-15
Nineta vittata	54.97457	-1.66408	8.4	3.2	667	UK	W-GBIF-15
Nineta vittata	54.91201	-1.83620	8.2	2.8	703	UK	W-GBIF-15
Nineta flava	54.98387	-1.80465	8.5	3.2	661	UK	W-GBIF-15
Nineta flava	54.84890	-1.57089	8.8	3.5	640	UK	W-GBIF-15
Nineta flava	54.91868	-1.78702	8.1	2.8	697	UK	W-GBIF-15
Nineta vittata	54.91868	-1.78702	8.1	2.8	697	UK	W-GBIF-15
Nineta vittata	54.88943	-1.76613	8.2	2.9	694	UK	W-GBIF-15
Nineta vittata	54.88943	-1.76613	8.2	2.9	694	UK	W-GBIF-15
Nineta vittata	54.85813	-1.86758	7.9	2.5	744	UK	W-GBIF-15
Nineta vittata	54.30474	-0.65897	8.5	3.2	832	UK	W-GBIF-15
Nineta vittata	54.42322	-0.56569	8.8	3.6	837	UK	W-GBIF-15
Nineta vittata	54.40757	-0.53542	8.6	3.4	868	UK	W-GBIF-15
Nineta flava	54.42151	-0.57346	8.8	3.6	837	UK	W-GBIF-15
Nineta vittata	54.42151	-0.57346	8.8	3.6	837	UK	W-GBIF-15
Nineta vittata	54.27476	-0.55396	8.7	3.4	837	UK	W-GBIF-15
Nineta flava	54.41386	-0.53519	8.6	3.4	868	UK	W-GBIF-15
Nineta vittata	54.41386	-0.53519	8.6	3.4	868	UK	W-GBIF-15
Nineta flava	54.39552	-0.50504	8.6	3.4	868	UK	W-GBIF-15
Nineta vittata	55.87030	-4.29364	8.6	3.4	1178	UK	W-GBIF-15
Nineta vittata	55.31134	-4.60013	7.7	2.3	1262	UK	W-GBIF-15
Nineta flava	55.34781	-4.80052	8.4	3.1	1223	UK	W-GBIF-15
Nineta vittata	55.34781	-4.80052	8.4	3.1	1223	UK	W-GBIF-15
Nineta vittata	55.60902	-4.32600	7.6	2.3	1269	UK	W-GBIF-15
Nineta flava	55.60902	-4.32600	7.6	2.3	1269	UK	W-GBIF-15
Nineta flava	55.87069	-3.35853	7.4	2.2	918	UK	W-GBIF-15
Nineta vittata	55.02016	-3.64014	8.3	3.0	1100	UK	W-GBIF-15
Nineta vittata	55.97462	-3.50240	8.3	3.0	801	UK	W-GBIF-15
Nineta flava	55.96219	-3.20152	8.8	3.6	664	UK	W-GBIF-15
Nineta vittata	55.87235	-3.19874	8.2	3.0	808	UK	W-GBIF-15
Nineta flava	55.64378	-3.13614	7.4	2.1	985	UK	W-GBIF-15
Nineta vittata	55.23564	-2.57795	7.2	1.6	940	UK	W-GBIF-15
Nineta flava	55.51296	-2.56221	8.0	2.3	791	UK	W-GBIF-15

Nineta vittata	55.18845	-2.74613	7.2	1.6	1013	UK	W-GBIF-15
Nineta vittata	55.01005	-2.47696	7.6	2.0	900	UK	W-GBIF-15
Nineta vittata	55.92773	-2.28410	7.8	2.4	748	UK	W-GBIF-15
Nineta vittata	55.68496	-2.08748	8.2	2.9	724	UK	W-GBIF-15
Nineta vittata	55.04688	-2.11739	8.1	2.7	743	UK	W-GBIF-15
Nineta vittata	55.68485	-2.18292	8.4	3.0	705	UK	W-GBIF-15
Nineta vittata	55.65801	-1.92847	8.1	2.9	738	UK	W-GBIF-15
Nineta vittata	55.14549	-1.72541	8.2	3.0	692	UK	W-GBIF-15
Nineta flava	55.02836	-1.61669	8.5	3.3	663	UK	W-GBIF-15
Nineta flava	55.02831	-1.60105	8.5	3.3	663	UK	W-GBIF-15
Nineta vittata	55.02831	-1.60105	8.5	3.3	663	UK	W-GBIF-15
Nineta vittata	55.02831	-1.60105	8.5	3.3	663	UK	W-GBIF-15
Nineta vittata	55.02831	-1.60105	8.5	3.3	663	UK	W-GBIF-15
Nineta vittata	55.02831	-1.60105	8.5	3.3	663	UK	W-GBIF-15
Nineta vittata	55.10039	-1.66302	8.4	3.2	670	UK	W-GBIF-15
Nineta flava	55.51386	-1.69117	8.5	3.5	694	UK	W-GBIF-15
Nineta vittata	55.12776	-1.88237	8.0	2.8	721	UK	W-GBIF-15
Nineta vittata	55.16361	-1.80377	8.1	2.9	700	UK	W-GBIF-15
Nineta vittata	55.31649	-1.88181	7.8	2.6	756	UK	W-GBIF-15
Nineta vittata	55.37942	-1.91319	8.0	2.8	741	UK	W-GBIF-15
Nineta flava	55.11812	-1.58447	8.4	3.2	669	UK	W-GBIF-15
Nineta vittata	55.17220	-1.63101	8.4	3.2	677	UK	W-GBIF-15
Nineta flava	55.06385	-1.49108	8.7	3.5	655	UK	W-GBIF-15
Nineta vittata	55.20868	-1.92928	7.5	2.2	789	UK	W-GBIF-15
Nineta vittata	55.21760	-1.85067	7.8	2.6	742	UK	W-GBIF-15
Nineta flava	55.21760	-1.85067	7.8	2.6	742	UK	W-GBIF-15
Nineta flava	55.93333	12.31667	8.0	0.1	627	Denmark	W-GBIF-2
Nineta vittata	56.57462	-4.36054	5.6	-0.2	1719	UK	W-GBIF-15
Nineta flava	56.66439	-4.36616	6.0	0.1	1632	UK	W-GBIF-15
Nineta vittata	56.11924	-4.65439	8.1	2.8	1609	UK	W-GBIF-15
Nineta vittata	56.11924	-4.65439	8.1	2.8	1609	UK	W-GBIF-15
Nineta flava	56.41285	-3.05359	7.9	2.5	718	UK	W-GBIF-15
Nineta vittata	56.49812	-3.06407	8.0	2.5	712	UK	W-GBIF-15
Nineta vittata	56.02902	-3.94991	8.0	2.7	1087	UK	W-GBIF-15
Nineta vittata	56.02902	-3.94991	8.0	2.7	1087	UK	W-GBIF-15
Nineta vittata	56.74122	-3.00553	7.2	1.8	790	UK	W-GBIF-15

Nineta flava	56.57383	-3.55457	7.6	1.8	864	UK	W-GBIF-15
Nineta flava	56.48796	-3.19372	7.6	2.1	770	UK	W-GBIF-15
Nineta vittata	56.73210	-3.02163	7.2	1.8	790	UK	W-GBIF-15
Nineta vittata	56.71400	-3.03748	7.2	1.8	790	UK	W-GBIF-15
Nineta flava	56.83335	-2.66380	7.4	2.2	765	UK	W-GBIF-15
Nineta vittata	56.46414	-2.80342	8.2	2.7	676	UK	W-GBIF-15
Nineta flava	56.32533	-2.72773	8.1	2.6	678	UK	W-GBIF-15
Nineta flava	56.51667	21.06398	6.8	-2.2	691	Latvia	W-GBIF-2
Nineta vittata	57.16360	-6.05347	8.0	3.5	1715	UK	W-GBIF-15
Nineta vittata	57.21632	-6.03605	7.6	3.1	1722	UK	W-GBIF-15
Nineta vittata	57.69505	-5.46538	8.2	3.6	1329	UK	W-GBIF-15
Nineta vittata	57.69552	-5.46458	8.2	3.6	1329	UK	W-GBIF-15
Nineta vittata	57.85725	-5.08549	7.6	2.8	1242	UK	W-GBIF-15
Nineta vittata	57.67891	-4.03853	8.0	2.6	693	UK	W-GBIF-15
Nineta flava	57.92102	-4.44826	7.8	2.8	894	UK	W-GBIF-15
Nineta flava	57.47788	-4.23585	8.0	2.3	747	UK	W-GBIF-15
Nineta flava	57.48321	-4.18779	7.9	2.2	741	UK	W-GBIF-15
Nineta vittata	57.61676	-4.67311	7.4	2.0	1116	UK	W-GBIF-15
Nineta vittata	57.37570	-4.74456	6.4	0.8	1361	UK	W-GBIF-15
Nineta flava	57.37570	-4.74456	6.4	0.8	1361	UK	W-GBIF-15
Nineta flava	57.48512	-4.18123	7.9	2.2	741	UK	W-GBIF-15
Nineta vittata	57.92102	-4.44826	7.8	2.8	894	UK	W-GBIF-15
Nineta flava	57.37972	-4.19659	6.9	0.9	907	UK	W-GBIF-15
Nineta vittata	57.42033	-4.28731	7.8	2.0	820	UK	W-GBIF-15
Nineta flava	57.48897	-4.16644	7.7	1.9	756	UK	W-GBIF-15
Nineta vittata	57.47545	-4.27073	7.7	2.0	811	UK	W-GBIF-15
Nineta flava	57.48321	-4.18779	7.9	2.2	741	UK	W-GBIF-15
Nineta flava	57.48987	-4.16649	7.7	1.9	756	UK	W-GBIF-15
Nineta flava	57.47090	-4.22375	8.0	2.3	747	UK	W-GBIF-15
Nineta flava	57.59598	-4.10920	7.4	1.8	769	UK	W-GBIF-15
Nineta flava	57.48512	-4.18123	7.9	2.2	741	UK	W-GBIF-15
Nineta flava	57.48321	-4.18779	7.9	2.2	741	UK	W-GBIF-15
Nineta flava	57.35188	-4.36867	7.2	1.3	979	UK	W-GBIF-15
Nineta flava	57.47788	-4.23585	8.0	2.3	747	UK	W-GBIF-15
Nineta flava	57.48512	-4.18123	7.9	2.2	741	UK	W-GBIF-15
Nineta flava	57.48512	-4.18123	7.9	2.2	741	UK	W-GBIF-15

Nineta flava	57.48217	-4.19607	7.9	2.2	741	UK	W-GBIF-15
Nineta flava	57.48897	-4.16644	7.7	1.9	756	UK	W-GBIF-15
Nineta vittata	57.44335	-4.25708	7.8	2.0	820	UK	W-GBIF-15
Nineta vittata	57.78307	-3.92833	8.1	3.0	675	UK	W-GBIF-15
Nineta flava	57.33035	-2.71675	7.1	2.1	830	UK	W-GBIF-15
Nineta vittata	57.22569	-2.24845	7.9	3.0	793	UK	W-GBIF-15
Nineta flava	57.04405	-2.74172	7.5	2.4	770	UK	W-GBIF-15
Nineta vittata	57.13476	-2.57830	7.2	2.2	821	UK	W-GBIF-15
Nineta flava	59.94181	10.73765	5.9	-3.6	752	Norway	W-GBIF-19
Nineta vittata	59.95153	10.60834	5.7	-3.9	751	Norway	W-GBIF-19
Nineta vittata	62.93750	7.73731	5.0	-0.9	1203	Norway	W-GBIF-18
Nineta vittata	62.57996	7.78956	3.7	-2.7	1047	Norway	W-GBIF-18
Nineta vittata	62.57996	7.78956	3.7	-2.7	1047	Norway	W-GBIF-18
Nineta vittata	62.56781	7.75967	3.7	-2.7	1047	Norway	W-GBIF-18
Nineta vittata	62.56781	7.75967	3.7	-2.7	1047	Norway	W-GBIF-18
Nineta vittata	62.58269	7.93036	2.2	-4.4	1047	Norway	W-GBIF-18
Nineta vittata	62.93750	7.73731	5.0	-0.9	1203	Norway	W-GBIF-18
Nineta vittata	62.93750	7.73731	5.0	-0.9	1203	Norway	W-GBIF-18
Oviedus ruficeps	-19.59811	29.08992	18.6	14.0	622	S. Rhodesia	Tjeder 1966
Oviedus ruficeps	-18.37820	31.70723	17.0	12.9	833	S. Rhodesia	Tjeder 1966
Oviedus virgatus	-30.09936	30.85984	20.6	17.4	1007	Natal	Tjeder 1966
Oviedus virgatus	-30.13331	30.83267	20.4	17.3	1016	Natal	Tjeder 1966
Oviedus illotus	-17.87917	31.07417	18.5	14.6	811	S. Rhodesia	Tjeder 1966
Oviedus macrostigma	-8.58372	23.00770	22.8	22.1	1463	DR Congo	W-RMCA-1
Oviedus macrostigma	-8.35353	22.64966	23.4	22.8	1455	DR Congo	W-RMCA-1
Oviedus auricollis	-5.26413	12.94843	25.2	22.3	1188	DR Congo	W-RMCA-1
Oviedus macrostigma	-8.58372	23.00770	22.8	22.1	1463	DR Congo	W-RMCA-1
Oviedus macrostigma	-8.35353	22.64966	23.4	22.8	1455	DR Congo	W-RMCA-1
Oyochrysa ancora	0.01039	18.31603	25.5	24.8	1692	DR Congo	W-RMCA-1
Oyochrysa ancora	0.01039	18.31603	25.5	24.8	1692	DR Congo	W-RMCA-1
Parankylopteryx polysticta	-22.96450	29.93519	17.1	12.5	1194	South Africa	W-RMCA-2
Parankylopteryx polysticta	-22.93210	29.61425	19.4	14.5	545	South Africa	W-RMCA-2
Parankylopteryx polysticta	-24.19995	28.63841	16.8	11.6	657	South Africa	W-RMCA-2
Parankylopteryx polysticta	-24.05000	30.10000	15.4	11.4	1100	South Africa	W-RMCA-2
Plesiochrysa ramburi	-36.60000	144.30000	14.8	8.6	521	Australia	W-GBIF-1
Plesiochrysa ramburi	-34.50000	116.10000	14.9	11.1	1121	Australia	W-GBIF-1

Plesiochrysa ramburi	-34.01000	151.05000	17.3	12.1	1194	Australia	W-GBIF-1
Plesiochrysa ramburi	-33.99000	151.06000	17.5	12.3	1118	Australia	W-GBIF-1
Plesiochrysa ramburi	-33.90000	151.20000	17.6	12.6	1246	Australia	W-GBIF-1
Plesiochrysa ramburi	-33.90000	151.20000	17.6	12.6	1246	Australia	W-GBIF-1
Plesiochrysa ramburi	-33.62000	151.31000	17.4	12.3	1263	Australia	W-GBIF-1
Plesiochrysa ramburi	-33.88393	151.26963	17.5	12.6	1262	Australia	W-GBIF-1
Plesiochrysa ramburi	-33.60000	151.30000	17.4	12.3	1263	Australia	W-GBIF-1
Plesiochrysa ramburi	-33.80000	151.10000	17.5	12.2	1129	Australia	W-GBIF-1
Plesiochrysa ramburi	-32.40000	142.20000	18.5	11.3	249	Australia	W-GBIF-1
Plesiochrysa ramburi	-33.00000	146.20000	17.6	10.1	425	Australia	W-GBIF-1
Plesiochrysa ramburi	-32.10000	148.50000	17.4	10.1	617	Australia	W-GBIF-1
Plesiochrysa ramburi	-32.20000	148.60000	17.3	10.0	635	Australia	W-GBIF-1
Plesiochrysa ramburi	-32.20000	151.30000	14.0	8.0	1023	Australia	W-GBIF-1
Plesiochrysa ramburi	-31.10000	142.40000	18.7	11.0	270	Australia	W-GBIF-1
Plesiochrysa ramburi	-31.20000	142.30000	18.3	10.6	280	Australia	W-GBIF-1
Plesiochrysa ramburi	-31.60000	143.00000	19.0	11.5	268	Australia	W-GBIF-1
Plesiochrysa ramburi	-31.26000	149.15000	15.3	7.9	813	Australia	W-GBIF-1
Plesiochrysa ramburi	-31.88000	149.08000	16.3	9.1	662	Australia	W-GBIF-1
Plesiochrysa ramburi	-30.10000	141.40000	19.9	12.0	196	Australia	W-GBIF-1
Plesiochrysa ramburi	-30.30000	150.20000	13.8	6.5	1021	Australia	W-GBIF-1
Plesiochrysa ramburi	-30.50000	152.50000	16.3	10.7	1425	Australia	W-GBIF-1
Plesiochrysa ramburi	-29.70000	141.80000	20.1	12.0	219	Australia	W-GBIF-1
Plesiochrysa ramburi	-29.90000	141.70000	19.9	11.8	210	Australia	W-GBIF-1
Plesiochrysa ramburi	-29.70000	141.10000	20.2	12.2	187	Australia	W-GBIF-1
Plesiochrysa ramburi	-29.40000	142.50000	20.6	12.4	243	Australia	W-GBIF-1
Plesiochrysa ramburi	-29.90000	143.20000	20.1	12.0	264	Australia	W-GBIF-1
Plesiochrysa ramburi	-29.70000	143.70000	20.2	12.1	278	Australia	W-GBIF-1
Plesiochrysa ramburi	-29.90000	145.20000	20.2	12.4	336	Australia	W-GBIF-1
Plesiochrysa ramburi	-30.00000	145.20000	20.2	12.3	337	Australia	W-GBIF-1
Plesiochrysa ramburi	-28.80000	141.70000	20.8	12.5	202	Australia	W-GBIF-1
Plesiochrysa ramburi	-28.53000	153.55000	19.9	15.3	1829	Australia	W-GBIF-1
Plesiochrysa ramburi	-27.46000	153.02000	20.3	15.2	1163	Australia	W-GBIF-1
Plesiochrysa ramburi	-26.60000	152.90000	19.2	14.1	1750	Australia	W-GBIF-1
Plesiochrysa ramburi	-26.00000	129.80000	20.0	11.8	296	Australia	W-GBIF-1
Plesiochrysa ramburi	-25.40000	142.70000	23.0	14.7	288	Australia	W-GBIF-1
Plesiochrysa ramburi	-23.60000	145.40000	22.8	15.7	507	Australia	W-GBIF-1

Plesiochrysa ramburi	-23.00000	145.10000	23.4	16.4	490	Australia	W-GBIF-1
Plesiochrysa ramburi	-22.82000	147.63000	22.0	15.5	656	Australia	W-GBIF-1
Plesiochrysa ramburi	-15.10000	131.10000	26.5	21.9	985	Australia	W-GBIF-1
Plesiochrysa ramburi	-12.20000	96.90000	26.6	25.8	1939	Australia	W-GBIF-1
Plesiochrysa brasiliensis	4.79768	-52.33333	26.4	25.9	3532	Fr Guiana	W-GBIF-2
Plesiochrysa elongata	8.89147	-82.79290	20.0	19.3	3159	Costa Rica	W-GBIF-6
Plesiochrysa	10.88970	-85.39890	23.0	22.2	2664	Costa Rica	W-GBIF-6
Plesiochrysa elongata	10.96250	-85.49520	21.7	20.9	2723	Costa Rica	W-GBIF-6
Plesiochrysa brasiliensis	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Plesiochrysa elongata	10.83640	-85.61550	24.9	24.1	1725	Costa Rica	W-GBIF-6
Plesiochrysa elongata	10.85630	-85.61190	24.9	24.1	1725	Costa Rica	W-GBIF-6
Plesiochrysa brasiliensis	10.32800	-84.08040	23.7	23.0	4369	Costa Rica	W-GBIF-6
Plesiochrysa litorosa	-4.68267	55.48040	24.9	24.2	2281	Seyshelles	W-RMCA-2
Plesiochrysa scotti	-4.68267	55.48040	24.9	24.2	2281	Seyshelles	W-RMCA-2
Plesiochrysa brasiliensis	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Plesiochrysa brasiliensis	-21.29178	-50.35180	21.9	18.4	1209	Brazil	de Freitas & Penny 2001
Plesiochrysa brasiliensis	-23.11776	-46.54929	18.3	15.3	1371	Brazil	de Freitas & Penny 2001
Plesiochrysa brasiliensis	-22.48834	-47.21535	20.0	16.7	1302	Brazil	de Freitas & Penny 2001
Plesiochrysa brasiliensis	-21.60331	-48.36621	21.3	18.4	1324	Brazil	de Freitas & Penny 2001
Plesiochrysa brasiliensis	-20.73824	-48.91404	23.0	20.1	1311	Brazil	de Freitas & Penny 2001
Plesiochrysa elongata	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Plesiochrysa elongata	-20.75297	-42.87663	20.1	17.1	1263	Brazil	de Freitas & Penny 2001
Plesiochrysa elongata	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Plesiochrysa alytos	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Plesiochrysa alytos	-21.25556	-48.32240	21.7	18.9	1340	Brazil	de Freitas & Penny 2001
Plesiochrysa alytos	-17.20852	-54.15202	23.5	21.0	1566	Brazil	de Freitas & Penny 2001
Stigmatochrysa elisabethae	-9.69778	22.94111	23.2	21.8	1307	DR Congo	W-RMCA-1
Turnerochrysa mirifica	-26.66547	16.26051	13.7	8.6	132	S. W. Africa	Tjeder 1966
Ungla pallescens	10.30696	-84.80967	18.8	18.0	2950	Costa Rica	Penny 1998
Yumachrysa apache	16.59026	-96.05990	22.0	19.8	740	Mexico	W-GBIF-2
Yumachrysa apache	18.77695	-99.26667	23.7	21.3	903	Mexico	W-GBIF-2
Yumachrysa apache	18.77695	-99.26667	23.7	21.3	903	Mexico	W-GBIF-2
Yumachrysa sp.	18.38831	-97.44798	18.3	15.7	491	Mexico	W-GBIF-2
Yumachrysa apache	19.73333	-104.33330	23.1	20.6	871	Mexico	W-GBIF-2
Yumachrysa sp.	21.13333	-104.50000	18.0	14.9	954	Mexico	W-GBIF-2
Yumachrysa apache	23.65019	-100.58050	19.4	14.5	446	Mexico	W-GBIF-2

Yumachrysa apache	23.65019	-100.58050	19.4	14.5	446	Mexico	W-GBIF-2
Yumachrysa apache	23.65019	-100.58050	19.4	14.5	446	Mexico	W-GBIF-2
Yumachrysa apache	29.54871	-103.27580	19.4	10.1	331	USA	W-GBIF-2
Yumachrysa apache	29.55551	-103.27230	19.4	10.1	331	USA	W-GBIF-2
Yumachrysa apache	29.54941	-101.01960	20.9	11.5	407	USA	W-GBIF-2
Yumachrysa apache	29.88438	-100.99340	20.0	10.4	466	USA	W-GBIF-2
Yumachrysa apache	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Yumachrysa apache	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Yumachrysa apache	30.62833	-104.08361	13.7	5.9	435	USA	W-GBIF-2
Yumachrysa apache	30.62196	-104.09370	14.3	6.3	394	USA	W-GBIF-2
Yumachrysa apache	30.58821	-103.89460	15.4	7.2	370	USA	W-GBIF-2
Yumachrysa apache	30.71017	-101.48120	18.1	8.1	444	USA	W-GBIF-2
Yumachrysa apache	30.01084	-101.17310	19.7	10.0	449	USA	W-GBIF-2
Yumachrysa apache	30.04743	-99.14031	18.6	9.6	732	USA	W-GBIF-2
Yumachrysa apache	31.85416	-106.54111	16.4	6.9	241	USA	W-GBIF-2
Yumachrysa sp.	32.22762	-112.69040	21.2	12.6	240	USA	W-GBIF-2
Yumachrysa apache	32.33563	-110.69650	14.5	6.6	556	USA	W-GBIF-2
Yumachrysa apache	33.83030	-116.54530	19.5	11.7	226	USA	W-GBIF-2
Yumachrysa apache	35.94833	-117.55388	12.5	3.7	231	USA	W-GBIF-2
Yumachrysa apache	35.86828	-117.47510	13.8	4.7	191	USA	W-GBIF-2
Yumachrysa apache	36.11661	-117.75650	12.6	3.8	239	USA	W-GBIF-2
Yumachrysa apache	37.01000	-117.50638	15.5	4.8	111	USA	W-GBIF-2
Chrysopa perla	60.33278	49.61445	1.7	-13.1	609	Russia	Zakharenko & Sedykh 1981
Chrysopa perla	60.45917	51.01028	1.5	-13.5	596	Russia	Zakharenko & Sedykh 1981
Chrysopa perla	63.56667	53.70000	-0.9	-15.9	599	Russia	Zakharenko & Sedykh 1981
Chrysopa perla	59.60178	49.40860	1.9	-12.7	633	Russia	Zakharenko & Sedykh 1981
Chrysopa perla	61.68298	50.82227	0.7	-14.3	567	Russia	Zakharenko & Sedykh 1981
Chrysopa perla	62.27150	57.80893	-1.8	-17.6	680	Russia	Zakharenko & Sedykh 1981
Chrysopa abbrevata	63.58333	53.93333	-1.0	-16.0	602	Russia	Zakharenko & Sedykh 1981
Chrysopa commata	52.64889	59.57167	1.8	-15.9	346	Russia	Makarkin & Lagunov 2010
Chrysopa perla	52.72500	58.89167	2.1	-15.4	355	Russia	Makarkin & Lagunov 2010
Chrysopa phyllochroma	52.61300	58.98400	2.1	-15.5	351	Russia	Makarkin & Lagunov 2010
Chrysoperla carnea	54.77800	56.81850	2.9	-13.5	522	Russia	Makarkin & Lagunov 2010
Chrysoperla carnea	55.08500	60.26100	1.9	-14.5	542	Russia	Makarkin & Lagunov 2010
Chrysopa dasyptera	55.02400	60.06600	1.8	-14.7	559	Russia	Makarkin & Lagunov 2010
Chrysopa pallens	54.29555	60.69706	1.8	-15.1	455	Russia	Makarkin & Lagunov 2010

Dichochrysa prasina	55.15200	58.76200	1.5	-15.0	551	Russia	Makarkin & Lagunov 2010
Dichochrysa prasina	54.09200	60.40300	2.0	-15.0	435	Russia	Makarkin & Lagunov 2010
Chrysopa commata	54.11700	61.39600	2.6	-14.6	400	Russia	Makarkin & Lagunov 2010
Chrysopa phyllochroma	54.00000	61.20278	2.4	-14.8	405	Russia	Makarkin & Lagunov 2010
Chrysopa dasyptera	54.08200	61.25900	2.5	-14.6	403	Russia	Makarkin & Lagunov 2010
Chrysopa commata	54.67900	61.09300	2.3	-14.4	451	Russia	Makarkin & Lagunov 2010
Chrysopa dasyptera	56.28972	61.30750	2.6	-13.2	487	Russia	Makarkin & Lagunov 2010
Chrysopa phyllochroma	54.64300	60.75500	2.0	-14.7	470	Russia	Makarkin & Lagunov 2010
Chrysopa formosa	55.13400	61.11500	2.2	-14.2	475	Russia	Makarkin & Lagunov 2010
Chrysoperla carnea	54.98333	60.36667	1.9	-14.6	530	Russia	Makarkin & Lagunov 2010
Chrysopa carnea	56.26667	44.00000	4.2	-9.8	604	Russia	Kovrigina 1978
Chrysopa carnea	58.60000	49.65000	2.6	-12.1	634	Russia	Kovrigina 1978
Chrysopa carnea	53.23333	50.31667	4.9	-11.1	524	Russia	Kovrigina 1978
Chrysopa carnea	53.45000	51.43333	4.7	-11.4	525	Russia	Kovrigina 1978
Chrysopa carnea	56.13333	47.25000	3.7	-11.0	552	Russia	Kovrigina 1978
Chrysopa carnea	55.79083	49.11444	3.9	-11.3	534	Russia	Kovrigina 1978
Chrysopa septempunctata	54.31667	48.38333	4.3	-11.0	518	Russia	Kovrigina 1978
Chrysopa perla	62.45500	66.05833	-2.0	-19.1	584	Russia	Dubatolov 1998
Nineta carinthiaca	57.15000	65.50000	0.8	-16.1	475	Russia	Dubatolov 1998
Chrysopa perla	58.19528	68.25806	-0.2	-17.4	482	Russia	Dubatolov 1998
Chrysopa formosa	55.45000	65.33333	1.2	-16.3	381	Russia	Dubatolov 1998
Chrysopa intima	56.50000	84.96667	0.7	-16.2	538	Russia	Dubatolov 1998
Chrysopa perla	54.93333	73.40000	1.4	-16.2	394	Russia	Dubatolov 1998
Chrysopa perla	55.03312	82.91663	1.2	-16.1	443	Russia	Dubatolov 1998
Chrysopa formosa	53.71667	91.41667	1.5	-16.8	373	Russia	Dubatolov 1998
Chrysopa prasina	56.92623	97.52587	-1.5	-20.8	393	Russia	Pleshanov 1974
Chrysopa perla	58.06200	93.28500	-1.7	-19.9	477	Russia	Dubatolov 1998
Chrysopa perla	61.40800	98.89200	-7.5	-29.6	443	Russia	Dubatolov 1998
Chrysopa formosa	56.16900	92.99600	0.4	-15.9	497	Russia	Dubatolov 1998
Chrysopa formosa	53.60600	91.58900	1.4	-17.1	373	Russia	Dubatolov 1998
Chrysopa carnea	52.26667	104.40000	-0.1	-17.6	489	Russia	Pleshanov 1974
Chrysopa carnea	52.29889	105.32361	-1.4	-19.8	496	Russia	Pleshanov 1974
Chrysopa prasina	51.90694	105.07056	-0.3	-18.6	518	Russia	Pleshanov 1974
Chrysopa carnea	53.29524	105.01179	-3.4	-22.2	449	Russia	Pleshanov 1974
Chrysopa perla	56.83750	104.89444	-3.8	-24.6	388	Russia	Pleshanov 1974
Chrysopa perla	53.91667	102.05000	-1.1	-19.7	367	Russia	Pleshanov 1974

Chrysopa carnea	51.83333	107.61667	-1.0	-21.4	264	Russia	Pleshanov 1974
Chrysopa formosa	52.10000	113.38333	-1.8	-22.4	350	Russia	Pleshanov 1974
Chrysoperla carnea	62.01300	129.69800	-10.0	-38.4	243	Russia	V. Makarkin pers. data
Chrysoperla carnea	61.54700	129.21700	-9.4	-37.2	262	Russia	V. Makarkin pers. data
Chrysopa commata	63.39900	143.25600	-16.3	-44.4	220	Russia	V. Makarkin pers. data
Chrysopa intima	49.19370	129.82810	0.0	-22.9	615	Russia	V. Makarkin pers. data
Chrysopa intima	50.24400	127.63400	1.0	-20.4	566	Russia	V. Makarkin pers. data
Chrysopa intima	48.33600	134.99800	1.9	-18.4	673	Russia	V. Makarkin pers. data
Chrysopa intima	47.21200	134.36200	2.3	-17.7	660	Russia	V. Makarkin pers. data
Chrysopa intima	50.61667	136.98333	-0.4	-20.7	553	Russia	V. Makarkin pers. data
Chrysopa intima	50.53888	137.08632	-0.8	-20.8	573	Russia	V. Makarkin pers. data
Chrysopa intima	43.12200	131.59900	5.6	-9.7	700	Russia	V. Makarkin pers. data
Chrysopa intima	43.12000	131.57200	4.7	-10.7	721	Russia	V. Makarkin pers. data
Chrysopa intima	43.29900	131.82500	5.5	-10.2	694	Russia	V. Makarkin pers. data
Chrysopa intima	43.71300	132.11900	5.0	-11.2	668	Russia	V. Makarkin pers. data
Chrysopa intima	43.64800	132.16500	4.9	-11.2	683	Russia	V. Makarkin pers. data
Chrysopa intima	43.59900	132.30300	3.8	-12.2	725	Russia	V. Makarkin pers. data
Chrysopa intima	44.19400	132.43800	4.8	-12.1	655	Russia	V. Makarkin pers. data
Chrysopa intima	44.41200	132.06800	4.5	-12.6	623	Russia	V. Makarkin pers. data
Chrysopa intima	44.33900	132.06500	4.5	-12.5	626	Russia	V. Makarkin pers. data
Chrysopa intima	45.11400	131.97000	4.5	-13.5	569	Russia	V. Makarkin pers. data
Chrysopa intima	44.56200	132.90600	4.2	-13.2	671	Russia	V. Makarkin pers. data
Chrysopa intima	44.43000	133.44800	4.0	-13.0	692	Russia	V. Makarkin pers. data
Chrysopa intima	44.14800	133.85100	3.8	-12.5	737	Russia	V. Makarkin pers. data
Chrysopa intima	43.83100	131.82200	5.3	-11.2	634	Russia	V. Makarkin pers. data
Chrysopa intima	43.92800	131.57600	5.2	-11.5	608	Russia	V. Makarkin pers. data
Chrysopa intima	43.93900	133.04000	3.8	-12.5	720	Russia	V. Makarkin pers. data
Chrysopa intima	44.08300	133.28100	3.1	-13.3	742	Russia	V. Makarkin pers. data
Chrysopa intima	44.17300	133.23900	4.4	-12.3	697	Russia	V. Makarkin pers. data
Chrysopa intima	42.95400	131.73300	5.8	-9.2	726	Russia	V. Makarkin pers. data
Chrysopa intima	43.17500	131.74400	5.4	-10.1	708	Russia	V. Makarkin pers. data
Chrysopa intima	43.63700	131.92700	5.3	-10.8	661	Russia	V. Makarkin pers. data
Chrysopa intima	43.39700	131.99600	5.1	-10.7	703	Russia	V. Makarkin pers. data
Chrysopa intima	43.17000	131.95600	5.0	-10.5	736	Russia	V. Makarkin pers. data
Chrysopa intima	43.23100	132.02200	5.3	-10.3	722	Russia	V. Makarkin pers. data
Chrysopa intima	43.24800	132.14700	4.7	-10.8	743	Russia	V. Makarkin pers. data

Chrysopa intima	42.81500	132.88000	6.2	-8.1	712	Russia	V. Makarkin pers. data
Chrysopa intima	43.16900	132.94500	4.0	-11.1	765	Russia	V. Makarkin pers. data
Chrysopa intima	43.35300	132.49600	5.0	-10.5	715	Russia	V. Makarkin pers. data
Chrysopa intima	43.19700	132.59700	5.1	-10.1	728	Russia	V. Makarkin pers. data
Chrysopa intima	43.18900	132.74200	4.2	-10.9	754	Russia	V. Makarkin pers. data
Chrysopa intima	43.16700	132.80000	3.9	-11.3	766	Russia	V. Makarkin pers. data
Chrysopa intima	43.12000	132.75300	1.7	-13.3	854	Russia	V. Makarkin pers. data
Chrysopa intima	43.11600	132.79400	1.8	-13.3	853	Russia	V. Makarkin pers. data
Chrysopa intima	43.32300	132.35300	5.6	-9.9	703	Russia	V. Makarkin pers. data
Chrysopa intima	42.88800	131.26300	5.7	-9.2	693	Russia	V. Makarkin pers. data
Chrysopa intima	43.47500	131.58100	4.1	-11.9	685	Russia	V. Makarkin pers. data
Chrysopa intima	43.63700	131.65900	4.4	-11.9	665	Russia	V. Makarkin pers. data
Chrysopa intima	43.66200	131.57200	4.4	-12.0	657	Russia	V. Makarkin pers. data
Chrysopa intima	44.68300	135.23300	-0.5	-16.2	898	Russia	V. Makarkin pers. data
Chrysopa intima	44.41400	135.80000	4.4	-10.0	756	Russia	V. Makarkin pers. data
Chrysopa intima	43.75800	135.26100	4.6	-9.8	836	Russia	V. Makarkin pers. data
Chrysopa intima	43.30100	134.59400	5.9	-8.4	808	Russia	V. Makarkin pers. data
Chrysopa intima	43.45700	134.02900	3.3	-11.7	831	Russia	V. Makarkin pers. data
Chrysopa intima	45.76500	135.47600	2.0	-14.8	766	Russia	V. Makarkin pers. data
Chrysopa intima	45.80400	135.30800	1.9	-15.2	758	Russia	V. Makarkin pers. data
Chrysopa intima	45.92700	134.92000	2.1	-15.9	728	Russia	V. Makarkin pers. data
Chrysopa intima	45.13600	136.69900	2.8	-11.1	871	Russia	V. Makarkin pers. data
Chrysopa intima	45.17400	136.46600	2.1	-12.2	871	Russia	V. Makarkin pers. data
Chrysopa intima	46.74700	134.30900	2.5	-17.2	660	Russia	V. Makarkin pers. data
Chrysopa intima	45.34800	133.47000	3.7	-15.1	633	Russia	V. Makarkin pers. data
Dichochrysa cognatella	53.89033	157.70457	-1.7	-11.9	882	Russia	Tsukaguchi & Kuranishi 2000
Nineta vittata	56.03333	159.06667	-2.8	-15.0	712	Russia	Tsukaguchi & Kuranishi 2000
Nineta vittata	52.41662	157.50002	-0.7	-9.8	921	Russia	Tsukaguchi & Kuranishi 2000
Nineta vittata	53.89038	157.69545	-1.7	-11.9	882	Russia	Tsukaguchi & Kuranishi 2000
Chrysopa intima	53.89080	157.69646	-1.7	-11.9	882	Russia	Tsukaguchi & Kuranishi 2000
Chrysopa intima	43.91917	145.52917	5.3	-5.0	1122	Russia	V. Makarkin pers. data
Chrysopa intima	45.03551	147.75698	4.6	-5.2	1305	Russia	V. Makarkin pers. data
Chrysopa intima	43.87056	146.82778	5.4	-3.9	1268	Russia	V. Makarkin pers. data
Chrysopa dasyptera	50.03667	82.49500	3.2	-14.4	452	Kazakhstan	Dubatolov 1998
Chrysopa formosa	54.83333	69.15000	1.5	-16.1	347	Kazakhstan	Dubatolov 1998
Chrysopa sp.	38.43333	56.30000	15.7	3.1	225	Turmenistan	V. Makarkin pers. data

Chrysopa sp.	37.95000	58.38333	15.5	3.2	228	Turmenistan	V. Makarkin pers. data
Chrysopa septempuctata	38.56667	63.18333	16.2	3.8	143	Turmenistan	Luppova 1970
Chrysopa septempuctata	41.26667	69.26667	14.8	3.0	414	Uzbekistan	Luppova 1970
Chrysopa septempuctata	41.38333	60.36667	13.4	-0.7	102	Uzbekistan	Luppova 1970
Chrysopa phyllochroma	49.70001	91.73333	-5.4	-24.6	213	Mongolia	Hölzel 1967
Chrysopa phyllochroma	49.95000	91.11667	-5.7	-23.4	233	Mongolia	Hölzel 1967
Chrysopa hummeli	50.63329	92.39992	-3.2	-27.3	250	Mongolia	Hölzel 1967
Chrysopa formosa	49.06667	90.20000	0.1	-16.4	118	Mongolia	Hölzel 1967
Chrysopa formosa	49.98939	92.71493	-2.3	-27.8	169	Mongolia	Hölzel 1967
Chrysopa carnea	49.07501	93.30070	-1.7	-26.1	134	Mongolia	Hölzel 1967
Chrysopa formosa	46.99999	92.40000	-1.5	-20.4	136	Mongolia	Hölzel 1967
Chrysopa formosa	46.27100	91.54976	1.7	-18.2	105	Mongolia	Hölzel 1967
Chrysopa formosa	45.75000	92.08333	3.8	-16.1	75	Mongolia	Hölzel 1967
Chrysopa carnea	46.14734	90.98393	2.9	-16.3	107	Mongolia	Hölzel 1967
Chrysopa formosa	48.50000	91.50000	0.5	-20.1	109	Mongolia	Hölzel 1967
Chrysopa hummeli	47.33333	95.80000	0.3	-19.2	120	Mongolia	Hölzel 1967
Chrysopa phyllochroma	46.95000	93.66668	1.4	-19.0	81	Mongolia	Hölzel 1967
Chrysopa dibitans	46.20000	95.33333	4.3	-15.1	66	Mongolia	Hölzel 1967
Chrysopa dibitans	47.46863	92.12595	1.1	-21.1	95	Mongolia	Hölzel 1967
Chrysopa dibitans	37.00000	93.00000	3.3	-9.4	44	China	McLachlan 1887
Mallada sjoestedti	2.22000	45.25000	27.4	26.3	506	Somalia	Hölzel & Ohm 1991
Mallada sjoestedti	1.32000	44.13000	26.1	25.0	441	Somalia	Hölzel & Ohm 1991
Mallada sjoestedti	0.10000	42.45000	27.6	26.1	483	Somalia	Hölzel & Ohm 1991
Mallada nicolainus	2.22000	45.18000	27.5	26.3	510	Somalia	Hölzel & Ohm 1991
Mallada nicolainus	2.45000	45.25000	27.7	26.4	519	Somalia	Hölzel & Ohm 1991
Mallada nicolainus	2.48000	44.01000	28.2	27.0	539	Somalia	Hölzel & Ohm 1991
Mallada nicolainus	2.52000	44.01000	28.2	27.0	543	Somalia	Hölzel & Ohm 1991
Mallada nicolainus	1.27000	44.10000	26.2	24.9	444	Somalia	Hölzel & Ohm 1991
Mallada nicolainus	1.35000	44.20000	26.2	25.0	431	Somalia	Hölzel & Ohm 1991
Mallada nicolainus	0.04000	41.53000	28.2	26.4	404	Somalia	Hölzel & Ohm 1991
Mallada nicolainus	0.40000	43.24000	26.1	24.8	485	Somalia	Hölzel & Ohm 1991
Mallada boninensis	2.38000	45.18000	27.7	26.4	520	Somalia	Hölzel & Ohm 1991
Mallada boninensis	2.45000	45.21000	27.7	26.4	519	Somalia	Hölzel & Ohm 1991
Mallada boninensis	2.52000	43.50000	27.5	26.1	544	Somalia	Hölzel & Ohm 1991
Mallada boninensis	2.59000	44.01000	28.3	27.2	550	Somalia	Hölzel & Ohm 1991
Mallada boninensis	0.48000	43.23000	26.2	24.8	488	Somalia	Hölzel & Ohm 1991

Mallada boninensis	1.35000	44.20000	26.2	25.0	431	Somalia	Hölzel & Ohm 1991
Mallada boninensis	0.10000	42.00450	28.0	26.2	445	Somalia	Hölzel & Ohm 1991
Mallada boninensis	0.15000	42.00450	28.0	26.2	453	Somalia	Hölzel & Ohm 1991
Crassochrysa somalica	2.36000	45.30000	27.6	26.4	519	Somalia	Hölzel & Ohm 1991
Crassochrysa sp.	2.38000	45.18000	27.7	26.4	520	Somalia	Hölzel & Ohm 1991
Crassochrysa sp.	1.35000	44.10000	26.3	25.1	450	Somalia	Hölzel & Ohm 1991
Chrysoperla pudica	2.53000	44.01000	28.2	27.0	543	Somalia	Hölzel & Ohm 1991
Chrysoperla pudica	2.52000	44.01000	28.2	27.0	543	Somalia	Hölzel & Ohm 1991
Chrysoperla pudica	2.59000	43.50000	27.6	26.2	541	Somalia	Hölzel & Ohm 1991
Chrysoperla congrua	2.22000	45.25000	27.4	26.3	506	Somalia	Hölzel & Ohm 1991
Chrysoperla congrua	1.27000	44.20000	26.0	24.8	432	Somalia	Hölzel & Ohm 1991
Chrysoperla congrua	1.35000	44.10000	26.3	25.1	450	Somalia	Hölzel & Ohm 1991
Chrysoperla congrua	0.15000	42.00000	28.1	26.2	449	Somalia	Hölzel & Ohm 1991
Chrysoperla plicata	2.28000	45.18000	27.5	26.4	511	Somalia	Hölzel & Ohm 1991
Chrysoperla plicata	2.38000	45.18000	27.7	26.4	520	Somalia	Hölzel & Ohm 1991
Chrysoperla plicata	2.53000	44.01000	28.2	27.0	543	Somalia	Hölzel & Ohm 1991
Chrysoperla plicata	2.52000	44.01000	28.2	27.0	543	Somalia	Hölzel & Ohm 1991
Chrysoperla plicata	1.27000	44.20000	26.0	24.8	432	Somalia	Hölzel & Ohm 1991
Chrysoperla plicata	0.65008	43.38334	26.3	25.0	482	Somalia	Hölzel & Ohm 1991
Chrysoperla plicata	0.04000	42.43000	27.5	26.1	455	Somalia	Hölzel & Ohm 1991
Suarius mosconicus	2.53000	44.01000	28.2	27.0	543	Somalia	Hölzel & Ohm 1991
Suarius mosconicus	2.59000	43.50000	27.6	26.2	541	Somalia	Hölzel & Ohm 1991
Suarius mosconicus	0.20000	41.55000	28.4	26.4	419	Somalia	Hölzel & Ohm 1991
Chrysopa intima	53.32722	89.88112	0.0	-17.7	433	Russia	Dubatolov 1998
Chrysopa perla	50.26667	85.60000	0.9	-14.7	450	Russia	Dubatolov 1998
Chrysopa perla	53.35667	83.78722	2.0	-14.8	427	Russia	Dubatolov 1998
Nineta vittata	55.83333	83.52917	0.8	-16.3	471	Russia	Dubatolov 1998
Chrysopa abbreviata	57.56195	86.40362	-0.2	-17.4	535	Russia	Dubatolov 1998
Chrysopa phyllochroma	55.11200	73.81200	1.0	-16.6	397	Russia	Dubatolov 1998
Chrysopa reichardti	55.43417	74.93917	0.5	-17.4	403	Russia	Dubatolov 1998
Chrysopa septempuctata	54.80700	71.40100	1.4	-16.1	372	Russia	Dubatolov 1998
Chrysotropia ciliata	55.23600	83.42100	0.7	-16.4	475	Russia	Dubatolov 1998
Chrysopa perla	55.26700	83.54700	0.7	-16.3	477	Russia	Dubatolov 1998
Chrysopa phyllochroma	55.58400	79.79000	0.2	-17.5	400	Russia	Dubatolov 1998
Mallada prasina	56.03194	83.02583	0.4	-16.8	462	Russia	Dubatolov 1998
Mallada prasina	54.12639	81.62056	1.5	-16.0	390	Russia	Dubatolov 1998

Chrysopa perla	54.47188	82.17372	1.2	-16.1	416	Russia	Dubatolov 1998
Chrysopa formosa	53.72501	77.81611	1.4	-16.8	306	Russia	Dubatolov 1998
Chrysopa phyllochroma	53.85000	78.05000	1.3	-16.8	316	Russia	Dubatolov 1998
Nineta carinthiaca	55.00000	83.83300	0.9	-16.1	479	Russia	Dubatolov 1998
Chrysopa perla	55.41833	83.15445	1.1	-16.2	453	Russia	Dubatolov 1998
Chrysopa phyllochroma	54.12639	81.62056	1.5	-16.0	390	Russia	Dubatolov 1998
Chrysopa perla	54.53889	81.89252	1.0	-16.4	411	Russia	Dubatolov 1998
Chrysopa perla	54.33333	84.21667	1.5	-15.4	470	Russia	Dubatolov 1998
Chrysopa formosa	55.12222	83.90000	0.6	-16.3	488	Russia	Dubatolov 1998
Chrysopa formosa	54.30000	83.31389	0.9	-16.1	458	Russia	Dubatolov 1998
Chrysopa phyllochroma	55.16700	83.53300	0.8	-16.2	472	Russia	Dubatolov 1998
Chrysopa phyllochroma	55.15000	82.05000	0.7	-16.7	424	Russia	Dubatolov 1998
Chrysopa dasyptera	55.51667	83.26667	1.0	-16.2	459	Russia	Dubatolov 1998
Chrysoperla carnea	54.63900	78.26300	0.7	-17.3	348	Russia	Dubatolov 1998
Chrysoperla carnea	55.98889	82.70833	0.4	-16.9	456	Russia	Dubatolov 1998
Chrysoperla carnea	54.99722	82.43889	1.0	-16.4	432	Russia	Dubatolov 1998
Chrysoperla carnea	54.59829	83.92557	1.3	-15.6	466	Russia	Dubatolov 1998
Chrysoperla carnea	53.33694	87.19278	2.2	-14.7	487	Russia	Dubatolov 1998
Nineta carinthiaca	53.32587	84.25209	2.2	-14.4	469	Russia	Dubatolov 1998
Chrysopa perla	51.31389	82.57028	1.9	-14.4	638	Russia	Dubatolov 1998
Chrysopa perla	52.36666	84.08331	3.2	-13.1	495	Russia	Dubatolov 1998
Chrysopa phyllochroma	53.00000	78.65000	1.9	-16.1	296	Russia	Dubatolov 1998
Chrysopa phyllochroma	52.26667	79.16667	2.4	-15.5	282	Russia	Dubatolov 1998
Chrysopa phyllochroma	51.70000	82.83333	3.0	-13.5	563	Russia	Dubatolov 1998
Chrysopa reichardti	51.67083	82.72889	3.0	-13.6	561	Russia	Dubatolov 1998
Chrysopa phyllochroma	53.79194	81.34861	1.7	-15.8	381	Russia	Dubatolov 1998
Chrysopa septempuctata	52.51667	85.16667	3.2	-13.3	510	Russia	Dubatolov 1998
Nineta carinthiaca	51.76944	87.60278	2.0	-15.0	534	Russia	Dubatolov 1998
Chrysotropia ciliata	51.79111	87.25583	1.9	-15.0	525	Russia	Dubatolov 1998
Chrysopa perla	51.78331	87.25475	1.9	-15.0	525	Russia	Dubatolov 1998
Chrysopa perla	51.40600	87.81200	1.5	-15.5	512	Russia	Dubatolov 1998
Chrysopa formosa	50.18350	86.04300	0.6	-15.1	425	Russia	Dubatolov 1998
Chrysopa reichardti	50.75000	86.13333	0.5	-15.2	430	Russia	Dubatolov 1998
Chrysopa reichardti	56.20000	89.51667	0.3	-16.8	452	Russia	Dubatolov 1998
Chrysopa perla	52.58333	93.43333	-3.3	-24.3	820	Russia	Dubatolov 1998
Chrysopa carnea	51.77055	103.25027	-0.8	-18.7	629	Russia	Pleshanov 1974

Chrysopa septempuctata	52.56384	103.90313	-0.1	-18.1	480	Russia	Pleshanov 1974
Chrysopa septempuctata	52.20000	103.26667	-0.3	-18.4	525	Russia	Pleshanov 1974
Chrysopa septempuctata	52.58400	103.92000	-0.1	-18.1	471	Russia	Pleshanov 1974
Chrysopa formosa	53.00736	106.72412	-2.2	-21.5	342	Russia	Pleshanov 1974
Chrysopinae sp.	53.20306	105.20722	-2.7	-21.6	411	Russia	A. Kavezina pers. data
Chrysopinae sp.	55.76120	108.47308	-3.9	-22.6	379	Russia	A. Kavezina pers. data
Chrysopinae sp.	53.19505	104.21803	-1.4	-20.0	445	Russia	A. Kavezina pers. data
Chrysopinae sp.	53.19411	104.21624	-1.4	-20.0	445	Russia	A. Kavezina pers. data
Chrysopinae sp.	53.11484	106.83746	-2.0	-21.4	329	Russia	A. Kavezina pers. data
Chrysopinae sp.	52.29010	104.11168	0.0	-17.6	507	Russia	A. Kavezina pers. data
Chrysopinae sp.	52.26416	104.28092	0.1	-17.4	485	Russia	A. Kavezina pers. data
Chrysopinae sp.	52.24147	104.31891	0.0	-17.4	493	Russia	A. Kavezina pers. data
Chrysopinae sp.	56.37343	98.32953	-1.1	-20.0	397	Russia	A. Kavezina pers. data
Chrysopa formosa	51.73300	102.85000	-0.8	-19.0	498	Russia	Pleshanov 1974
Chrysopa formosa	51.45400	104.63100	0.4	-17.9	541	Russia	Pleshanov 1974
Chrysopa carnea	50.59611	107.59611	-1.0	-21.7	310	Russia	Pleshanov 1974
Chrysopa ventralis	51.55861	105.13028	0.1	-18.4	513	Russia	Pleshanov 1974
Chrysopa ventralis	51.20167	106.39222	-0.2	-19.5	386	Russia	Pleshanov 1974
Chrysopa septempuctata	51.67444	100.99000	-5.1	-23.6	329	Russia	Pleshanov 1974
Chrysopa abbreviata	52.51000	99.82111	-6.5	-26.5	348	Russia	Pleshanov 1974
Chrysopa intima	53.86834	109.95222	-2.9	-23.7	339	Russia	Pleshanov 1974
Chrysopa intima	54.36596	110.04350	-7.0	-25.9	445	Russia	Pleshanov 1974
Chrysopa septempuctata	51.83300	106.06700	-0.7	-19.7	470	Russia	Makarkin 1987
Chrysopinae sp.	51.49177	104.85499	0.3	-18.1	526	Russia	A. Kavezina pers. data
Chrysopinae sp.	55.66875	109.39897	-4.4	-22.2	391	Russia	A. Kavezina pers. data
Chrysopinae sp.	51.72995	107.14092	-1.7	-21.5	322	Russia	A. Kavezina pers. data
Chrysopa intima	51.81735	112.53223	-2.6	-22.8	366	Russia	Makarkin 1987
Chrysopa intima	51.86500	116.03600	-2.5	-24.8	352	Russia	Pleshanov 1974
Chrysopa intima	51.18300	116.65000	-5.3	-27.0	393	Russia	Pleshanov 1974
Chrysopa intima	50.51111	115.12750	-1.2	-21.9	339	Russia	Dulatolov 1999
Chrysopinae sp.	51.29499	108.67123	-2.8	-22.6	361	Russia	A. Kavezina pers. data
Chrysopa intima	49.10000	130.75000	-0.6	-23.4	619	Russia	Makarkin 1992
Chrysopa pallens	49.68300	129.88300	-0.8	-24.1	626	Russia	Makarkin pers.data
Chrysopa pallens	48.89600	130.27500	0.3	-22.2	593	Russia	Makarkin pers.data
Chrysopa pallens	51.91300	127.30200	-2.1	-24.8	527	Russia	Makarkin pers.data
Chrysopa pallens	51.57700	126.84800	-1.3	-23.9	488	Russia	Makarkin pers.data

Chrysopa pallens	48.88900	130.65600	0.3	-22.2	595	Russia	Makarkin pers.data
Cintameva perla	53.02400	158.68300	0.9	-7.9	1027	Russia	Navás 1925
Chrysopa perla	50.08000	82.95400	2.9	-13.7	503	Kazakhstan	Dubatolov 1998
Chrysopa perla	49.69250	83.28917	2.6	-14.0	473	Kazakhstan	Dubatolov 1998
Chrysopa intima	50.43400	83.68100	0.6	-13.5	641	Kazakhstan	Dubatolov 1998
Chrysopa phyllochroma	52.36000	76.88800	2.3	-15.9	280	Kazakhstan	Dubatolov 1998
Chrysopa sp.	43.15750	77.05861	1.9	-12.5	359	Kazakhstan	Makarkin pers.data
Chrysopa sp.	37.91600	58.09100	13.1	0.8	274	Turkmenistan	Makarkin pers.data
Chrysopa septempuctata	38.57100	68.77600	15.1	4.3	613	Tajikistan	Luppova 1970
Chrysopa septempuctata	38.52500	68.54700	15.0	4.2	543	Tajikistan	Luppova 1970
Chrysopa septempuctata	37.91000	69.78400	16.1	4.4	432	Tajikistan	Luppova 1970
Chrysopa septempuctata	37.49167	71.55750	5.8	-7.1	379	Tajikistan	Luppova 1970
Chrysopa septempuctata	39.76900	64.43000	15.1	2.6	157	Uzbekistan	Luppova 1970
Chrysopa cognata	30.65000	104.06700	16.5	7.0	971	China	Banks 1940
Chrysoperla gujaratensis	22.24100	68.98600	25.9	21.4	406	India	Ghosh 1976
Chrysopa carnea	27.24437	60.46712	26.4	16.5	109	Iran	Hölzel 1966
Chrysopa carnea	30.81320	48.66160	25.1	13.9	204	Iran	Hölzel 1966
Chrysopa abbreviata	47.00000	92.50000	-3.2	-20.6	165	Mongolia	Hölzel 1980b
Chrysopa formosa	47.91148	106.91832	-0.7	-19.3	265	Mongolia	Hölzel 1980b
Dichochrysa flavinotala	24.06644	102.19142	21.3	15.5	903	China	Dong et al. 2004
Dichochrysa flavinotala	24.03333	97.86667	21.1	15.1	1453	China	Dong et al. 2004
Dichochrysa flavinotala	24.44750	118.05940	21.7	14.4	1156	China	Dong et al. 2004
Dichochrysa pilinota	26.42890	106.66916	16.3	7.2	1203	China	Dong et al. 2004
Chrysopa cognata.	28.76667	104.56670	18.2	9.2	1161	China	Banks 1940
Chrysopa alethes	28.85000	121.11667	17.2	7.2	1566	China	Banks 1940
Chrysopa carnea	43.80000	87.58333	7.1	-11.1	227	China	Tjeder 1936
Anisochrysa oblonga	27.58333	86.53333	7.3	1.3	1372	Nepal	Hölzel 1973
Anisochrysa obvia	27.63333	86.23333	12.2	6.0	2045	Nepal	Hölzel 1973
Anisochrysa astur	27.60000	85.40000	15.2	8.6	2032	Nepal	Hölzel 1973
Anisochrysa carnea	27.70000	85.33333	18.0	10.8	1475	Nepal	Hölzel 1973
Anisochrysa jubingensis	27.62000	86.73000	10.5	4.5	1962	Nepal	Hölzel 1973
Tumeochrysa olympia	27.81667	86.71667	5.6	-0.5	1067	Nepal	Hölzel 1973
Tumeochrysa caesarea	27.57356	85.39905	12.7	6.3	2021	Nepal	Hölzel 1973
Semachrysa contorta.	25.58333	91.63333	16.0	10.4	4016	India	Brooks 1983
Nothochrysa aequalis	24.85000	88.61667	25.6	19.1	1468	India	Banks 1913c
Tumeochrysa cirerai	27.03333	88.26667	14.6	8.8	2646	India	Ghosh 1999

Chrysopa ignobilis	22.56972	88.36972	26.3	20.4	1731	India	Ghosh 1999
Semachrysa sagitta	-15.13333	167.10000	25.0	23.9	2891	Vanuatu	Brooks 1983
Chrysopa isolata	14.17889	121.22560	27.1	25.6	1962	Philippines	Banks 1913b
Ancylopteryx doleschalli	9.73917	118.73530	27.2	26.8	1688	Philippines	Banks 1916
Chrysopa morota	14.12166	121.18253	25.6	24.4	2226	Philippines	Banks 1916
Chrysopa obliquata	16.41667	120.60000	19.2	18.2	3020	Philippines	Banks 1931c
Chrysopa zeylanica	7.29639	80.63500	24.6	23.6	1986	Sri Lanka	Banks 1913c
Chrysopa splendida	6.88333	116.83330	26.9	26.2	2247	Malaysia	Banks 1931a
Chrysopa rizali	5.92013	117.76258	27.1	26.4	3265	Malaysia	Banks 1931a
Chrysopa alticola	6.08333	116.55000	10.0	9.1	2095	Malaysia	Banks 1931a
Chrysopa rizali	3.13570	101.68800	27.1	26.6	2475	Malaysia	Banks 1931b
Chrysopa rizali	6.26667	100.41667	27.5	26.9	2077	Malaysia	Banks 1931b
Chrysopa nigribasis	5.40000	100.23333	25.6	25.1	2841	Malaysia	Banks 1931b
Chrysopa splendida	2.51667	101.80000	27.7	27.4	2302	Malaysia	Banks 1938
Nothochrysa karlentoni	31.96000	77.10000	15.9	8.1	1674	India	Banks 1939
Cintameva benaventi	19.05530	72.83140	26.8	24.2	2508	India	Navás 1930c
Ancylopteryx 8-punctata	18.77122	73.35232	25.8	22.9	4599	India	Navás 1930c
Chrysopa vulgaris	34.61667	9.60000	18.2	10.1	182	Tunisia	Navás 1930b
Cintameva alluaudi	-20.31472	57.52028	20.5	17.7	1903	Mauritius	Navás 1930a
Nothochrysa variegata	-12.36361	44.51028	24.2	22.5	1699	Comores	Navás 1930a
Chrysopa thieli	-4.24485	152.18644	27.0	26.6	2144	Pap. N. Guinea	Navás 1929c
Chrysopa rubida	5.39160	95.84120	27.2	26.3	1708	Indonesia	Navás 1929b
Cintameva cognata	33.93222	107.99833	6.7	-3.7	887	China	Navás 1929a
Ancylopteryx nonelli	1.28915	103.79725	26.8	26.2	2399	Singapore	Navás 1929a
Chrysopa vulgaris	30.00865	31.21221	21.3	14.1	17	Egypt	Navás 1926
Chrysopa vulgaris	30.15278	31.33833	21.6	14.5	23	Egypt	Navás 1926
Chrysopa parishi	5.78969	-57.62211	27.0	26.3	1813	Guyana	Banks 1913a
Chrysopa latithorax	-32.89018	-68.84405	16.2	8.9	218	Argentina	Banks 1913a
Allochrysa titan	10.10662	-83.50587	25.7	24.8	3714	Costa Rica	Banks 1914-1915
Chrysopa figuralis	-11.94115	-76.70354	17.3	14.8	73	Peru	Banks 1914-1915
Chrysopa incalis	-11.84914	-76.39059	11.0	9.3	295	Peru	Banks 1914-1915
Chrysopa asoralis	3.60479	-76.56603	19.0	18.6	1470	Colombia	Banks 1914-1915
Nothochrysa ludekingi	6.36926	99.67966	26.9	26.5	2524	Maylasia	Banks 1931b

REFERENCES FOR TABLE S5 (WEB REFERENCES ABOVE)

ADAMS, P.A., and PENNY, N.D., 1985, Neuroptera of the Amazon Basin. Part 11a. Introduction and Chrysopini: Acta Amazonica, v. 15, p. 413–479.

BANKS, N., 1913a, New exotic neuropteroid insects: Proceedings of the Entomological Society of Washington, v. 15, p. 137–143.

BANKS, N., 1913b, On a collection of neuropteroid insects from the Philippine Islands: Proceedings of the Entomological Society of Washington, v. 15, p. 170–180.

BANKS, N., 1913c, Synopses and descriptions of exotic Neuroptera: Transactions of the American Entomological Society, v. 39, p. 201–242.

BANKS, N., 1914–1915, New neuropteroid insects, native and exotic: Proceedings of the Academy of Natural Sciences of Philadelphia , v. 66, p. 608–632.

BANKS, N., 1916, Neuropteroid insects of the Philippine Islands: Philippine Journal of Science, v. 11, p. 195–217.

BANKS, N., 1931a, Some neuropteroid insects from North Borneo, particularly from Mt. Kinabalu, 13,455 ft.: Journal of the Federated Malay States Museums, v. 16, p. 411–429.

BANKS, N., 1931b, Some neuropteroid insects from the Malay Peninsula: Journal of the Federated Malay States Museums, v. 16, p. 377–409.

BANKS, N., 1931c, Some oriental neuropteroid insects: Psyche, v. 38, p. 56–70.

BANKS, N., 1938, Further neuropteroid insects from Malaya: Journal of the Federated Malay States Museums, v. 18, p. 220–235.

BANKS, N., 1939, New genera and species of neuropteroid insects: Bulletin of the Museum of Comparative Zoology, v. 85, p. 439–504.

BANKS, N., 1940, Report on certain groups of neuropteroid insects from Szechwan, China: Proceedings of the United States National Museum, v. 88, p. 173–220.

BROOKS, S.J., 1983, A new genus of oriental lacewings (Neuroptera: Chrysopidae): Bulletin of the British Museum of Natural History (Entomology), v. 47, p. 1–26.

DE FREITAS, S., and PENNY, N.D., 2001, The green lacewings (Neuroptera: Chrysopidae) of Brazilian agro-ecosystems: Proceedings of the California Academy of Sciences, v. 73, p. 164–170.

DONG, K.Z., LI, W.Z., CUI, J.Z., and YANG, X.K., 2004, Three new species of *Dichochrysa* (Insecta: Neuroptera: Chrysopidae) from China, with a checklist of Chinese *Dichochrysa*: Raffles Bulletin of Zoology, v. 52, p. 67–74.

DUBATOLOV, V.V., 1998, A review of the Neuropteroidea (Insecta, Neuropteroidea: Megaloptera, Raphidioptera, Neuroptera) of West Siberia, *in* Utkin, N.A., chief ed., The Invertebrate Animals of the South Transural Region and Neighboring Territories: Materials of the All-Russian conference, 14–16 April 1988, Kurgan State University, Kurgan, p. 113–123. In Russian.

DUBATOLOV, V.V., 1999, Insecta Neuropteroidea (Megaloptera, Raphidioptera, Neuroptera) of the Dahuria International Nature Reserve and its surroundings, *in* Dubatolov, V.V., ed., Insects of Dahuria and adjacent territories: Proceedings of the Dahurskii State Biosphere Nature Reserve, Novosibirsk, v. 2, p. 57–66. In Russian.

ESBEN-PETERSEN, P., 1920, South African Neuroptera. I: Annals of the South African Museum, v. 17, p. 507–521.

GARLAND, J.A., and KEVAN. D.K.MCE., 2007, Chrysopidae of Canada and Alaska (Insecta, Neuroptera): revised checklist, new and noteworthy records, and geo-referenced localities: Zootaxa, v. 1486, p. 1–84 [Errata: 1507, p. 68].

GERSTAECKER, C.E.A., 1884, Vier decaden von Neuropteren aus der Familie Megaloptera Burm: Mitt[h]eilungen aus dem Naturwissenschaftlichen Verein für Neu-Vorpommern und Rugen, v. 16, p. 1–49.

GHOSH, S.K., 1976, *Chrysopa (Chrysoperla) gujaratensis* n. sp. from India (Neuroptera: Chrysopidae): Entomologica Scandinavica, v. 7, p. 74–75.
GHOSH, S.K., 1999, Insecta: Neuroptera, *in* Director, Zoological Survey of India, ed., Fauna of West Bengal. Part 8. Insecta (Trichoptera, Thysanoptera, Neuroptera, Hymenoptera and Anoplura): Zoological Survey of India, Calcutta, p. 111–148.
HÖLZEL, H., 1966, Beitrag zur Kenntnis der Chrysopiden des Iran (Planipennia, Chrysopidae): Stuttgarter Beiträge zur Naturkunde [aus dem Staatlichen Museum fur Naturkunde in Stuttgart], v. 148, p. 1–7.
HÖLZEL, H., 1967, Chrysopiden aus der Mongolei. Ergebnisse der Mongolisch-Deutschen Biologischen Expeditionen seit 1962, Nr. 31: Mitteilungen aus dem Zoologischen Museum in Berlin, v. 43, p. 251–260.
HÖLZEL, H., 1973, Neuroptera aus Nepal I. Chrysopidae: Khumbu Himal, v. 4, p. 333–388.
HÖLZEL, H., 1980a, Insects of Saudi Arabia. Neuroptera: Fam. Chrysopidae: Fauna of Saudi Arabia, v. 2, p. 164–173.
HÖLZEL, H., 1980b, Planipennia aus den zentralen und westlichen Teilen der Mongolei mit Bemerkungen zur Synonymie mongolischer Chrysopiden: Mitteilungen aus dem Zoologischen Museum in Berlin, v. 56, p. 191–194.
HÖLZEL, H., and OHM, P., 1991, Beitrag zur Kenntnis der Chrysopidae von Somalia (Neuroptera, Chrysopidae): Entomofauna, v. 12, p. 49–70.
KUWAYAMA, S., 1962, A revisional synopsis of the Neuroptera in Japan: Pacific Insects, v. 4, p. 325–412.
KOVRIGINA, A.M., 1978, Neuropteroidea of the Middle Volga region: Entomologicheskoe Obozrenie, v. 57, p. 746–751. In Russian.
LUPPOVA, E.P., 1970, Data on the biology and distribution of two chrysopid species (Neuroptera, Chrysopidae) in Tajikistan: Izvestiya Akademii Nauk Tadzhikshoi SSR, Otdelenie Biologicheskikh Nauk, v. 1, p. 44–55. In Russian.
MAKARKIN, V.N., 1987, Lacewings (Neuroptera) of Transbaikalia, *in* Lehr, P.A., and Kanyukova, E.V., eds., Taxonomy of insects of Siberia and the Far East of the USSR: Far Eastern Scientific Centre, Vladivostok, p. 72–77. In Russian.
MAKARKIN, V.N., 1992, Order Neuroptera – Lacewings, *in* Yu. A., and Chistyakov, ed., Insects of the Khingan Nature Reserve. Part. I.: Dalnauka, Vladivostok, p. 41–44. In Russian.
MAKARKIN, V.N., and LAGUNOV, A.V., 2010, Contribution to our knowledge of the Neuroptera fauna of Chelyabinskaya Oblast': Euroasian Entomological Journal, v. 9, p. 683–688. In Russian.
MCLACHLAN, R., 1887, Insecta in itinere Cl. N. Przewalskii in Asia centrali novissime lecta. XII. Neuroptera II. Perlides, Planipennes et Trichoptères: Horae Societatis Entomologicae Rossicae, v. 21, p. 448–457.
NAVÁS, L., 1910, Crisópidos (Ins. Neur.) nuevos: Brotéria (Zoológica), v. 9, p. 38–59.
NAVÁS, L., 1912, Crisópidos y Hemeróbidos (Ins. Neur.) nuevos ó críticos: Brotéria (Zoológica), v. 10, p. 98–113.
NAVÁS, L., 1914, Notes sur quelques Névroptères du Congo Belge [I]: Revue de Zoologie Africaines, Bruxelles, v. 3, p. 365–377.
NAVÁS, L., 1915, Neuroptera nova africana. V Series: Memorie dell'Accademia Pontifica dei Nuovi Lincei, Rome, v. 1, p. 19–29.
NAVÁS, L., 1925, Entomologische Ergebnisse der schwedischen Kamtchatka-Expedition 1920–1922. 6. Neuroptera et Mecoptera: Arkiv för Zoologi, v. 18B, p. 1–4.
NAVÁS, L., 1926, Névroptères d'Egypte et de Palestine. 3me partie: Bulletin de la Société [Royale] Entomologique d'Egypte, v. 10, p. 192–216.

NAVÁS, L., 1929a, Insecta orientalia. VI Series: Memorie dell'Accademia Pontifica dei Nuovi Lincei, Rome, v. 12, p. 33–42.
NAVÁS, L., 1929b, Insecta orientalia. VII Series: Memorie dell'Accademia Pontifica dei Nuovi Lincei, Rome, v. 12, p. 43–56.
NAVÁS, L., 1929c, Insectos del Museo de Hamburgo. 2.a serie: Boletín de la Sociedad Entomologica de España, v. 12, p. 73–83.
NAVÁS, L., 1930a, Insectos del Museo de Paris. 5.a serie: Brotéria (Zoológica), v. 26, p. 5–24.
NAVÁS, L., 1930b, Insectos del Museo de Paris. 6.a serie: Brotéria (Zoológica), v. 26, p. 120–144.
NAVÁS, L., 1930c, Insecta orientalia. VIII Series: Memorie dell'Accademia Pontifica dei Nuovi Lincei, Rome, v. 14, p. 419–434.
NAVÁS, L., 1933, Neurópteros exóticos [1.a serie]: Memorias de la Real Academia de Ciencias y Artes de Barcelona , v. 23, p. 203–216.
New, T.R., 1980, A revision of the Australian Chrysopidae (Insecta: Neuroptera): Australian Journal of Zoology, Supplementary Series, v. 77, p. 1–143.
Penny, N.D., 1998, New Chrysopinae from Costa Rica (Neuroptera: Chrysopidae): Journal of Neuropterology, v. 1, p. 55–78.
PLESHANOV, A.S., 1974, Review of the Neuroptera of Siberia and the Far East, *in* Fauna of insects of East Siberia and Far East: Irkutsk, p. 180-193. In Russian.
TAUBER, C.A., 2004, A systematic review of the genus *Leucochrysa* (Neuroptera: Chrysopidae) in the United States: Annals of the Entomological Society of America, v. 97, p. 1129–1158.
TAUBER, C.A., 2010, Revision of *Neosuarius*, a subgenus of *Chrysopodes* (Neuroptera, Chrysopidae): ZooKeys, v. 44 (Spec. Issue), p. 1–104.
TJEDER, B., 1936, Schwedisch-chinesische wissenschaftliche expedition nach den nordwestlichen provinzen Chinas, unter leitung von Dr. Sven Hedin und Prof. Su Ping-chang. 62. Neuroptera: Arkiv för zoology, v. 29A, p. 1–36.
TJEDER, B., 1966, Neuroptera-Planipennia. The Lace-wings of Southern Africa. 5. Family Chrysopidae, *in* Hanstrom, B., Brinck, P., and Rudebec, G., eds., South African Animal Life: Swedish Natural Science Research Council, Stockholm, v. 12, p. 228–534.
TSUKAGUCHI, S., and KURANISHI, R.B., 2000, The lacewings (Insecta: Neuroptera) collected from the Kamchatka peninsula and the north Kuril Islands in 1996–1997: Natural History Research, v. 7 (Spec. Issue), p. 8–92.
ZAKHARENKO, A.V., and SEDYKH, K.F., 1981, Neuroptera of the Komi Auton. SSR. Entomologicheskoe Obozrenie, v. 60, p. 598–600. In Russian.